

Alan J Grodzinsky

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4761540/alan-j-grodzinsky-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

5,567
citations

33
h-index

74
g-index

79
ext. papers

6,292
ext. citations

6.2
avg, IF

5.56
L-index

#	Paper	IF	Citations
77	Creb5 establishes the competence for Prg4 expression in articular cartilage. <i>Communications Biology</i> , 2021 , 4, 332	6.7	4
76	Microfracture Augmentation With Trypsin Pretreatment and Growth Factor-Functionalized Self-assembling Peptide Hydrogel Scaffold in an Equine Model. <i>American Journal of Sports Medicine</i> , 2021 , 49, 2498-2508	6.8	4
75	Shear strain and inflammation-induced fixed charge density loss in the knee joint cartilage following ACL injury and reconstruction: A computational study. <i>Journal of Orthopaedic Research</i> , 2021 ,	3.8	1
74	Proteomic analysis reveals dexamethasone rescues matrix breakdown but not anabolic dysregulation in a cartilage injury model. <i>Osteoarthritis and Cartilage Open</i> , 2020 , 2, 100099-100099	1.5	5
73	Mechanobiological model for simulation of injured cartilage degradation via pro-inflammatory cytokines and mechanical stimulus. <i>PLoS Computational Biology</i> , 2020 , 16, e1007998	5	10
72	Age-associated changes in the response of tendon explants to stress deprivation is sex-dependent. <i>Connective Tissue Research</i> , 2020 , 61, 48-62	3.3	4
71	Low-Dose Administration of Dexamethasone Is Beneficial in Preventing Secondary Tendon Damage in a Stress-Deprived Joint Injury Explant Model. <i>Journal of Orthopaedic Research</i> , 2020 , 38, 139-149	3.8	3
70	Mechanobiological model for simulation of injured cartilage degradation via pro-inflammatory cytokines and mechanical stimulus 2020 , 16, e1007998		
69	Mechanobiological model for simulation of injured cartilage degradation via pro-inflammatory cytokines and mechanical stimulus 2020 , 16, e1007998		
68	Mechanobiological model for simulation of injured cartilage degradation via pro-inflammatory cytokines and mechanical stimulus 2020 , 16, e1007998		
67	Enzyme Pretreatment plus Locally Delivered HB-IGF-1 Stimulate Integrative Cartilage Repair. <i>Tissue Engineering - Part A</i> , 2019 , 25, 1191-1201	3.9	16
66	Nanoscale Poroelasticity of the Tectorial Membrane Determines Hair Bundle Deflections. <i>Physical Review Letters</i> , 2019 , 122, 028101	7.4	4
65	Solid stress in brain tumours causes neuronal loss and neurological dysfunction and can be reversed by lithium. <i>Nature Biomedical Engineering</i> , 2019 , 3, 230-245	19	66
64	Release of pro-inflammatory cytokines from muscle and bone causes tenocyte death in a novel rotator cuff in vitro explant culture model. <i>Connective Tissue Research</i> , 2018 , 59, 423-436	3.3	10
63	Biological connective tissues exhibit viscoelastic and poroelastic behavior at different frequency regimes: Application to tendon and skin biophysics. <i>Acta Biomaterialia</i> , 2018 , 70, 249-259	10.8	34
62	Multiscale Poroviscoelastic Compressive Properties of Mouse Supraspinatus Tendons Are Altered in Young and Aged Mice. <i>Journal of Biomechanical Engineering</i> , 2018 , 140,	2.1	6
61	Human osteoarthritic chondrons outnumber patient- and joint-matched chondrocytes in hydrogel culture-Future application in autologous cell-based OA cartilage repair?. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018 , 12, e1206-e1220	4.4	13

60	Green fluorescent proteins engineered for cartilage-targeted drug delivery: Insights for transport into highly charged avascular tissues. <i>Biomaterials</i> , 2018 , 183, 218-233	15.6	28
59	Cartilage-penetrating nanocarriers improve delivery and efficacy of growth factor treatment of osteoarthritis. <i>Science Translational Medicine</i> , 2018 , 10,	17.5	104
58	A novel mechanobiological model can predict how physiologically relevant dynamic loading causes proteoglycan loss in mechanically injured articular cartilage. <i>Scientific Reports</i> , 2018 , 8, 15599	4.9	27
57	Cartilage diseases. <i>Matrix Biology</i> , 2018 , 71-72, 51-69	11.4	132
56	Chemoproteomics of matrix metalloproteases in a model of cartilage degeneration suggests functional biomarkers associated with posttraumatic osteoarthritis. <i>Journal of Biological Chemistry</i> , 2018 , 293, 11459-11469	5.4	10
55	Intra-articular dexamethasone to inhibit the development of post-traumatic osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2017 , 35, 406-411	3.8	49
54	Tendon exhibits complex poroelastic behavior at the nanoscale as revealed by high-frequency AFM-based rheology. <i>Journal of Biomechanics</i> , 2017 , 54, 11-18	2.9	32
53	Cartilage-targeting drug delivery: can electrostatic interactions help?. <i>Nature Reviews Rheumatology</i> , 2017 , 13, 183-193	8.1	109
52	Quantitative proteomics analysis of cartilage response to mechanical injury and cytokine treatment. <i>Matrix Biology</i> , 2017 , 63, 11-22	11.4	29
51	Coculture of bovine cartilage with synovium and fibrous joint capsule increases aggrecanase and matrix metalloproteinase activity. <i>Arthritis Research and Therapy</i> , 2017 , 19, 157	5.7	12
50	Size- and speed-dependent mechanical behavior in living mammalian cytoplasm. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 9529-9534	11.5	47
49	AFM-Nanomechanical Test: An Interdisciplinary Tool That Links the Understanding of Cartilage and Meniscus Biomechanics, Osteoarthritis Degeneration, and Tissue Engineering. <i>ACS Biomaterials Science and Engineering</i> , 2017 , 3, 2033-2049	5.5	26
48	Predicting Knee Osteoarthritis. <i>Annals of Biomedical Engineering</i> , 2016 , 44, 222-33	4.7	34
47	Solid stress and elastic energy as measures of tumour mechanopathology. <i>Nature Biomedical Engineering</i> , 2016 , 1,	19	171
46	Anti-VEGF therapy induces ECM remodeling and mechanical barriers to therapy in colorectal cancer liver metastases. <i>Science Translational Medicine</i> , 2016 , 8, 360ra135	17.5	128
45	Growth Factor-Mediated Migration of Bone Marrow Progenitor Cells for Accelerated Scaffold Recruitment. <i>Tissue Engineering - Part A</i> , 2016 , 22, 917-27	3.9	18
44	Computational model for the analysis of cartilage and cartilage tissue constructs. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2016 , 10, 334-47	4.4	11
43	Modeling IL-1 induced degradation of articular cartilage. <i>Archives of Biochemistry and Biophysics</i> , 2016 , 594, 37-53	4.1	20

42	Systems Based Study of the Therapeutic Potential of Small Charged Molecules for the Inhibition of IL-1 Mediated Cartilage Degradation. <i>PLoS ONE</i> , 2016 , 11, e0168047	3.7	8
41	Laser Speckle Rheology for evaluating the viscoelastic properties of hydrogel scaffolds. <i>Scientific Reports</i> , 2016 , 6, 37949	4.9	25
40	Synthetic nanoscale electrostatic particles as growth factor carriers for cartilage repair. <i>Bioengineering and Translational Medicine</i> , 2016 , 1, 347-356	14.8	15
39	Wide bandwidth nanomechanical assessment of murine cartilage reveals protection of aggrecan knock-in mice from joint-overuse. <i>Journal of Biomechanics</i> , 2016 , 49, 1634-1640	2.9	14
38	Aggrecan nanoscale solid-fluid interactions are a primary determinant of cartilage dynamic mechanical properties. <i>ACS Nano</i> , 2015 , 9, 2614-25	16.7	48
37	Biomechanical properties of murine meniscus surface via AFM-based nanoindentation. <i>Journal of Biomechanics</i> , 2015 , 48, 1364-70	2.9	26
36	Articular cartilage of the knee 3 years after ACL reconstruction. A quantitative T2 relaxometry analysis of 10 knees. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015 , 86, 605-10	4.3	21
35	Noncontact three-dimensional mapping of intracellular hydromechanical properties by Brillouin microscopy. <i>Nature Methods</i> , 2015 , 12, 1132-4	21.6	223
34	Dynamic nanomechanics of individual bone marrow stromal cells and cell-matrix composites during chondrogenic differentiation. <i>Journal of Biomechanics</i> , 2015 , 48, 171-5	2.9	9
33	High-bandwidth AFM-based rheology is a sensitive indicator of early cartilage aggrecan degradation relevant to mouse models of osteoarthritis. <i>Journal of Biomechanics</i> , 2015 , 48, 162-5	2.9	32
32	Nanomechanical phenotype of chondroadherin-null murine articular cartilage. <i>Matrix Biology</i> , 2014 , 38, 84-90	11.4	33
31	Stress-vs-time signals allow the prediction of structurally catastrophic events during fracturing of immature cartilage and predetermine the biomechanical, biochemical, and structural impairment. <i>Journal of Structural Biology</i> , 2013 , 183, 501-511	3.4	15
30	Effects of Dexamethasone on Mesenchymal Stromal Cell Chondrogenesis and Aggrecanase Activity: Comparison of Agarose and Self-Assembling Peptide Scaffolds. <i>Cartilage</i> , 2013 , 4, 63-74	3	36
29	Effects of short-term glucocorticoid treatment on changes in cartilage matrix degradation and chondrocyte gene expression induced by mechanical injury and inflammatory cytokines. <i>Arthritis Research and Therapy</i> , 2011 , 13, R142	5.7	69
28	Mechanical injury and cytokines cause loss of cartilage integrity and upregulate proteins associated with catabolism, immunity, inflammation, and repair. <i>Molecular and Cellular Proteomics</i> , 2009 , 8, 1475-89	7.6	77
27	Tissue-Engineered Versus Native Cartilage: Linkage between Cellular Mechano-Transduction and Biomechanical Properties. <i>Novartis Foundation Symposium</i> , 2008 , 52-69		12
26	Mechanical compression of cartilage explants induces multiple time-dependent gene expression patterns and involves intracellular calcium and cyclic AMP. <i>Journal of Biological Chemistry</i> , 2004 , 279, 19502-11	5.4	177
25	Persistence Length of Cartilage Aggrecan Macromolecules Measured via Atomic Force Microscopy. <i>Macromolecular Symposia</i> , 2004 , 214, 1-4	0.8	6

24	Molecular-Level Theoretical Model for Electrostatic Interactions within Polyelectrolyte Brushes: Applications to Charged Glycosaminoglycans. <i>Langmuir</i> , 2003 , 19, 5526-5539	4	51
23	A comparative study of the inhibitory effects of interleukin-1 receptor antagonist following administration as a recombinant protein or by gene transfer. <i>Arthritis Research</i> , 2003 , 5, R301-9		31
22	The effect of dynamic compression on the response of articular cartilage to insulin-like growth factor-I. <i>Journal of Orthopaedic Research</i> , 2001 , 19, 11-7	3.8	177
21	Biosynthetic response and mechanical properties of articular cartilage after injurious compression. <i>Journal of Orthopaedic Research</i> , 2001 , 19, 1140-6	3.8	170
20	Comparison of biomechanical and biochemical properties of cartilage from human knee and ankle pairs. <i>Journal of Orthopaedic Research</i> , 2000 , 18, 739-48	3.8	257
19	Cartilage tissue remodeling in response to mechanical forces. <i>Annual Review of Biomedical Engineering</i> , 2000 , 2, 691-713	12	488
18	Physical and biological regulation of proteoglycan turnover around chondrocytes in cartilage explants. Implications for tissue degradation and repair. <i>Annals of the New York Academy of Sciences</i> , 1999 , 878, 420-41	6.5	38
17	Down-regulation of chondrocyte aggrecan and type-II collagen gene expression correlates with increases in static compression magnitude and duration. <i>Journal of Orthopaedic Research</i> , 1999 , 17, 836-42	3.8	104
16	Effects of injurious compression on matrix turnover around individual cells in calf articular cartilage explants. <i>Journal of Orthopaedic Research</i> , 1998 , 16, 490-9	3.8	102
15	Transport of tissue inhibitor of metalloproteinases-1 through cartilage: contributions of fluid flow and electrical migration. <i>Journal of Orthopaedic Research</i> , 1998 , 16, 734-42	3.8	31
14	Differential effects of serum, insulin-like growth factor-I, and fibroblast growth factor-2 on the maintenance of cartilage physical properties during long-term culture. <i>Journal of Orthopaedic Research</i> , 1996 , 14, 44-52	3.8	71
13	Induction of DNA synthesis by a single transient mechanical stimulus of human vascular smooth muscle cells. Role of fibroblast growth factor-2. <i>Circulation</i> , 1996 , 93, 99-105	16.7	41
12	In-situ removal of ammonium and lactate through electrical means for hybridoma cultures. <i>Biotechnology and Bioengineering</i> , 1995 , 47, 308-18	4.9	23
11	Nutrient enrichment and in-situ waste removal through electrical means for hybridoma cultures. <i>Biotechnology and Bioengineering</i> , 1995 , 47, 319-26	4.9	17
10	Augmentation of mass transfer through electrical means for hydrogel-entrapped <i>Escherichia coli</i> cultivation. <i>Biotechnology and Bioengineering</i> , 1995 , 48, 149-57	4.9	17
9	Cartilage degradation and associated changes in biomechanical and electromechanical properties. <i>Acta Orthopaedica</i> , 1995 , 66, 38-44		46
8	Nondestructive detection of cartilage degeneration using electromechanical surface spectroscopy. <i>Journal of Biomechanical Engineering</i> , 1994 , 116, 384-92	2.1	24
7	Chondrocytes in agarose culture synthesize a mechanically functional extracellular matrix. <i>Journal of Orthopaedic Research</i> , 1992 , 10, 745-58	3.8	434

6	Biosynthetic response of cartilage explants to dynamic compression. <i>Journal of Orthopaedic Research</i> , 1989 , 7, 619-36	3.8	693
5	Mechanical and physiochemical determinants of the chondrocyte biosynthetic response. <i>Journal of Orthopaedic Research</i> , 1988 , 6, 777-92	3.8	341
4	Streaming potentials: a sensitive index of enzymatic degradation in articular cartilage. <i>Journal of Orthopaedic Research</i> , 1987 , 5, 497-508	3.8	124
3	Swelling of articular cartilage and other connective tissues: electromechanochemical forces. <i>Journal of Orthopaedic Research</i> , 1985 , 3, 148-59	3.8	205
2	Contribution of electrodiffusion to the dynamics of electrically stimulated changes in mechanical properties of collagen membranes. <i>Biopolymers</i> , 1980 , 19, 241-62	2.2	34
1	Electromechanical transduction with charged polyelectrolyte membranes. <i>IEEE Transactions on Biomedical Engineering</i> , 1976 , 23, 421-33	5	33