Andrew Pierce

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/476221/publications.pdf

Version: 2024-02-01

932766 887659 19 751 10 17 citations h-index g-index papers 20 20 20 1490 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Combination of curaxin and tyrosine kinase inhibitors display enhanced killing of primitive Chronic Myeloid Leukaemia cells. PLoS ONE, 2022, 17, e0266298.	1.1	O
2	Metabolomic Biomarkers for the Detection of Obesity-Driven Endometrial Cancer. Cancers, 2021, 13, 718.	1.7	17
3	Comprehensive Library Generation for Identification and Quantification of Endometrial Cancer Protein Biomarkers in Cervico-Vaginal Fluid. Cancers, 2021, 13, 3804.	1.7	9
4	Proteomic Analysis of an Induced Pluripotent Stem Cell Model Reveals Strategies to Treat Juvenile Myelomonocytic Leukemia. Journal of Proteome Research, 2020, 19, 194-203.	1.8	8
5	EVI1 oncoprotein expression and CtBP1-association oscillate through the cell cycle. Molecular Biology Reports, 2020, 47, 8293-8300.	1.0	2
6	EVI1 phosphorylation at S436 regulates interactions with CtBP1 and DNMT3A and promotes self-renewal. Cell Death and Disease, 2020, 11, 878.	2.7	4
7	Oncogenic MYC amplifies mitotic perturbations. Open Biology, 2019, 9, 190136.	1.5	29
8	AXL Inhibition Extinguishes Primitive JAK2ÂMutated Myeloproliferative Neoplasm Progenitor Cells. HemaSphere, 2019, 3, e233.	1.2	5
9	EVI1 carboxy-terminal phosphorylation is ATM-mediated and sustains transcriptional modulation and self-renewal via enhanced CtBP1 association. Nucleic Acids Research, 2018, 46, 7662-7674.	6.5	11
10	Acquired cross-linker resistance associated with a novel spliced BRCA2 protein variant for molecular phenotyping of BRCA2 disruption. Cell Death and Disease, 2017, 8, e2875-e2875.	2.7	15
11	Dual targeting of p53 and c-MYC selectively eliminates leukaemic stem cells. Nature, 2016, 534, 341-346.	13.7	204
12	Development of a selected reaction monitoring mass spectrometry-based assay to detect asparaginyl endopeptidase activity in biological fluids. Oncotarget, 2016, 7, 70822-70831.	0.8	10
13	MPL W515L expression induces TGF \hat{l}^2 secretion and leads to an increase in chemokinesis <i>via</i> phosphorylation of THOC5. Oncotarget, 2016, 7, 10739-10755.	0.8	7
14	Phosphorylation of the Leukemic Oncoprotein EVI1 on Serine 196 Modulates DNA Binding, Transcriptional Repression and Transforming Ability. PLoS ONE, 2013, 8, e66510.	1.1	14
15	Identification of Nuclear Protein Targets for Six Leukemogenic Tyrosine Kinases Governed by Post-Translational Regulation. PLoS ONE, 2012, 7, e38928.	1.1	13
16	THOC5 spliceosome protein: a target for leukaemogenic tyrosine kinases that affects inositol lipid turnover. British Journal of Haematology, 2008, 141, 641-650.	1.2	17
17	Eight-channel iTRAQ Enables Comparison of the Activity of Six Leukemogenic Tyrosine Kinases. Molecular and Cellular Proteomics, 2008, 7, 853-863.	2.5	224
18	Quantitative proteomics reveals posttranslational control as a regulatory factor in primary hematopoietic stem cells. Blood, 2006, 107, 4687-4694.	0.6	162

Andrew Pierce

4	#	Article	IF	CITATIONS
1	19	BCR-ABL Decreases the Expression of CCN3 Leading to Increased Clonogenic Potential and Cell Growth Blood, 2005, 106, 1216-1216.	0.6	0