

Mark F Lythgoe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4762773/publications.pdf>

Version: 2024-02-01

224
papers

10,876
citations

36203

51
h-index

42291

92
g-index

242
all docs

242
docs citations

242
times ranked

17695
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessment of Tumor Redox Status through (<i>S</i>)-4-(3-[¹⁸ F]fluoropropyl)-L-Glutamic Acid PET Imaging of Systemic Activity. <i>Cancer Research</i> , 2022, 79, 853-863.	0.4	42
2	Image-Guided Magnetic Thermoseed Navigation and Tumor Ablation Using a Magnetic Resonance Imaging System. <i>Advanced Science</i> , 2022, , 2105333.	5.6	8
3	Remote and Selective Control of Astrocytes by Magnetomechanical Stimulation. <i>Advanced Science</i> , 2022, 9, e2104194.	5.6	12
4	CO ₂ signaling mediates neurovascular coupling in the cerebral cortex. <i>Nature Communications</i> , 2022, 13, 2125.	5.8	23
5	Liver perfusion MRI in a rodent model of cirrhosis: Agreement with bulk-flow phase-contrast MRI and noninvasive evaluation of inflammation in chronic liver disease using flow-sensitive alternating inversion recovery arterial spin labelling and tissue T1. <i>NMR in Biomedicine</i> , 2021, 34, e4423.	1.6	4
6	Increased blood-brain barrier permeability to water in the aging brain detected using noninvasive multi-TE ASL MRI. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 326-333.	1.9	20
7	Haemodynamic changes in cirrhosis following terlipressin and induction of sepsis—a preclinical study using caval subtraction phase-contrast and cardiac MRI. <i>European Radiology</i> , 2021, 31, 2518-2528.	2.3	3
8	Potential of Magnetic Hyperthermia to Stimulate Localized Immune Activation. <i>Small</i> , 2021, 17, e2005241.	5.2	35
9	Myocardial Viability Imaging using Manganese-Enhanced MRI in the First Hours after Myocardial Infarction. <i>Advanced Science</i> , 2021, 8, e2003987.	5.6	8
10	Selective Interleukin-6 Trans-Signaling Blockade Is More Effective Than Panantagonism in Reperfused Myocardial Infarction. <i>JACC Basic To Translational Science</i> , 2021, 6, 431-443.	1.9	22
11	Development of [¹⁸ F]AldoView as the First Highly Selective Aldosterone Synthase PET Tracer for Imaging of Primary Hyperaldosteronism. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 9321-9329.	2.9	19
12	Cardiac-induced liver deformation as a measure of liver stiffness using dynamic imaging without magnetization tagging—a preclinical proof-of-concept, clinical translation, reproducibility and feasibility in patients with cirrhosis. <i>Abdominal Radiology</i> , 2021, 46, 4660-4670.	1.0	4
13	Pharmacological MRI with Simultaneous Measurement of Cerebral Perfusion and Blood-Cerebrospinal Fluid Barrier Function using Interleaved Echo-Time Arterial Spin Labelling. <i>NeuroImage</i> , 2021, 238, 118270.	2.1	11
14	Astrocytes monitor cerebral perfusion and control systemic circulation to maintain brain blood flow. <i>Nature Communications</i> , 2020, 11, 131.	5.8	137
15	Impaired glymphatic function and clearance of tau in an Alzheimer's disease model. <i>Brain</i> , 2020, 143, 2576-2593.	3.7	227
16	Multi-modal imaging probe for assessing the efficiency of stem cell delivery to orthotopic breast tumours. <i>Nanoscale</i> , 2020, 12, 16570-16585.	2.8	14
17	Mechanosensory Signaling in Astrocytes. <i>Journal of Neuroscience</i> , 2020, 40, 9364-9371.	1.7	61
18	Substantially thinner internal granular layer and reduced molecular layer surface in the cerebellar cortex of the Tc1 mouse model of down syndrome—a comprehensive morphometric analysis with active staining contrast-enhanced MRI. <i>NeuroImage</i> , 2020, 223, 117271.	2.1	7

#	ARTICLE	IF	CITATIONS
19	Stem cell delivery to kidney via minimally invasive ultrasound-guided renal artery injection in mice. <i>Scientific Reports</i> , 2020, 10, 7514.	1.6	10
20	Scalable magnet geometries enhance tumour targeting of magnetic nano-carriers. <i>Materials and Design</i> , 2020, 191, 108610.	3.3	11
21	Radio-metal cross-linking of alginate hydrogels for non-invasive in vivo imaging. <i>Biomaterials</i> , 2020, 243, 119930.	5.7	29
22	Noninvasive diffusion magnetic resonance imaging of brain tumour cell size for the early detection of therapeutic response. <i>Scientific Reports</i> , 2020, 10, 9223.	1.6	29
23	Lung delivery of MSCs expressing anti-cancer protein TRAIL visualised with 89Zr-oxine PET-CT. <i>Stem Cell Research and Therapy</i> , 2020, 11, 256.	2.4	32
24	Measuring diffusion exchange across the cell membrane with DEXSY (Diffusion Exchange) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 Td	1.9	9
25	A critical role for the ATP-sensitive potassium channel subunit K _{IR} 6.1 in the control of cerebral blood flow. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 2089-2095.	2.4	27
26	Cancer invasion regulates vascular complexity in a three-dimensional biomimetic model. <i>European Journal of Cancer</i> , 2019, 119, 179-193.	1.3	29
27	Surface radio-mineralisation mediates chelate-free radiolabelling of iron oxide nanoparticles. <i>Chemical Science</i> , 2019, 10, 2592-2597.	3.7	15
28	Study the Longitudinal in vivo and Cross-Sectional ex vivo Brain Volume Difference for Disease Progression and Treatment Effect on Mouse Model of Tauopathy Using Automated MRI Structural Parcellation. <i>Frontiers in Neuroscience</i> , 2019, 13, 11.	1.4	22
29	Optic nerve thinning and neurosensory retinal degeneration in the rTg4510 mouse model of frontotemporal dementia. <i>Acta Neuropathologica Communications</i> , 2019, 7, 4.	2.4	17
30	Electrochemical carbon fiber-based technique for simultaneous recordings of brain tissue PO ₂ , pH, and extracellular field potentials. <i>Biosensors and Bioelectronics: X</i> , 2019, 3, 100034.	0.9	10
31	Impaired brain glymphatic flow in experimental hepatic encephalopathy. <i>Journal of Hepatology</i> , 2019, 70, 40-49.	1.8	55
32	Non-invasive MRI of brain clearance pathways using multiple echo time arterial spin labelling: an aquaporin-4 study. <i>NeuroImage</i> , 2019, 188, 515-523.	2.1	92
33	Noninvasive quantification of oxygen saturation in the portal and hepatic veins in healthy mice and those with colorectal liver metastases using QSM MRI. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 2666-2675.	1.9	6
34	Measurement of Tumor Antioxidant Capacity and Prediction of Chemotherapy Resistance in Preclinical Models of Ovarian Cancer by Positron Emission Tomography. <i>Clinical Cancer Research</i> , 2019, 25, 2471-2482.	3.2	32
35	Longitudinal Photoacoustic Imaging of the Pharmacodynamic Effect of Vascular Targeted Therapy on Tumors. <i>Clinical Cancer Research</i> , 2019, 25, 7436-7447.	3.2	26
36	Chemically Treated 3D Printed Polymer Scaffolds for Biomineral Formation. <i>ACS Omega</i> , 2018, 3, 4342-4351.	1.6	24

#	ARTICLE	IF	CITATIONS
37	Investigating Low-Velocity Fluid Flow in Tumors with Convection-MRI. <i>Cancer Research</i> , 2018, 78, 1859-1872.	0.4	32
38	Computational fluid dynamics with imaging of cleared tissue and of in vivo perfusion predicts drug uptake and treatment responses in tumours. <i>Nature Biomedical Engineering</i> , 2018, 2, 773-787.	11.6	91
39	Non-invasive imaging of disrupted protein homeostasis induced by proteasome inhibitor treatment using chemical exchange saturation transfer MRI. <i>Scientific Reports</i> , 2018, 8, 15068.	1.6	0
40	In vivo three-dimensional photoacoustic imaging of the renal vasculature in preclinical rodent models. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, F1145-F1153.	1.3	29
41	Experimental Models of Brain Disease: MRI Studies. , 2018, , 93-120.		0
42	Non-invasive imaging of CSF-mediated brain clearance pathways via assessment of perivascular fluid movement with diffusion tensor MRI. <i>ELife</i> , 2018, 7, .	2.8	112
43	Experimental Models of Brain Disease: MRI Contrast Mechanisms for the Assessment of Pathophysiological Status. , 2018, , 63-92.		0
44	Aberrant developmental titin splicing and dysregulated sarcomere length in Thymosin β 4 knockout mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2017, 102, 94-107.	0.9	10
45	Detecting intratumoral heterogeneity of EGFR activity by liposome-based in vivo transfection of a fluorescent biosensor. <i>Oncogene</i> , 2017, 36, 3618-3628.	2.6	16
46	Volumetric Spatial Correlations of Neurovascular Coupling Studied using Single Pulse Opto-fMRI. <i>Scientific Reports</i> , 2017, 7, 41583.	1.6	12
47	Improved hepatic arterial fraction estimation using cardiac output correction of arterial input functions for liver DCE MRI. <i>Physics in Medicine and Biology</i> , 2017, 62, 1533-1546.	1.6	6
48	Vagal determinants of exercise capacity. <i>Nature Communications</i> , 2017, 8, 15097.	5.8	55
49	Non-invasive MRI biomarkers for the early assessment of iron overload in a humanized mouse model of β -thalassemia. <i>Scientific Reports</i> , 2017, 7, 43439.	1.6	15
50	Magnet-Targeted Delivery and Imaging. , 2017, , 123-152.		5
51	Use of high-frequency ultrasound to study the prenatal development of cranial neural tube defects and hydrocephalus in <i>Gldc</i> -deficient mice. <i>Prenatal Diagnosis</i> , 2017, 37, 273-281.	1.1	9
52	Quantifying the area-at-risk of myocardial infarction in-vivo using arterial spin labeling cardiac magnetic resonance. <i>Scientific Reports</i> , 2017, 7, 2271.	1.6	11
53	Caval Subtraction 2D Phase-Contrast MRI to Measure Total Liver and Hepatic Arterial Blood Flow. <i>Investigative Radiology</i> , 2017, 52, 170-176.	3.5	20
54	Tissue magnetic susceptibility mapping as a marker of tau pathology in Alzheimer's disease. <i>NeuroImage</i> , 2017, 159, 334-345.	2.1	45

#	ARTICLE	IF	CITATIONS
55	Direct comparison of high temporal resolution CINE MRI with Doppler ultrasound for assessment of diastolic dysfunction in mice. <i>NMR in Biomedicine</i> , 2017, 30, e3763.	1.6	4
56	Imaging biomarker roadmap for cancer studies. <i>Nature Reviews Clinical Oncology</i> , 2017, 14, 169-186.	12.5	792
57	Early microgliosis precedes neuronal loss and behavioural impairment in mice with a frontotemporal dementia-causing CHMP2B mutation. <i>Human Molecular Genetics</i> , 2017, 26, ddx003.	1.4	22
58	Comparison of In Vivo and Ex Vivo MRI for the Detection of Structural Abnormalities in a Mouse Model of Tauopathy. <i>Frontiers in Neuroinformatics</i> , 2017, 11, 20.	1.3	37
59	In Vivo Imaging of Tau Pathology Using Magnetic Resonance Imaging Textural Analysis. <i>Frontiers in Neuroscience</i> , 2017, 11, 599.	1.4	7
60	Experimental Models of Brain Disease: MRI Contrast Mechanisms for the Assessment of Pathophysiological Status. , 2017, , 1-30.		0
61	Experimental Models of Brain Disease: MRI Studies. , 2017, , 1-28.		0
62	Hyperthermia treatment of tumors by mesenchymal stem cell-delivered superparamagnetic iron oxide nanoparticles. <i>International Journal of Nanomedicine</i> , 2016, 11, 1973.	3.3	53
63	pH-Activatable Mn-Based Fluorescence and Magnetic Resonance Bimodal Nanoprobe for Cancer Imaging. <i>Advanced Healthcare Materials</i> , 2016, 5, 721-729.	3.9	40
64	Imaging the accumulation and suppression of tau pathology using multiparametric MRI. <i>Neurobiology of Aging</i> , 2016, 39, 184-194.	1.5	42
65	Vascular assessment of liver disease—towards a new frontier in MRI. <i>British Journal of Radiology</i> , 2016, 89, 20150675.	1.0	17
66	Planar cell polarity genes <i>Celsr1</i> and <i>Vangl2</i> are necessary for kidney growth, differentiation, and rostrocaudal patterning. <i>Kidney International</i> , 2016, 90, 1274-1284.	2.6	37
67	Using the robust principal component analysis algorithm to remove RF spike artifacts from MR images. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 2517-2525.	1.9	15
68	Use of Caval Subtraction 2D Phase-Contrast MR Imaging to Measure Total Liver and Hepatic Arterial Blood Flow: Preclinical Validation and Initial Clinical Translation. <i>Radiology</i> , 2016, 280, 916-923.	3.6	8
69	Origins of the vagal drive controlling left ventricular contractility. <i>Journal of Physiology</i> , 2016, 594, 4017-4030.	1.3	42
70	Magnetic hyperthermia controlled drug release in the GI tract: solving the problem of detection. <i>Scientific Reports</i> , 2016, 6, 34271.	1.6	23
71	Somatic activating mutations in <i>Pik3ca</i> cause sporadic venous malformations in mice and humans. <i>Science Translational Medicine</i> , 2016, 8, 332ra43.	5.8	138
72	Longitudinal in vivo MRI in a Huntington's disease mouse model: Global atrophy in the absence of white matter microstructural damage. <i>Scientific Reports</i> , 2016, 6, 32423.	1.6	26

#	ARTICLE	IF	CITATIONS
73	Estimation of contrast agent bolus arrival delays for improved reproducibility of liver DCE MRI. <i>Physics in Medicine and Biology</i> , 2016, 61, 6905-6918.	1.6	12
74	Acute changes in liver tumour perfusion measured non-invasively with arterial spin labelling. <i>British Journal of Cancer</i> , 2016, 114, 897-904.	2.9	13
75	fMRI mapping of the visual system in the mouse brain with interleaved snapshot GE-EPI. <i>NeuroImage</i> , 2016, 139, 337-345.	2.1	38
76	Characterization of tau positron emission tomography tracer [¹⁸ F]AV-451 binding to postmortem tissue in Alzheimer's disease, primary tauopathies, and other dementias. <i>Alzheimer's and Dementia</i> , 2016, 12, 1116-1124.	0.4	161
77	Application of neurite orientation dispersion and density imaging (NODDI) to a tau pathology model of Alzheimer's disease. <i>NeuroImage</i> , 2016, 125, 739-744.	2.1	179
78	Monitoring the Growth of an Orthotopic Tumour Xenograft Model: Multi-Modal Imaging Assessment with Benchtop MRI (1T), High-Field MRI (9.4T), Ultrasound and Bioluminescence. <i>PLoS ONE</i> , 2016, 11, e0156162.	1.1	17
79	Fully-Automated ¹ H MRI Morphometric Phenotyping of the Tc1 Mouse Model of Down Syndrome. <i>PLoS ONE</i> , 2016, 11, e0162974.	1.1	19
80	Sulfonium Salts as Leaving Groups for Aromatic Labelling of Drug-like Small Molecules with Fluorine-18. <i>Scientific Reports</i> , 2015, 5, 9941.	1.6	55
81	Decomposition of spontaneous fluctuations in tumour oxygenation using BOLD MRI and independent component analysis. <i>British Journal of Cancer</i> , 2015, 113, 1168-1177.	2.9	15
82	Flow-Based Single Cell Deposition for High-Throughput Screening of Protein Libraries. <i>PLoS ONE</i> , 2015, 10, e0140730.	1.1	3
83	Hydroxychloroquine Protects against Cardiac Ischaemia/Reperfusion Injury In Vivo via Enhancement of ERK1/2 Phosphorylation. <i>PLoS ONE</i> , 2015, 10, e0143771.	1.1	27
84	Optical clearing of the mouse brain and light attenuation quantitation. , 2015, , .		0
85	Quantification of light attenuation in optically cleared mouse brains. <i>Journal of Biomedical Optics</i> , 2015, 20, 080503.	1.4	17
86	Control of ventricular excitability by neurons of the dorsal motor nucleus of the vagus nerve. <i>Heart Rhythm</i> , 2015, 12, 2285-2293.	0.3	82
87	Gold-silica quantum rattles for multimodal imaging and therapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 1959-1964.	3.3	107
88	Preferential Targeting of Disseminated Liver Tumors Using a Recombinant Adeno-Associated Viral Vector. <i>Human Gene Therapy</i> , 2015, 26, 94-103.	1.4	29
89	In vivo imaging of tau pathology using multi-parametric quantitative MRI. <i>NeuroImage</i> , 2015, 111, 369-378.	2.1	77
90	Hepatic arterial spin labelling MRI: an initial evaluation in mice. <i>NMR in Biomedicine</i> , 2015, 28, 272-280.	1.6	18

#	ARTICLE	IF	CITATIONS
91	Deep in vivo photoacoustic imaging of mammalian tissues using a tyrosinase-based genetic reporter. <i>Nature Photonics</i> , 2015, 9, 239-246.	15.6	362
92	Significant Therapeutic Efficacy with Combined Radioimmunotherapy and Cetuximab in Preclinical Models of Colorectal Cancer. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1239-1245.	2.8	14
93	Development of Fluorine-18 Labeled Metabolically Activated Tracers for Imaging of Drug Efflux Transporters with Positron Emission Tomography. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 6058-6080.	2.9	18
94	Diffusion microscopic MRI of the mouse embryo: Protocol and practical implementation in the mouse model. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 731-739.	1.9	3
95	Fluorescence-guided development of a tricistronic vector encoding bimodal optical and nuclear genetic reporters for in vivo cellular imaging. <i>EJNMMI Research</i> , 2015, 5, 18.	1.1	6
96	Increased Cerebral Vascular Reactivity in the Tau Expressing rTg4510 Mouse: Evidence against the Role of Tau Pathology to Impair Vascular Health in Alzheimer's Disease. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 359-362.	2.4	25
97	Advanced cell therapies: targeting, tracking and actuation of cells with magnetic particles. <i>Regenerative Medicine</i> , 2015, 10, 757-772.	0.8	65
98	Bimodal Imaging of Inflammation with SPECT/CT and MRI Using Iodine-125 Labeled VCAM-1 Targeting Microparticle Conjugates. <i>Bioconjugate Chemistry</i> , 2015, 26, 1542-1549.	1.8	20
99	Directing cell therapy to anatomic target sites in vivo with magnetic resonance targeting. <i>Nature Communications</i> , 2015, 6, 8009.	5.8	126
100	A Critical Role for Purinergic Signalling in the Mechanisms Underlying Generation of BOLD fMRI Responses. <i>Journal of Neuroscience</i> , 2015, 35, 5284-5292.	1.7	49
101	Structural abnormality of the hippocampus associated with depressive symptoms in heart failure rats. <i>NeuroImage</i> , 2015, 105, 84-92.	2.1	35
102	Grey Matter Sublayer Thickness Estimation in the Mouse Cerebellum. <i>Lecture Notes in Computer Science</i> , 2015, , 644-651.	1.0	0
103	Automatic Structural Parcellation of Mouse Brain MRI Using Multi-Atlas Label Fusion. <i>PLoS ONE</i> , 2014, 9, e86576.	1.1	60
104	In Amnio MRI of Mouse Embryos. <i>PLoS ONE</i> , 2014, 9, e109143.	1.1	0
105	Amniotic Fluid Stem Cells Prevent Development of Ascites in a Neonatal Rat Model of Necrotizing Enterocolitis. <i>European Journal of Pediatric Surgery</i> , 2014, 24, 057-060.	0.7	28
106	Amniotic fluid stem cells improve survival and enhance repair of damaged intestine in necrotising enterocolitis via a COX-2 dependent mechanism. <i>Gut</i> , 2014, 63, 300-309.	6.1	155
107	Multimodality characterization of microstructure by the combination of diffusion NMR and time-domain diffuse optical data. <i>Physics in Medicine and Biology</i> , 2014, 59, 2639-2658.	1.6	3
108	PEGylation improves the receptor-mediated transfection efficiency of peptide-targeted, self-assembling, anionic nanocomplexes. <i>Journal of Controlled Release</i> , 2014, 174, 177-187.	4.8	47

#	ARTICLE	IF	CITATIONS
109	Viable and fixed white matter: Diffusion magnetic resonance comparisons and contrasts at physiological temperature. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 1151-1161.	1.9	22
110	Development of Purine-Derived ¹⁸ F-Labeled Pro-drug Tracers for Imaging of MRP1 Activity with PET. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 1023-1032.	2.9	15
111	Coupled cellular therapy and magnetic targeting for airway regeneration. <i>Biochemical Society Transactions</i> , 2014, 42, 657-661.	1.6	7
112	Loss of <i>Prox1</i> in striated muscle causes slow to fast skeletal muscle fiber conversion and dilated cardiomyopathy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 9515-9520.	3.3	45
113	Noninvasive Quantification of Solid Tumor Microstructure Using VERDICT MRI. <i>Cancer Research</i> , 2014, 74, 1902-1912.	0.4	185
114	Dexamethasone exacerbates cerebral edema and brain injury following lithium-pilocarpine induced status epilepticus. <i>Neurobiology of Disease</i> , 2014, 63, 229-236.	2.1	45
115	Is Your System Calibrated? MRI Gradient System Calibration for Pre-Clinical, High-Resolution Imaging. <i>PLoS ONE</i> , 2014, 9, e96568.	1.1	26
116	Cardiac arterial spin labeling using segmented ECG-gated Look-Locker FAIR: Variability and repeatability in preclinical studies. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 238-247.	1.9	35
117	Segmentation propagation using a 3D embryo atlas for high-throughput MRI phenotyping: Comparison and validation with manual segmentation. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 877-883.	1.9	14
118	A viable isolated tissue system: A tool for detailed MR measurements and controlled perturbation in physiologically stable tissue. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 1603-1610.	1.9	16
119	Multifunctional receptor-targeted nanocomplexes for the delivery of therapeutic nucleic acids to the Brain. <i>Biomaterials</i> , 2013, 34, 9190-9200.	5.7	49
120	An MRAS, SHOC2, and SCRIB Complex Coordinates ERK Pathway Activation with Polarity and Tumorigenic Growth. <i>Molecular Cell</i> , 2013, 52, 679-692.	4.5	96
121	A coming of age: advanced imaging technologies for characterising the developing mouse. <i>Trends in Genetics</i> , 2013, 29, 700-711.	2.9	42
122	A One-Pot Three-Component Radiochemical Reaction for Rapid Assembly of ¹²⁵ I-Labeled Molecular Probes. <i>Journal of the American Chemical Society</i> , 2013, 135, 703-709.	6.6	86
123	Enhanced tissue differentiation in the developing mouse brain using magnetic resonance micro-histology. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 1380-1388.	1.9	10
124	Synthesis and evaluation of a ¹²⁵ I-labeled iminodihydroquinoline-derived tracer for imaging of voltage-gated sodium channels. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 5170-5173.	1.0	6
125	Novel exomphalos genetic mouse model: The importance of accurate phenotypic classification. <i>Journal of Pediatric Surgery</i> , 2013, 48, 2036-2042.	0.8	8
126	Thymosin β 24-sulfoxide attenuates inflammatory cell infiltration and promotes cardiac wound healing. <i>Nature Communications</i> , 2013, 4, 2081.	5.8	66

#	ARTICLE	IF	CITATIONS
127	In vivo imaging of glucose uptake and metabolism in tumors. <i>Nature Medicine</i> , 2013, 19, 1067-1072.	15.2	427
128	Incorporation of paramagnetic, fluorescent and PET/SPECT contrast agents into liposomes for multimodal imaging. <i>Biomaterials</i> , 2013, 34, 1179-1192.	5.7	69
129	Superparamagnetic iron oxide nanoparticle targeting of MSCs in vascular injury. <i>Biomaterials</i> , 2013, 34, 1987-1994.	5.7	124
130	fMRI response to blue light delivery in the naïve brain: Implications for combined optogenetic fMRI studies. <i>NeuroImage</i> , 2013, 66, 634-641.	2.1	122
131	Measuring Biexponential Transverse Relaxation of the ASL Signal at 9.4 T to Estimate Arterial Oxygen Saturation and the Time of Exchange of Labeled Blood Water into Cortical Brain Tissue. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 215-224.	2.4	39
132	Mutation of the Diamond-Blackfan Anemia Gene <i>Rps7</i> in Mouse Results in Morphological and Neuroanatomical Phenotypes. <i>PLoS Genetics</i> , 2013, 9, e1003094.	1.5	47
133	Monitoring systemic amyloidosis using MRI measurements of the extracellular volume fraction. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2013, 20, 93-98.	1.4	7
134	Multislice cardiac arterial spin labeling using improved myocardial perfusion quantification with simultaneously measured blood pool input function. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 1125-1136.	1.9	16
135	Primed Infusion with Delayed Equilibrium of Gd.DTPA for Enhanced Imaging of Small Pulmonary Metastases. <i>PLoS ONE</i> , 2013, 8, e54903.	1.1	2
136	Monitoring ferumoxide-labelled neural progenitor cells and lesion evolution by magnetic resonance imaging in a model of cell transplantation in cerebral ischaemia. <i>F1000Research</i> , 2013, 2, 252.	0.8	1
137	In vivo photoacoustic imaging of mouse embryos. <i>Journal of Biomedical Optics</i> , 2012, 17, 061220.	1.4	71
138	Rapid magnetic cell delivery for large tubular bioengineered constructs. <i>Journal of the Royal Society Interface</i> , 2012, 9, 3008-3016.	1.5	13
139	In vivo photoacoustic imaging of tyrosinase expressing tumours in mice. , 2012, , .		6
140	Evaluation of a ¹²⁵ I-labelled benzazepinone derived voltage-gated sodium channel blocker for imaging with SPECT. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 9474.	1.5	5
141	Multifunctional receptor-targeted nanocomplexes for magnetic resonance imaging and transfection of tumours. <i>Biomaterials</i> , 2012, 33, 7241-7250.	5.7	25
142	Post-mortem cerebral magnetic resonance imaging T1 and T2 in fetuses, newborns and infants. <i>European Journal of Radiology</i> , 2012, 81, e232-e238.	1.2	29
143	Myocardial regeneration: expanding the repertoire of thymosin β_4 in the ischemic heart. <i>Annals of the New York Academy of Sciences</i> , 2012, 1269, 92-101.	1.8	35
144	Lipid peptide nanocomplexes for gene delivery and magnetic resonance imaging in the brain. <i>Journal of Controlled Release</i> , 2012, 162, 340-348.	4.8	32

#	ARTICLE	IF	CITATIONS
145	Compartment models of the diffusion MR signal in brain white matter: A taxonomy and comparison. <i>NeuroImage</i> , 2012, 59, 2241-2254.	2.1	372
146	Imaging seizure-induced inflammation using an antibody targeted iron oxide contrast agent. <i>NeuroImage</i> , 2012, 60, 1149-1155.	2.1	35
147	Clusters of iron-rich cells in the upper beak of pigeons are macrophages not magnetosensitive neurons. <i>Nature</i> , 2012, 484, 367-370.	13.7	150
148	The importance of RF bandwidth for effective tagging in pulsed arterial spin labeling MRI at 9.4T. <i>NMR in Biomedicine</i> , 2012, 25, 1139-1143.	1.6	10
149	A rat decellularized small bowel scaffold that preserves villus-crypt architecture for intestinal regeneration. <i>Biomaterials</i> , 2012, 33, 3401-3410.	5.7	188
150	Estimation of pore size in a microstructure phantom using the optimised gradient waveform diffusion weighted NMR sequence. <i>Journal of Magnetic Resonance</i> , 2012, 214, 51-60.	1.2	35
151	Imaging the paediatric lung: what does nanotechnology have to offer?. <i>Paediatric Respiratory Reviews</i> , 2012, 13, 84-88.	1.2	6
152	Extracranial measurements of amide proton transfer using exchangeâ€modulated pointâ€resolved spectroscopy (EXPRESS). <i>NMR in Biomedicine</i> , 2012, 25, 829-834.	1.6	5
153	De novo cardiomyocytes from within the activated adult heart after injury. <i>Nature</i> , 2011, 474, 640-644.	13.7	602
154	Magnetic cell delivery for peripheral arterial disease: A theoretical framework. <i>Medical Physics</i> , 2011, 38, 3932-3943.	1.6	29
155	Structural correlates of active-staining following magnetic resonance microscopy in the mouse brain. <i>NeuroImage</i> , 2011, 56, 974-983.	2.1	28
156	Magnetic resonance virtual histology for embryos: 3D atlases for automated high-throughput phenotyping. <i>NeuroImage</i> , 2011, 54, 769-778.	2.1	57
157	Mitochondrial cyclophilin-D as a potential therapeutic target for post-myocardial infarction heart failure. <i>Journal of Cellular and Molecular Medicine</i> , 2011, 15, 2443-2451.	1.6	58
158	In Vitro and In Vivo Cardiomyogenic Differentiation of Amniotic Fluid Stem Cells. <i>Stem Cell Reviews and Reports</i> , 2011, 7, 364-380.	5.6	82
159	Rapid assessment of myocardial infarct size in rodents using multi-slice inversion recovery late gadolinium enhancement CMR at 9.4T. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011, 13, 44.	1.6	28
160	Equilibrium contrast CMR for the detection of amyloidosis in mice. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011, 13, .	1.6	2
161	Acoustic attenuation compensation in photoacoustic tomography: application to high-resolution 3D imaging of vascular networks in mice. <i>Proceedings of SPIE</i> , 2011, , .	0.8	8
162	Amniotic Fluid Stem Cells Are Cardioprotective Following Acute Myocardial Infarction. <i>Stem Cells and Development</i> , 2011, 20, 1985-1994.	1.1	104

#	ARTICLE	IF	CITATIONS
163	Acupuncture needling sensation: The neural correlates of deqi using fMRI. <i>Brain Research</i> , 2010, 1315, 111-118.	1.1	113
164	Comparison of segmentation methods for MRI measurement of cardiac function in rats. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 32, 869-877.	1.9	28
165	In vivo hadamard encoded continuous arterial spin labeling (H-CASL). <i>Magnetic Resonance in Medicine</i> , 2010, 63, 1111-1118.	1.9	58
166	Reduction of errors in ASL cerebral perfusion and arterial transit time maps using image denoising. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 715-724.	1.9	43
167	Nanoparticles functionalised with recombinant single chain Fv antibody fragments (scFv) for the magnetic resonance imaging of cancer cells. <i>Biomaterials</i> , 2010, 31, 1307-1315.	5.7	68
168	Targeted magnetic delivery and tracking of cells using a magnetic resonance imaging system. <i>Biomaterials</i> , 2010, 31, 5366-5371.	5.7	109
169	Quantitative MRI predicts status epilepticus-induced hippocampal injury in the lithium-pilocarpine rat model. <i>Epilepsy Research</i> , 2010, 88, 221-230.	0.8	34
170	Micro-MRI phenotyping of a novel double-knockout mouse model of congenital heart disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, .	1.6	3
171	Late gadolinium enhanced MRI in small animal models of myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, .	1.6	2
172	Overexpression of Heat Shock Protein 27 Reduces Cortical Damage after Cerebral Ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2010, 30, 849-856.	2.4	45
173	Coordination chemistry of amide-functionalised tetraazamacrocycles: structural, relaxometric and cytotoxicity studies. <i>Dalton Transactions</i> , 2010, 39, 10056.	1.6	17
174	Bone marrow mononuclear cells reduce myocardial reperfusion injury by activating the PI3K/Akt survival pathway. <i>Atherosclerosis</i> , 2010, 213, 67-76.	0.4	24
175	High-Fidelity Meshes from Tissue Samples for Diffusion MRI Simulations. <i>Lecture Notes in Computer Science</i> , 2010, 13, 404-411.	1.0	24
176	Cardiovascular Magnetic Resonance Imaging in Experimental Models. <i>Open Cardiovascular Medicine Journal</i> , 2010, 4, 278-292.	0.6	33
177	Magnetic Resonance Imaging of Mesenchymal Stem Cells Homing to Pulmonary Metastases Using Biocompatible Magnetic Nanoparticles. <i>Cancer Research</i> , 2009, 69, 8862-8867.	0.4	187
178	Cardiac phenotyping in <i>ex vivo</i> murine embryos using μ MRI. <i>NMR in Biomedicine</i> , 2009, 22, 857-866.	1.6	33
179	Protective Effect of Post-Ischaemic Viral Delivery of Heat Shock Proteins <i>in vivo</i> . <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009, 29, 254-263.	2.4	25
180	Characterizing the Origin of the Arterial Spin Labelling Signal in MRI Using a Multiecho Acquisition Approach. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009, 29, 1836-1845.	2.4	33

#	ARTICLE	IF	CITATIONS
181	Magnetic Tagging Increases Delivery of Circulating Progenitors in Vascular Injury. <i>JACC: Cardiovascular Interventions</i> , 2009, 2, 794-802.	1.1	124
182	In vivo magnetic resonance imaging of endogenous neuroblasts labelled with a ferumoxide ⁶² polycation complex. <i>NeuroImage</i> , 2009, 44, 1239-1246.	2.1	42
183	Post-mortem examination of human fetuses: a comparison of whole-body high-field MRI at 9.4 T with conventional MRI and invasive autopsy. <i>Lancet, The</i> , 2009, 374, 467-475.	6.3	130
184	Postmortem Examination of Human Fetuses: A Comparison of Whole-Body High-Field MRI at 9.4 Tesla With Conventional MRI and Invasive Autopsy. <i>Obstetrical and Gynecological Survey</i> , 2009, 64, 787-789.	0.2	0
185	Two-Compartment Models of the Diffusion MR Signal in Brain White Matter. <i>Lecture Notes in Computer Science</i> , 2009, 12, 329-336.	1.0	11
186	Brain imaging of acupuncture: Comparing superficial with deep needling. <i>Neuroscience Letters</i> , 2008, 434, 144-149.	1.0	73
187	Proteome changes associated with hippocampal MRI abnormalities in the lithium pilocarpine-induced model of convulsive status epilepticus. <i>Proteomics</i> , 2007, 7, 1336-1344.	1.3	35
188	Regional Variation of Cerebral Blood Flow and Arterial Transit Time in the Normal and Hypoperfused Rat Brain Measured Using Continuous Arterial Spin Labeling MRI. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006, 26, 274-282.	2.4	50
189	Neuroprotective Effects of Virally Delivered HSPs in Experimental Stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006, 26, 371-381.	2.4	60
190	The Chronic Vascular and Haemodynamic Response after Permanent Bilateral Common Carotid Occlusion in Newborn and Adult Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006, 26, 1066-1075.	2.4	108
191	In vivo measurement of the longitudinal relaxation time of arterial blood (T1a) in the mouse using a pulsed arterial spin labeling approach. <i>Magnetic Resonance in Medicine</i> , 2006, 55, 943-947.	1.9	23
192	Gradual changes in the apparent diffusion coefficient of water in selectively vulnerable brain regions following brief ischemia in the gerbil. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 593-600.	1.9	6
193	Understanding and optimizing the amplitude modulated control for multiple-slice continuous arterial spin labeling. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 594-604.	1.9	14
194	Neuroprotective effects of HSP70 overexpression after cerebral ischaemia ⁶³ An MRI study. <i>Experimental Neurology</i> , 2005, 195, 257-266.	2.0	56
195	Gene therapy for stroke using viral delivery of heat shock proteins. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S509-S509.	2.4	0
196	Heat shock protein overexpression - effect on experimental stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S508-S508.	2.4	0
197	A comparison of FAIR and CASL perfusion imaging in mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S343-S343.	2.4	0
198	Vascular and haemodynamic response following chronic hypoperfusion in the developing and mature rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S218-S218.	2.4	0

#	ARTICLE	IF	CITATIONS
199	MRI of Animal Models of Brain Disease. <i>Methods in Enzymology</i> , 2004, 386, 149-177.	0.4	11
200	B0dependence of the on-resonance longitudinal relaxation time in the rotating frame ($T1\rho$) in protein phantoms and rat brain in vivo. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 4-8.	1.9	26
201	MR image-guided investigation of regional signal transducers and activators of transcription-1 activation in a rat model of focal cerebral ischemia. <i>Neuroscience</i> , 2004, 127, 333-339.	1.1	23
202	Comparative Study of the FAIR Technique of Perfusion Quantification with the Hydrogen Clearance Method. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 689-699.	2.4	19
203	Neuroimaging of animal models of brain disease. <i>British Medical Bulletin</i> , 2003, 65, 235-257.	2.7	36
204	Rapid Simultaneous Mapping of T2 and T2* by Multiple Acquisition of Spin and Gradient Echoes Using Interleaved Echo Planar Imaging (MASAGE-IEPI). <i>NeuroImage</i> , 2002, 15, 992-1002.	2.1	16
205	MRI Measurement of Cerebral Perfusion and Application to Experimental Neuroscience. <i>Frontiers in Neuroscience</i> , 2002, , 21-54.	0.0	0
206	Cerebrovascular Reactivity Following Focal Brain Ischemia in the Rat: A Functional Magnetic Resonance Imaging Study. <i>NeuroImage</i> , 2001, 13, 339-350.	2.1	15
207	Simultaneous noninvasive measurement of CBF and CBV using double-echo FAIR (DEFAIR). <i>Magnetic Resonance in Medicine</i> , 2001, 45, 853-863.	1.9	23
208	High resolution MRI reveals global changes in brains of Cln3 mutant mice. <i>European Journal of Paediatric Neurology</i> , 2001, 5, 103-107.	0.7	13
209	Acute changes in MRI diffusion, perfusion, T1, and T2 in a rat model of oligemia produced by partial occlusion of the middle cerebral artery. <i>Magnetic Resonance in Medicine</i> , 2000, 44, 706-712.	1.9	42
210	The measurement of diffusion and perfusion in biological systems using magnetic resonance imaging. <i>Physics in Medicine and Biology</i> , 2000, 45, R97-R138.	1.6	112
211	Assessment of various parameters in the estimation of differential renal function using technetium-99m mercaptoacetyltriglycine. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1999, 26, 155-162.	3.3	31
212	Early changes in water diffusion, perfusion, T1, and T2 during focal cerebral ischemia in the rat studied at 8.5 T. <i>Magnetic Resonance in Medicine</i> , 1999, 41, 479-485.	1.9	130
213	The relationship between magnetic resonance diffusion imaging and autoradiographic markers of cerebral blood flow and hypoxia in an animal stroke model. <i>Magnetic Resonance in Medicine</i> , 1999, 41, 706-714.	1.9	20
214	Implementation of quantitative FAIR perfusion imaging with a short repetition time in time-course studies. <i>Magnetic Resonance in Medicine</i> , 1999, 41, 829-840.	1.9	68
215	Reperfusion in a Gerbil Model of Forebrain Ischemia Using Serial Magnetic Resonance FAIR Perfusion Imaging. <i>Stroke</i> , 1999, 30, 1263-1270.	1.0	14
216	A quantitative method for fast diffusion imaging using magnetization-prepared turboFLASH. <i>Magnetic Resonance in Medicine</i> , 1998, 39, 950-960.	1.9	50

#	ARTICLE	IF	CITATIONS
217	Estimation and relevance of depth correction in paediatric renal studies. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1998, 25, 115-119.	3.3	23
218	Development of a radiopharmaceutical activity schedule for technetium-99m dimercaptosuccinic acid in children based on image quality criteria. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1997, 24, 1362-1368.	3.3	1
219	Autoradiographic imaging of cerebral ischaemia using a combination of blood flow and hypoxic markers in an animal model. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1997, 24, 16-20.	2.2	13
220	Effects of diffusion anisotropy on lesion delineation in a rat model of cerebral ischemia. <i>Magnetic Resonance in Medicine</i> , 1997, 38, 662-668.	1.9	65
221	Effect of renal maturation on the clearance of technetium-99m mercaptoacetyltriglycine. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1994, 21, 1333-1337.	2.2	34
222	Hypertension in paediatrics: can pre- and post-captopril technetium-99m dimercaptosuccinic acid renal scans exclude renovascular disease?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1993, 20, 699-702.	2.2	31
223	Monitoring ferumoxide-labelled neural progenitor cells and lesion evolution by magnetic resonance imaging in a model of cell transplantation in cerebral ischaemia. <i>F1000Research</i> , 0, 2, 252.	0.8	3
224	The effect of imatinib therapy on tumour cycling hypoxia, tissue oxygenation and vascular reactivity. <i>Wellcome Open Research</i> , 0, 2, 38.	0.9	2