

Claudio Agostinelli

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4762834/claudio-agostinelli-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133
papers

4,298
citations

31
h-index

63
g-index

142
ext. papers

5,067
ext. citations

5
avg, IF

4.65
L-index

#	Paper	IF	Citations
133	Genomic and gene expression profiling defines indolent forms of mantle cell lymphoma. <i>Cancer Research</i> , 2010 , 70, 1408-18	10.1	373
132	Marker expression in peripheral T-cell lymphoma: a proposed clinical-pathologic prognostic score. <i>Journal of Clinical Oncology</i> , 2006 , 24, 2472-9	2.2	295
131	The coding genome of splenic marginal zone lymphoma: activation of NOTCH2 and other pathways regulating marginal zone development. <i>Journal of Experimental Medicine</i> , 2012 , 209, 1537-51	16.6	289
130	Diffuse large B-cell lymphoma. <i>Critical Reviews in Oncology/Hematology</i> , 2013 , 87, 146-71	7	240
129	Gene expression analysis of peripheral T cell lymphoma, unspecified, reveals distinct profiles and new potential therapeutic targets. <i>Journal of Clinical Investigation</i> , 2007 , 117, 823-34	15.9	228
128	Gene expression analysis of angioimmunoblastic lymphoma indicates derivation from T follicular helper cells and vascular endothelial growth factor deregulation. <i>Cancer Research</i> , 2007 , 67, 10703-10	10.1	187
127	Myeloid sarcoma: extramedullary manifestation of myeloid disorders. <i>American Journal of Clinical Pathology</i> , 2009 , 132, 426-37	1.9	161
126	Stereotyped B-cell receptor is an independent risk factor of chronic lymphocytic leukemia transformation to Richter syndrome. <i>Clinical Cancer Research</i> , 2009 , 15, 4415-22	12.9	155
125	Alteration of BIRC3 and multiple other NF- κ B pathway genes in splenic marginal zone lymphoma. <i>Blood</i> , 2011 , 118, 4930-4	2.2	151
124	Gene expression analysis uncovers similarity and differences among Burkitt lymphoma subtypes. <i>Blood</i> , 2011 , 117, 3596-608	2.2	105
123	Molecular profiling improves classification and prognostication of nodal peripheral T-cell lymphomas: results of a phase III diagnostic accuracy study. <i>Journal of Clinical Oncology</i> , 2013 , 31, 3019-25 ²	2.2	102
122	Selective inhibition of protein arginine methyltransferase 5 blocks initiation and maintenance of B-cell transformation. <i>Blood</i> , 2015 , 125, 2530-43	2.2	96
121	CD30 expression in peripheral T-cell lymphomas. <i>Haematologica</i> , 2013 , 98, e81-2	6.6	83
120	IRTA1 is selectively expressed in nodal and extranodal marginal zone lymphomas. <i>Histopathology</i> , 2012 , 61, 930-41	7.3	73
119	Rituximab-dose-dense chemotherapy with or without high-dose chemotherapy plus autologous stem-cell transplantation in high-risk diffuse large B-cell lymphoma (DLCL04): final results of a multicentre, open-label, randomised, controlled, phase 3 study. <i>Lancet Oncology</i> , 2017 , 18, 1076-1088	21.7	72
118	Protein arginine methyltransferase 5 (PRMT5) inhibition induces lymphoma cell death through reactivation of the retinoblastoma tumor suppressor pathway and polycomb repressor complex 2 (PRC2) silencing. <i>Journal of Biological Chemistry</i> , 2013 , 288, 35534-47	5.4	69
117	Gene expression analysis provides a potential rationale for revising the histological grading of follicular lymphomas. <i>Haematologica</i> , 2008 , 93, 1033-8	6.6	59

116	Expression of CD52 in peripheral T-cell lymphoma. <i>Haematologica</i> , 2007 , 92, 566-7	6.6	57
115	Expression of platelet-derived growth factor receptor alpha in peripheral T-cell lymphoma not otherwise specified. <i>Lancet Oncology, The</i> , 2005 , 6, 440	21.7	55
114	Primary bone marrow lymphoma: an uncommon extranodal presentation of aggressive non-hodgkin lymphomas. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 296-304	6.7	51
113	Constitutive activation of the DNA damage response pathway as a novel therapeutic target in diffuse large B-cell lymphoma. <i>Oncotarget</i> , 2015 , 6, 6553-69	3.3	47
112	Reproducing the molecular subclassification of peripheral T-cell lymphoma-NOS by immunohistochemistry. <i>Blood</i> , 2019 , 134, 2159-2170	2.2	45
111	The combined role of biomarkers and interim PET scan in prediction of treatment outcome in classical Hodgkin's lymphoma: a retrospective, European, multicentre cohort study. <i>Lancet Haematology, the</i> , 2016 , 3, e467-e479	14.6	44
110	Prevalence of <i>Achromobacter xylosoxidans</i> in pulmonary mucosa-associated lymphoid tissue lymphoma in different regions of Europe. <i>British Journal of Haematology</i> , 2014 , 164, 804-10	4.5	40
109	Peripheral T cell lymphomas with follicular T helper phenotype: a new basket or a distinct entity? Revising Karl Lennert's personal archive. <i>Histopathology</i> , 2011 , 59, 679-91	7.3	40
108	Potential pathogenetic implications of cyclooxygenase-2 overexpression in B chronic lymphoid leukemia cells. <i>American Journal of Pathology</i> , 2005 , 167, 1599-607	5.8	34
107	Successful treatment of disseminated Fusariosis after allogeneic hematopoietic stem cell transplantation with the combination of voriconazole and liposomal amphotericin B. <i>Journal of Infection</i> , 2006 , 53, e243-6	18.9	34
106	Blastic plasmacytoid dendritic cell neoplasm: genomics mark epigenetic dysregulation as a primary therapeutic target. <i>Haematologica</i> , 2019 , 104, 729-737	6.6	33
105	The evolution of clonality testing in the diagnosis and monitoring of hematological malignancies. <i>Therapeutic Advances in Hematology</i> , 2014 , 5, 35-47	5.7	32
104	Tumoral immune-infiltrate (IF), PD-L1 expression and role of CD8/TIA-1 lymphocytes in localized osteosarcoma patients treated within protocol ISG-OS1. <i>Oncotarget</i> , 2017 , 8, 111836-111846	3.3	32
103	Fading With Time of PD-L1 Immunoreactivity in Non-Small Cells Lung Cancer Tissues: A Methodological Study. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018 , 26, 489-494	1.9	31
102	Pathobiology of hodgkin lymphoma. <i>Advances in Hematology</i> , 2011 , 2011, 920898	1.5	31
101	Cytoplasmic nucleophosmin is not detected in blastic plasmacytoid dendritic cell neoplasm. <i>Haematologica</i> , 2009 , 94, 285-8	6.6	31
100	Revising the historical collection of epithelioid cell-rich lymphomas of the Kiel Lymph Node Registry: what is Lennert's lymphoma nowadays?. <i>Histopathology</i> , 2011 , 59, 1173-82	7.3	28
99	Identification of novel follicular dendritic cell sarcoma markers, FDCSP and SRGN, by whole transcriptome sequencing. <i>Oncotarget</i> , 2017 , 8, 16463-16472	3.3	28

98	Detection of LIM domain only 2 (LMO2) in normal human tissues and haematopoietic and non-haematopoietic tumours using a newly developed rabbit monoclonal antibody. <i>Histopathology</i> , 2012 , 61, 33-46	7.3	27
97	Peripheral T-cell lymphoma classification: the matter of cellular derivation. <i>Expert Review of Hematology</i> , 2011 , 4, 415-25	2.8	27
96	Protein kinase CK2 is widely expressed in follicular, Burkitt and diffuse large B-cell lymphomas and propels malignant B-cell growth. <i>Oncotarget</i> , 2015 , 6, 6544-52	3.3	27
95	Another look at follicular lymphoma: immunophenotypic and molecular analyses identify distinct follicular lymphoma subgroups. <i>Histopathology</i> , 2013 , 62, 860-75	7.3	26
94	Prognostic markers in peripheral T-cell lymphoma. <i>Current Hematologic Malignancy Reports</i> , 2010 , 5, 222-8	4.4	25
93	In vitro and in vivo single-agent efficacy of checkpoint kinase inhibition in acute lymphoblastic leukemia. <i>Journal of Hematology and Oncology</i> , 2015 , 8, 125	22.4	24
92	CD38, BCL-2, PD-1, and PD-1L expression in nodal peripheral T-cell lymphoma: Possible biomarkers for novel targeted therapies?. <i>American Journal of Hematology</i> , 2017 , 92, E1-E2	7.1	22
91	Characterization of a new monoclonal antibody against PAX5/BASP in 1525 paraffin-embedded human and animal tissue samples. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2010 , 18, 561-72	1.9	22
90	Construction and validation of a bone marrow tissue microarray. <i>Journal of Clinical Pathology</i> , 2007 , 60, 57-61	3.9	22
89	Immune microenvironment profiling of gastrointestinal stromal tumors (GIST) shows gene expression patterns associated to immune checkpoint inhibitors response. <i>Oncot Immunology</i> , 2019 , 8, e1617588	7.2	20
88	The pre-B-cell receptor associated protein VpreB3 is a useful diagnostic marker for identifying c-MYC translocated lymphomas. <i>Haematologica</i> , 2010 , 95, 2056-62	6.6	20
87	A novel immunohistochemical classifier to distinguish Hodgkin lymphoma from ALK anaplastic large cell lymphoma. <i>Modern Pathology</i> , 2014 , 27, 1345-54	9.8	18
86	GLUT1 expression patterns in different Hodgkin lymphoma subtypes and progressively transformed germinal centers. <i>BMC Cancer</i> , 2012 , 12, 586	4.8	18
85	Long-term durable response to lenalidomide in a patient with hepatic epithelioid hemangioendothelioma. <i>World Journal of Gastroenterology</i> , 2014 , 20, 7049-54	5.6	18
84	Distinctive Histogenesis and Immunological Microenvironment Based on Transcriptional Profiles of Follicular Dendritic Cell Sarcomas. <i>Molecular Cancer Research</i> , 2017 , 15, 541-552	6.6	17
83	Aberrant expression of CD10 and BCL6 in mantle cell lymphoma. <i>Histopathology</i> , 2017 , 71, 769-777	7.3	17
82	slan Monocytes and Macrophages Mediate CD20-Dependent B-cell Lymphoma Elimination via ADCC and ADCP. <i>Cancer Research</i> , 2018 , 78, 3544-3559	10.1	17
81	Intracellular TCR-signaling pathway: novel markers for lymphoma diagnosis and potential therapeutic targets. <i>American Journal of Surgical Pathology</i> , 2014 , 38, 1349-59	6.7	17

80	Lymphoma classification: the quiet after the storm. <i>Seminars in Diagnostic Pathology</i> , 2011 , 28, 113-23	4.3	17
79	Langerhans, plasmacytoid dendritic and myeloid-derived suppressor cell levels in mycosis fungoides vary according to the stage of the disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017 , 470, 575-582	5.1	16
78	Bilateral orbital Erdheim-Chester disease treated with 12 weekly administrations of VNCOP-B chemotherapy: a case report and a review of literature. <i>Rheumatology International</i> , 2012 , 32, 2209-13	3.6	16
77	Novel markers in pediatric-type follicular lymphoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 475, 771-779	5.1	15
76	Pathobiology of anaplastic large cell lymphoma. <i>Advances in Hematology</i> , 2010 , 345053	1.5	15
75	Pathobiology of Epstein-Barr virus-driven peripheral T-cell lymphomas. <i>Seminars in Diagnostic Pathology</i> , 2011 , 28, 234-44	4.3	14
74	Primary cutaneous lymphomas: a reprisal. <i>Seminars in Diagnostic Pathology</i> , 2011 , 28, 214-33	4.3	14
73	PD-1 (PDCD1) promoter methylation in Merkel cell carcinoma: prognostic relevance and relationship with clinico-pathological parameters. <i>Modern Pathology</i> , 2019 , 32, 1359-1372	9.8	13
72	IFI16 Expression Is Related to Selected Transcription Factors during B-Cell Differentiation. <i>Journal of Immunology Research</i> , 2015 , 2015, 747645	4.5	12
71	Systemic Epstein-Barr-virus-positive T cell lymphoproliferative childhood disease in a 22-year-old Caucasian man: A case report and review of the literature. <i>Journal of Medical Case Reports</i> , 2011 , 5, 218	1.2	12
70	Immunohistochemical and other prognostic factors in B cell non Hodgkin lymphoma patients, Kampala, Uganda. <i>BMC Clinical Pathology</i> , 2009 , 9, 11	3	12
69	Vascular endothelial growth factor A (VEGFA) expression in mycosis fungoides. <i>Histopathology</i> , 2015 , 66, 173-81	7.3	11
68	CD30 expression in neoplastic T cells of follicular T cell lymphoma is a helpful diagnostic tool in the differential diagnosis of Hodgkin lymphoma. <i>Modern Pathology</i> , 2019 , 32, 37-47	9.8	11
67	Pathobiology of hodgkin lymphoma. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2014 , 6, e2014040	3.2	11
66	Whole exome sequencing reveals mutations in FAT1 tumor suppressor gene clinically impacting on peripheral T-cell lymphoma not otherwise specified. <i>Modern Pathology</i> , 2020 , 33, 179-187	9.8	11
65	Physiological PTEN expression in peripheral T-cell lymphoma not otherwise specified. <i>Haematologica</i> , 2009 , 94, 1036-7	6.6	10
64	Biology and treatment of follicular lymphoma. <i>Expert Review of Hematology</i> , 2009 , 2, 533-47	2.8	10
63	miRNA expression profiling divides follicular dendritic cell sarcomas into two groups, related to fibroblasts and myopericytomas or Castleman's disease. <i>European Journal of Cancer</i> , 2016 , 64, 159-66	7.5	10

62	Photodynamic therapy: An option in mycosis fungoides. <i>Photodiagnosis and Photodynamic Therapy</i> , 2017 , 20, 107-110	3.5	9
61	Primary cardiac non-Hodgkin lymphoma presenting with atrial flutter and pericardial effusion. <i>British Journal of Haematology</i> , 2006 , 134, 356	4.5	8
60	The emerging role of GSK-3 β in the pathobiology of classical Hodgkin lymphoma. <i>Histopathology</i> , 2017 , 71, 72-80	7.3	7
59	Minimal residual disease (MRD) in non-Hodgkin lymphomas: Interlaboratory reproducibility on marrow samples with very low levels of disease within the FIL (Fondazione Italiana Linfomi) MRD Network. <i>Hematological Oncology</i> , 2019 , 37, 368-374	1.3	7
58	Pathobiology of ALK-negative anaplastic large cell lymphoma. <i>Mental Illness</i> , 2011 , 3 Suppl 2, e5	0.9	7
57	IFI16 reduced expression is correlated with unfavorable outcome in chronic lymphocytic leukemia. <i>Apmis</i> , 2017 , 125, 511-522	3.4	6
56	Reproducibility of SOX-11 detection in decalcified bone marrow tissue in mantle cell lymphoma patients. <i>Human Pathology</i> , 2017 , 59, 94-101	3.7	6
55	BCL10 down-regulation in peripheral T-cell lymphomas. <i>Human Pathology</i> , 2012 , 43, 2266-73	3.7	6
54	Histopathology of B-cell chronic lymphocytic leukemia. <i>Hematology/Oncology Clinics of North America</i> , 2004 , 18, 807-26, viii	3.1	6
53	Deregulation of miRNAs-cMYC circuits is a key event in refractory celiac disease type-2 lymphomagenesis. <i>Clinical Science</i> , 2020 , 134, 1151-1166	6.5	6
52	Intrafollicular Epstein-Barr virus-positive large B cell lymphoma. A variant of "germinotropic" lymphoproliferative disorder. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 468, 441-50	5.1	5
51	FOXP1 and TP63 involvement in the progression of myelodysplastic syndrome with 5q- and additional cytogenetic abnormalities. <i>BMC Cancer</i> , 2014 , 14, 396	4.8	5
50	BRAF(V600E) mutations are found in Richter syndrome and may allow targeted therapy in a subset of patients. <i>British Journal of Haematology</i> , 2015 , 170, 282-5	4.5	5
49	Hsa-miR-15a and Hsa-miR-16-1 expression is not related to proliferation centers abundance and other prognostic factors in chronic lymphocytic leukemia. <i>BioMed Research International</i> , 2013 , 2013, 715391	3	5
48	Primary effusion lymphoma associated with Human Herpes Virus-8 and Epstein Barr virus in an HIV-infected woman from Kampala, Uganda: a case report. <i>Journal of Medical Case Reports</i> , 2011 , 5, 60	1.2	5
47	Paraplegia due to a paravertebral extramedullary haemopoiesis in a patient with polycythaemia vera. <i>Journal of Clinical Pathology</i> , 2007 , 60, 581-2	3.9	5
46	Leukocytoclastic vasculitis associated with hairy cell leukemia at diagnosis: a case report and review of the literature. <i>Tumori</i> , 2016 , 102,	1.7	5
45	Erythroderma and non-Hodgkin T-cell lymphoma: what else, apart from Mycosis Fungoides and Sjögren syndrome?. <i>European Journal of Dermatology</i> , 2017 , 27, 49-53	0.8	4

44	BCL-2 Expression in Primary Cutaneous Follicle Center B-Cell Lymphoma and Its Prognostic Role. <i>Frontiers in Oncology</i> , 2020 , 10, 662	5.3	4
43	Post-radiotherapy vascular lesions of the breast: immunohistochemical and molecular features of 74 cases with long-term follow-up and literature review. <i>Histopathology</i> , 2020 , 77, 293-302	7.3	4
42	Genomic alterations of ribosomal protein genes in diffuse large B cell lymphoma. <i>British Journal of Haematology</i> , 2019 , 185, 330-334	4.5	4
41	Single-agent lenalidomide is effective in the treatment of a heavily pretreated and refractory angioimmunoblastic T-cell lymphoma patient. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2014 , 14, e119 ² -22	4	4
40	Lymph node core needle biopsy for the diagnosis of lymphoproliferative disorders: A word of caution. <i>European Journal of Haematology</i> , 2021 , 106, 737-739	3.8	4
39	Granulysin, a novel marker for extranodal NK/T cell lymphoma, nasal type. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018 , 473, 749-757	5.1	4
38	Therapeutic implications of intratumor heterogeneity for TP53 mutational status in Burkitt lymphoma. <i>Experimental Hematology and Oncology</i> , 2015 , 4, 24	7.8	3
37	A patient with plasmablastic lymphoma achieving long-term complete remission after thalidomide-dexamethasone induction and double autologous stem cell transplantation: a case report. <i>BMC Cancer</i> , 2018 , 18, 645	4.8	3
36	Primary uterine localization of malt lymphoma: a case report and literature review. <i>Leukemia Research</i> , 2011 , 35, e185-7	2.7	3
35	Follicular lymphoma: still Six characters in search of an author?. <i>Leukemia and Lymphoma</i> , 2011 , 52, 1655-167	3	3
34	Molecular Profiling Of Blastic Plasmacytoid Dendritic CELL Neoplasm Reveals A Unique Pattern and Suggests Selective Sensitivity To NF-KB Pathway Inhibition. <i>Blood</i> , 2013 , 122, 2502-2502	2.2	3
33	Role of chromatin assembly factor-1/p60 and poly [ADP-ribose] polymerase 1 in mycosis fungoides. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 , 478, 961-968 ^{5.1}	3	3
32	The role of myeloid derived suppressor cells in mycosis fungoides. <i>Cancer Immunology, Immunotherapy</i> , 2018 , 67, 1175-1176	7.4	2
31	V600E-positive monomorphic epitheliotropic intestinal T-cell lymphoma complicating the course of hairy cell leukemia. <i>OncoTargets and Therapy</i> , 2019 , 12, 4807-4812	4.4	2
30	CDKN1B/p27 expression in peripheral T cell lymphoma not otherwise specified. <i>Journal of Clinical Pathology</i> , 2011 , 64, 83-7	3.9	2
29	The Microenvironment's Role in Mycosis Fungoides and Sjögren Syndrome: From Progression to Therapeutic Implications. <i>Cells</i> , 2021 , 10,	7.9	2
28	Intron 4-5 hTERT DNA Hypermethylation in Merkel Cell Carcinoma: Frequency, Association with Other Clinico-pathological Features and Prognostic Relevance. <i>Endocrine Pathology</i> , 2021 , 32, 385-395	4.2	2
27	Burkitt lymphoma with a granulomatous reaction: an M1/Th1-polarised microenvironment is associated with controlled growth and spontaneous regression. <i>Histopathology</i> , 2021 ,	7.3	2

26	Immune Microenvironment Features and Dynamics in Hodgkin Lymphoma. <i>Cancers</i> , 2021 , 13,	6.6	2
25	Interferon gamma inducible protein 16 (IFI16) expression is reduced in mantle cell lymphoma. <i>Heliyon</i> , 2019 , 5, e02643	3.6	2
24	Plaques and tumors in a patient with refractory Sjögren syndrome treated with mogamulizumab. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 1263-1265	1.2	2
23	Benign TdT-positive cells in pediatric and adult lymph nodes: a potential diagnostic pitfall. <i>Human Pathology</i> , 2018 , 81, 131-137	3.7	2
22	Paediatric follicular lymphoma. <i>Diagnostic Histopathology</i> , 2016 , 22, 6-10	0.7	1
21	Granulomatous tattoo reaction in a nivolumab-treated patient. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020 , 155, 530-532	0.8	1
20	Droplet digital polymerase chain reaction for the assessment of disease burden in hairy cell leukemia. <i>Hematological Oncology</i> , 2021 ,	1.3	1
19	Gene Expression Analysis of Peripheral T-Cell Lymphoma Not Otherwise Specified Reveals the Existence of Two Subgroups Related to Different Cellular Counterparts and Recurrent PDGFRA Deregulation.. <i>Blood</i> , 2005 , 106, 1217-1217	2.2	1
18	Alopecia areata-like mycosis fungoides: lions for lambs. <i>Italian Journal of Dermatology and Venereology</i> , 2018 , 153, 293-295	1.2	1
17	Three-dimensional models: a novel approach for lymphoma research.. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022 , 148, 753	4.9	0
16	Lymph node core needle biopsy in lymphoproliferative disorders-AuthorsReply to Al-Abbadi and colleagues. <i>European Journal of Haematology</i> , 2021 , 107, 297-298	3.8	0
15	Erythroderma with brentuximab vedotin (skin side effects in mycosis fungoides). <i>JDDG - Journal of the German Society of Dermatology</i> , 2021 , 19, 99-102	1.2	0
14	SOX-11 detection in decalcified bone marrow tissue in mantle cell lymphoma patients, methodological issue on reproducibility and validity-reply. <i>Human Pathology</i> , 2017 , 66, 238-239	3.7	
13	Prevention of large-scale implementation of unnecessary and expensive predictive tests in Hodgkin's lymphoma - AuthorsReply. <i>Lancet Haematology,the</i> , 2017 , 4, e64-e66	14.6	
12	A large mass and erythematous-violaceous plaques. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 372-375	1.2	
11	RALE051: a novel established cell line of sporadic Burkitt lymphoma. <i>Leukemia and Lymphoma</i> , 2018 , 59, 1252-1255	1.9	
10	Gastric MALT Lymphoma in a Sleeve Gastrectomy Specimen: Case Report and Literature Review. <i>Bariatric Surgical Patient Care</i> , 2018 , 13, 90-93	0.4	
9	Cytotoxic Epstein-Barr virus-positive large B cell lymphoma: a regulatory B cell-derived neoplasia?. <i>Histopathology</i> , 2017 , 70, 650-656	7.3	

8 Lymphoma classification: past, present and future **2013**, 6-30

7 Marker Expression in Peripheral T-Cell Lymphoma Unspecified: Proposal of a Clinical-Pathologic Prognostic Score.. *Blood*, **2005**, 106, 2819-2819 2.2

6 Gene Expression Analysis of Follicular Lymphoma Provides a Potential Rationale for Histological Grading Revision.. *Blood*, **2007**, 110, 186-186 2.2

5 Extramedullary metastatic plasmacytoma in multiple myeloma. *Giornale Italiano Di Dermatologia E Venereologia*, **2018**, 153, 741-743 0.8

4 Sèary Syndrome without erythroderma featuring a CD30+ progression. *Giornale Italiano Di Dermatologia E Venereologia*, **2019**, 154, 494-495 0.8

3 Verrucous mycosis fungoides. *Giornale Italiano Di Dermatologia E Venereologia*, **2019**, 154, 504-505 0.8

2 Bone Marrow in Hodgkin Lymphoma and Mimickers **2012**, 237-252

1 Signaling Pathways in Rare Lymphomas **2014**, 71-95