## Claudio Agostinelli

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4762834/claudio-agostinelli-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133 4,298 31 63 g-index

142 5,067 5 4.65 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
133	Three-dimensional models: a novel approach for lymphoma research <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2022</b> , 148, 753	4.9	O
132	Droplet digital polymerase chain reaction for the assessment of disease burden in hairy cell leukemia. <i>Hematological Oncology</i> , <b>2021</b> ,	1.3	1
131	The Microenvironments Role in Mycosis Fungoides and SZary Syndrome: From Progression to Therapeutic Implications. <i>Cells</i> , <b>2021</b> , 10,	7.9	2
130	Intron 4-5 hTERT DNA Hypermethylation in Merkel Cell Carcinoma: Frequency, Association with Other Clinico-pathological Features and Prognostic Relevance. <i>Endocrine Pathology</i> , <b>2021</b> , 32, 385-395	4.2	2
129	Lymph node core needle biopsy in lymphoproliferative disorders-AuthorsSreply to Al-Abbadi and colleagues. <i>European Journal of Haematology</i> , <b>2021</b> , 107, 297-298	3.8	O
128	Burkitt lymphoma with a granulomatous reaction: an M1/Th1-polarised microenvironment is associated with controlled growth and spontaneous regression. <i>Histopathology</i> , <b>2021</b> ,	7.3	2
127	Immune Microenvironment Features and Dynamics in Hodgkin Lymphoma. <i>Cancers</i> , <b>2021</b> , 13,	6.6	2
126	Erythroderma with brentuximab vedotin (skin side effects in mycosis fungoides). <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2021</b> , 19, 99-102	1.2	0
125	Role of chromatin assembly factor-1/p60 and poly [ADP-ribose] polymerase 1 in mycosis fungoides. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2021</b> , 478, 961-96	58 <sup>.1</sup>	3
124	Lymph node core needle biopsy for the diagnosis of lymphoproliferative disorders: A word of caution. <i>European Journal of Haematology</i> , <b>2021</b> , 106, 737-739	3.8	4
123	BCL-2 Expression in Primary Cutaneous Follicle Center B-Cell Lymphoma and Its Prognostic Role. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 662	5.3	4
122	Post-radiotherapy vascular lesions of the breast: immunohistochemical and molecular features of 74 cases with long-term follow-up and literature review. <i>Histopathology</i> , <b>2020</b> , 77, 293-302	7.3	4
121	Granulomatous tattoo reaction in a nivolumab-treated patient. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2020</b> , 155, 530-532	0.8	1
120	Deregulation of miRNAs-cMYC circuits is a key event in refractory celiac disease type-2 lymphomagenesis. <i>Clinical Science</i> , <b>2020</b> , 134, 1151-1166	6.5	6
119	Whole exome sequencing reveals mutations in FAT1 tumor suppressor gene clinically impacting on peripheral T-cell lymphoma not otherwise specified. <i>Modern Pathology</i> , <b>2020</b> , 33, 179-187	9.8	11
118	Reproducing the molecular subclassification of peripheral T-cell lymphoma-NOS by immunohistochemistry. <i>Blood</i> , <b>2019</b> , 134, 2159-2170	2.2	45
117	PD-1 (PDCD1) promoter methylation in Merkel cell carcinoma: prognostic relevance and relationship with clinico-pathological parameters. <i>Modern Pathology</i> , <b>2019</b> , 32, 1359-1372	9.8	13

### (2018-2019)

116	Genomic alterations of ribosomal protein genes in diffuse large B cell lymphoma. <i>British Journal of Haematology</i> , <b>2019</b> , 185, 330-334	4.5	4
115	CD30 expression in neoplastic T cells of follicular T cell lymphoma is a helpful diagnostic tool in the differential diagnosis of Hodgkin lymphoma. <i>Modern Pathology</i> , <b>2019</b> , 32, 37-47	9.8	11
114	Immune microenvironment profiling of gastrointestinal stromal tumors (GIST) shows gene expression patterns associated to immune checkpoint inhibitors response. <i>OncoImmunology</i> , <b>2019</b> , 8, e1617588	7.2	20
113	V600E-positive monomorphic epitheliotropic intestinal T-cell lymphoma complicating the course of hairy cell leukemia. <i>OncoTargets and Therapy</i> , <b>2019</b> , 12, 4807-4812	4.4	2
112	Minimal residual disease (MRD) in non-Hodgkin lymphomas: Interlaboratory reproducibility on marrow samples with very low levels of disease within the FIL (Fondazione Italiana Linfomi) MRD Network. <i>Hematological Oncology</i> , <b>2019</b> , 37, 368-374	1.3	7
111	Novel markers in pediatric-type follicular lymphoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2019</b> , 475, 771-779	5.1	15
110	SBary Syndrome without erythroderma featuring a CD30+ progression. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2019</b> , 154, 494-495	0.8	
109	Verrucous mycosis fungoides. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2019</b> , 154, 504-505	0.8	
108	Interferon gamma inducible protein 16 (IFI16) expression is reduced in mantle cell lymphoma. <i>Heliyon</i> , <b>2019</b> , 5, e02643	3.6	2
107	Blastic plasmacytoid dendritic cell neoplasm: genomics mark epigenetic dysregulation as a primary therapeutic target. <i>Haematologica</i> , <b>2019</b> , 104, 729-737	6.6	33
106	A large mass and erythematous-violaceous plaques. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2018</b> , 16, 372-375	1.2	
105	The role of myeloid derived suppressor cells in mycosis fungoides. <i>Cancer Immunology, Immunotherapy</i> , <b>2018</b> , 67, 1175-1176	7.4	2
104	Fading With Time of PD-L1 Immunoreactivity in Non-Small Cells Lung Cancer Tissues: A Methodological Study. <i>Applied Immunohistochemistry and Molecular Morphology</i> , <b>2018</b> , 26, 489-494	1.9	31
103	RALE051: a novel established cell line of sporadic Burkitt lymphoma. <i>Leukemia and Lymphoma</i> , <b>2018</b> , 59, 1252-1255	1.9	
102	slan Monocytes and Macrophages Mediate CD20-Dependent B-cell Lymphoma Elimination via ADCC and ADCP. <i>Cancer Research</i> , <b>2018</b> , 78, 3544-3559	10.1	17
101	A patient with plasmablastic lymphoma achieving long-term complete remission after thalidomide-dexamethasone induction and double autologous stem cell transplantation: a case report. <i>BMC Cancer</i> , <b>2018</b> , 18, 645	4.8	3
100	Gastric MALT Lymphoma in a Sleeve Gastrectomy Specimen: Case Report and Literature Review. Bariatric Surgical Patient Care, <b>2018</b> , 13, 90-93	0.4	
99	Alopecia areata-like mycosis fungoides: lions for lambs. <i>Italian Journal of Dermatology and Venereology</i> , <b>2018</b> , 153, 293-295	1.2	1

98	Extramedullary metastatic plasmacytoma in multiple myeloma. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2018</b> , 153, 741-743	0.8	
97	Plaques and tumors in a patient with refractory SEary syndrome treated with mogamulizumab. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2018</b> , 16, 1263-1265	1.2	2
96	Granulysin, a novel marker for extranodal NK/T cell lymphoma, nasal type. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2018</b> , 473, 749-757	5.1	4
95	Benign TdT-positive cells in pediatric and adult lymph nodes: a potential diagnostic pitfall. <i>Human Pathology</i> , <b>2018</b> , 81, 131-137	3.7	2
94	Distinctive Histogenesis and Immunological Microenvironment Based on Transcriptional Profiles of Follicular Dendritic Cell Sarcomas. <i>Molecular Cancer Research</i> , <b>2017</b> , 15, 541-552	6.6	17
93	The emerging role of GSK-3In the pathobiology of classical Hodgkin lymphoma. <i>Histopathology</i> , <b>2017</b> , 71, 72-80	7.3	7
92	Erythroderma and non-Hodgkin T-cell lymphoma: what else, apart from Mycosis Fungoides and SEary syndrome?. <i>European Journal of Dermatology</i> , <b>2017</b> , 27, 49-53	0.8	4
91	SOX-11 detection in decalcified bone marrow tissue in mantle cell lymphoma patients, methodological issue on reproducibility and validity-reply. <i>Human Pathology</i> , <b>2017</b> , 66, 238-239	3.7	
90	IFI16 reduced expression is correlated with unfavorable outcome in chronic lymphocytic leukemia. <i>Apmis</i> , <b>2017</b> , 125, 511-522	3.4	6
89	Aberrant expression of CD10 and BCL6 in mantle cell lymphoma. <i>Histopathology</i> , <b>2017</b> , 71, 769-777	7.3	17
88	Langerhans, plasmacytoid dendritic and myeloid-derived suppressor cell levels in mycosis fungoides vary according to the stage of the disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2017</b> , 470, 575-582	5.1	16
87	Prevention of large-scale implementation of unnecessary and expensive predictive tests in Hodgkin's lymphoma - AuthorsSreply. <i>Lancet Haematology,the</i> , <b>2017</b> , 4, e64-e66	14.6	
86	Photodynamic therapy: An option in mycosis fungoides. <i>Photodiagnosis and Photodynamic Therapy</i> , <b>2017</b> , 20, 107-110	3.5	9
85	Rituximab-dose-dense chemotherapy with or without high-dose chemotherapy plus autologous stem-cell transplantation in high-risk diffuse large B-cell lymphoma (DLCL04): final results of a multicentre, open-label, randomised, controlled, phase 3 study. <i>Lancet Oncology, The</i> , <b>2017</b> , 18, 1076-1	21.7 088	72
84	Cytotoxic Epstein-Barr virus-positive large B cell lymphoma: a regulatory B cell-derived neoplasia?. <i>Histopathology</i> , <b>2017</b> , 70, 650-656	7.3	
83	Reproducibility of SOX-11 detection in decalcified bone marrow tissue in mantle cell lymphoma patients. <i>Human Pathology</i> , <b>2017</b> , 59, 94-101	3.7	6
82	CD38, BCL-2, PD-1, and PD-1L expression in nodal peripheral T-cell lymphoma: Possible biomarkers for novel targeted therapies?. <i>American Journal of Hematology</i> , <b>2017</b> , 92, E1-E2	7.1	22
81	Identification of novel follicular dendritic cell sarcoma markers, FDCSP and SRGN, by whole transcriptome sequencing. <i>Oncotarget</i> , <b>2017</b> , 8, 16463-16472	3.3	28

#### (2014-2017)

80	Tumoral immune-infiltrate (IF), PD-L1 expression and role of CD8/TIA-1 lymphocytes in localized osteosarcoma patients treated within protocol ISG-OS1. <i>Oncotarget</i> , <b>2017</b> , 8, 111836-111846	3.3	32	
79	Intrafollicular Epstein-Barr virus-positive large B cell lymphoma. A variant of "germinotropic" lymphoproliferative disorder. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2016</b> , 468, 441-50	5.1	5	
78	Paediatric follicular lymphoma. <i>Diagnostic Histopathology</i> , <b>2016</b> , 22, 6-10	0.7	1	
77	Leukocytoclastic vasculitis associated with hairy cell leukemia at diagnosis: a case report and review of the literature. <i>Tumori</i> , <b>2016</b> , 102,	1.7	5	
76	The combined role of biomarkers and interim PET scan in prediction of treatment outcome in classical Hodgkin's lymphoma: a retrospective, European, multicentre cohort study. <i>Lancet Haematology,the</i> , <b>2016</b> , 3, e467-e479	14.6	44	
75	miRNA expression profiling divides follicular dendritic cell sarcomas into two groups, related to fibroblasts and myopericytomas or Castleman's disease. <i>European Journal of Cancer</i> , <b>2016</b> , 64, 159-66	7.5	10	
74	Selective inhibition of protein arginine methyltransferase 5 blocks initiation and maintenance of B-cell transformation. <i>Blood</i> , <b>2015</b> , 125, 2530-43	2.2	96	
73	Therapeutic implications of intratumor heterogeneity for TP53 mutational status in Burkitt lymphoma. <i>Experimental Hematology and Oncology</i> , <b>2015</b> , 4, 24	7.8	3	
72	Vascular endothelial growth factor A (VEGFA) expression in mycosis fungoides. <i>Histopathology</i> , <b>2015</b> , 66, 173-81	7.3	11	
71	BRAF(V600E) mutations are found in Richter syndrome and may allow targeted therapy in a subset of patients. <i>British Journal of Haematology</i> , <b>2015</b> , 170, 282-5	4.5	5	
70	In vitro and in vivo single-agent efficacy of checkpoint kinase inhibition in acute lymphoblastic leukemia. <i>Journal of Hematology and Oncology</i> , <b>2015</b> , 8, 125	22.4	24	
69	IFI16 Expression Is Related to Selected Transcription Factors during B-Cell Differentiation. <i>Journal of Immunology Research</i> , <b>2015</b> , 2015, 747645	4.5	12	
68	Constitutive activation of the DNA damage response pathway as a novel therapeutic target in diffuse large B-cell lymphoma. <i>Oncotarget</i> , <b>2015</b> , 6, 6553-69	3.3	47	
67	Protein kinase CK2 is widely expressed in follicular, Burkitt and diffuse large B-cell lymphomas and propels malignant B-cell growth. <i>Oncotarget</i> , <b>2015</b> , 6, 6544-52	3.3	27	
66	The evolution of clonality testing in the diagnosis and monitoring of hematological malignancies. <i>Therapeutic Advances in Hematology</i> , <b>2014</b> , 5, 35-47	5.7	32	
65	FOXP1 and TP63 involvement in the progression of myelodysplastic syndrome with 5q- and additional cytogenetic abnormalities. <i>BMC Cancer</i> , <b>2014</b> , 14, 396	4.8	5	
64	A novel immunohistochemical classifier to distinguish Hodgkin lymphoma from ALK anaplastic large cell lymphoma. <i>Modern Pathology</i> , <b>2014</b> , 27, 1345-54	9.8	18	
63	Single-agent lenalidomide is effective in the treatment of a heavily pretreated and refractory angioimmunoblastic T-cell lymphoma patient. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , <b>2014</b> , 14, e11	9 <del>-</del> 22	4	

62	Pathobiology of hodgkin lymphoma. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , <b>2014</b> , 6, e2014040	3.2	11
61	Prevalence of Achromobacter xylosoxidans in pulmonary mucosa-associated lymphoid tissue lymphoma in different regions of Europe. <i>British Journal of Haematology</i> , <b>2014</b> , 164, 804-10	4.5	40
60	Intracellular TCR-signaling pathway: novel markers for lymphoma diagnosis and potential therapeutic targets. <i>American Journal of Surgical Pathology</i> , <b>2014</b> , 38, 1349-59	6.7	17
59	Long-term durable response to lenalidomide in a patient with hepatic epithelioid hemangioendothelioma. <i>World Journal of Gastroenterology</i> , <b>2014</b> , 20, 7049-54	5.6	18
58	Signaling Pathways in Rare Lymphomas <b>2014</b> , 71-95		
57	Diffuse large B-cell lymphoma. <i>Critical Reviews in Oncology/Hematology</i> , <b>2013</b> , 87, 146-71	7	240
56	Another look at follicular lymphoma: immunophenotypic and molecular analyses identify distinct follicular lymphoma subgroups. <i>Histopathology</i> , <b>2013</b> , 62, 860-75	7.3	26
55	Hsa-miR-15a and Hsa-miR-16-1 expression is not related to proliferation centers abundance and other prognostic factors in chronic lymphocytic leukemia. <i>BioMed Research International</i> , <b>2013</b> , 2013, 715391	3	5
54	Molecular profiling improves classification and prognostication of nodal peripheral T-cell lymphomas: results of a phase III diagnostic accuracy study. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 3019-	-25 <sup>2</sup>	102
53	Protein arginine methyltransferase 5 (PRMT5) inhibition induces lymphoma cell death through reactivation of the retinoblastoma tumor suppressor pathway and polycomb repressor complex 2 (PRC2) silencing. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 35534-47	5.4	69
52	Lymphoma classification: past, present and future <b>2013</b> , 6-30		
51	CD30 expression in peripheral T-cell lymphomas. <i>Haematologica</i> , <b>2013</b> , 98, e81-2	6.6	83
50	Molecular Profiling Of Blastic Plasmacytoid Dendritic CELL Neoplasm Reveals A Unique Pattern and Suggests Selective Sensitivity To NF-KB Pathway Inhibition. <i>Blood</i> , <b>2013</b> , 122, 2502-2502	2.2	3
49	IRTA1 is selectively expressed in nodal and extranodal marginal zone lymphomas. <i>Histopathology</i> , <b>2012</b> , 61, 930-41	7.3	73
48	GLUT1 expression patterns in different Hodgkin lymphoma subtypes and progressively transformed germinal centers. <i>BMC Cancer</i> , <b>2012</b> , 12, 586	4.8	18
47	The coding genome of splenic marginal zone lymphoma: activation of NOTCH2 and other pathways regulating marginal zone development. <i>Journal of Experimental Medicine</i> , <b>2012</b> , 209, 1537-51	16.6	289
46	BCL10 down-regulation in peripheral T-cell lymphomas. <i>Human Pathology</i> , <b>2012</b> , 43, 2266-73	3.7	6
45	Bilateral orbital Erdheim-Chester disease treated with 12 weekly administrations of VNCOP-B chemotherapy: a case report and a review of literature. <i>Rheumatology International</i> , <b>2012</b> , 32, 2209-13	3.6	16

#### (2011-2012)

44	non-haematopoietic tumours using a newly developed rabbit monoclonal antibody. <i>Histopathology</i> , <b>2012</b> , 61, 33-46	7.3	27
43	Primary bone marrow lymphoma: an uncommon extranodal presentation of aggressive non-hodgkin lymphomas. <i>American Journal of Surgical Pathology</i> , <b>2012</b> , 36, 296-304	6.7	51
42	Bone Marrow in Hodgkin Lymphoma and Mimickers <b>2012</b> , 237-252		
41	Pathobiology of hodgkin lymphoma. <i>Advances in Hematology</i> , <b>2011</b> , 2011, 920898	1.5	31
40	Lymphoma classification: the quiet after the storm. Seminars in Diagnostic Pathology, <b>2011</b> , 28, 113-23	4.3	17
39	Pathobiology of Epstein-Barr virus-driven peripheral T-cell lymphomas. <i>Seminars in Diagnostic Pathology</i> , <b>2011</b> , 28, 234-44	4.3	14
38	Primary cutaneous lymphomas: a reprisal. Seminars in Diagnostic Pathology, <b>2011</b> , 28, 214-33	4.3	14
37	Alteration of BIRC3 and multiple other NF- <b>B</b> pathway genes in splenic marginal zone lymphoma. <i>Blood</i> , <b>2011</b> , 118, 4930-4	2.2	151
36	Gene expression analysis uncovers similarity and differences among Burkitt lymphoma subtypes. <i>Blood</i> , <b>2011</b> , 117, 3596-608	2.2	105
35	Peripheral T cell lymphomas with follicular T helper phenotype: a new basket or a distinct entity? Revising Karl Lennert& personal archive. <i>Histopathology</i> , <b>2011</b> , 59, 679-91	7.3	40
34	Revising the historical collection of epithelioid cell-rich lymphomas of the Kiel Lymph Node Registry: what is Lennert's lymphoma nowadays?. <i>Histopathology</i> , <b>2011</b> , 59, 1173-82	7.3	28
33	Primary uterine localization of malt lymphoma: a case report and literature review. <i>Leukemia Research</i> , <b>2011</b> , 35, e185-7	2.7	3
32	Systemic Epstein-Barr-virus-positive T cell lymphoproliferative childhood disease in a 22-year-old Caucasian man: A case report and review of the literature. <i>Journal of Medical Case Reports</i> , <b>2011</b> , 5, 218	1.2	12
31	Primary effusion lymphoma associated with Human Herpes Virus-8 and Epstein Barr virus in an HIV-infected woman from Kampala, Uganda: a case report. <i>Journal of Medical Case Reports</i> , <b>2011</b> , 5, 60	1.2	5
30	Peripheral T-cell lymphoma classification: the matter of cellular derivation. <i>Expert Review of Hematology</i> , <b>2011</b> , 4, 415-25	2.8	27
29	Follicular lymphoma: still Six characters in search of an author?. <i>Leukemia and Lymphoma</i> , <b>2011</b> , 52, 165.	5 <sub>1</sub> 67	3
28	CDKN1B/p27 expression in peripheral T cell lymphoma not otherwise specified. <i>Journal of Clinical Pathology</i> , <b>2011</b> , 64, 83-7	3.9	2
27	Pathobiology of ALK-negative anaplastic large cell lymphoma. <i>Mental Illness</i> , <b>2011</b> , 3 Suppl 2, e5	0.9	7

26	Pathobiology of anaplastic large cell lymphoma. Advances in Hematology, 2010, 345053	1.5	15
25	Genomic and gene expression profiling defines indolent forms of mantle cell lymphoma. <i>Cancer Research</i> , <b>2010</b> , 70, 1408-18	10.1	373
24	Characterization of a new monoclonal antibody against PAX5/BASP in 1525 paraffin-embedded human and animal tissue samples. <i>Applied Immunohistochemistry and Molecular Morphology</i> , <b>2010</b> , 18, 561-72	1.9	22
23	The pre-B-cell receptor associated protein VpreB3 is a useful diagnostic marker for identifying c-MYC translocated lymphomas. <i>Haematologica</i> , <b>2010</b> , 95, 2056-62	6.6	20
22	Prognostic markers in peripheral T-cell lymphoma. <i>Current Hematologic Malignancy Reports</i> , <b>2010</b> , 5, 222-8	4.4	25
21	Cytoplasmic nucleophosmin is not detected in blastic plasmacytoid dendritic cell neoplasm. <i>Haematologica</i> , <b>2009</b> , 94, 285-8	6.6	31
20	Myeloid sarcoma: extramedullary manifestation of myeloid disorders. <i>American Journal of Clinical Pathology</i> , <b>2009</b> , 132, 426-37	1.9	161
19	Physiological PTEN expression in peripheral T-cell lymphoma not otherwise specified. Haematologica, <b>2009</b> , 94, 1036-7	6.6	10
18	Stereotyped B-cell receptor is an independent risk factor of chronic lymphocytic leukemia transformation to Richter syndrome. <i>Clinical Cancer Research</i> , <b>2009</b> , 15, 4415-22	12.9	155
17	Immunohistochemical and other prognostic factors in B cell non Hodgkin lymphoma patients, Kampala, Uganda. <i>BMC Clinical Pathology</i> , <b>2009</b> , 9, 11	3	12
16	Biology and treatment of follicular lymphoma. Expert Review of Hematology, 2009, 2, 533-47	2.8	10
15	Gene expression analysis provides a potential rationale for revising the histological grading of follicular lymphomas. <i>Haematologica</i> , <b>2008</b> , 93, 1033-8	6.6	59
14	Expression of CD52 in peripheral T-cell lymphoma. <i>Haematologica</i> , <b>2007</b> , 92, 566-7	6.6	57
13	Paraplegia due to a paravertebral extramedullary haemopoiesis in a patient with polycythaemia vera. <i>Journal of Clinical Pathology</i> , <b>2007</b> , 60, 581-2	3.9	5
12	Construction and validation of a bone marrow tissue microarray. <i>Journal of Clinical Pathology</i> , <b>2007</b> , 60, 57-61	3.9	22
11	Gene expression analysis of angioimmunoblastic lymphoma indicates derivation from T follicular helper cells and vascular endothelial growth factor deregulation. <i>Cancer Research</i> , <b>2007</b> , 67, 10703-10	10.1	187
10	Gene expression analysis of peripheral T cell lymphoma, unspecified, reveals distinct profiles and new potential therapeutic targets. <i>Journal of Clinical Investigation</i> , <b>2007</b> , 117, 823-34	15.9	228
9	Gene Expression Analysis of Follicular Lymphoma Provides a Potential Rationale for Histological Grading Revision <i>Blood</i> , <b>2007</b> , 110, 186-186	2.2	

#### LIST OF PUBLICATIONS

8	Marker expression in peripheral T-cell lymphoma: a proposed clinical-pathologic prognostic score. Journal of Clinical Oncology, <b>2006</b> , 24, 2472-9	2.2	295
7	Primary cardiac non-Hodgkin lymphoma presenting with atrial flutter and pericardial effusion. <i>British Journal of Haematology</i> , <b>2006</b> , 134, 356	4.5	8
6	Successful treatment of disseminated Fusariosis after allogeneic hematopoietic stem cell transplantation with the combination of voriconazole and liposomal amphotericin B. <i>Journal of Infection</i> , <b>2006</b> , 53, e243-6	18.9	34
5	Expression of platelet-derived growth factor receptor alpha in peripheral T-cell lymphoma not otherwise specified. <i>Lancet Oncology, The</i> , <b>2005</b> , 6, 440	21.7	55
4	Potential pathogenetic implications of cyclooxygenase-2 overexpression in B chronic lymphoid leukemia cells. <i>American Journal of Pathology</i> , <b>2005</b> , 167, 1599-607	5.8	34
3	Marker Expression in Peripheral T-Cell Lymphoma Unspecified: Proposal of a Clinical-Pathologic Prognostic Score <i>Blood</i> , <b>2005</b> , 106, 2819-2819	2.2	
2	Gene Expression Analysis of Peripheral T-Cell Lymphoma Not Otherwise Specified Reveals the Existance of Two Subgroups Related to Different Cellular Counterparts and Recurrent PDGFRA Deregulation <i>Blood</i> , <b>2005</b> , 106, 1217-1217	2.2	1
1	Histopathology of B-cell chronic lymphocytic leukemia. <i>Hematology/Oncology Clinics of North America</i> , <b>2004</b> , 18, 807-26, viii	3.1	6