Ben Metcalf

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4762929/publications.pdf

Version: 2024-02-01

201674 189892 2,755 86 27 50 h-index citations g-index papers 87 87 87 2774 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Acupuncture for Chronic Knee Pain. JAMA - Journal of the American Medical Association, 2014, 312, 1313.	7.4	213
2	Effect of Intra-articular Platelet-Rich Plasma vs Placebo Injection on Pain and Medial Tibial Cartilage Volume in Patients With Knee Osteoarthritis. JAMA - Journal of the American Medical Association, 2021, 326, 2021.	7.4	158
3	Effect of Physical Therapy on Pain and Function in Patients With Hip Osteoarthritis. JAMA - Journal of the American Medical Association, 2014, 311, 1987.	7.4	146
4	Clinical Pilates versus General Exercise for Chronic Low Back Pain. Medicine and Science in Sports and Exercise, 2012, 44, 1197-1205.	0.4	143
5	Neuromuscular Versus Quadriceps Strengthening Exercise in Patients With Medial Knee Osteoarthritis and Varus Malalignment: A Randomized Controlled Trial. Arthritis and Rheumatology, 2014, 66, 950-959.	5.6	138
6	Lateral wedges in knee osteoarthritis: What are their immediate clinical and biomechanical effects and can these predict a threeâ€month clinical outcome?. Arthritis and Rheumatism, 2008, 59, 408-415.	6.7	136
7	Physical Therapist–Delivered Pain Coping Skills Training and Exercise for Knee Osteoarthritis: Randomized Controlled Trial. Arthritis Care and Research, 2016, 68, 590-602.	3.4	125
8	Relationship of knee joint proprioception to pain and disability in individuals with knee osteoarthritis. Journal of Orthopaedic Research, 2003, 21, 792-797.	2.3	116
9	Telephone Coaching to Enhance a Homeâ€Based Physical Activity Program for Knee Osteoarthritis: A Randomized Clinical Trial. Arthritis Care and Research, 2017, 69, 84-94.	3.4	98
10	Clinical features of patellar tendinopathy and their implications for rehabilitation. Journal of Orthopaedic Research, 2007, 25, $1164-1175$.	2.3	97
11	Delayed onset of quadriceps activity and altered knee joint kinematics during stair stepping in individuals with knee osteoarthritis. Archives of Physical Medicine and Rehabilitation, 2002, 83, 1080-1086.	0.9	95
12	Reducing joint loading in medial knee osteoarthritis: Shoes and canes. Arthritis and Rheumatism, 2008, 59, 609-614.	6.7	86
13	Physiotherapists and patients report positive experiences overall with telehealth during the COVID-19 pandemic: a mixed-methods study. Journal of Physiotherapy, 2021, 67, 201-209.	1.7	86
14	A physiotherapist-delivered, combined exercise and pain coping skills training intervention for individuals with knee osteoarthritis: A pilot study. Knee, 2013, 20, 106-112.	1.6	60
15	Comparison of neuromuscular and quadriceps strengthening exercise in the treatment of varus malaligned knees with medial knee osteoarthritis: a randomised controlled trial protocol. BMC Musculoskeletal Disorders, 2011, 12, 276.	1.9	47
16	Comparing Video-Based, Telehealth-Delivered Exercise and Weight Loss Programs With Online Education on Outcomes of Knee Osteoarthritis. Annals of Internal Medicine, 2022, 175, 198-209.	3.9	46
17	Patellofemoral and tibiofemoral articular cartilage and subchondral bone health following arthroscopic partial medial meniscectomy. Knee Surgery, Sports Traumatology, Arthroscopy, 2012, 20, 970-978.	4.2	42
18	Quadriceps strength is not related to gait impact loading in knee osteoarthritis. Knee, 2010, 17, 296-302.	1.6	41

#	Article	IF	Citations
19	Association of Knee Confidence With Pain, Knee Instability, Muscle Strength, and Dynamic Varus–Valgus Joint Motion in Knee Osteoarthritis. Arthritis Care and Research, 2014, 66, 695-701.	3.4	41
20	A Longitudinal Study of Strength and Gait after Arthroscopic Partial Meniscectomy. Medicine and Science in Sports and Exercise, 2013, 45, 2036-2043.	0.4	36
21	Influence of Biomechanical Characteristics on Pain and Function Outcomes From Exercise in Medial Knee Osteoarthritis and Varus Malalignment: Exploratory Analyses From a Randomized Controlled Trial. Arthritis Care and Research, 2015, 67, 1281-1288.	3.4	35
22	The influence of weather on the risk of pain exacerbation in patients with knee osteoarthritis $\hat{a} \in \hat{a}$ case-crossover study. Osteoarthritis and Cartilage, 2016, 24, 2042-2047.	1.3	35
23	Do Moments and Strength Predict Cartilage Changes after Partial Meniscectomy?. Medicine and Science in Sports and Exercise, 2015, 47, 1549-1556.	0.4	34
24	The association of quadriceps strength with the knee adduction moment in medial knee osteoarthritis. Arthritis and Rheumatism, 2009, 61, 451-458.	6.7	33
25	Unloading Shoes for Self-management of Knee Osteoarthritis. Annals of Internal Medicine, 2016, 165, 381.	3.9	32
26	Is the Human Activity Profile a useful measure in people with knee osteoarthritis?. Journal of Rehabilitation Research and Development, 2004, 41, 621.	1.6	32
27	Efficacy of intra-articular injections of platelet-rich plasma as a symptom- and disease-modifying treatment for knee osteoarthritis - the RESTORE trial protocol. BMC Musculoskeletal Disorders, 2018, 19, 272.	1.9	31
28	A physiotherapist-delivered integrated exercise and pain coping skills training intervention for individuals with knee osteoarthritis: a randomised controlled trial protocol. BMC Musculoskeletal Disorders, 2012, 13, 129.	1.9	28
29	Temporal Activity of Vastus Medialis Obliquus and Vastus Lateralis in Symptomatic Knee Osteoarthritis. American Journal of Physical Medicine and Rehabilitation, 2002, 81, 684-690.	1.4	26
30	The association between psychological characteristics and physical activity levels in people with knee osteoarthritis: a cross-sectional analysis. BMC Musculoskeletal Disorders, 2020, 21, 269.	1.9	26
31	Efficacy of acupuncture for chronic knee pain: protocol for a randomised controlled trial using a Zelen design. BMC Complementary and Alternative Medicine, 2012, 12, 161.	3.7	25
32	What type of exercise is most effective for people with knee osteoarthritis and co-morbid obesity?: The TARGET randomized controlled trial. Osteoarthritis and Cartilage, 2020, 28, 755-765.	1.3	25
33	Web-Based Study of Risk Factors for Pain Exacerbation in Osteoarthritis of the Knee (SPARK-Web): Design and Rationale. JMIR Research Protocols, 2015, 4, e80.	1.0	25
34	Association of Sensorimotor Function with Knee Joint Kinematics During Locomotion in Knee Osteoarthritis. American Journal of Physical Medicine and Rehabilitation, 2004, 83, 455-463.	1.4	24
35	Efficacy of a multimodal physiotherapy treatment program for hip osteoarthritis: a randomised placebo-controlled trial protocol. BMC Musculoskeletal Disorders, 2010, 11, 238.	1.9	22
36	Varus–valgus laxity and passive stiffness in medial knee osteoarthritis. Arthritis Care and Research, 2010, 62, 1237-1243.	3.4	22

#	Article	IF	CITATIONS
37	The relationship between patellofemoral and tibiofemoral morphology and gait biomechanics following arthroscopic partial medial meniscectomy. Knee Surgery, Sports Traumatology, Arthroscopy, 2013, 21, 1097-1103.	4.2	22
38	Sleep Quality and Fatigue Are Associated with Pain Exacerbations of Hip Osteoarthritis: An Internet-based Case-crossover Study. Journal of Rheumatology, 2019, 46, 1524-1530.	2.0	22
39	Relationship of Buckling and Knee Injury to Pain Exacerbation in Knee Osteoarthritis: A Web-Based Case-Crossover Study. Interactive Journal of Medical Research, 2016, 5, e17.	1.4	21
40	Unloading shoes for osteoarthritis of the knee: protocol for the SHARK randomised controlled trial. BMC Musculoskeletal Disorders, 2014, 15, 48.	1.9	20
41	Is the relationship between increased knee muscle strength and improved physical function following exercise dependent on baseline physical function status?. Arthritis Research and Therapy, 2017, 19, 271.	3.5	18
42	Cross-sectional association between muscle strength and self-reported physical function in 195 hip osteoarthritis patients. Seminars in Arthritis and Rheumatism, 2017, 46, 387-394.	3.4	17
43	Comparison of weight bearing functional exercise and non-weight bearing quadriceps strengthening exercise on pain and function for people with knee osteoarthritis and obesity: protocol for the TARGET randomised controlled trial. BMC Musculoskeletal Disorders, 2019, 20, 291.	1.9	17
44	Hip biomechanics during stair ascent and descent in people with and without hip osteoarthritis. Journal of Orthopaedic Research, 2017, 35, 1505-1514.	2.3	15
45	Gluteal tendinopathy and hip osteoarthritis: Different pathologies, different hip biomechanics. Gait and Posture, 2018, 61, 459-465.	1.4	12
46	Sex-specific walking kinematics and kinetics in individuals with unilateral, symptomatic hip osteoarthritis: A cross sectional study. Gait and Posture, 2018, 65, 234-239.	1.4	12
47	Mechanisms underpinning longitudinal increases in the knee adduction moment following arthroscopic partial meniscectomy. Clinical Biomechanics, 2014, 29, 892-897.	1.2	11
48	A longitudinal study of impact and early stance loads during gait following arthroscopic partial meniscectomy. Journal of Biomechanics, 2014, 47, 2852-2857.	2.1	11
49	Role of Hip Injury and Giving Way in Pain Exacerbation in Hip Osteoarthritis: An Internetâ€Based Case–Crossover Study. Arthritis Care and Research, 2019, 71, 742-747.	3.4	10
50	Mechanisms underpinning the peak knee flexion moment increase over 2-years following arthroscopic partial meniscectomy. Clinical Biomechanics, 2015, 30, 1060-1065.	1.2	9
51	Plugâ€inâ€Gait calculation of the knee adduction moment in people with knee osteoarthritis during shod walking: comparison of two different foot marker models. Journal of Foot and Ankle Research, 2017, 10, 8.	1.9	9
52	Knowledge about osteoarthritis: Development of the Hip and Knee Osteoarthritis Knowledge Scales and protocol for testing their measurement properties. Osteoarthritis and Cartilage Open, 2021, 3, 100160.	2.0	9
53	Effect of foot orthoses vs sham insoles on first metatarsophalangeal joint osteoarthritis symptoms: a randomized controlled trial. Osteoarthritis and Cartilage, 2022, 30, 956-964.	1.3	9
54	Frontal plane hip joint loading according to pain severity in people with hip osteoarthritis. Journal of Orthopaedic Research, 2018, 36, 1637-1644.	2.3	8

#	Article	IF	CITATIONS
55	The association between psychological factors and pain exacerbations in hip osteoarthritis. Rheumatology, 2021, 60, 1291-1299.	1.9	8
56	Association of weather factors with the risk of pain exacerbations in people with hip osteoarthritis. Scandinavian Journal of Rheumatology, 2021, 50, 68-73.	1.1	7
57	Knee joint laxity and passive stiffness in meniscectomized patients compared with healthy controls. Knee, 2014, 21, 886-890.	1,6	6
58	Effect of knee unloading shoes on regional plantar forces in people with symptomatic knee osteoarthritis – an exploratory study. Journal of Foot and Ankle Research, 2018, 11, 34.	1.9	6
59	Hip joint kinematics and segment coordination variability according to pain and structural disease severity in hip osteoarthritis. Journal of Orthopaedic Research, 2020, 38, 1836-1844.	2.3	6
60	Podiatry Intervention Versus Usual General Practitioner Care for Symptomatic Radiographic Osteoarthritis of the First Metatarsophalangeal Joint: A Randomized Clinical Feasibility Study. Arthritis Care and Research, 2021, 73, 250-258.	3.4	6
61	MEASUREMENT OF KNEE VARUS-VALGUS LAXITY USING A MODIFIED ISOKINETIC DYNAMOMETER. Journal of Biomechanics, 2007, 40, S593.	2.1	5
62	Knee Muscle Strength After Recent Partial Meniscectomy Does Not Relate to 2-year Change in Knee Adduction Moment. Clinical Orthopaedics and Related Research, 2014, 472, 3114-3120.	1.5	5
63	Knee Biomechanics During Jogging After Arthroscopic Partial Meniscectomy: A Longitudinal Study. American Journal of Sports Medicine, 2017, 45, 1872-1880.	4.2	5
64	Footwear for self-managing knee osteoarthritis symptoms: protocol for the Footstep randomised controlled trial. BMC Musculoskeletal Disorders, 2018, 19, 219.	1.9	5
65	Foot orthoses for first metatarsophalangeal joint osteoarthritis: study protocol for the FORT randomised controlled trial. BMC Musculoskeletal Disorders, 2020, 21, 830.	1.9	5
66	Expert-Moderated Peer-to-Peer Online Support Group for People With Knee Osteoarthritis: Mixed Methods Randomized Controlled Pilot and Feasibility Study. JMIR Formative Research, 2022, 6, e32627.	1.4	5
67	Walking-related knee contact forces and associations with knee pain across people with mild, moderate and severe radiographic knee osteoarthritis: a cross-sectional study. Osteoarthritis and Cartilage, 2022, 30, 832-842.	1.3	5
68	Telephone coaching to enhance a physiotherapist-prescribed home-based physical activity program for knee osteoarthritis: A randomised clinical trial. Osteoarthritis and Cartilage, 2016, 24, S44-S45.	1.3	4
69	Can pain flares in knee osteoarthritis be predicted?. Scandinavian Journal of Rheumatology, 2021, 50, 198-205.	1.1	4
70	Reliability, Validity, Responsiveness, and Minimum Important Change of the Stair Climb Test in Adults With Hip and Knee Osteoarthritis. Arthritis Care and Research, 2023, 75, 1147-1157.	3.4	4
71	Psychosocial factors and pain exacerbation in knee osteoarthritis: a web based case-crossover study. Osteoarthritis and Cartilage, 2014, 22, S21-S22.	1.3	3
72	Comparison of neuromuscular and quadriceps strengthening exercise in people with medial knee osteoarthritis and varus malalignment: randomised controlled trial. Osteoarthritis and Cartilage, 2013, 21, S273-S274.	1.3	2

#	Article	IF	CITATIONS
73	Is there a relationship between the Intermittent and Constant Osteoarthritis Pain score (ICOAP) and pain flares in knee osteoarthritis?. Osteoarthritis and Cartilage, 2016, 24, S429-S430.	1.3	2
74	Is Heel Height Associated with Pain Exacerbations in Hip Osteoarthritis Patients?â€"Results from a Case-Crossover Study. Journal of Clinical Medicine, 2020, 9, 1872.	2.4	2
75	The EPIPHA-KNEE trial: Explaining Pain to target unhelpful pain beliefs to Increase PHysical Activity in KNEE osteoarthritis – a protocol for a multicentre, randomised controlled trial with clinical- and cost-effectiveness analysis. BMC Musculoskeletal Disorders, 2021, 22, 738.	1.9	2
76	Footwear for osteoarthritis of the lateral knee: protocol for the FOLK randomised controlled trial. BMC Musculoskeletal Disorders, 2020, 21, 247.	1.9	1
77	Higher knee load, not knee extensor strength predicts medial cartilage degradation over 2 years following partial meniscectomy. Journal of Science and Medicine in Sport, 2013, 16, e88-e89.	1.3	0
78	Type of exercise and presence of varus thrust influences pain outcomes in people with medial knee osteoarthritis. Journal of Science and Medicine in Sport, 2013, 16, e89-e90.	1.3	0
79	Physiotherapist-delivered exercise and pain coping skills training is more effective than either intervention alone in knee osteoarthritis. Journal of Science and Medicine in Sport, 2013, 16, e91.	1.3	0
80	Physical therapy for hip osteoarthritis: randomised, placebo-controlled trial. Osteoarthritis and Cartilage, 2014, 22, S49-S50.	1.3	0
81	Physiotherapist-delivered exercise and pain coping skills training is more effective than either intervention alone in knee osteoarthritis. Osteoarthritis and Cartilage, 2014, 22, S192-S193.	1.3	0
82	Higher pain, poorer function and worse symptoms are associated with 2-year cartilage changes in people following medial arthroscopic partial meniscectomy. Osteoarthritis and Cartilage, 2015, 23, A272.	1.3	0
83	Response to Letter to Editor: "Comment on the TARGET trial by Bennell et al: was the interpretation of similar improvement based on equivalence analysis?― Osteoarthritis and Cartilage, 2020, 28, 1146.	1.3	0
84	EFFICACY OF PHYSICAL THERAPY FOR KNEE JOINT OSTEOARTHRITIS. Medicine and Science in Sports and Exercise, 2003, 35, S241.	0.4	0
85	Telephone Coaching to Enhance Physiotherapy-Prescribed Physical Activity for Knee Osteoarthritis. Medicine and Science in Sports and Exercise, 2016, 48, 598.	0.4	0
86	A comparison of psychological characteristics in people with knee osteoarthritis from Japan and Australia: A cross-sectional study. PLoS ONE, 2022, 17, e0267877.	2.5	O