Marika Kvarnstrm

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4764654/marika-kvarnstrom-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38	874	15	29
papers	citations	h-index	g-index
44 ext. papers	1,188 ext. citations	5.1 avg, IF	3.28 L-index

#	Paper	IF	Citations
38	Complications after minor salivary gland biopsy: a retrospective study of 630 patients from two Swedish centres <i>Scandinavian Journal of Rheumatology</i> , 2022 , 1-9	1.9	1
37	High prevalence of gastrointestinal symptoms in patients with primary Sjgren syndrome cannot be attributed to pancreatic exocrine insufficiency Scandinavian Journal of Gastroenterology, 2022, 1-7	2.4	
36	Genetic and clinical basis for two distinct subtypes of primary Sjਊren ₹ syndrome. <i>Rheumatology</i> , 2021 , 60, 837-848	3.9	6
35	Interferon activation status underlies higher antibody response to viral antigens in patients with systemic lupus erythematosus receiving no or light treatment. <i>Rheumatology</i> , 2021 , 60, 1445-1455	3.9	1
34	A phase 2 randomized, double-blind, placebo-controlled, proof-of-concept study of oral seletalisib in primary Sjgren's syndrome. <i>Rheumatology</i> , 2021 , 60, 1364-1375	3.9	10
33	Influence of the age at diagnosis in the disease expression of primary Sjgren syndrome. Analysis of 12,753 patients from the Sjgren Big Data Consortium. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 166-174	2.2	О
32	Influence of the age at diagnosis in the disease expression of primary Sjgren syndrome. Analysis of 12,753 patients from the Sjgren Big Data Consortium <i>Clinical and Experimental Rheumatology</i> , 2021 , 39 Suppl 133, 166-174	2.2	
31	Sjgren Syndrome in Systemic Lupus Erythematosus: A Subset Characterized by a Systemic Inflammatory State. <i>Journal of Rheumatology</i> , 2020 , 47, 865-875	4.1	13
30	Increased risk of multiple myeloma in primary Sj\(\)gren\(\) syndrome is limited to individuals with Ro/SSA and La/SSB autoantibodies. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 307-308	2.4	2
29	Epidemiological profile and north-south gradient driving baseline systemic involvement of primary Sjgren's syndrome. <i>Rheumatology</i> , 2020 , 59, 2350-2359	3.9	24
28	Cigarette smoking patterns preceding primary Sjören & syndrome. <i>RMD Open</i> , 2020 , 6,	5.9	2
27	Protein and DNA methylation-based scores as surrogate markers for interferon system activation in patients with primary Sjgren's syndrome. <i>RMD Open</i> , 2020 , 6,	5.9	9
26	Systemic phenotype related to primary Sjigren syndrome in 279 patients carrying isolated anti-La/SSB antibodies. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 126, 85-94	2.2	1
25	Concomitant Ro/SSA and La/SSB antibodies are biomarkers for the risk of venous thromboembolism and cerebral infarction in primary Sjgren syndrome. <i>Journal of Internal Medicine</i> , 2019 , 286, 458-468	10.8	7
24	Circulating Levels of Interferon Regulatory Factor-5 Associates With Subgroups of Systemic Lupus Erythematosus Patients. <i>Frontiers in Immunology</i> , 2019 , 10, 1029	8.4	8
23	Infections increase the risk of developing Sjgren's syndrome. <i>Journal of Internal Medicine</i> , 2019 , 285, 670-680	10.8	15
22	Two subgroups in systemic lupus erythematosus with features of antiphospholipid or Sjgren syndrome differ in molecular signatures and treatment perspectives. <i>Arthritis Research and Therapy</i> , 2019 , 21, 62	5.7	15

(2013-2019)

Systemic manifestations of primary Sj\u00dfren\u00bb syndrome out of the ESSDAI classification: prevalence and clinical relevance in a large international, multi-ethnic cohort of patients. Clinical and Experimental Rheumatology, 2019, 37 Suppl 118, 97-106	2.2	4
Transcription profiling of peripheral B cells in antibody-positive primary Sjgren syndrome reveals upregulated expression of CX3CR1 and a type I and type II interferon signature. <i>Scandinavian Journal of Immunology</i> , 2018 , 87, e12662	3.4	29
Diminished CXCR5 expression in peripheral blood of patients with Sj\u00dfgren\u201d syndrome may relate to both genotype and salivary gland homing. Clinical and Experimental Immunology, 2018, 192, 259-270	6.2	10
Clinical associations and expression pattern of the autoimmunity susceptibility factor DIORA-1 in patients with primary Sjgren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1840-1842	2.4	3
TNF-Dand plasma albumin as biomarkers of disease activity in systemic lupus erythematosus. <i>Lupus Science and Medicine</i> , 2018 , 5, e000260	4.6	38
How immunological profile drives clinical phenotype of primary Sjgren's syndrome at diagnosis: analysis of 10,500 patients (Sjgren Big Data Project). <i>Clinical and Experimental Rheumatology</i> , 2018 , 36 Suppl 112, 102-112	2.2	34
Influence of geolocation and ethnicity on the phenotypic expression of primary Sjgren syndrome at diagnosis in 8310 patients: a cross-sectional study from the Big Data Sjgren Project Consortium. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1042-1050	2.4	73
Depressed serum IgM levels in SLE are restricted to defined subgroups. <i>Clinical Immunology</i> , 2017 , 183, 304-315	9	15
Identification of a Sjgren's syndrome susceptibility locus at OAS1 that influences isoform switching, protein expression, and responsiveness to type I interferons. <i>PLoS Genetics</i> , 2017 , 13, e10068	320	41
H1N1 vaccination in Sjgren syndrome triggers polyclonal B cell activation and promotes autoantibody production. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1755-1763	2.4	38
Difference in clinical presentation between women and men in incident primary Sjgren syndrome. <i>Biology of Sex Differences</i> , 2017 , 8, 16	9.3	18
Long-term follow-up in primary Sjgren syndrome reveals differences in clinical presentation between female and male patients. <i>Biology of Sex Differences</i> , 2017 , 8, 25	9.3	26
FRI0014 Multiplex Screening of Cytokines in The Search for Disease Activity Markers of SLE. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 430.3-431	2.4	1
A5.8 The use of cardiovascular risk module within the swedish rheumatology quality registry (SRQ) helps in daily clinical praxis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, A50.1-A50	2.4	
The IRF5-TNPO3 association with systemic lupus erythematosus has two components that other autoimmune disorders variably share. <i>Human Molecular Genetics</i> , 2015 , 24, 582-96	5.6	57
Incident cases of primary Sjgren's syndrome during a 5-year period in Stockholm County: a descriptive study of the patients and their characteristics. <i>Scandinavian Journal of Rheumatology</i> , 2015 , 44, 135-42	1.9	39
AB0345 The Use of Cardiovascular Risk Module Within the Swedish Rheumatology Quality Registry (SRQ) Helps in Daily Clinical Praxis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1009.1-1009	2.4	
Variants at multiple loci implicated in both innate and adaptive immune responses are associated with Sjgren's syndrome. <i>Nature Genetics</i> , 2013 , 45, 1284-92	36.3	322
	and clinical relevance in a large international, multi-ethnic cohort of patients. Clinical and Experimental Rheumatology, 2019, 37 Suppl 118, 97-106 Transcription profiling of peripheral B cells in antibody-positive primary Sjigren\(^3\) syndrome reveals upregulated expression of CX3CR1 and a type I and type II interferon signature. Scandinavian Journal of Immunology, 2018, 87, e12662. Diminished CXCR5 expression in peripheral blood of patients with Sjigren\(^3\) syndrome may relate to both genotype and salivary gland homing. Clinical and Experimental Immunology, 2018, 192, 259-270. Clinical associations and expression pattern of the autoimmunity susceptibility factor DIORA-1 in patients with primary Sjigren\(^3\) syndrome. Annals of the Rheumatic Diseases, 2018, 77, 1840-1842. TNF-Iand plasma albumin as biomarkers of disease activity in systemic lupus erythematosus. Lupus Science and Medicine, 2018, 5, e000260. How immunological profile drives clinical phenotype of primary Sjigren\(^3\) syndrome at diagnosis: analysis of 10,500 patients (Sjigren Big Data Project). Clinical and Experimental Rheumatology, 2018, 36 Suppl 112, 102-112. Influence of geolocation and ethnicity on the phenotypic expression of primary Sjigren\(^4\) syndrome at diagnosis in 8310 patients: a cross-sectional study from the Big Data Sjigren Project Consortium. Annals of the Rheumatic Diseases, 2017, 76, 1042-1050. Depressed serum IgM levels in SLE are restricted to defined subgroups. Clinical Immunology, 2017, 133, 304-315. Identification of a Sjigren\(^4\) syndrome susceptibility locus at OAS1 that influences isoform switching, protein expression, and responsiveness to type I interferons. PLoS Genetics, 2017, 13, e1006i. H1N1 vaccination in Sjigren\(^4\) syndrome triggers polyclonal B cell activation and promotes autoantibody production. Annals of the Rheumatic Diseases, 2017, 76, 1755-1763. Difference in clinical presentation between women and men in incident primary Sjigren\(^4\) syndrome. Biology of Sex Differences, 2017, 8,	and clinical relevance in a large international, multi-ethnic cobort of patients. Clinical and Experimental Rheumatology, 2019, 37 Suppl 118, 97-106 Transcription profiling of peripheral B cells in antibody-positive primary Sjigren\(^2\) syndrome reveals upregulated expression of CX3CR1 and a type I and type II interferon signature. Scandinavian Journal of Immunology, 2018, 87, e12662 Diminished CXCR5 expression in peripheral blood of patients with Sjigren\(^2\) syndrome may relate to both genotype and salivary gland homing. Clinical and Experimental Immunology, 2018, 192, 259-270 Clinical associations and expression battern of the autoimmunity susceptibility factor DIDRA1 in patients with primary Sjigren\(^2\) syndrome. Annals of the Rheumatic Diseases, 2018, 77, 1840-1842 24 TNF-Iand plasma albumin as biomarkers of disease activity in systemic lupus erythematosus. Lupus Science and Medicine, 2018, 5, e000260 How immunological profile drives clinical phenotype of primary Sjigren\(^4\) syndrome at diagnosis: analysis of 10,500 patients (Sjigren Big Data Project). Clinical and Experimental Rheumatology, 2018, 23 Ja6 Suppl 112, 102-112 Influence of geolocation and ethnicity on the phenotypic expression of primary Sjigren\(^4\) syndrome at diagnosis in 8310 patients: a cross-sectional study from the Big Data Sjigren Project Consortium. Annals of the Rheumatic Diseases, 2017, 76, 1042-1050 Depressed serum IgM levels in SLE are restricted to defined subgroups. Clinical Immunology, 2017, 183, 304-315 Identification of a Sjigren\(^4\) syndrome susceptibility locus at OAS1 that influences isoform switching, protein expression, and responsiveness to type I interferons. PLoS Genetics, 2017, 13, e1006820 H1N1 vaccination in Sjigren\(^4\) syndrome triggers polyclonal B cell activation and promotes autoantibody production. Annals of the Rheumatic Diseases, 2017, 76, 1755-1763 Difference in clinical presentation between women and men in incident primary Sjigren\(^4\) syndrome syndrome. Biology of Sex Differences,

3	Autoantibodies to the functionally active RING-domain of Ro52/SSA are associated with disease activity in patients with lupus. <i>Lupus</i> , 2013 , 22, 477-85	2.6	10
2	AB0693 Autoantibodies to the functionally active ring-domain of RO52/SSA associate with clinical activity in a subset of patients with lupus. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 678.7-678	2.4	
1	Autoantibodies to the functionally active RING-domain of Ro52/SSA associate with clinical activity in a subset of patients with lupus. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, A40.1-A40	2.4	