

# Peter W De Leeuw

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4765028/peter-w-de-leeuw-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

290  
papers

16,645  
citations

56  
h-index

123  
g-index

332  
ext. papers

18,874  
ext. citations

5.5  
avg, IF

5.96  
L-index

#	Paper	IF	Citations
290	Control in the Hospital by Extensive Clinical rules for Unplanned hospitalizations in older Patients (CHECKUP); study design of a multicentre randomized study.. <i>BMC Geriatrics</i> , <b>2022</b> , 22, 36	4.1	0
289	Confounders of the aldosterone-to-renin ratio when used as a screening test in hypertensive patients: A critical analysis of the literature. <i>Journal of Clinical Hypertension</i> , <b>2021</b> , 23, 201-207	2.3	2
288	Value of biomarkers in predicting mortality in older medical emergency department patients: a Dutch prospective study. <i>BMJ Open</i> , <b>2021</b> , 11, e042989	3	
287	Genetic investigation of fibromuscular dysplasia identifies risk loci and shared genetics with common cardiovascular diseases. <i>Nature Communications</i> , <b>2021</b> , 12, 6031	17.4	3
286	The anabolic role of the Warburg, Cori-cycle and Crabtree effects in health and disease. <i>Clinical Nutrition</i> , <b>2021</b> , 40, 2988-2998	5.9	7
285	The European/International Fibromuscular Dysplasia Registry and Initiative (FEIRI)-clinical phenotypes and their predictors based on a cohort of 1000 patients. <i>Cardiovascular Research</i> , <b>2021</b> , 117, 950-959	9.9	16
284	The effect of medication on the aldosterone-to-renin ratio. A critical review of the literature. <i>Journal of Clinical Hypertension</i> , <b>2021</b> , 23, 208-214	2.3	5
283	Validating the RISE UP score for predicting prognosis in patients with COVID-19 in the emergency department: a retrospective study. <i>BMJ Open</i> , <b>2021</b> , 11, e045141	3	3
282	Current progress in clinical, molecular, and genetic aspects of adult fibromuscular dysplasia. <i>Cardiovascular Research</i> , <b>2021</b> ,	9.9	2
281	The Effects of Verapamil, Hydralazine, and Doxazosin on Renin, Aldosterone, and the Ratio Thereof. <i>Cardiovascular Drugs and Therapy</i> , <b>2021</b> , 1	3.9	
280	Beyond Atherosclerosis and Fibromuscular Dysplasia: Rare Causes of Renovascular Hypertension. <i>Hypertension</i> , <b>2021</b> , 78, 898-911	8.5	2
279	A new simplified model for predicting 30-day mortality in older medical emergency department patients: The rise up score. <i>European Journal of Internal Medicine</i> , <b>2020</b> , 77, 36-43	3.9	10
278	Pregnancy-Related Complications in Patients With Fibromuscular Dysplasia: A Report From the European/International Fibromuscular Dysplasia Registry. <i>Hypertension</i> , <b>2020</b> , 76, 545-553	8.5	2
277	Glucocorticoids affect metabolic but not muscle microvascular insulin sensitivity following high versus low salt intake. <i>JCI Insight</i> , <b>2020</b> , 5,	9.9	4
276	Atherosclerotic Renovascular Disease. <i>Updates in Hypertension and Cardiovascular Protection</i> , <b>2020</b> , 21-30.1		
275	Rationale and design of the PRAETORIAN-COVID trial: A double-blind, placebo-controlled randomized clinical trial with valsartan for PRevention of Acute rEspiraTORY distress syndrome in hospitaLized patieNts with SARS-COV-2 Infection Disease. <i>American Heart Journal</i> , <b>2020</b> , 226, 60-68	4.9	9
274	Do biomarkers add anything to clinical prediction of mortality in older medical emergency department patients?. <i>European Journal of Internal Medicine</i> , <b>2020</b> , 81, 106-107	3.9	2

273	Intact and C-Terminal FGF23 Assays-Do Kidney Function, Inflammation, and Low Iron Influence Relationships With Outcomes?. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	4
272	Enrichment of Rare Variants in Loeys-Dietz Syndrome Genes in Spontaneous Coronary Artery Dissection but Not in Severe Fibromuscular Dysplasia. <i>Circulation</i> , <b>2020</b> , 142, 1021-1024	16.7	15
271	Drug-Resistant Hypertension. <i>Hypertension</i> , <b>2019</b> , 73, 920-925	8.5	0
270	Study protocol for a multicentre prospective cohort study to identify predictors of adverse outcome in older medical emergency department patients (the Risk Stratification in the Emergency Department in Acutely Ill Older Patients (RISE UP) study). <i>BMC Geriatrics</i> , <b>2019</b> , 19, 65	4.1	6
269	First international consensus on the diagnosis and management of fibromuscular dysplasia. <i>Journal of Hypertension</i> , <b>2019</b> , 37, 229-252	1.9	48
268	Pharmacological and Nutritional Modulation of Vascular Calcification. <i>Nutrients</i> , <b>2019</b> , 12,	6.7	13
267	First International Consensus on the diagnosis and management of fibromuscular dysplasia. <i>Vascular Medicine</i> , <b>2019</b> , 24, 164-189	3.3	121
266	Venous carbon dioxide embolism during laparoscopic cholecystectomy a literature review. <i>European Journal of Internal Medicine</i> , <b>2019</b> , 60, 9-12	3.9	12
265	Atherosclerotic Renal Artery Stenosis: Should we Intervene Earlier?. <i>Current Hypertension Reports</i> , <b>2018</b> , 20, 35	4.7	16
264	Disease or adaptation: another look at the practice of medicine. <i>Postgraduate Medicine</i> , <b>2018</b> , 130, 239-243	3.7	1
263	Aldosterone Is Not Associated With Metabolic and Microvascular Insulin Sensitivity in Abdominally Obese Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2018</b> , 103, 759-767	5.6	1
262	Framingham Stroke Risk Profile is related to cerebral small vessel disease progression and lower cognitive performance in patients with hypertension. <i>Journal of Clinical Hypertension</i> , <b>2018</b> , 20, 240-245	2.3	12
261	Differences in renal hemodynamics and renin secretion between patients with unifocal and multifocal fibromuscular dysplasia. <i>Journal of Hypertension</i> , <b>2018</b> , 36, 1729-1735	1.9	5
260	Endothelial factors in the pathogenesis and treatment of chronic kidney disease Part I: General mechanisms: a joint consensus statement from the European Society of Hypertension Working Group on Endothelin and Endothelial Factors and The Japanese Society of Hypertension. <i>Journal of Hypertension</i> , <b>2018</b> , 36, 462-471	1.9	14
259	Endothelial factors in the pathogenesis and treatment of chronic kidney disease Part II: Role in disease conditions: a joint consensus statement from the European Society of Hypertension Working Group on Endothelin and Endothelial Factors and the Japanese Society of Hypertension. <i>Journal of Hypertension</i> , <b>2018</b> , 36, 462-471	1.9	8
258	Hypertensive organ damage predicts future cognitive performance: A 9-year follow-up study in patients with hypertension. <i>Journal of Clinical Hypertension</i> , <b>2018</b> , 20, 1458-1463	2.3	3
257	Renal artery fibromuscular dysplasia and its effect on the kidney. <i>Hypertension Research</i> , <b>2018</b> , 41, 639-648	4.8	8
256	The effects of missed doses of amlodipine and losartan on blood pressure in older hypertensive patients. <i>Hypertension Research</i> , <b>2017</b> , 40, 568-572	4.7	3

255	Hypertension in dialysis patients: a consensus document by the European Renal and Cardiovascular Medicine (EURECA-m) working group of the European Renal Association-European Dialysis and Transplant Association (ERA-EDTA) and the Hypertension and the Kidney working group of the European Society of Hypertension (ESH). <i>Nephrology Dialysis Transplantation</i> , <b>2017</b> , 32, 620-640	4.3	79
254	The Link Between Adipose Tissue Renin-Angiotensin-Aldosterone System Signaling and Obesity-Associated Hypertension. <i>Physiology</i> , <b>2017</b> , 32, 197-209	9.8	65
253	Review: Targeting SBP lowering to $\leq 140$ in hypertensive patients $\geq 65$ y. <i>Annals of Internal Medicine</i> , <b>2017</b> , 166, JC55	8	
252	Pathophysiological differences between multifocal fibromuscular dysplasia and atherosclerotic renal artery stenosis. <i>Journal of Hypertension</i> , <b>2017</b> , 35, 845-852	1.9	11
251	Coronary Tortuosity: A Clue to the Diagnosis of Fibromuscular Dysplasia?. <i>American Journal of Hypertension</i> , <b>2017</b> , 30, 776-780	2.3	9
250	Hypertension in dialysis patients: a consensus document by the European Renal and Cardiovascular Medicine (EURECA-m) working group of the European Renal Association - European Dialysis and Transplant Association (ERA-EDTA) and the Hypertension and the Kidney working group of the European Society of Hypertension (ESH). <i>Journal of Hypertension</i> , <b>2017</b> , 35, 117-176	1.9	35
249	MRI progression of cerebral small vessel disease and cognitive decline in patients with hypertension. <i>Journal of Hypertension</i> , <b>2017</b> , 35, 1263-1270	1.9	27
248	Sustained Reduction of Blood Pressure With Baroreceptor Activation Therapy: Results of the 6-Year Open Follow-Up. <i>Hypertension</i> , <b>2017</b> , 69, 836-843	8.5	59
247	An exploratory propensity score matched comparison of second-generation and first-generation baroreflex activation therapy systems. <i>Journal of the American Society of Hypertension</i> , <b>2017</b> , 11, 81-91		18
246	Dementia risk in renal dysfunction: A systematic review and meta-analysis of prospective studies. <i>Neurology</i> , <b>2017</b> , 88, 198-208	6.5	66
245	Who removes the mask of hypertension?. <i>Hypertension Research</i> , <b>2017</b> , 40, 964-965	4.7	
244	Reply. <i>Journal of Hypertension</i> , <b>2017</b> , 35, 1721-1722	1.9	
243	Reply. <i>Journal of Hypertension</i> , <b>2017</b> , 35, 2327-2328	1.9	
242	Author response: Dementia risk in renal dysfunction: A systematic review and meta-analysis of prospective studies. <i>Neurology</i> , <b>2017</b> , 89, 2214-2215	6.5	
241	CD4CD28 T Cells are related to previous cytomegalovirus infection but not to accelerated atherosclerosis in ANCA-associated vasculitis. <i>Rheumatology International</i> , <b>2017</b> , 37, 791-798	3.6	12
240	Arterial stiffness and decline of renal function in a primary care population. <i>Hypertension Research</i> , <b>2017</b> , 40, 73-78	4.7	21
239	Endothelial Activation Is Associated With Cognitive Performance in Patients With Hypertension. <i>American Journal of Hypertension</i> , <b>2016</b> , 29, 464-9	2.3	18
238	Aldosterone-Renin Ratio and Side-Selective Renal Perfusion in Essential Hypertension. <i>American Journal of Hypertension</i> , <b>2016</b> , 29, 1311-1316	2.3	2

237	Sharing clinical trial data: a proposal from the International Committee of Medical Journal Editors. <i>Lancet, The</i> , <b>2016</b> , 387, e9-e11	4.0	20
236	Atherosclerotic Renal Artery Stenosis and Hypertension: Pragmatism, Pitfalls, and Perspectives. <i>American Journal of Medicine</i> , <b>2016</b> , 129, 635.e5-635.e14	2.4	21
235	Total Cerebral Small Vessel Disease MRI Score Is Associated with Cognitive Decline in Executive Function in Patients with Hypertension. <i>Frontiers in Aging Neuroscience</i> , <b>2016</b> , 8, 301	5.3	52
234	Renal hemodynamics and renin-angiotensin system activity in humans with multifocal renal artery fibromuscular dysplasia. <i>Journal of Hypertension</i> , <b>2016</b> , 34, 1160-9	1.9	10
233	Acute eprosartan-induced intrarenal vasodilation in hypertensive humans is not influenced by dietary sodium intake or angiotensin II co-infusion. <i>Journal of Hypertension</i> , <b>2016</b> , 34, 1607-14	1.9	1
232	Effect of increased protein intake on renal acid load and renal hemodynamic responses. <i>Physiological Reports</i> , <b>2016</b> , 4, e12687	2.6	8
231	Baroreflex activation therapy lowers arterial pressure without apparent stimulation of the carotid bodies. <i>Hypertension</i> , <b>2015</b> , 65, 1217-22	8.5	14
230	Identifying genetic risk variants for coronary heart disease in familial hypercholesterolemia: an extreme genetics approach. <i>European Journal of Human Genetics</i> , <b>2015</b> , 23, 381-7	5.3	10
229	Bilateral or unilateral stimulation for baroreflex activation therapy. <i>Hypertension</i> , <b>2015</b> , 65, 187-92	8.5	45
228	Dietary proteins improve endothelial function under fasting conditions but not in the postprandial state, with no effects on markers of low-grade inflammation. <i>British Journal of Nutrition</i> , <b>2015</b> , 114, 1819-28	3.6	8
227	Menaquinone-7 Supplementation to Reduce Vascular Calcification in Patients with Coronary Artery Disease: Rationale and Study Protocol (VitaK-CAC Trial). <i>Nutrients</i> , <b>2015</b> , 7, 8905-15	6.7	41
226	Sodium Intake as a Modulator of Kidney Function. <i>Current Hypertension Reviews</i> , <b>2015</b> , 11, 57-60	2.3	2
225	Baropacing as a new option for treatment of resistant hypertension. <i>European Journal of Pharmacology</i> , <b>2015</b> , 763, 23-7	5.3	5
224	Angiotensin-(1-7)-induced renal vasodilation is reduced in human kidneys with renal artery stenosis. <i>Journal of Hypertension</i> , <b>2014</b> , 32, 2428-32; discussion 2432	1.9	9
223	Baroreflex activation therapy for patients with drug-resistant hypertension. <i>Expert Review of Cardiovascular Therapy</i> , <b>2014</b> , 12, 955-62	2.5	6
222	European Society of Hypertension practice guidelines for ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , <b>2014</b> , 32, 1359-66	1.9	547
221	European consensus on the diagnosis and management of fibromuscular dysplasia. <i>Journal of Hypertension</i> , <b>2014</b> , 32, 1367-78	1.9	123
220	Progression of brain microbleeds in essential hypertensive patients: a 2-year follow-up study. <i>American Journal of Hypertension</i> , <b>2014</b> , 27, 1045-51	2.3	12

219	Treatment of hypertension in the oldest old: a critical role for frailty?. <i>Hypertension</i> , <b>2014</b> , 63, 433-41	8.5	86
218	Subjective cognitive failures in patients with hypertension are related to cognitive performance and cerebral microbleeds. <i>Hypertension</i> , <b>2014</b> , 64, 653-7	8.5	38
217	Differential effects of proteins and carbohydrates on postprandial blood pressure-related responses. <i>British Journal of Nutrition</i> , <b>2014</b> , 112, 600-8	3.6	14
216	Angiotensin-(1-7) as a strategy in the treatment of hypertension?. <i>Current Opinion in Nephrology and Hypertension</i> , <b>2014</b> , 23, 480-6	3.5	15
215	Basal ganglia enlarged perivascular spaces are linked to cognitive function in patients with cerebral small vessel disease. <i>Current Neurovascular Research</i> , <b>2014</b> , 11, 136-41	1.8	44
214	Treatment of atherosclerotic renal artery stenosis: time for a new approach. <i>JAMA - Journal of the American Medical Association</i> , <b>2013</b> , 309, 663-4	27.4	15
213	Angiotensin-(1-7)-induced renal vasodilation in hypertensive humans is attenuated by low sodium intake and angiotensin II co-infusion. <i>Hypertension</i> , <b>2013</b> , 62, 789-93	8.5	26
212	Blood pressure decreases more after high-carbohydrate meals than after high-protein meals in overweight adults with elevated blood pressure, but there is no difference after 4 weeks of consuming a carbohydrate-rich or protein-rich diet. <i>Journal of Nutrition</i> , <b>2013</b> , 143, 424-9	4.1	8
211	Salt and sensitivity. <i>Hypertension</i> , <b>2013</b> , 62, 461-2	8.5	10
210	European Society of Hypertension position paper on ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , <b>2013</b> , 31, 1731-68	1.9	898
209	Renal responses to long-term carotid baroreflex activation therapy in patients with drug-resistant hypertension. <i>Hypertension</i> , <b>2013</b> , 61, 1334-9	8.5	28
208	Clinical end points in baroreflex activation therapy: what do we need to know?. <i>Expert Review of Cardiovascular Therapy</i> , <b>2013</b> , 11, 683-8	2.5	0
207	Blood pressure and renal function before and after percutaneous transluminal renal angioplasty in fibromuscular dysplasia: a cohort study. <i>Journal of Hypertension</i> , <b>2013</b> , 31, 1183-8	1.9	8
206	Accumulation of MRI Markers of Cerebral Small Vessel Disease is Associated with Decreased Cognitive Function. A Study in First-Ever Lacunar Stroke and Hypertensive Patients. <i>Frontiers in Aging Neuroscience</i> , <b>2013</b> , 5, 72	5.3	124
205	ACP Journal Club. Aliskiren increased adverse events in patients with diabetes and kidney disease who were receiving ACE inhibitors or ARBs. <i>Annals of Internal Medicine</i> , <b>2013</b> , 158, JC7	8	4
204	Erythrocytapheresis versus phlebotomy in the initial treatment of HFE hemochromatosis patients: results from a randomized trial. <i>Transfusion</i> , <b>2012</b> , 52, 470-7	2.9	49
203	Vascular inflammation in cerebral small vessel disease. <i>Neurobiology of Aging</i> , <b>2012</b> , 33, 1800-6	5.6	134
202	Reduced renal plasma clearance does not explain increased plasma asymmetric dimethylarginine in hypertensive subjects with mild to moderate renal insufficiency. <i>American Journal of Physiology - Renal Physiology</i> , <b>2012</b> , 303, F149-56	4.3	15



201	Determining the feasibility of objective adherence measurement with blister packaging smart technology. <i>American Journal of Health-System Pharmacy</i> , <b>2012</b> , 69, 872-9	2.2	22
200	Electronic monitoring of adherence, treatment of hypertension, and blood pressure control. <i>American Journal of Hypertension</i> , <b>2012</b> , 25, 54-9	2.3	22
199	Accuracy of oscillometric blood pressure monitors for the detection of atrial fibrillation: a systematic review. <i>Expert Review of Medical Devices</i> , <b>2012</b> , 9, 635-40	3.5	17
198	Protein supplementation lowers blood pressure in overweight adults: effect of dietary proteins on blood pressure (PROPRES), a randomized trial. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 95, 966-71	7	23
197	Baroreflex activation therapy for the treatment of drug-resistant hypertension: new developments. <i>Cardiology Research and Practice</i> , <b>2012</b> , 2012, 587194	1.9	20
196	Angiogenic T-cells and putative endothelial progenitor cells in hypertension-related cerebral small vessel disease. <i>Stroke</i> , <b>2012</b> , 43, 256-8	6.7	42
195	Sustained acute voltage-dependent blood pressure decrease with prolonged carotid baroreflex activation in therapy-resistant hypertension. <i>Journal of Hypertension</i> , <b>2012</b> , 30, 1665-70	1.9	19
194	Improved cardiac structure and function with chronic treatment using an implantable device in resistant hypertension: results from European and United States trials of the Rheos system. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 57, 1787-8	15.1	66
193	Baroreflex activation therapy lowers blood pressure in patients with resistant hypertension: results from the double-blind, randomized, placebo-controlled rheos pivotal trial. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 58, 765-73	15.1	412
192	Acute angiotensin II receptor blockade improves insulin-induced microvascular function in hypertensive individuals. <i>Microvascular Research</i> , <b>2011</b> , 82, 77-83	3.7	13
191	Obesity is associated with impaired endothelial function in the postprandial state. <i>Microvascular Research</i> , <b>2011</b> , 82, 423-9	3.7	26
190	Combination perindopril/indapamide for the treatment of hypertension: a review. <i>Expert Opinion on Pharmacotherapy</i> , <b>2011</b> , 12, 1827-33	4	4
189	Subjective sleep disturbance increases the nocturnal blood pressure level and attenuates the correlation with target-organ damage. <i>Journal of Hypertension</i> , <b>2011</b> , 29, 242-50	1.9	10
188	Nycthemeral relationship between renal function and sodium homeostasis. <i>Current Hypertension Reports</i> , <b>2011</b> , 13, 136-41	4.7	1
187	Main results of the ouabain and adducin for Specific Intervention on Sodium in Hypertension Trial (OASIS-HT): a randomized placebo-controlled phase-2 dose-finding study of rosfuroxin. <i>Trials</i> , <b>2011</b> , 12, 13	2.8	32
186	Novel procedure- and device-based strategies in the management of systemic hypertension. <i>European Heart Journal</i> , <b>2011</b> , 32, 537-44	9.5	38
185	Participation in a clinical trial enhances adherence and persistence to treatment: a retrospective cohort study. <i>Hypertension</i> , <b>2011</b> , 58, 573-8	8.5	76
184	Genetic variation in the renin-angiotensin system, use of renin-angiotensin system inhibitors and the risk of myocardial infarction. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , <b>2011</b> , 12, 208-14	3	6

183	Meal-related increases in microvascular vasomotion are impaired in obese individuals: a potential mechanism in the pathogenesis of obesity-related insulin resistance. <i>Diabetes Care</i> , <b>2011</b> , 34 Suppl 2, S342-8	14.6	20
182	The impact of differences in EQ-5D and SF-6D utility scores on the acceptability of cost-utility ratios: results across five trial-based cost-utility studies. <i>Value in Health</i> , <b>2010</b> , 13, 222-9	3.3	53
181	Calcium scores and matrix Gla protein levels: association with vitamin K status. <i>European Journal of Clinical Investigation</i> , <b>2010</b> , 40, 344-9	4.6	46
180	Towards more uniform conflict disclosures: the updated ICMJE conflict of interest reporting form. <i>Medical Journal of Australia</i> , <b>2010</b> , 193, 7-8	4	
179	Predictors of clinical outcome after stent placement in atherosclerotic renal artery stenosis: a systematic review and meta-analysis of prospective studies. <i>Journal of Hypertension</i> , <b>2010</b> , 28, 2370-7	1.9	18
178	Assessing medication adherence simultaneously by electronic monitoring and pill count in patients with mild-to-moderate hypertension. <i>American Journal of Hypertension</i> , <b>2010</b> , 23, 149-54	2.3	50
177	Haptoglobin phenotype correlates with the extent of cerebral deep white matter lesions in hypertensive patients. <i>Current Neurovascular Research</i> , <b>2010</b> , 7, 1-5	1.8	8
176	Angiotensin II enhances insulin-stimulated whole-body glucose disposal but impairs insulin-induced capillary recruitment in healthy volunteers. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 3901-8	5.6	22
175	Novel baroreflex activation therapy in resistant hypertension: results of a European multi-center feasibility study. <i>Journal of the American College of Cardiology</i> , <b>2010</b> , 56, 1254-8	15.1	264
174	Autoantibodies against oxidized low-density lipoprotein in cerebral small vessel disease. <i>Stroke</i> , <b>2010</b> , 41, 2687-9	6.7	24
173	Does nocturnal blood pressure impair renal function?. <i>Journal of Hypertension</i> , <b>2010</b> , 28, 430-1	1.9	
172	Effect of self-measurement of blood pressure on adherence to treatment in patients with mild-to-moderate hypertension. <i>Journal of Hypertension</i> , <b>2010</b> , 28, 622-7	1.9	29
171	Morbidity and mortality on combination versus monotherapy: a posthoc analysis of the Systolic Hypertension in Europe trial. <i>Journal of Hypertension</i> , <b>2010</b> , 28, 865-74	1.9	7
170	Chronic coumarin treatment is associated with increased extracoronary arterial calcification in humans. <i>Blood</i> , <b>2010</b> , 115, 5121-3	2.2	87
169	Carotid baroreflex activation: past, present, and future. <i>Current Hypertension Reports</i> , <b>2010</b> , 12, 61-6	4.7	29
168	ASTRALogy: unrealistic expectations?. <i>Current Hypertension Reports</i> , <b>2010</b> , 12, 143-5	4.7	1
167	Vascular calcifications as a marker of increased cardiovascular risk: a meta-analysis. <i>Vascular Health and Risk Management</i> , <b>2009</b> , 5, 185-97	4.4	302
166	Renin-angiotensin system polymorphisms and the association between use of angiotensin II receptor blockers or angiotensin-converting enzyme inhibitors and the risk of diabetes. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , <b>2009</b> , 10, 101-8	3	7



165	Variable hypertension and latent diabetes: two of a kind?. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 1536-7	1.9	1
164	Recruitment of participants through community pharmacies for a pharmacogenetic study of antihypertensive drug treatment. <i>International Journal of Clinical Pharmacy</i> , <b>2009</b> , 31, 158-64		17
163	Reasons for non-response in observational pharmacogenetic research. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2009</b> , 18, 665-71	2.6	5
162	Improved Functional Capacity and Cardiovascular Structure after Baroreflex Activation Therapy in Resistant Hypertension Patients with Symptomatic Heart Failure: Results from European and United States Trials of the Rheos <sup>®</sup> System. <i>Journal of Cardiac Failure</i> , <b>2009</b> , 15, S63	3.3	6
161	Variation in Renin-Angiotensin system and salt-sensitivity genes and the risk of diabetes mellitus associated with the use of thiazide diuretics. <i>American Journal of Hypertension</i> , <b>2009</b> , 22, 545-51	2.3	22
160	Renal clearance of B-type natriuretic peptide and amino terminal pro-B-type natriuretic peptide a mechanistic study in hypertensive subjects. <i>Journal of the American College of Cardiology</i> , <b>2009</b> , 53, 884-90	15.1	127
159	Dose-dependent lowering of blood pressure by dairy peptides in mildly hypertensive subjects. <i>Blood Pressure</i> , <b>2009</b> , 18, 44-50	1.7	39
158	Obtaining the family history for common, multifactorial diseases by family physicians. A descriptive systematic review. <i>European Journal of General Practice</i> , <b>2009</b> , 15, 231-42	2.8	14
157	Effects of chronic baroreceptor stimulation on the autonomic cardiovascular regulation in patients with drug-resistant arterial hypertension. <i>Hypertension</i> , <b>2009</b> , 54, 530-6	8.5	137
156	The influence of six cardiovascular polymorphisms on a first event of ischemic heart disease is modified by sex and age. <i>Coronary Artery Disease</i> , <b>2009</b> , 20, 499-505	1.4	2
155	Interaction between the Gly460Trp alpha-adducin gene variant and diuretics on the risk of myocardial infarction. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 61-8	1.9	26
154	Detection of silent cerebrovascular disease refines risk stratification of hypertensive patients. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 846-53	1.9	36
153	Sex-specific effect of the alpha-adducin (G460W) and AGTR1 (A1166C) polymorphism on carotid intima-media thickness. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 2165-73	1.9	4
152	Associations of ambulatory blood pressure levels with white matter hyperintensity volumes in hypertensive patients. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 1446-52	1.9	39
151	The association between arterial stiffness and the angiotensin II type 1 receptor (A1166C) polymorphism is influenced by the use of cardiovascular medication. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 69-75	1.9	8
150	Prevalence, causes, and consequences of masked hypertension: a meta-analysis. <i>American Journal of Hypertension</i> , <b>2008</b> , 21, 969-75	2.3	112
149	Improved Cardiac Structure and Function in Early-Stage Heart Failure with Chronic Treatment Using an Implantable Device: Results from European and United States Trials of the Rheos <sup>®</sup> System. <i>Journal of Cardiac Failure</i> , <b>2008</b> , 14, S48	3.3	9
148	Enzymatically hydrolyzed lactotripeptides do not lower blood pressure in mildly hypertensive subjects. <i>American Journal of Clinical Nutrition</i> , <b>2008</b> , 88, 1697-702	7	51

147	Alpha-adducin Gly460Trp variant increases the risk of stroke in hypertensive Dutch women. <i>Hypertension</i> , <b>2008</b> , 51, 1665-70	8.5	20
146	European Society of Hypertension guidelines for blood pressure monitoring at home: a summary report of the Second International Consensus Conference on Home Blood Pressure Monitoring. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 1505-26	1.9	578
145	Rheos Baroreflex Hypertension Therapy System to treat resistant hypertension. <i>Expert Review of Medical Devices</i> , <b>2008</b> , 5, 33-9	3.5	30
144	Brain microbleeds are associated with ambulatory blood pressure levels in a hypertensive population. <i>Hypertension</i> , <b>2008</b> , 51, 62-8	8.5	75
143	Increased aortic pulse wave velocity is associated with silent cerebral small-vessel disease in hypertensive patients. <i>Hypertension</i> , <b>2008</b> , 52, 1120-6	8.5	209
142	The M235T variant of the angiotensinogen gene is related to development of self-reported hypertension during pregnancy: the Prospect-EPIC cohort study. <i>Hypertension Research</i> , <b>2008</b> , 31, 1299-305	4.7	19
141	Renal handling of matrix Gla-protein in humans with moderate to severe hypertension. <i>Hypertension Research</i> , <b>2008</b> , 31, 1745-51	4.7	10
140	Thirty years of research on diagnostic and therapeutic thresholds for the self-measured blood pressure at home. <i>Blood Pressure Monitoring</i> , <b>2008</b> , 13, 352-65	1.3	41
139	Different classifications of nocturnal blood pressure dipping affect the prevalence of dippers and nondippers and the relation with target-organ damage. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 691-8	1.9	43
138	Short-term and long-term repeatability of the morning blood pressure in older patients with isolated systolic hypertension. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 1328-35	1.9	48
137	Effectiveness of statins in the reduction of the risk of myocardial infarction is modified by the GNB3 C825T variant. <i>Pharmacogenetics and Genomics</i> , <b>2008</b> , 18, 631-6	1.9	9
136	Peroxisome proliferator-activated receptor gamma-2 P12A polymorphism and risk of acute myocardial infarction, coronary heart disease and ischemic stroke: a case-cohort study and meta-analyses. <i>Vascular Health and Risk Management</i> , <b>2008</b> , 4, 427-36	4.4	29
135	The M235T polymorphism in the AGT gene and CHD risk: evidence of a Hardy-Weinberg equilibrium violation and publication bias in a meta-analysis. <i>PLoS ONE</i> , <b>2008</b> , 3, e2533	3.7	25
134	Prevalence and persistence of masked hypertension in treated hypertensive patients. <i>American Journal of Hypertension</i> , <b>2007</b> , 20, 1258-65	2.3	14
133	Renal artery stenosis: cost-effectiveness of diagnosis and treatment. <i>Radiology</i> , <b>2007</b> , 244, 505-13	20.5	15
132	Self-measurement of blood pressure at home reduces the need for antihypertensive drugs: a randomized, controlled trial. <i>Hypertension</i> , <b>2007</b> , 50, 1019-25	8.5	137
131	On-treatment diastolic blood pressure and prognosis in systolic hypertension. <i>Archives of Internal Medicine</i> , <b>2007</b> , 167, 1884-91		92
130	The trained observer better predicts daytime ambulatory blood pressure measurement diastolic blood pressure in hypertensive patients than does an automated (Omron) device. <i>Blood Pressure Monitoring</i> , <b>2007</b> , 12, 57; author reply 57-9	1.3	1

129	Masked hypertension, a review of the literature. <i>Blood Pressure Monitoring</i> , <b>2007</b> , 12, 267-73	1.3	29
128	Configuration of the microcirculation in pre-eclampsia: possible role of the venular system. <i>Journal of Hypertension</i> , <b>2007</b> , 25, 1665-70	1.9	22
127	Renin-angiotensin system and nitric oxide synthase gene polymorphisms in relation to stroke. <i>American Journal of Hypertension</i> , <b>2007</b> , 20, 764-70	2.3	7
126	Electronic monitoring of adherence as a tool to improve blood pressure control. A randomized controlled trial. <i>American Journal of Hypertension</i> , <b>2007</b> , 20, 119-25	2.3	46
125	Cost effectiveness of an adherence-improving programme in hypertensive patients. <i>Pharmacoeconomics</i> , <b>2007</b> , 25, 239-51	4.4	23
124	A low plasma volume in formerly preeclamptic women predisposes to the recurrence of hypertensive complications in the next pregnancy. <i>Journal of the Society for Gynecologic Investigation</i> , <b>2006</b> , 13, 598-603		28
123	Masked hypertension and white-coat hypertension prognosis. <i>Journal of the American College of Cardiology</i> , <b>2006</b> , 47, 2127; author reply 2127-8	15.1	11
122	Renal artery stenosis: today's questions. <i>Current Opinion in Pharmacology</i> , <b>2006</b> , 6, 197-201	5.1	1
121	Polymorphisms in human connexin40 gene promoter are associated with increased risk of hypertension in men. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 325-30	1.9	52
120	The optimal scheme of self blood pressure measurement as determined from ambulatory blood pressure recordings. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 1541-8	1.9	58
119	A novel approach to the study of human microcirculation: Reactivity to locally applied angiotensin II in the conjunctival microvascular bed. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 2225-30	1.9	12
118	Prevalence of the white-coat effect at multiple visits before and during treatment. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 2357-63	1.9	32
117	Cost analysis of procedures related to the management of renal artery stenosis from various perspectives. <i>European Radiology</i> , <b>2006</b> , 16, 154-60	8	3
116	Associations of the angiotensin II type 1 receptor A1166C and the endothelial NO synthase G894T gene polymorphisms with silent subcortical white matter lesions in essential hypertension. <i>Stroke</i> , <b>2005</b> , 36, 1869-73	6.7	47
115	Home blood pressure measurement: a systematic review. <i>Journal of the American College of Cardiology</i> , <b>2005</b> , 46, 743-51	15.1	145
114	Perindopril/indapamide combination more effective than enalapril in reducing blood pressure and left ventricular mass: the PICXEL study. <i>Journal of Hypertension</i> , <b>2005</b> , 23, 2063-70	1.9	75
113	Genetic contribution to the acute effects of angiotensin II type 1 receptor blockade. <i>Journal of Hypertension</i> , <b>2005</b> , 23, 753-8	1.9	19
112	Neural activity of the cardiac baroreflex decreases with age in normotensive and hypertensive subjects. <i>Journal of Hypertension</i> , <b>2005</b> , 23, 815-23	1.9	36

111	Mechanisms of adenosine-induced renal vasodilatation in hypertensive patients. <i>Journal of Hypertension</i> , <b>2005</b> , 23, 1731-6	1.9	14
110	Validation of a prediction rule for renal artery stenosis. <i>Journal of Hypertension</i> , <b>2005</b> , 23, 1583-8	1.9	11
109	Genetic influences on 24 h blood pressure profiles in a hypertensive population: role of the angiotensin-converting enzyme insertion/deletion and angiotensin II type 1 receptor A1166C gene polymorphisms. <i>Blood Pressure Monitoring</i> , <b>2005</b> , 10, 135-41	1.3	6
108	Microvascular adaptation to changes in dietary sodium is disturbed in patients with essential hypertension. <i>Journal of Hypertension</i> , <b>2005</b> , 23, 127-32	1.9	9
107	Vascular and renal actions of brain natriuretic peptide in man: physiology and pharmacology. <i>Fundamental and Clinical Pharmacology</i> , <b>2005</b> , 19, 411-9	3.1	64
106	Can Calcium Channel Blockers Preserve Renal Function Better Than Diuretics During Antihypertensive Treatment? Reply. <i>Archives of Internal Medicine</i> , <b>2005</b> , 165, 1312		1
105	Birth weight and creatinine clearance in young adult twins: influence of genetic, prenatal, and maternal factors. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2005</b> , 16, 2471-6	12.7	32
104	A subnormal plasma volume in formerly preeclamptic women is associated with a low venous capacitance. <i>Journal of the Society for Gynecologic Investigation</i> , <b>2005</b> , 12, 107-11		31
103	Pre-pregnant prediction of recurrent preeclampsia in normotensive thrombophilic formerly preeclamptic women receiving prophylactic antithrombotic medication. <i>Journal of the Society for Gynecologic Investigation</i> , <b>2005</b> , 12, 112-7		7
102	Renal contribution to increased clearance of exogenous growth hormone in obese hypertensive patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 795-9	5.6	6
101	A116C angiotensin II type 1 receptor gene polymorphism may predict hemodynamic response to losartan in patients with cirrhosis and portal hypertension. <i>American Journal of Gastroenterology</i> , <b>2005</b> , 100, 2601-2	0.7	1
100	The prothrombotic paradox of hypertension: role of the renin-angiotensin and kallikrein-kinin systems. <i>Hypertension</i> , <b>2005</b> , 46, 1236-42	8.5	64
99	OASIS-HT: design of a pharmacogenomic dose-finding study. <i>Pharmacogenomics</i> , <b>2005</b> , 6, 755-75	2.6	17
98	Formerly preeclamptic women with a subnormal plasma volume are unable to maintain a rise in stroke volume during moderate exercise. <i>Journal of the Society for Gynecologic Investigation</i> , <b>2005</b> , 12, 599-603		16
97	Clinical significance of renal function in hypertensive patients at high risk: results from the INSIGHT trial. <i>Archives of Internal Medicine</i> , <b>2004</b> , 164, 2459-64		79
96	Prognostic significance of electrocardiographic voltages and their serial changes in elderly with systolic hypertension. <i>Hypertension</i> , <b>2004</b> , 44, 459-64	8.5	55
95	Reduced uteroplacental blood flow alters renal arterial reactivity and glomerular properties in the rat offspring. <i>Hypertension</i> , <b>2004</b> , 43, 1283-9	8.5	33
94	Alpha-adducin Gly460Trp polymorphism and renal hemodynamics in essential hypertension. <i>Hypertension</i> , <b>2004</b> , 44, 419-23	8.5	28

93	Angiotensin II sensitivity in nonpregnant formerly preeclamptic women and healthy parous controls. <i>Journal of the Society for Gynecologic Investigation</i> , <b>2004</b> , 11, 416-22		14
92	Genetic risk of atherosclerotic renal artery disease: the candidate gene approach in a renal angiography cohort. <i>Hypertension</i> , <b>2004</b> , 44, 448-53	8.5	8
91	Accuracy of computed tomographic angiography and magnetic resonance angiography for diagnosing renal artery stenosis. <i>Annals of Internal Medicine</i> , <b>2004</b> , 141, 674-82; discussion 682	8	269
90	Effects of nifedipine GITS and diuretics in isolated systolic hypertension--a subanalysis of the INSIGHT study. <i>Blood Pressure</i> , <b>2004</b> , 13, 310-5	1.7	11
89	Genetic predisposition to salt-sensitivity: a systematic review. <i>Journal of Hypertension</i> , <b>2004</b> , 22, 1243-9	1.9	99
88	Relationship between ambulatory blood pressure and follow-up clinic blood pressure in elderly patients with systolic hypertension. <i>Journal of Hypertension</i> , <b>2004</b> , 22, 81-7	1.9	18
87	Effects of immediate versus delayed antihypertensive therapy on outcome in the Systolic Hypertension in Europe Trial. <i>Journal of Hypertension</i> , <b>2004</b> , 22, 847-57	1.9	147
86	The contribution of risk factors to blood pressure heritability estimates in young adults: the East flanders prospective twin study. <i>Twin Research and Human Genetics</i> , <b>2004</b> , 7, 245-53		6
85	Phase-contrast magnetic resonance flow quantification in renal arteries: comparison with 133Xenon washout measurements. <i>Hypertension</i> , <b>2003</b> , 41, 114-8	8.5	19
84	Does brain natriuretic peptide have a direct renal effect in human hypertensives?. <i>Hypertension</i> , <b>2003</b> , 41, 119-23	8.5	9
83	Hemodynamic and renal effects of low-dose brain natriuretic peptide infusion in humans: a randomized, placebo-controlled crossover study. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2003</b> , 285, H1206-12	5.2	37
82	Renal protection from glomerular fibrosis. <i>Journal of Hypertension</i> , <b>2003</b> , 21, 687-9	1.9	
81	Effects of ACE I/D and AT1R-A1166C polymorphisms on blood pressure in a healthy normotensive primary care population: first results of the Hippocrates study. <i>Journal of Hypertension</i> , <b>2003</b> , 21, 81-6	1.9	37
80	Systolic blood pressure variability as a risk factor for stroke and cardiovascular mortality in the elderly hypertensive population. <i>Journal of Hypertension</i> , <b>2003</b> , 21, 2251-7	1.9	275
79	Microvascular abnormalities in chronic heart failure: a cross-sectional analysis. <i>Microcirculation</i> , <b>2003</b> , 10, 471-8	2.9	36
78	Prognostic value of ambulatory blood-pressure recordings in patients with treated hypertension. <i>New England Journal of Medicine</i> , <b>2003</b> , 348, 2407-15	59.2	850
77	Outcomes with nifedipine GITS or Co-amilofide in hypertensive diabetics and nondiabetics in Intervention as a Goal in Hypertension (INSIGHT). <i>Hypertension</i> , <b>2003</b> , 41, 431-6	8.5	131
76	Is there a side predilection for cerebrovascular disease?. <i>Hypertension</i> , <b>2003</b> , 42, 56-60	8.5	89

75	Asymmetry of renal blood flow in patients with moderate to severe hypertension. <i>Hypertension</i> , <b>2003</b> , 41, 108-13	8.5	22
74	Ambulatory and self-monitoring of blood pressure: coming of age. <i>Current Hypertension Reports</i> , <b>2002</b> , 4, 173-5	4.7	
73	Antihypertensive treatment and the kidney. <i>Cardiovascular Drugs and Therapy</i> , <b>2002</b> , 16, 483-4	3.9	
72	On the significance of renal vein renins in renovascular hypertension. <i>Journal of Hypertension</i> , <b>2002</b> , 20, 843-5	1.9	4
71	Chlamydia pneumoniae seropositivity and systemic and renovascular atherosclerotic disease. <i>Archives of Internal Medicine</i> , <b>2002</b> , 162, 786-90		7
70	Predictive value of clinic and ambulatory heart rate for mortality in elderly subjects with systolic hypertension. <i>Archives of Internal Medicine</i> , <b>2002</b> , 162, 2313-21		212
69	Prognostic significance of renal function in elderly patients with isolated systolic hypertension: results from the Syst-Eur trial. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2002</b> , 13, 2213-22	12.7	151
68	Acute intrarenal administration of cortisol has no effect on renal blood flow in hypertensive individuals. <i>Journal of Hypertension</i> , <b>2002</b> , 20, 2275-83	1.9	7
67	The Framingham prediction rule is not valid in a European population of treated hypertensive patients. <i>Journal of Hypertension</i> , <b>2002</b> , 20, 1973-80	1.9	58
66	The Glu298Asp polymorphism of the NOS 3 gene as a determinant of the baseline production of nitric oxide. <i>Journal of Hypertension</i> , <b>2002</b> , 20, 2023-7	1.9	191
65	Nitric oxide and potassium channels are involved in brain natriuretic peptide induced vasodilatation in man. <i>Journal of Hypertension</i> , <b>2002</b> , 20, 493-9	1.9	40
64	Effect of glycyrrhetic acid on 11 beta-hydroxysteroid dehydrogenase activity in normotensive and hypertensive subjects. <i>Clinical Science</i> , <b>2002</b> , 102, 203-11	6.5	6
63	Blood pressure measurement in research. <i>Blood Pressure Monitoring</i> , <b>2002</b> , 7, 83-7	1.3	27
62	Ambulatory pulse pressure as predictor of outcome in older patients with systolic hypertension. <i>American Journal of Hypertension</i> , <b>2002</b> , 15, 835-43	2.3	81
61	The effects of calcium channel blockers on cardiovascular outcomes: a review of randomised controlled trials. <i>Blood Pressure</i> , <b>2002</b> , 11, 71-8	1.7	10
60	Preeclampsia and maladaptation to pregnancy: a role for atrial natriuretic peptide?. <i>Kidney International</i> , <b>2001</b> , 60, 1397-406	9.9	48
59	The elderly hypertensive; cardiovascular and neurohormonal profile. <i>Cardiovascular Drugs and Therapy</i> , <b>2001</b> , 15, 263-7	3.9	7
58	Diagnostic tests for renal artery stenosis in patients suspected of having renovascular hypertension: a meta-analysis. <i>Annals of Internal Medicine</i> , <b>2001</b> , 135, 401-11	8	272



57	Association between the alpha-adducin Gly460Trp polymorphism and systolic blood pressure in familial combined hyperlipidemia. <i>American Journal of Hypertension</i> , <b>2001</b> , 14, 1185-90	2.3	19
56	Follow-up of renal function in treated and untreated older patients with isolated systolic hypertension. Systolic Hypertension in Europe (Syst-Eur) Trial Investigators. <i>Journal of Hypertension</i> , <b>2001</b> , 19, 511-9	1.9	83
55	Renal haemodynamics and sodium excretory capacity during urapidil treatment in patients with essential hypertension. <i>Journal of Hypertension</i> , <b>2000</b> , 18, 963-9	1.9	2
54	Benefit of antihypertensive treatment in the diabetic patients enrolled in the Systolic Hypertension in Europe (Syst-Eur) trial. <i>Cardiovascular Drugs and Therapy</i> , <b>2000</b> , 14, 49-53	3.9	11
53	Influence of diabetes and type of hypertension on response to antihypertensive treatment. <i>Hypertension</i> , <b>2000</b> , 35, 1038-42	8.5	83
52	Response to antihypertensive therapy in older patients with sustained and nonsustained systolic hypertension. Systolic Hypertension in Europe (Syst-Eur) Trial Investigators. <i>Circulation</i> , <b>2000</b> , 102, 1139-44	16.7	232
51	Angiotensin II sensitivity is associated with the angiotensin II type 1 receptor A(1166)C polymorphism in essential hypertensives on a high sodium diet. <i>Hypertension</i> , <b>2000</b> , 36, 411-6	8.5	90
50	Morbidity and mortality in patients randomised to double-blind treatment with a long-acting calcium-channel blocker or diuretic in the International Nifedipine GITS study: Intervention as a Goal in Hypertension Treatment (INSIGHT). <i>Lancet, The</i> , <b>2000</b> , 356, 366-72	40	961
49	How do angiotensin II receptor antagonists affect blood pressure?. <i>American Journal of Cardiology</i> , <b>1999</b> , 84, 5K-6K	3	7
48	On sleep and death: cardiovascular risk of the obstructive sleep apnea syndrome. <i>Netherlands Journal of Medicine</i> , <b>1999</b> , 54, 188-90	0.5	
47	Non-peptide angiotensin type 1 receptor antagonists in the treatment of hypertension. <i>Journal of Hypertension</i> , <b>1999</b> , 17, 873-81	1.9	58
46	Interpretation of renal angiography by radiologists. <i>Journal of Hypertension</i> , <b>1999</b> , 17, 1737-41	1.9	17
45	Persistent abnormalities in plasma volume and renal hemodynamics in patients with a history of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>1998</b> , 179, 690-6	6.4	29
44	Calcium channel blockade and cardiovascular prognosis in the European trial on isolated systolic hypertension. <i>Hypertension</i> , <b>1998</b> , 32, 410-6	8.5	55
43	Colonization with <i>Pseudomonas aeruginosa</i> in Patients Developing Ventilator-Associated Pneumonia. <i>Infection Control and Hospital Epidemiology</i> , <b>1998</b> , 19, 853-855	2	14
42	Dissociation between the renal effects of angiotensin I and II in sodium-restricted normal subjects. <i>Cardiovascular Research</i> , <b>1998</b> , 38, 215-20	9.9	7
41	Is nondipping in 24 h ambulatory blood pressure related to cognitive dysfunction?. <i>Journal of Hypertension</i> , <b>1998</b> , 16, 1425-32	1.9	20
40	Microvascular effects of atrial natriuretic peptide (ANP) in man: studies during high and low salt diet. <i>Cardiovascular Research</i> , <b>1998</b> , 39, 442-50	9.9	14

39	Hypertension and the development of heart failure. <i>Journal of Cardiovascular Pharmacology</i> , <b>1998</b> , 32 Suppl 1, S9-15	3.1	10
38	Comparison of different fixed antihypertensive combination drugs: a double-blind, placebo-controlled parallel group study. <i>Journal of Hypertension</i> , <b>1997</b> , 15, 87-91	1.9	29
37	Can the blood pressure predict cognitive task performance in a healthy population sample?. <i>Journal of Hypertension</i> , <b>1997</b> , 15, 1069-76	1.9	52
36	Acetylcholine-induced vasodilatation in the human hypertensive kidney: inhibition by muscarinic receptor antagonism. <i>Journal of Hypertension</i> , <b>1997</b> , 15, 1649-51	1.9	7
35	Drug-induced hypertension. Recognition and management in older patients. <i>Drugs and Aging</i> , <b>1997</b> , 11, 178-85	4.7	3
34	Is a series of blood pressure measurements by the general practitioner or the patient a reliable alternative to ambulatory blood pressure measurement? A study in general practice with reference to short-term and long-term between-visit variability. <i>American Journal of Hypertension</i> , <b>1997</b> , 10, 879-85	2.3	29
33	Randomised double-blind comparison of placebo and active treatment for older patients with isolated systolic hypertension. The Systolic Hypertension in Europe (Syst-Eur) Trial Investigators. <i>Lancet, The</i> , <b>1997</b> , 350, 757-64	4.0	2396
32	Thin GBM nephropathy: premature glomerular obsolescence is associated with hypertension and late onset renal failure. <i>Kidney International</i> , <b>1997</b> , 51, 1596-601	9.9	75
31	Natriuretic effect of nitrendipine is preceded by transient systemic and renal hemodynamic effects. <i>Cardiovascular Drugs and Therapy</i> , <b>1997</b> , 11, 33-8	3.9	3
30	Effects of antihypertensive drugs on various aspects of renal function. <i>Cardiovascular Drugs and Therapy</i> , <b>1997</b> , 10, 803-8	3.9	1
29	Sensitivity of blood pressure and renin activation during sodium restriction. <i>Hypertension</i> , <b>1997</b> , 30, 1216-22	6.2	8
28	Nonsteroidal anti-inflammatory drugs and hypertension. The risks in perspective. <i>Drugs</i> , <b>1996</b> , 51, 179-87	2.1	59
27	A prospective study of the natural history of idiopathic non-proteinuric hematuria. <i>Kidney International</i> , <b>1996</b> , 49, 222-5	9.9	25
26	Renal extraction of atrial natriuretic peptide in hypertensive patients with or without renal artery stenosis. <i>Hypertension</i> , <b>1996</b> , 27, 1254-8	8.5	1
25	Vascular compliance in sodium-sensitive and sodium-resistant borderline hypertensive patients. <i>Kidney International</i> , <b>1995</b> , 47, 169-76	9.9	2
24	Trandolapril: a clinical profile. <i>American Journal of Hypertension</i> , <b>1995</b> , 8, 68S-70S	2.3	3
23	Trough-to-peak versus surface ratio in the assessment of antihypertensive agents. APTH Investigators. Ambulatory Blood Pressure and Treatment of Hypertension. <i>Blood Pressure</i> , <b>1995</b> , 4, 350-7	1.7	11
22	Quantitative analysis of retinal vascular changes in essential and renovascular hypertension. <i>Journal of Hypertension</i> , <b>1995</b> , 13, 1729-33	1.9	31

21	Selective enhancement of alpha 2-adrenoceptor-mediated vasoconstriction in insulin-dependent diabetic patients with microalbuminuria. <i>Clinical Science</i> , <b>1995</b> , 88, 421-6	6.5	10
20	Influence of interdialytic weight gain on blood pressure in hemodialysis patients. <i>Blood Purification</i> , <b>1994</b> , 12, 259-66	3.1	35
19	Doxazosin versus nitrendipine: a double-blind comparative study in patients adhering to a sodium-restricted diet. <i>Cardiovascular Drugs and Therapy</i> , <b>1994</b> , 8, 473-7	3.9	
18	Systemic and cardiac neuroendocrine activation and severity of myocardial ischemia in humans. <i>Journal of the American College of Cardiology</i> , <b>1994</b> , 23, 82-91	15.1	32
17	Differential tissue expression of Annexin VIII in human. <i>FEBS Letters</i> , <b>1994</b> , 349, 120-4	3.8	26
16	Hemodynamic, neurohumoral, and myocardial energetic effects of pimobendan, a novel calcium-sensitizing compound, in patients with mild to moderate heart failure. <i>Journal of Cardiovascular Pharmacology</i> , <b>1994</b> , 24, 730-9	3.1	22
15	Vascular distensibility and compliance in salt-sensitive and salt-resistant borderline hypertension. <i>Journal of Hypertension</i> , <b>1993</b> , 11, 1199-1208	1.9	10
14	Risks and benefits in the trial of the European Working Party on High Blood Pressure in the Elderly. <i>Journal of Hypertension</i> , <b>1991</b> , 9, 225-30	1.9	54
13	Systemic neurohumoral activation and vasoconstriction during pacing-induced acute myocardial ischemia in patients with stable angina pectoris. <i>American Journal of Cardiology</i> , <b>1991</b> , 68, 181-6	3	17
12	Renal hemodynamics and the renin-angiotensin-aldosterone system in normotensive subjects with hypertensive and normotensive parents. <i>New England Journal of Medicine</i> , <b>1991</b> , 324, 1305-11	59.2	108
11	Renal function in the elderly: results from the European Working Party on High Blood Pressure in the Elderly trial. <i>American Journal of Medicine</i> , <b>1991</b> , 90, 45S-49S	2.4	27
10	Is a high serum cholesterol level associated with longer survival in elderly hypertensives?. <i>Journal of Hypertension</i> , <b>1990</b> , 8, 755-61	1.9	32
9	Age-related effects of placebo and active treatment in patients beyond the age of 60 years: the need for a proper control group. <i>Journal of Hypertension</i> , <b>1990</b> , 8, 997-1002	1.9	6
8	Acute responses to urapidil in hypertensive persons. <i>American Journal of Cardiology</i> , <b>1989</b> , 64, 22D-24D	3	2
7	Comparison of a vasodilating beta-blocker and a cardioselective beta-blocker in long-term treatment of hypertension: a European multicentre study. <i>Journal of Hypertension</i> , <b>1989</b> , 7, S266-7	1.9	2
6	Alpha-adrenoceptors and the kidney. <i>Journal of Hypertension</i> , <b>1988</b> , 6, S21-24	1.9	4
5	Stimulation of renin by blockade of $\alpha$ -adrenoceptors in man. <i>Journal of Hypertension</i> , <b>1988</b> , 6, S416-417	1.9	5
4	Diuretics ??? a risk in the long-term treatment of hypertensive patients?. <i>Journal of Hypertension</i> , <b>1988</b> , 6, 925-930	1.9	8

- 3 Short- and long-term effects of ramipril in hypertension. *American Journal of Cardiology*, **1987**, 59, 79D-83D 11
- 2 Index for Normalization of Blood Volume. *Clinical Science*, **1982**, 63, 375s-377s 4
- 1 Renal vascular tachyphylaxis to angiotensin II: specificity of the response for angiotensin. *Life Sciences*, **1982**, 30, 813-9 6.8 8