

Peter W Jurutka

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4765699/peter-w-jurutka-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

6,050
citations

35
h-index

77
g-index

102
ext. papers

6,598
ext. citations

4.6
avg, IF

5.19
L-index

#	Paper	IF	Citations
96	Rexinoids Modulate Effector T Cell Expression of Mucosal Homing Markers CCR9 and $\alpha 4 \beta 7$ Integrin and Direct Their Migration .. <i>Frontiers in Immunology</i> , 2022 , 13, 746484	8.4	2
95	The rexinoid V-125 reduces tumor growth in preclinical models of breast and lung cancer.. <i>Scientific Reports</i> , 2022 , 12, 293	4.9	1
94	Vitamin D Receptor Mediates a Myriad of Biological Actions Dependent on Its 1,25-Dihydroxyvitamin D Ligand: Distinct Regulatory Themes Revealed by Induction of Klotho and Fibroblast Growth Factor-23. <i>JBMR Plus</i> , 2021 , 5, e10432	3.9	4
93	Evaluating Novel RXR Agonists That Induce ApoE and Tyrosine Hydroxylase in Cultured Human Glioblastoma Cells. <i>ACS Chemical Neuroscience</i> , 2021 , 12, 857-871	5.7	2
92	Pomegranate derivative urolithin A enhances vitamin D receptor signaling to amplify serotonin-related gene induction by 1,25-dihydroxyvitamin D. <i>Biochemistry and Biophysics Reports</i> , 2020 , 24, 100825	2.2	2
91	Triterpenes from <i>Poria cocos</i> are revealed as potential retinoid X receptor selective agonists based on cell and in silico evidence. <i>Chemical Biology and Drug Design</i> , 2020 , 95, 493-502	2.9	5
90	Testing Novel Pyrimidinyl Rexinoids: A New Paradigm for Evaluating Rexinoids for Cancer Prevention. <i>Cancer Prevention Research</i> , 2019 , 12, 211-224	3.2	8
89	Methods to Assess Activity and Potency of Rexinoids Using Rapid Luciferase-Based Assays: A Case Study with NET-TMN. <i>Methods in Molecular Biology</i> , 2019 , 2019, 95-108	1.4	0
88	A novel gene expression analytics-based approach to structure aided design of rexinoids for development as next-generation cancer therapeutics. <i>Steroids</i> , 2018 , 135, 36-49	2.8	7
87	Graviola (<i>Annona muricata</i>) Exerts Anti-Proliferative, Anti-Clonogenic and Pro-Apoptotic Effects in Human Non-Melanoma Skin Cancer UW-BCC1 and A431 Cells In Vitro: Involvement of Hedgehog Signaling. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	15
86	Bioactive Dietary VDR Ligands Regulate Genes Encoding Biomarkers of Skin Repair That Are Associated with Risk for Psoriasis. <i>Nutrients</i> , 2018 , 10,	6.7	8
85	Gene Expression Profiling and Assessment of Vitamin D and Serotonin Pathway Variations in Patients With Irritable Bowel Syndrome. <i>Journal of Neurogastroenterology and Motility</i> , 2018 , 24, 96-106	4.4	13
84	Optimal vitamin D spurs serotonin: 1,25-dihydroxyvitamin D represses serotonin reuptake transport () and degradation () gene expression in cultured rat serotonergic neuronal cell lines. <i>Genes and Nutrition</i> , 2018 , 13, 19	4.3	40
83	Vitamin D Stimulates Serotonin Production via Induction of the Tryptophan Hydroxylase 2 Isoform in B14 Rat Medullary Neurons. <i>FASEB Journal</i> , 2018 , 32, 1b155	0.9	
82	Assessment of Novel Vitamin D Receptor Antagonists that Mediate Suppression of Vitamin D Signaling. <i>FASEB Journal</i> , 2018 , 32, 1b98	0.9	2
81	Greater Adherence to Cancer Prevention Guidelines Is Associated with Higher Circulating Concentrations of Vitamin D Metabolites in a Cross-Sectional Analysis of Pooled Participants from 2 Chemoprevention Trials. <i>Journal of Nutrition</i> , 2017 , 147, 421-429	4.1	5
80	Total and Free Circulating Vitamin D and Vitamin D-Binding Protein in Relation to Colorectal Cancer Risk in a Prospective Study of African Americans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1242-1247	4	16

79	SIRT1 enzymatically potentiates 1,25-dihydroxyvitamin D signaling via vitamin D receptor deacetylation. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017 , 172, 117-129	5.1	21
78	Retinoid X Receptor Selective Agonists and their Synthetic Methods. <i>Current Topics in Medicinal Chemistry</i> , 2017 , 17, 742-767	3	21
77	Physical activity, sedentary behavior, and vitamin D metabolites. <i>Bone</i> , 2016 , 83, 248-255	4.7	20
76	1,25-Dihydroxyvitamin D and Klotho: A Tale of Two Renal Hormones Coming of Age. <i>Vitamins and Hormones</i> , 2016 , 100, 165-230	2.5	31
75	Vitamin D Nutrient-Genes Interactions and Healthful Aging 2016 , 449-471		
74	Vitamin D and Colorectal, Breast, and Prostate Cancers: A Review of the Epidemiological Evidence. <i>Journal of Cancer</i> , 2016 , 7, 232-40	4.5	78
73	Association between Circulating Vitamin D Metabolites and Fecal Bile Acid Concentrations. <i>Cancer Prevention Research</i> , 2016 , 9, 589-97	3.2	3
72	Modeling, Synthesis, and Biological Evaluation of Potential Retinoid X Receptor (RXR)-Selective Agonists: Analogues of 4-[1-(3,5,5,8,8-Pentamethyl-5,6,7,8-tetrahydro-2-naphthyl)ethynyl]benzoic Acid (Bexarotene) and 6-(Ethyl(5,5,8,8-tetrahydronaphthalen-2-yl)amino)nicotinic Acid (NET-TMN). <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 8924-8940	8.3	12
71	FGF23 gene regulation by 1,25-dihydroxyvitamin D: opposing effects in adipocytes and osteocytes. <i>Journal of Endocrinology</i> , 2015 , 226, 155-66	4.7	34
70	CYP24A1 and CYP27B1 Polymorphisms, Concentrations of Vitamin D Metabolites, and Odds of Colorectal Adenoma Recurrence. <i>Nutrition and Cancer</i> , 2015 , 67, 1131-41	2.8	22
69	Distinct functional modes of SUMOylation for retinoid X receptor alpha. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 464, 195-200	3.4	1
68	Analysis of differential secondary effects of novel rexinoids: select rexinoid X receptor ligands demonstrate differentiated side effect profiles. <i>Pharmacology Research and Perspectives</i> , 2015 , 3, e00122 ^{3.1}	3.1	7
67	1,25-Dihydroxyvitamin D regulates expression of the tryptophan hydroxylase 2 and leptin genes: implication for behavioral influences of vitamin D. <i>FASEB Journal</i> , 2015 , 29, 4023-35	0.9	103
66	Concentrations of the vitamin D metabolite 1,25(OH) ₂ D and odds of metabolic syndrome and its components. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 447-59	12.7	37
65	Resveratrol potentiates vitamin D and nuclear receptor signaling. <i>Journal of Cellular Biochemistry</i> , 2015 , 116, 1130-43	4.7	35
64	Associations between circulating 1,25(OH) ₂ D concentration and odds of metachronous colorectal adenoma. <i>Cancer Causes and Control</i> , 2014 , 25, 809-17	2.8	14
63	Vitamin D receptor-mediated control of Soggy, Wise, and Hairless gene expression in keratinocytes. <i>Journal of Endocrinology</i> , 2014 , 220, 165-78	4.7	10
62	Regulation of late cornified envelope genes relevant to psoriasis risk by plant-derived cyanidin. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 443, 1275-9	3.4	14

61	Sentrin/SUMO specific proteases as novel tissue-selective modulators of vitamin D receptor-mediated signaling. <i>PLoS ONE</i> , 2014 , 9, e89506	3.7	6
60	Associations between vitamin D-binding protein isotypes, circulating 25(OH)D levels, and vitamin D metabolite uptake in colon cancer cells. <i>Cancer Prevention Research</i> , 2014 , 7, 426-34	3.2	12
59	1,25-dihydroxyvitamin D(3) regulation of fibroblast growth factor-23 expression in bone cells: evidence for primary and secondary mechanisms modulated by leptin and interleukin-6. <i>Calcified Tissue International</i> , 2013 , 92, 339-53	3.9	65
58	Molecular mechanisms of vitamin D action. <i>Calcified Tissue International</i> , 2013 , 92, 77-98	3.9	464
57	Control of late cornified envelope genes relevant to psoriasis risk: upregulation by 1,25-dihydroxyvitamin D3 and plant-derived delphinidin. <i>Archives of Dermatological Research</i> , 2013 , 305, 867-78	3.3	17
56	Synthesis and biological evaluation of halogenated curcumin analogs as potential nuclear receptor selective agonists. <i>Bioorganic and Medicinal Chemistry</i> , 2013 , 21, 693-702	3.4	10
55	Modeling, synthesis, and biological evaluation of potential retinoid X receptor (RXR) selective agonists: novel analogues of 4-[1-(3,5,5,8,8-pentamethyl-5,6,7,8-tetrahydro-2-naphthyl)ethynyl]benzoic acid (bexarotene) and (E)-3-(3-(1,2,3,4-tetrahydro-1,1,4,4,6-pentamethylnaphthalen-7-yl)-4-hydroxyphenyl)acrylic acid	8.3	17
54	CYP24A1 and CYP27B1 polymorphisms modulate vitamin D metabolism in colon cancer cells. <i>Cancer Research</i> , 2013 , 73, 2563-73	10.1	58
53	Association between circulating concentrations of 25(OH)D and colorectal adenoma: a pooled analysis. <i>International Journal of Cancer</i> , 2013 , 133, 2980-8	7.5	23
52	The role of vitamin D in the FGF23, klotho, and phosphate bone-kidney endocrine axis. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2012 , 13, 57-69	10.5	94
51	Discovery of novel vitamin D receptor interacting proteins that modulate 1,25-dihydroxyvitamin D3 signaling. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2012 , 132, 147-59	5.1	18
50	Modeling, synthesis and biological evaluation of potential retinoid X receptor-selective agonists: novel halogenated analogues of 4-[1-(3,5,5,8,8-pentamethyl-5,6,7,8-tetrahydro-2-naphthyl)ethynyl]benzoic acid (bexarotene). <i>Journal of Medicinal Chemistry</i> , 2012 , 55, 1554-67	3.7	8
49	Polymorphic variation in the GC and CASR genes and associations with vitamin D metabolite concentration and metachronous colorectal neoplasia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 368-75	4	27
48	Vitamin D receptor (VDR)-mediated actions of 1,25(OH) ₂ vitamin D ₃ : genomic and non-genomic mechanisms. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2011 , 25, 543-59	6.5	403
47	Vitamin D receptor controls expression of the anti-aging klotho gene in mouse and human renal cells. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 414, 557-62	3.4	116
46	Nuclear Vitamin D Receptor: Natural Ligands, Molecular StructureFunction, and Transcriptional Control of Vital Genes 2011 , 137-170		10
45	Vitamin D: marker or mechanism of action?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 585-90	4	15
44	Genetic polymorphisms in vitamin D receptor VDR/RXRA influence the likelihood of colon adenoma recurrence. <i>Cancer Research</i> , 2010 , 70, 1496-504	10.1	42

43	The nuclear vitamin D receptor controls the expression of genes encoding factors which feed the "Fountain of Youth" to mediate healthful aging. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010 , 121, 88-97	5.1	128
42	Association between polymorphic variation in VDR and RXRA and circulating levels of vitamin D metabolites. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010 , 121, 438-41	5.1	26
41	Curcumin: a novel nutritionally derived ligand of the vitamin D receptor with implications for colon cancer chemoprevention. <i>Journal of Nutritional Biochemistry</i> , 2010 , 21, 1153-61	6.3	89
40	Vitamin D receptor ligands, adenomatous polyposis coli, and the vitamin D receptor FokI polymorphism collectively modulate beta-catenin activity in colon cancer cells. <i>Molecular Carcinogenesis</i> , 2010 , 49, 337-52	5	54
39	Conversion of the anti-tumor agent tasidotin (ILX651) to its active metabolite by prolyl oligopeptidase. <i>Enzyme and Microbial Technology</i> , 2010 , 46, 246-251	3.8	
38	Vitamin D, calcium, and colorectal neoplasia: new insights on mechanisms of action. <i>Cancer Prevention Research</i> , 2009 , 2, 197-9	3.2	11
37	Modeling, synthesis and biological evaluation of potential retinoid X receptor (RXR) selective agonists: novel analogues of 4-[1-(3,5,5,8,8-pentamethyl-5,6,7,8-tetrahydro-2-naphthyl)ethynyl]benzoic acid (bexarotene). <i>Journal of Medicinal Chemistry</i> , 2009 , 52, 5950-66	8.3	44
36	Vitamin D receptor: molecular signaling and actions of nutritional ligands in disease prevention. <i>Nutrition Reviews</i> , 2008 , 66, S98-112	6.4	211
35	Presence of a TA haplotype in the APC gene containing the common 1822 polymorphism and colorectal adenoma. <i>Cancer Research</i> , 2008 , 68, 6006-13	10.1	6
34	Vitamin D receptor: key roles in bone mineral pathophysiology, molecular mechanism of action, and novel nutritional ligands. <i>Journal of Bone and Mineral Research</i> , 2007 , 22 Suppl 2, V2-10	6.3	108
33	1,25-Dihydroxyvitamin D3/VDR-mediated induction of FGF23 as well as transcriptional control of other bone anabolic and catabolic genes that orchestrate the regulation of phosphate and calcium mineral metabolism. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2007 , 103, 381-8	5.1	134
32	Molecular and functional comparison of 1,25-dihydroxyvitamin D(3) and the novel vitamin D receptor ligand, lithocholic acid, in activating transcription of cytochrome P450 3A4. <i>Journal of Cellular Biochemistry</i> , 2005 , 94, 917-43	4.7	71
31	Nuclear Vitamin D Receptor: Structure-Function, Molecular Control of Gene Transcription, and Novel Bioactions 2005 , 219-261		16
30	1,25-dihydroxyvitamin D3 down-regulation of PHEX gene expression is mediated by apparent repression of a 110 kDa transfactor that binds to a polyadenine element in the promoter. <i>Journal of Biological Chemistry</i> , 2004 , 279, 46406-14	5.4	36
29	Phosphorylation of human vitamin D receptor serine-182 by PKA suppresses 1,25(OH)2D3-dependent transactivation. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 324, 801-9	3.4	15
28	Physical and functional interaction between the vitamin D receptor and hairless corepressor, two proteins required for hair cycling. <i>Journal of Biological Chemistry</i> , 2003 , 278, 38665-74	5.4	171
27	Two basic amino acids C-terminal of the proximal box specify functional binding of the vitamin D receptor to its rat osteocalcin deoxyribonucleic acid-responsive element. <i>Endocrinology</i> , 2003 , 144, 5065-80	4.8	15
26	Isolation of baculovirus-expressed human vitamin D receptor: DNA responsive element interactions and phosphorylation of the purified receptor. <i>Journal of Cellular Biochemistry</i> , 2002 , 85, 435-57	4.7	33

25	Liganded VDR induces CYP3A4 in small intestinal and colon cancer cells via DR3 and ER6 vitamin D responsive elements. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 299, 730-8	3.4	110
24	Molecular nature of the vitamin D receptor and its role in regulation of gene expression. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2001 , 2, 203-16	10.5	216
23	Distinct retinoid X receptor activation function-2 residues mediate transactivation in homodimeric and vitamin D receptor heterodimeric contexts. <i>Journal of Molecular Endocrinology</i> , 2001 , 27, 211-27	4.5	57
22	Functionally relevant polymorphisms in the human nuclear vitamin D receptor gene. <i>Molecular and Cellular Endocrinology</i> , 2001 , 177, 145-59	4.4	309
21	The polymorphic N terminus in human vitamin D receptor isoforms influences transcriptional activity by modulating interaction with transcription factor IIB. <i>Molecular Endocrinology</i> , 2000 , 14, 401-20		291
20	Biochemical evidence for a 170-kilodalton, AF-2-dependent vitamin D receptor/retinoid X receptor coactivator that is highly expressed in osteoblasts. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 267, 813-9	3.4	5
19	Steroid hormone receptors: evolution, ligands, and molecular basis of biologic function. <i>Journal of Cellular Biochemistry</i> , 1999 , Suppl 32-33, 110-22	4.7	122
18	Vitamin D receptor displays DNA binding and transactivation as a heterodimer with the retinoid X receptor, but not with the thyroid hormone receptor 1999 , 75, 462-480		22
17	Characterization of unique DNA-binding and transcriptional-activation functions in the carboxyl-terminal extension of the zinc finger region in the human vitamin D receptor. <i>Biochemistry</i> , 1999 , 38, 16347-58	3.2	38
16	The nuclear vitamin D receptor: biological and molecular regulatory properties revealed. <i>Journal of Bone and Mineral Research</i> , 1998 , 13, 325-49	6.3	1036
15	Novel nuclear localization signal between the two DNA-binding zinc fingers in the human vitamin D receptor. <i>Journal of Cellular Biochemistry</i> , 1998 , 70, 94-109	4.7	65
14	Heterodimeric DNA binding by the vitamin D receptor and retinoid X receptors is enhanced by 1,25-dihydroxyvitamin D3 and inhibited by 9-cis-retinoic acid. Evidence for allosteric receptor interactions. <i>Journal of Biological Chemistry</i> , 1998 , 273, 8483-91	5.4	85
13	Suppression of ANP gene transcription by liganded vitamin D receptor: involvement of specific receptor domains. <i>Hypertension</i> , 1998 , 31, 1338-42	8.5	29
12	Novel nuclear localization signal between the two DNA-binding zinc fingers in the human vitamin D receptor 1998 , 70, 94		1
11	Mutations in the 1,25-dihydroxyvitamin D3 receptor identifying C-terminal amino acids required for transcriptional activation that are functionally dissociated from hormone binding, heterodimeric DNA binding, and interaction with basal transcription factor IIB, in vitro. <i>Journal of Biological Chemistry</i> , 1997 , 272, 14592-9	5.4	66
10	Inhibition of ligand induced promoter occupancy in vivo by a dominant negative RXR. <i>Genes To Cells</i> , 1996 , 1, 209-21	2.3	16
9	Examination of the Potential Functional Role of Conserved Cysteine Residues in the Hormone Binding Domain of the Human 1,25-Dihydroxyvitamin D3 Receptor. <i>Journal of Biological Chemistry</i> , 1996 , 271, 5143-5149	5.4	26
8	Vitamin D receptors from patients with resistance to 1,25-dihydroxyvitamin D3: point mutations confer reduced transactivation in response to ligand and impaired interaction with the retinoid X receptor heterodimeric partner. <i>Molecular Endocrinology</i> , 1996 , 10, 1617-1631		78

7	The T-box near the zinc fingers of the human vitamin D receptor is required for heterodimeric DNA binding and transactivation. <i>Biochemical and Biophysical Research Communications</i> , 1995 , 215, 1-7	3-4	37
6	Receptor mediated genomic action of the 1,25(OH) ₂ D ₃ hormone: expression of the human vitamin D receptor in E. coli. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1995 , 53, 583-94	5-1	17
5	Phosphorylation of the human 1,25-dihydroxyvitamin D ₃ receptor by cAMP-dependent protein kinase, in vitro, and in transfected COS-7 cells. <i>Biochemical and Biophysical Research Communications</i> , 1993 , 191, 1089-96	3-4	32
4	Purified human vitamin D receptor overexpressed in E. coli and baculovirus systems does not bind 1,25-dihydroxyvitamin D ₃ hormone efficiently unless supplemented with a rat liver nuclear extract. <i>Biochemical and Biophysical Research Communications</i> , 1993 , 197, 478-85	3-4	20
3	The 1,25-dihydroxy-vitamin D ₃ receptor is phosphorylated in response to 1,25-dihydroxy-vitamin D ₃ and 22-oxacalcitriol in rat osteoblasts, and by casein kinase II, in vitro. <i>Biochemistry</i> , 1993 , 32, 8184-92 ^{3,2}		32
2	Vitamin D receptor phosphorylation in transfected ROS 17/2.8 cells is localized to the N-terminal region of the hormone-binding domain. <i>Molecular Endocrinology</i> , 1991 , 5, 1137-46		34
1	The vitamin D-responsive element in the rat bone Gla protein gene is an imperfect direct repeat that cooperates with other cis-elements in 1,25-dihydroxyvitamin D ₃ - mediated transcriptional activation. <i>Molecular Endocrinology</i> , 1991 , 5, 373-85		128