

# Michael Naguib

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4766679/michael-naguib-publications-by-citations.pdf>  
**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102 papers	27,749 citations	53 h-index	119 g-index
119 ext. papers	33,914 ext. citations	9.8 avg, IF	7.32 L-index

#	Paper	IF	Citations
102	Two-dimensional nanocrystals produced by exfoliation of Ti <sub>3</sub> AlC <sub>2</sub> . <i>Advanced Materials</i> , <b>2011</b> , 23, 4248-53	53.4	4846
101	25th anniversary article: MXenes: a new family of two-dimensional materials. <i>Advanced Materials</i> , <b>2014</b> , 26, 992-1005	24	3141
100	Cation intercalation and high volumetric capacitance of two-dimensional titanium carbide. <i>Science</i> , <b>2013</b> , 341, 1502-5	33.3	2510
99	Two-dimensional transition metal carbides. <i>ACS Nano</i> , <b>2012</b> , 6, 1322-31	16.7	2382
98	Intercalation and delamination of layered carbides and carbonitrides. <i>Nature Communications</i> , <b>2013</b> , 4, 1716	17.4	1504
97	New two-dimensional niobium and vanadium carbides as promising materials for Li-ion batteries. <i>Journal of the American Chemical Society</i> , <b>2013</b> , 135, 15966-9	16.4	1168
96	MXene: a promising transition metal carbide anode for lithium-ion batteries. <i>Electrochemistry Communications</i> , <b>2012</b> , 16, 61-64	5.1	963
95	Role of surface structure on Li-ion energy storage capacity of two-dimensional transition-metal carbides. <i>Journal of the American Chemical Society</i> , <b>2014</b> , 136, 6385-94	16.4	864
94	Ti <sub>3</sub> AlC <sub>2</sub> /MXene as a high capacity electrode material for metal (Li, Na, K, Ca) ion batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2014</b> , 6, 11173-9	9.5	847
93	X-ray photoelectron spectroscopy of select multi-layered transition metal carbides (MXenes). <i>Applied Surface Science</i> , <b>2016</b> , 362, 406-417	6.7	834
92	Prediction and characterization of MXene nanosheet anodes for non-lithium-ion batteries. <i>ACS Nano</i> , <b>2014</b> , 8, 9606-15	16.7	644
91	Synthesis and Characterization of 2D Molybdenum Carbide (MXene). <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 3118-3127	15.6	640
90	Synthesis of two-dimensional materials by selective extraction. <i>Accounts of Chemical Research</i> , <b>2015</b> , 48, 128-35	24.3	456
89	One-step synthesis of nanocrystalline transition metal oxides on thin sheets of disordered graphitic carbon by oxidation of MXenes. <i>Chemical Communications</i> , <b>2014</b> , 50, 7420-3	5.8	427
88	Large-scale delamination of multi-layers transition metal carbides and carbonitrides "MXenes". <i>Dalton Transactions</i> , <b>2015</b> , 44, 9353-8	4.3	405
87	Synthesis and characterization of two-dimensional Nb <sub>4</sub> C <sub>3</sub> (MXene). <i>Chemical Communications</i> , <b>2014</b> , 50, 9517-20	5.8	321
86	First principles study of two-dimensional early transition metal carbides. <i>MRS Communications</i> , <b>2012</b> , 2, 133-137	2.7	316

85	A Non-Aqueous Asymmetric Cell with a Ti <sub>2</sub> C-Based Two-Dimensional Negative Electrode. <i>Journal of the Electrochemical Society</i> , <b>2012</b> , 159, A1368-A1373	3.9	270
84	Resolving the Structure of Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXenes through Multilevel Structural Modeling of the Atomic Pair Distribution Function. <i>Chemistry of Materials</i> , <b>2016</b> , 28, 349-359	9.6	267
83	Kinetics of aluminum extraction from Ti <sub>3</sub> AlC <sub>2</sub> in hydrofluoric acid. <i>Materials Chemistry and Physics</i> , <b>2013</b> , 139, 147-152	4.4	227
82	One-Step Synthesis of Nb O <sub>2</sub> /C/Nb C (MXene) Composites and Their Use as Photocatalysts for Hydrogen Evolution. <i>ChemSusChem</i> , <b>2018</b> , 11, 688-699	8.3	223
81	2D/2D heterojunction of TiC/g-CN nanosheets for enhanced photocatalytic hydrogen evolution. <i>Nanoscale</i> , <b>2019</b> , 11, 8138-8149	7.7	197
80	Impact of air exposure and surface chemistry on Li <sub>0.7</sub> La <sub>0.3</sub> Zr <sub>0.2</sub> O <sub>1.2</sub> interfacial resistance. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 13475-13487	13	195
79	Titania Composites with 2 D Transition Metal Carbides as Photocatalysts for Hydrogen Production under Visible-Light Irradiation. <i>ChemSusChem</i> , <b>2016</b> , 9, 1490-7	8.3	173
78	Synthesis and Charge Storage Properties of Hierarchical Niobium Pentoxide/Carbon/Niobium Carbide (MXene) Hybrid Materials. <i>Chemistry of Materials</i> , <b>2016</b> , 28, 3937-3943	9.6	172
77	High mass loading, binder-free MXene anodes for high areal capacity Li-ion batteries. <i>Electrochimica Acta</i> , <b>2015</b> , 163, 246-251	6.7	169
76	Effect of Metal Ion Intercalation on the Structure of MXene and Water Dynamics on its Internal Surfaces. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 8859-63	9.5	164
75	The effect of hydrazine intercalation on the structure and capacitance of 2D titanium carbide (MXene). <i>Nanoscale</i> , <b>2016</b> , 8, 9128-33	7.7	161
74	Two-Dimensional Nb-Based M <sub>4</sub> C <sub>3</sub> Solid Solutions (MXenes). <i>Journal of the American Ceramic Society</i> , <b>2016</b> , 99, 660-666	3.8	153
73	Controlling the actuation properties of MXene paper electrodes upon cation intercalation. <i>Nano Energy</i> , <b>2015</b> , 17, 27-35	17.1	135
72	Understanding the MXene Pseudocapacitance. <i>Journal of Physical Chemistry Letters</i> , <b>2018</b> , 9, 1223-1228	6.4	133
71	Structure of nanocrystalline Ti <sub>3</sub> C <sub>2</sub> MXene using atomic pair distribution function. <i>Physical Review Letters</i> , <b>2014</b> , 112, 125501	7.4	129
70	Multimodality of Structural, Electrical, and Gravimetric Responses of Intercalated MXenes to Water. <i>ACS Nano</i> , <b>2017</b> , 11, 11118-11126	16.7	127
69	A comparative study on the oxidation of two-dimensional Ti <sub>3</sub> C <sub>2</sub> MXene structures in different environments. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 12733-12743	13	124
68	Monolayer Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> as an Effective Co-catalyst for Enhanced Photocatalytic Hydrogen Production over TiO <sub>2</sub> . <i>ACS Applied Energy Materials</i> , <b>2019</b> , 2, 4640-4651	6.1	113

67	Direct Measurement of Surface Termination Groups and Their Connectivity in the 2D MXene V2CTx Using NMR Spectroscopy. <i>Journal of Physical Chemistry C</i> , <b>2015</b> , 119, 13713-13720	3.8	113
66	Ti3C2Tx (MXene)/polyacrylamide nanocomposite films. <i>RSC Advances</i> , <b>2016</b> , 6, 72069-72073	3.7	112
65	First-order Raman scattering of the MAX phases: Ti2AlN, Ti2AlC0.5N0.5, Ti2AlC, (Ti0.5V0.5)2AlC, V2AlC, Ti3AlC2, and Ti3GeC2. <i>Journal of Raman Spectroscopy</i> , <b>2012</b> , 43, 168-172	2.3	109
64	Electrochemical performance of MXenes as K-ion battery anodes. <i>Chemical Communications</i> , <b>2017</b> , 53, 6883-6886	5.8	106
63	Nanoscale Elastic Changes in 2D Ti3C2Tx (MXene) Pseudocapacitive Electrodes. <i>Advanced Energy Materials</i> , <b>2016</b> , 6, 1502290	21.8	92
62	Ten Years of Progress in the Synthesis and Development of MXenes. <i>Advanced Materials</i> , <b>2021</b> , 33, e2103393	3.93	91
61	Enhanced and tunable surface plasmons in two-dimensional Ti3C2 stacks: Electronic structure versus boundary effects. <i>Physical Review B</i> , <b>2014</b> , 89,	3.3	90
60	Room-temperature carbide-derived carbon synthesis by electrochemical etching of MAX phases. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 4877-80	16.4	86
59	Two-Dimensional Materials: 25th Anniversary Article: MXenes: A New Family of Two-Dimensional Materials (Adv. Mater. 7/2014). <i>Advanced Materials</i> , <b>2014</b> , 26, 982-982	24	85
58	New Solid Solution MAX Phases: (Ti0.5, V0.5)3AlC2, (Nb0.5, V0.5)2AlC, (Nb0.5, V0.5)4AlC3 and (Nb0.8, Zr0.2)2AlC. <i>Materials Research Letters</i> , <b>2014</b> , 2, 233-240	7.4	85
57	High Dielectric Constant and Low Dielectric Loss via Poly(vinyl alcohol)/TiCT MXene Nanocomposites. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 18599-18608	9.5	78
56	Unraveling the Nanoscale Heterogeneity of Solid Electrolyte Interphase Using Tip-Enhanced Raman Spectroscopy. <i>Joule</i> , <b>2019</b> , 3, 2001-2019	27.8	66
55	Effect of Binder Architecture on the Performance of Silicon/Graphite Composite Anodes for Lithium Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 3470-3478	9.5	61
54	On the Topotactic Transformation of Ti2AlC into a TiO2 Cubic Phase by Heating in Molten Lithium Fluoride in Air. <i>Journal of the American Ceramic Society</i> , <b>2011</b> , 94, 4556-4561	3.8	59
53	Improved synthesis of TiCT MXenes resulting in exceptional electrical conductivity, high synthesis yield, and enhanced capacitance. <i>Nanoscale</i> , <b>2021</b> , 13, 3572-3580	7.7	59
52	Complexity of Intercalation in MXenes: Destabilization of Urea by Two-Dimensional Titanium Carbide. <i>Journal of the American Chemical Society</i> , <b>2018</b> , 140, 10305-10314	16.4	58
51	Tracking ion intercalation into layered Ti3C2 MXene films across length scales. <i>Energy and Environmental Science</i> , <b>2020</b> , 13, 2549-2558	35.4	54
50	Synergetic effects of K and Mg ion intercalation on the electrochemical and actuation properties of the two-dimensional TiC MXene. <i>Faraday Discussions</i> , <b>2017</b> , 199, 393-403	3.6	50

49	Computational Screening of MXene Electrodes for Pseudocapacitive Energy Storage. <i>Journal of Physical Chemistry C</i> , <b>2019</b> , 123, 315-321	3.8	47
48	Multi-modal, ultrasensitive, wide-range humidity sensing with TiC film. <i>Nanoscale</i> , <b>2018</b> , 10, 21689-21695	5.7	45
47	Structure of a new bulk Ti <sub>5</sub> Al <sub>2</sub> C <sub>3</sub> MAX phase produced by the topotactic transformation of Ti <sub>2</sub> AlC. <i>Journal of the European Ceramic Society</i> , <b>2012</b> , 32, 3485-3491	6	42
46	Electrochemical performance of two-dimensional Ti <sub>3</sub> C <sub>2</sub> -Mn <sub>3</sub> O <sub>4</sub> nanocomposites and carbonized iron cations for hybrid supercapacitor electrodes. <i>Electrochimica Acta</i> , <b>2019</b> , 301, 487-499	6.7	38
45	Synthesis of a new nanocrystalline titanium aluminum fluoride phase by reaction of Ti <sub>2</sub> AlC with hydrofluoric acid. <i>RSC Advances</i> , <b>2011</b> , 1, 1493	3.7	35
44	Influence of metal ions intercalation on the vibrational dynamics of water confined between MXene layers. <i>Physical Review Materials</i> , <b>2017</b> , 1,	3.2	35
43	Ionic liquid-based synthesis of MXene. <i>Chemical Communications</i> , <b>2020</b> , 56, 11082-11085	5.8	33
42	Tensile creep of Ti <sub>2</sub> AlC in air in the temperature range 1000–1500°C. <i>Scripta Materialia</i> , <b>2012</b> , 66, 805-808	5.6	32
41	Limiting Internal Short-Circuit Damage by Electrode Partition for Impact-Tolerant Li-Ion Batteries. <i>Joule</i> , <b>2018</b> , 2, 155-167	27.8	29
40	Calorimetric Determination of Thermodynamic Stability of MAX and MXene Phases. <i>Journal of Physical Chemistry C</i> , <b>2016</b> , 120, 28131-28137	3.8	28
39	Anodized Ti <sub>3</sub> SiC <sub>2</sub> As an Anode Material for Li-ion Microbatteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 16670-6	9.5	28
38	First-order Raman scattering of the MAX phases Ta <sub>4</sub> AlC <sub>3</sub> , Nb <sub>4</sub> AlC <sub>3</sub> , Ti <sub>4</sub> AlN <sub>3</sub> , and Ta <sub>2</sub> AlC. <i>Journal of Raman Spectroscopy</i> , <b>2012</b> , 43, 954-958	2.3	28
37	Calorimetric Study of Alkali Metal Ion (K <sup>+</sup> , Na <sup>+</sup> , Li <sup>+</sup> ) Exchange in a Clay-Like MXene. <i>Journal of Physical Chemistry C</i> , <b>2017</b> , 121, 15145-15153	3.8	26
36	Interfacial Reactions and Performance of LiLaZrO-Stabilized Li-Sulfur Hybrid Cell. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 42042-42048	9.5	23
35	Room-Temperature Carbide-Derived Carbon Synthesis by Electrochemical Etching of MAX Phases. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 4977-4980	3.6	23
34	Effect of Sheet Size and Atomic Structure on the Antibacterial Activity of Nb-MXene Nanosheets. <i>ACS Applied Nano Materials</i> , <b>2020</b> , 3, 11372-11382	5.6	21
33	Pre-Sodiated TiCT MXene Structure and Behavior as Electrode for Sodium-Ion Capacitors. <i>ACS Nano</i> , <b>2021</b> , 15, 2994-3003	16.7	21
32	Juggling Surface Charges of 2D Niobium Carbide MXenes for a Reactive Oxygen Species Scavenging and Effective Targeting of the Malignant Melanoma Cell Cycle into Programmed Cell Death. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2020</b> , 8, 7942-7951	8.3	19

31	Nature of Terminating Hydroxyl Groups and Intercalating Water in Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXenes: A Study by 1H Solid-State NMR and DFT Calculations. <i>Journal of Physical Chemistry C</i> , <b>2020</b> , 124, 13649-13655	3.8	19
30	Multiscale and Multimodal Characterization of 2D Titanium Carbonitride MXene. <i>Advanced Materials Interfaces</i> , <b>2020</b> , 7, 1902207	4.6	18
29	Proton Redox and Transport in MXene-Confined Water. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 763-770	9.5	18
28	Impact of Cation Intercalation on the Electronic Structure of TiCT MXenes in Sulfuric Acid. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 15087-15094	9.5	17
27	Nb-based MXenes for efficient electrochemical sensing of small biomolecules in the anodic potential. <i>Electrochemistry Communications</i> , <b>2020</b> , 119, 106811	5.1	17
26	Engineering the Interlayer Spacing by Pre-Intercalation for High Performance Supercapacitor MXene Electrodes in Room Temperature Ionic Liquid. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2104007	15.6	17
25	Synthesis of Ti <sub>3</sub> C <sub>2</sub> T <sub>z</sub> MXene from low-cost and environmentally friendly precursors. <i>Materials Today Advances</i> , <b>2021</b> , 10, 100139	7.4	15
24	High Areal Capacity Si/LiCoO Batteries from Electrospun Composite Fiber Mats. <i>ChemSusChem</i> , <b>2017</b> , 10, 1823-1831	8.3	14
23	Evidence of molecular hydrogen trapped in two-dimensional layered titanium carbide-based MXene. <i>Physical Review Materials</i> , <b>2017</b> , 1,	3.2	13
22	Large interlayer spacing NbCT (MXene) promotes the ultrasensitive electrochemical detection of Pb on glassy carbon electrodes.. <i>RSC Advances</i> , <b>2020</b> , 10, 24697-24704	3.7	11
21	Comment on "Ti <sub>5</sub> Al <sub>2</sub> C <sub>3</sub> : A New Ternary Carbide Belonging to MAX Phases in the Ti-Al-C System". <i>Journal of the American Ceramic Society</i> , <b>2012</b> , 95, 3352-3354	3.8	11
20	High-Temperature Neutron Diffraction, Raman Spectroscopy, and First-Principles Calculations of Ti <sub>3</sub> SnC <sub>2</sub> and Ti <sub>2</sub> SnC. <i>Journal of the American Ceramic Society</i> , <b>2016</b> , 99, 2233-2242	3.8	10
19	Catalytic Activity of Ti-based MXenes for the Hydrogenation of Furfural. <i>ChemCatChem</i> , <b>2020</b> , 12, 5733-5742	5.4	8
18	Synthesis of new two-dimensional titanium carbonitride Ti <sub>2</sub> C <sub>0.5</sub> N <sub>0.5</sub> T <sub>x</sub> MXene and its performance as an. <i>Informa Materials</i> , <b>2021</b> , 3, 1422-1430	23.1	6
17	Spatially resolved X-ray absorption spectroscopy investigation of individual cation-intercalated multi-layered Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene particles. <i>Applied Surface Science</i> , <b>2020</b> , 530, 147157	6.7	5
16	Photocatalytic WO <sub>3</sub> and TiO <sub>2</sub> Films on Brass. <i>International Journal of Applied Ceramic Technology</i> , <b>2013</b> , 10, 26-32	2	5
15	Safer lithium-ion battery anode based on Ti <sub>3</sub> C <sub>2</sub> T <sub>z</sub> MXene with thermal safety mechanistic elucidation. <i>Chemical Engineering Journal</i> , <b>2021</b> , 419, 129387	14.7	5
14	Plasma Synthesis of Spherical Crystalline and Amorphous Electrolyte Nanopowders for Solid-State Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 11570-11578	9.5	4

13	Structure and Dynamics of Aqueous Electrolytes Confined in 2D-TiO/TiCT MXene Heterostructures. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 58378-58389	9.5	4
12	MXene Reinforced Thermosetting Composite for Lightning Strike Protection of Carbon Fiber Reinforced Polymer. <i>Advanced Materials Interfaces</i> , <b>2021</b> , 8, 2100803	4.6	3
11	Chemical and Electrochemical Intercalation of Ions and Molecules into MXenes <b>2019</b> , 161-175		2
10	Theoretical Insights into MXene Termination and Surface Charge Regulation. <i>Journal of Physical Chemistry C</i> ,	3.8	2
9	Two-dimensional titanium carbonitride MXene as a highly efficient electrocatalyst for hydrogen evolution reaction. <i>Materials Reports Energy</i> , <b>2022</b> , 2, 100075		2
8	Effect of Synthesis Methods on the Structure and Defects of Two-Dimensional MXenes <b>2019</b> , 111-123		1
7	In Situ TEM Investigation of Lithium Intercalation in Ti3C2TX MXenes for Energy Storage Applications. <i>Microscopy and Microanalysis</i> , <b>2021</b> , 27, 2736-2737	0.5	1
6	Egyptian blue: from pigment to battery electrodes.. <i>RSC Advances</i> , <b>2021</b> , 11, 19885-19889	3.7	1
5	Engineering the Interlayer Spacing by Pre-Intercalation for High Performance Supercapacitor MXene Electrodes in Room Temperature Ionic Liquid (Adv. Funct. Mater. 33/2021). <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2170246	15.6	1
4	Layered Nano-Mosaic of Niobium Disulfide Heterostructures by Direct Sulfidation of Niobium Carbide MXenes for Hydrogen Evolution. <i>Advanced Materials Interfaces</i> , 2102185	4.6	1
3	Transition Metal Carbo-Chalcogenide "TMCC" a New Family of Two-dimensional Materials.. <i>Advanced Materials</i> , <b>2022</b> , e2200574	24	1
2	Time-Dependent Cation Selectivity of Titanium Carbide MXene in Aqueous Solution. <i>Advanced Sustainable Systems</i> , 2100383	5.9	0
1	Innentitelbild: Room-Temperature Carbide-Derived Carbon Synthesis by Electrochemical Etching of MAX Phases (Angew. Chem. 19/2014). <i>Angewandte Chemie</i> , <b>2014</b> , 126, 4820-4820	3.6	