

Concha Collar

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4766873/concha-collar-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

3,046
citations

34
h-index

52
g-index

85
ext. papers

3,404
ext. citations

4.6
avg, IF

5.61
L-index

#	Paper	IF	Citations
84	Assessment of hydrocolloid effects on the thermo-mechanical properties of wheat using the Mixolab. <i>Food Hydrocolloids</i> , 2007 , 21, 452-462	10.6	181
83	Physico-chemical properties of commercial fibres from different sources: A comparative approach. <i>Food Research International</i> , 2009 , 42, 176-184	7	144
82	Effect of wheat bran and enzyme addition on dough functional performance and phytic acid levels in bread. <i>Journal of Cereal Science</i> , 2008 , 48, 715-721	3.8	134
81	Assessment of the rheological profile of fibre-enriched bread doughs by response surface methodology. <i>Journal of Food Engineering</i> , 2007 , 78, 820-826	6	130
80	Bread Staling: Updating the View. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2014 , 13, 473-492	10.2	128
79	Physical characterization of fiber-enriched bread doughs by dual mixing and temperature constraint using the Mixolab [®] . <i>European Food Research and Technology</i> , 2010 , 231, 535-544	3.4	118
78	Maize-Based Gluten-Free Bread: Influence of Processing Parameters on Sensory and Instrumental Quality. <i>Food and Bioprocess Technology</i> , 2010 , 3, 707-715	5.1	87
77	Mixing properties of fibre-enriched wheat bread doughs: A response surface methodology study. <i>European Food Research and Technology</i> , 2006 , 223, 333-340	3.4	86
76	Physicochemical and nutritional properties of reduced-caloric density high-fibre breads. <i>LWT - Food Science and Technology</i> , 2011 , 44, 747-758	5.4	82
75	Significance of Dietary Fiber on the Viscometric Pattern of Pasted and Gelled Flour-Fiber Blends. <i>Cereal Chemistry</i> , 2006 , 83, 370-376	2.4	79
74	Rheological Behaviour of Formulated Bread Doughs During Mixing and Heating. <i>Food Science and Technology International</i> , 2007 , 13, 99-107	2.6	75
73	Microbial Sour Doughs Influence Acidification Properties and Breadmaking Potential of Wheat Dough. <i>Journal of Food Science</i> , 1994 , 59, 629-633	3.4	73
72	Impact of viscous dietary fibres on the viscoelastic behaviour of gluten-free formulated rice doughs: A fundamental and empirical rheological approach. <i>Food Hydrocolloids</i> , 2013 , 32, 252-262	10.6	66
71	Small and large deformation viscoelastic behaviour of selected fibre blends with gelling properties. <i>Food Hydrocolloids</i> , 2009 , 23, 742-748	10.6	61
70	High legume-wheat matrices: an alternative to promote bread nutritional value meeting dough viscoelastic restrictions. <i>European Food Research and Technology</i> , 2012 , 234, 273-284	3.4	60
69	Nutritional and functional added value of oat, Kamut, spelt, rye and buckwheat versus common wheat in breadmaking. <i>Journal of the Science of Food and Agriculture</i> , 2011 , 91, 1283-92	4.3	60
68	Gelatinization and Retrogradation Kinetics of High-Fiber Wheat Flour Blends: A Calorimetric Approach. <i>Cereal Chemistry</i> , 2008 , 85, 455-463	2.4	59

67	Impact of variety type and particle size distribution on starch enzymatic hydrolysis and functional properties of teff flours. <i>Carbohydrate Polymers</i> , 2015 , 115, 260-8	10.3	57
66	Significance of microbial transglutaminase on the sensory, mechanical and crumb grain pattern of enzyme supplemented fresh pan breads. <i>Journal of Food Engineering</i> , 2005 , 70, 479-488	6	54
65	Bread crumb quality assessment: a plural physical approach. <i>European Food Research and Technology</i> , 2009 , 229, 21-30	3.4	53
64	Nutritional and functional performance of high β -glucan barley flours in breadmaking: mixed breads versus wheat breads. <i>European Food Research and Technology</i> , 2014 , 238, 459-469	3.4	48
63	Gel, dough and fibre enriched fresh breads: Relationships between quality features and staling kinetics. <i>Journal of Food Engineering</i> , 2009 , 91, 526-532	6	48
62	Design of a quality index for the objective evaluation of bread quality: Application to wheat breads using selected bake off technology for bread making. <i>Food Research International</i> , 2008 , 41, 714-719	7	47
61	Dough viscoelastic response of hydrocolloid/enzyme/surfactant blends assessed by uni- and bi-axial extension measurements. <i>Food Hydrocolloids</i> , 2004 , 18, 499-507	10.6	47
60	Review: Biochemical and technological assessment of the metabolism of pure and mixed cultures of yeast and lactic acid bacteria in breadmaking applications / Revisi3n: Aspectos bioqu3micos y tecnol3gicos del metabolismo de cultivos puros y mixtos de levaduras y bacterias 3cido l3cticas en panificaci3n. <i>Food Science and Technology International</i> , 1996 , 2, 349-367	2.6	45
59	Influence of acidification on dough viscoelasticity of gluten-free rice starch-based dough matrices enriched with exogenous protein. <i>LWT - Food Science and Technology</i> , 2014 , 59, 12-20	5.4	42
58	Impact of ancient cereals, pseudocereals and legumes on starch hydrolysis and antiradical activity of technologically viable blended breads. <i>Carbohydrate Polymers</i> , 2014 , 113, 149-58	10.3	41
57	Effects of pressure treatment of hydrated oat, finger millet and sorghum flours on the quality and nutritional properties of composite wheat breads. <i>Journal of Cereal Science</i> , 2012 , 56, 713-719	3.8	40
56	Pseudocereals and teff in complex breadmaking matrices: Impact on lipid dynamics. <i>Journal of Cereal Science</i> , 2014 , 59, 145-154	3.8	38
55	Breadmaking Performance and Keeping Behavior of Cocoa-soluble Fiber-enriched Wheat Breads. <i>Food Science and Technology International</i> , 2009 , 15, 79-87	2.6	36
54	Optimized separation of nonpolar and polar lipid classes from wheat flour by solid-phase extraction. <i>JAOCs, Journal of the American Oil Chemists Society</i> , 1992 , 69, 387-391	1.8	36
53	Polyphenol composition and <i>in vitro</i> antiradical activity of single and multigrain breads. <i>Journal of Cereal Science</i> , 2011 , 53, 90-96	3.8	35
52	Effect of temperature and consistency on wheat dough performance. <i>International Journal of Food Science and Technology</i> , 2009 , 44, 493-502	3.8	35
51	Relationships between dough functional indicators during breadmaking steps in formulated samples. <i>European Food Research and Technology</i> , 2005 , 220, 372-379	3.4	34
50	Amino Acid Metabolism by Yeasts and Lactic Acid Bacteria during Bread Dough Fermentation. <i>Journal of Food Science</i> , 1992 , 57, 1423-1427	3.4	33

49	Impact of the addition of resistant starch from modified pea starch on dough and bread performance. <i>European Food Research and Technology</i> , 2010 , 231, 499-508	3.4	32
48	Regulation of acetic acid production by homo- and heterofermentative lactobacilli in whole-wheat sour-doughs. <i>Zeitschrift Fur Lebensmittel-Untersuchung Und -Forschung</i> , 1994 , 199, 186-90		30
47	Impact of microbial transglutaminase on the viscoelastic profile of formulated bread doughs. <i>European Food Research and Technology</i> , 2004 , 218, 139-146	3.4	29
46	Significance of healthy viscous dietary fibres on the performance of gluten-free rice-based formulated breads. <i>International Journal of Food Science and Technology</i> , 2014 , 49, 1375-1382	3.8	27
45	Bread staling assessment of enzyme-supplemented pan breads by dynamic and static deformation measurements. <i>European Food Research and Technology</i> , 2005 , 220, 83-89	3.4	26
44	Suitability of Oat, Millet and Sorghum in Breadmaking. <i>Food and Bioprocess Technology</i> , 2013 , 6, 1486-1493	3.3	25
43	THE ATTITUDES OF EUROPEAN CONSUMERS TOWARD INNOVATION IN BREAD; INTEREST OF THE CONSUMERS TOWARD SELECTED QUALITY ATTRIBUTES. <i>Journal of Sensory Studies</i> , 2009 , 24, 204-219	2.2	22
42	Suitability of tef varieties in mixed wheat flour bread matrices: A physico-chemical and nutritional approach. <i>Journal of Cereal Science</i> , 2015 , 64, 139-146	3.8	21
41	Gluten-free dough-making of specialty breads: Significance of blended starches, flours and additives on dough behaviour. <i>Food Science and Technology International</i> , 2015 , 21, 523-36	2.6	20
40	Impact of microbial transglutaminase on the staling behaviour of enzyme-supplemented pan breads. <i>European Food Research and Technology</i> , 2005 , 221, 298-304	3.4	20
39	Effect of processing conditions on acidification properties of wheat sour doughs. <i>International Journal of Food Microbiology</i> , 1994 , 22, 249-55	5.8	20
38	Impact of visco-metric profile of composite dough matrices on starch digestibility and firming and retrogradation kinetics of breads thereof: Additive and interactive effects of non-wheat flours. <i>Journal of Cereal Science</i> , 2016 , 69, 32-39	3.8	19
37	Impact of High Hydrostatic Pressure on Protein Aggregation and Rheological Properties of Legume Batters. <i>Food and Bioprocess Technology</i> , 2013 , 6, 3576-3584	5.1	19
36	Functional response of diluted dough matrixes in high-fibre systems: A viscometric and rheological approach. <i>Food Research International</i> , 2008 , 41, 803-812	7	19
35	Acidification of protein-enriched rice starch doughs: effects on breadmaking. <i>European Food Research and Technology</i> , 2015 , 240, 783-794	3.4	18
34	Effect of tef [<i>Eragrostis tef</i> (Zucc.) Trotter] grain flour addition on viscoelastic properties and stickiness of wheat dough matrices and bread loaf volume. <i>European Food Research and Technology</i> , 2015 , 241, 469-478	3.4	16
33	Glycaemic response to frozen stored wheat rolls enriched with inulin and oat fibre. <i>Journal of Cereal Science</i> , 2012 , 56, 576-580	3.8	16
32	Effects of sourdough and dietary fibers on the nutritional quality of breads produced by bake-off technology. <i>Journal of Cereal Science</i> , 2011 , 54, 499-505	3.8	16

31	Innovative Traditional Italian Durum Wheat Breads: Influence of Yeast and Gluten on Performance of Sourdough Moddizzosu Breads. <i>Cereal Chemistry</i> , 2010 , 87, 204-213	2.4	15
30	Composition and distribution of individual molecular species of major glycolipids in wheat flour. <i>JAACS, Journal of the American Oil Chemistssociety</i> , 1992 , 69, 1019-1022	1.8	15
29	Impact of heat moisture treatment and hydration level on physico-chemical and viscoelastic properties of doughs from wheat-barley composite flours. <i>European Food Research and Technology</i> , 2018 , 244, 355-366	3.4	15
28	Impact of acidification and protein fortification on rheological and thermal properties of wheat, corn, potato and tapioca starch-based gluten-free bread doughs. <i>LWT - Food Science and Technology</i> , 2018 , 96, 446-454	5.4	15
27	Relationships between dough and bread viscoelastic properties in enzyme supplemented wheat samples. <i>Journal of Food Engineering</i> , 2006 , 77, 665-671	6	14
26	Promoting dough viscoelastic structure in composite cereal matrices by high hydrostatic pressure. <i>Journal of Food Engineering</i> , 2012 , 111, 598-605	6	13
25	Significance of heat-moisture treatment conditions on the pasting and gelling behaviour of various starch-rich cereal and pseudocereal flours. <i>Food Science and Technology International</i> , 2017 , 23, 623-636	2.6	12
24	Techno-functional and nutritional performance of commercial breads available in Europe. <i>Food Science and Technology International</i> , 2016 , 22, 621-633	2.6	12
23	Significance of thermal transitions on starch digestibility and firming kinetics of restricted water mixed flour bread matrices. <i>Carbohydrate Polymers</i> , 2015 , 122, 169-79	10.3	11
22	Significance of structuring/prebiotic blends on bread dough thermo-mechanical profile. <i>European Food Research and Technology</i> , 2009 , 229, 603-610	3.4	11
21	Impact of sourdough, yeast and gluten on small and large deformation rheological profiles of durum wheat bread doughs. <i>European Food Research and Technology</i> , 2010 , 231, 431-440	3.4	11
20	Free and bound hydroxyl and carboxyl groups in the cutin of Quercus suber leaves. <i>Phytochemistry</i> , 1984 , 23, 2059-2060	4	11
19	Value-Added of Heat Moisture Treated Mixed Flours in Wheat-Based Matrices: a Functional and Nutritional Approach. <i>Food and Bioprocess Technology</i> , 2018 , 11, 1536-1551	5.1	10
18	Significance of lipid binding on the functional and nutritional profiles of single and multigrain matrices. <i>European Food Research and Technology</i> , 2011 , 233, 141-150	3.4	10
17	High-Legume Wheat-Based Matrices: Impact of High Pressure on Starch Hydrolysis and Firming Kinetics of Composite Breads. <i>Food and Bioprocess Technology</i> , 2017 , 10, 1103-1112	5.1	9
16	Impact of Heat Moisture Treatment and Hydration Level of Flours on the Functional and Nutritional Value-Added Wheat-Barley Blended Breads. <i>Food and Bioprocess Technology</i> , 2018 , 11, 966-978	5.1	9
15	Value Added of Resistant Starch Maize-Based Matrices in Breadmaking: Nutritional and Functional Assessment. <i>Food and Bioprocess Technology</i> , 2014 , 7, 3579-3590	5.1	9
14	Composition of the glutenin macropolymer: effects of flour quality and nonamylolytic enzyme addition. <i>European Food Research and Technology</i> , 2004 , 218, 428-436	3.4	7

13	Structuring Diluted Wheat Matrices: Impact of Heat-Moisture Treatment on Protein Aggregation and Viscoelasticity of Hydrated Composite Flours. <i>Food and Bioprocess Technology</i> , 2020 , 13, 475-487	5.1	6
12	Durum Wheat Grain Yield and Quality under Low and High Nitrogen Conditions: Insights into Natural Variation in Low- and High-Yielding Genotypes. <i>Plants</i> , 2020 , 9,	4.5	6
11	Functional and Thermal Behaviours of Heat-Moisture-Treated Starch-Rich Wheat-Based Blended Matrices: Impact of Treatment of Non-wheat Flours. <i>Food and Bioprocess Technology</i> , 2019 , 12, 599-612	5.1	6
10	Kinetics of in vitro starch hydrolysis and relevant starch nutritional fractions in heat-moisture treated blended wheat-based bread matrices: impact of treatment of non-wheat flours. <i>European Food Research and Technology</i> , 2018 , 244, 1977-1984	3.4	5
9	Biochemical evolution of nitrogen compounds during fermentation of wheat bread doughs containing pure cultures of lactic acid bacteria. <i>Zeitschrift Fur Lebensmittel-Untersuchung Und -Forschung</i> , 1990 , 190, 397-400		5
8	Gluten-Free Dough-Based Foods and Technologies 2019 , 331-354		5
7	Lipid dynamics in blended wheat and non-wheat flours breadmaking matrices: Impact on fresh and aged composite breads. <i>Food Science and Technology International</i> , 2017 , 23, 24-35	2.6	4
6	Contribution of the microbial mass to the nitrogen profile of wheat bread doughs started with pure and mixed cultures of yeast and lactic acid bacteria. <i>Zeitschrift Fur Lebensmittel-Untersuchung Und -Forschung</i> , 1991 , 193, 332-336		4
5	Tef [<i>Eragrostis tef</i> (Zucc.) Trotter] variety determines viscoelastic and thermal properties of gluten-free dough and bread quality. <i>LWT - Food Science and Technology</i> , 2021 , 135, 110065	5.4	4
4	Lipid composition and dynamics during breadmaking in heat-moisture-treated associated matrices. <i>European Food Research and Technology</i> , 2019 , 245, 2413-2424	3.4	2
3	Barley, Maize, Sorghum, Millet, and Other Cereal Grains 2014 , 107-126		2
2	Bread and bakery products 2015 , 559-572		1
1	The ICC book of ethnic cereal-based foods and beverages across the continents. <i>Quality Assurance and Safety of Crops and Foods</i> , 2009 , 1, 263-263	1.5	