

# Oswaldo L Bezzon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4767784/publications.pdf>

Version: 2024-02-01

19  
papers

482  
citations

686830

13  
h-index

794141

19  
g-index

19  
all docs

19  
docs citations

19  
times ranked

501  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparative study of circumferential clasp retention force for titanium and cobalt-chromium removable partial dentures. <i>Journal of Prosthetic Dentistry</i> , 2002, 88, 290-296.	1.1	60
2	Effect of casting technique on surface roughness and consequent mass loss after polishing of NiCr and CoCr base metal alloys: a comparative study with titanium. <i>Journal of Prosthetic Dentistry</i> , 2004, 92, 274-277.	1.1	49
3	Validation of finite element models for strain analysis of implant-supported prostheses using digital image correlation. <i>Dental Materials</i> , 2013, 29, 788-796.	1.6	46
4	Effect of beryllium on the castability and resistance of ceramometal bonds in nickel-chromium alloys. <i>Journal of Prosthetic Dentistry</i> , 1998, 80, 570-574.	1.1	42
5	Surveying removable partial dentures: the importance of guiding planes and path of insertion for stability. <i>Journal of Prosthetic Dentistry</i> , 1997, 78, 412-418.	1.1	40
6	Castability and resistance of ceramometal bonding in Ni-Cr and Ni-Cr-Be alloys. <i>Journal of Prosthetic Dentistry</i> , 2001, 85, 299-304.	1.1	35
7	Allergic sensitivity to several base metals: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 1993, 69, 243-244.	1.1	34
8	Effect of different cleansers on the weight and ion release of removable partial denture: an in vitro study. <i>Journal of Applied Oral Science</i> , 2011, 19, 483-487.	0.7	32
9	Correlation between metal-ceramic bond strength and coefficient of linear thermal expansion difference. <i>Journal of Applied Oral Science</i> , 2009, 17, 122-128.	0.7	24
10	Influence of investment type and sprue number on the casting accuracy of titanium crown margins. <i>Journal of Prosthetic Dentistry</i> , 2006, 95, 42-49.	1.1	22
11	Analysis of Short Implants and Lateralization of the Inferior Alveolar Nerve With 2-Stage Dental Implants by Finite Element Method. <i>Journal of Craniofacial Surgery</i> , 2011, 22, 2064-2071.	0.3	20
12	The castability of pure titanium compared with Ni-Cr and Ni-Cr-Be alloys. <i>Journal of Prosthetic Dentistry</i> , 2007, 98, 445-454.	1.1	18
13	Esthetic options for the fabrication of removable partial dentures: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2001, 86, 465-467.	1.1	15
14	Device for recording the path of insertion for removable partial dentures. <i>Journal of Prosthetic Dentistry</i> , 2000, 84, 136-138.	1.1	13
15	Involvement of dental occlusion and trigeminal neuralgia: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 1997, 77, 343-345.	1.1	12
16	Effect of casting atmosphere on the marginal deficiency and misfit of Ni-Cr alloys with and without beryllium. <i>Journal of Prosthetic Dentistry</i> , 2017, 118, 83-88.	1.1	8
17	Fabrication of an acrylic resin device used to increase the size of toothbrush handles. <i>Journal of Prosthetic Dentistry</i> , 1998, 79, 361-362.	1.1	4
18	Pilot study of the relationship between the hardness and abrasion resistance of two base metal alloys used for metal-ceramic restorations. <i>Journal of Prosthetic Dentistry</i> , 2001, 85, 190-194.	1.1	4

#	ARTICLE	IF	CITATIONS
19	Resin luting materials: Tissue response in dog's teeth. <i>Microscopy Research and Technique</i> , 2015, 78, 1098-1103.	1.2	4