

Mathias Hoehn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/476949/publications.pdf>

Version: 2024-02-01

113
papers

5,811
citations

81900

39
h-index

85541

71
g-index

114
all docs

114
docs citations

114
times ranked

7735
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Monitoring of implanted stem cell migration <i>in vivo</i> : A highly resolved <i>in vivo</i> magnetic resonance imaging investigation of experimental stroke in rat. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 16267-16272. | 7.1 | 708 |
| 2 | Host-Dependent Tumorigenesis of Embryonic Stem Cell Transplantation in Experimental Stroke. Journal of Cerebral Blood Flow and Metabolism, 2003, 23, 780-785. | 4.3 | 342 |
| 3 | Locus Ceruleus Degeneration Promotes Alzheimer Pathogenesis in Amyloid Precursor Protein 23 Transgenic Mice. Journal of Neuroscience, 2006, 26, 1343-1354. | 3.6 | 268 |
| 4 | A fully noninvasive and robust experimental protocol for longitudinal fMRI studies in the rat. NeuroImage, 2006, 29, 1303-1310. | 4.2 | 200 |
| 5 | MiRNA-124 induces neuroprotection and functional improvement after focal cerebral ischemia. Biomaterials, 2016, 91, 151-165. | 11.4 | 157 |
| 6 | Labeling cells for <i>in vivo</i> tracking using 19F MRI. Biomaterials, 2012, 33, 8830-8840. | 11.4 | 126 |
| 7 | Morphological maturation of the mouse brain: An <i>in vivo</i> MRI and histology investigation. NeuroImage, 2016, 125, 144-152. | 4.2 | 120 |
| 8 | Brain maturation of the adolescent rat cortex and striatum: Changes in volume and myelination. NeuroImage, 2014, 84, 35-44. | 4.2 | 113 |
| 9 | Early Prediction of Functional Recovery after Experimental Stroke: Functional Magnetic Resonance Imaging, Electrophysiology, and Behavioral Testing in Rats. Journal of Neuroscience, 2008, 28, 1022-1029. | 3.6 | 108 |
| 10 | In Vivo Tracking of Human Neural Stem Cells with 19F Magnetic Resonance Imaging. PLoS ONE, 2011, 6, e29040. | 2.5 | 107 |
| 11 | Functional connectivity in the rat at 11.7 T: Impact of physiological noise in resting state fMRI. NeuroImage, 2011, 54, 2828-2839. | 4.2 | 103 |
| 12 | Noninvasive Imaging of Endogenous Neural Stem Cell Mobilization <i>In Vivo</i> Using Positron Emission Tomography. Journal of Neuroscience, 2010, 30, 6454-6460. | 3.6 | 97 |
| 13 | High field BOLD response to forepaw stimulation in the mouse. NeuroImage, 2010, 51, 704-712. | 4.2 | 89 |
| 14 | Differences in Clot Preparation Determine Outcome of Recombinant Tissue Plasminogen Activator Treatment in Experimental Thromboembolic Stroke. Stroke, 2003, 34, 2019-2024. | 2.0 | 81 |
| 15 | Cell tracking using magnetic resonance imaging. Journal of Physiology, 2007, 584, 25-30. | 2.9 | 80 |
| 16 | Dynamic Modulation of Microglia/Macrophage Polarization by miR-124 after Focal Cerebral Ischemia. Journal of Neuroimmune Pharmacology, 2016, 11, 733-748. | 4.1 | 79 |
| 17 | Reliability and spatial specificity of rat brain sensorimotor functional connectivity networks are superior under sedation compared with general anesthesia. NMR in Biomedicine, 2013, 26, 638-650. | 2.8 | 74 |
| 18 | Secondary Deterioration of Apparent Diffusion Coefficient After 1-Hour Transient Focal Cerebral Ischemia in Rats. Journal of Cerebral Blood Flow and Metabolism, 2000, 20, 1474-1482. | 4.3 | 71 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Functional Uncoupling of Hemodynamic from Neuronal Response by Inhibition of Neuronal Nitric Oxide Synthase. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 741-754. | 4.3 | 71 |
| 20 | Temporal profile of T2-Weighted MRI Distinguishes between Pannecrosis and Selective Neuronal Death after Transient Focal Cerebral Ischemia in the Rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006, 26, 38-47. | 4.3 | 70 |
| 21 | Stem Cell Mediation of Functional Recovery after Stroke in the Rat. <i>PLoS ONE</i> , 2010, 5, e12779. | 2.5 | 69 |
| 22 | Present Status of Magnetic Resonance Imaging and Spectroscopy in Animal Stroke Models. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006, 26, 591-604. | 4.3 | 68 |
| 23 | Differential Effects of NMDA and AMPA Glutamate Receptors on Functional Magnetic Resonance Imaging Signals and Evoked Neuronal Activity during Forepaw Stimulation of the Rat. <i>Journal of Neuroscience</i> , 2006, 26, 8409-8416. | 3.6 | 66 |
| 24 | MRI Detection of Secondary Damage After Stroke. <i>Stroke</i> , 2008, 39, 1541-1547. | 2.0 | 65 |
| 25 | Relation of Apparent Diffusion Coefficient Changes and Metabolic Disturbances after 1 Hour of Focal Cerebral Ischemia and at Different Reperfusion Phases in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001, 21, 430-439. | 4.3 | 64 |
| 26 | Boosting Bioluminescence Neuroimaging: An Optimized Protocol for Brain Studies. <i>PLoS ONE</i> , 2013, 8, e55662. | 2.5 | 62 |
| 27 | Diffusion- and perfusion-weighted MR imaging of transient focal cerebral ischaemia in mice. <i>NMR in Biomedicine</i> , 1999, 12, 525-534. | 2.8 | 60 |
| 28 | Evaluating reporter genes of different luciferases for optimized <i>in vivo</i> bioluminescence imaging of transplanted neural stem cells in the brain. <i>Contrast Media and Molecular Imaging</i> , 2013, 8, 505-513. | 0.8 | 60 |
| 29 | Targeted intracerebral delivery of the anti-inflammatory cytokine IL13 promotes alternative activation of both microglia and macrophages after stroke. <i>Journal of Neuroinflammation</i> , 2018, 15, 174. | 7.2 | 57 |
| 30 | In Vivo Optical Imaging of Neurogenesis: Watching New Neurons in the Intact Brain. <i>Molecular Imaging</i> , 2008, 7, 7290.2008.0004. | 1.4 | 56 |
| 31 | Imaging microglial activation and glucose consumption in a mouse model of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2013, 34, 351-354. | 3.1 | 52 |
| 32 | Glucose consumption of inflammatory cells masks metabolic deficits in the brain. <i>NeuroImage</i> , 2016, 128, 54-62. | 4.2 | 52 |
| 33 | Diffusion-Weighted Imaging in Acute Stroke – A Tool of Uncertain Value?. <i>Cerebrovascular Diseases</i> , 2002, 14, 187-196. | 1.7 | 48 |
| 34 | A multi-modality platform to image stem cell graft survival in the naïve and stroke-damaged mouse brain. <i>Biomaterials</i> , 2014, 35, 2218-2226. | 11.4 | 47 |
| 35 | Whole-brain 3D mapping of human neural transplant innervation. <i>Nature Communications</i> , 2017, 8, 14162. | 12.8 | 46 |
| 36 | Human neural stem cell intracerebral grafts show spontaneous early neuronal differentiation after several weeks. <i>Biomaterials</i> , 2015, 44, 143-154. | 11.4 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Stem cell labeling for magnetic resonance imaging. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2008, 17, 132-142. | 1.2 | 44 |
| 38 | Dual-frequency Calcium-responsive MRI Agents. <i>Chemistry - A European Journal</i> , 2014, 20, 7351-7362. | 3.3 | 44 |
| 39 | A Critical Re-Examination of the Intraluminal Filament MCAO Model: Impact of External Carotid Artery Transection. <i>Translational Stroke Research</i> , 2011, 2, 651-661. | 4.2 | 43 |
| 40 | Multicolor Fluorescence Imaging of Traumatic Brain Injury in a Cryolesion Mouse Model. <i>ACS Chemical Neuroscience</i> , 2012, 3, 530-537. | 3.5 | 43 |
| 41 | In-vivo detection of inflammation and neurodegeneration in the chronic phase after permanent embolic stroke in rats. <i>Brain Research</i> , 2014, 1581, 80-88. | 2.2 | 43 |
| 42 | Synthetic and biogenic magnetite nanoparticles for tracking of stem cells and dendritic cells. <i>Journal of Magnetism and Magnetic Materials</i> , 2009, 321, 1533-1538. | 2.3 | 41 |
| 43 | Sensorimotor Functional and Structural Networks after Intracerebral Stem Cell Grafts in the Ischemic Mouse Brain. <i>Journal of Neuroscience</i> , 2018, 38, 1648-1661. | 3.6 | 41 |
| 44 | Specific creatine rise in learned helplessness induced by electroconvulsive shock treatment. <i>NeuroReport</i> , 2003, 14, 2199-2201. | 1.2 | 39 |
| 45 | Processing Pipeline for Atlas-Based Imaging Data Analysis of Structural and Functional Mouse Brain MRI (AIDAmri). <i>Frontiers in Neuroinformatics</i> , 2019, 13, 42. | 2.5 | 39 |
| 46 | Time course of circulatory and metabolic recovery of cat brain after cardiac arrest assessed by perfusion- and diffusion-weighted imaging and MR-spectroscopy. <i>Resuscitation</i> , 2003, 58, 337-348. | 3.0 | 38 |
| 47 | Spatio-temporal dynamics, differentiation and viability of human neural stem cells after implantation into neonatal rat brain. <i>European Journal of Neuroscience</i> , 2011, 34, 382-393. | 2.6 | 38 |
| 48 | Analysis of the Growth Dynamics of Angiogenesis-Dependent and -Independent Experimental Glioblastomas by Multimodal Small-Animal PET and MRI. <i>Journal of Nuclear Medicine</i> , 2012, 53, 1135-1145. | 5.0 | 38 |
| 49 | Transcranial direct current stimulation promotes the mobility of engrafted NSCs in the rat brain. <i>NMR in Biomedicine</i> , 2015, 28, 231-239. | 2.8 | 37 |
| 50 | Individual in vivo Profiles of Microglia Polarization After Stroke, Represented by the Genes iNOS and Ym1. <i>Frontiers in Immunology</i> , 2019, 10, 1236. | 4.8 | 37 |
| 51 | Investigation of insect morphology by MRI: assessment of spatial and temporal resolution. <i>Magnetic Resonance Imaging</i> , 2002, 20, 105-111. | 1.8 | 36 |
| 52 | Neurogenesis upregulation on the healthy hemisphere after stroke enhances compensation for age-dependent decrease of basal neurogenesis. <i>Neurobiology of Disease</i> , 2017, 99, 47-57. | 4.4 | 36 |
| 53 | Nitrogen-14 and proton ENDOR of nitrosylhemoglobin. <i>Journal of the American Chemical Society</i> , 1983, 105, 109-115. | 13.7 | 35 |
| 54 | Thrombolytic Treatment of Clot Embolism in Rat. <i>Stroke</i> , 2002, 33, 2999-3005. | 2.0 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Magnetic Resonance Angiography of Thromboembolic Stroke in Rats: Indicator of Recanalization Probability and Tissue Survival after Recombinant Tissue Plasminogen Activator Treatment. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002, 22, 652-662. | 4.3 | 35 |
| 56 | Improved Stem Cell MR Detectability in Animal Models by Modification of the Inhalation Gas. <i>Molecular Imaging</i> , 2005, 4, 153535002005041. | 1.4 | 35 |
| 57 | Polyelectrolyte coating of iron oxide nanoparticles for MRI-based cell tracking. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2012, 8, 682-691. | 3.3 | 35 |
| 58 | Quantitative in vivo dual-color bioluminescence imaging in the mouse brain. <i>Neurophotonics</i> , 2019, 6, 1. | 3.3 | 34 |
| 59 | Magnetic resonance prediction of outcome after thrombolytic treatment. <i>Magnetic Resonance Imaging</i> , 2001, 19, 143-152. | 1.8 | 32 |
| 60 | Potential of Early [¹⁸ F]-2-Fluoro-2-Deoxy-D-Glucose Positron Emission Tomography for Identifying Hypoperfusion and Predicting Fate of Tissue in a Rat Embolic Stroke Model. <i>Stroke</i> , 2012, 43, 193-198. | 2.0 | 32 |
| 61 | Probability of Metabolic Tissue Recovery after Thrombolytic Treatment of Experimental Stroke: A Magnetic Resonance Spectroscopic Imaging Study in Rat Brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000, 20, 583-591. | 4.3 | 30 |
| 62 | In vivo bioluminescence imaging of vascular remodeling after stroke. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 274. | 3.7 | 29 |
| 63 | Poststroke Angiogenesis, Con. <i>Stroke</i> , 2015, 46, e103-4. | 2.0 | 29 |
| 64 | In-Vivo Visualization of Tumor Microvessel Density and Response to Anti-Angiogenic Treatment by High Resolution MRI in Mice. <i>PLoS ONE</i> , 2011, 6, e19592. | 2.5 | 29 |
| 65 | Functional networks are impaired by elevated tau-protein but reversible in a regulatable Alzheimer's disease mouse model. <i>Molecular Neurodegeneration</i> , 2019, 14, 13. | 10.8 | 28 |
| 66 | Necrosis avid near infrared fluorescent cyanines for imaging cell death and their use to monitor therapeutic efficacy in mouse tumor models. <i>Oncotarget</i> , 2015, 6, 39036-39049. | 1.8 | 28 |
| 67 | Choline rise in the rat hippocampus induced by electroconvulsive shock treatment. <i>Biological Psychiatry</i> , 2003, 53, 620-623. | 1.3 | 27 |
| 68 | Bioluminescence imaging of stroke-induced endogenous neural stem cell response. <i>Neurobiology of Disease</i> , 2014, 69, 144-155. | 4.4 | 27 |
| 69 | Automated Ischemic Lesion Segmentation in MRI Mouse Brain Data after Transient Middle Cerebral Artery Occlusion. <i>Frontiers in Neuroinformatics</i> , 2017, 11, 3. | 2.5 | 27 |
| 70 | Targeted nanoparticles for the non-invasive detection of traumatic brain injury by optical imaging and fluorine magnetic resonance imaging. <i>Nano Research</i> , 2016, 9, 1276-1289. | 10.4 | 26 |
| 71 | Reproducible imaging of rat corticothalamic pathway by longitudinal manganese-enhanced MRI (L-MEMRI). <i>NeuroImage</i> , 2008, 41, 668-674. | 4.2 | 25 |
| 72 | No Increase of the Blood Oxygenation Level-Dependent Functional Magnetic Resonance Imaging Signal with Higher Field Strength: Implications for Brain Activation Studies. <i>Journal of Neuroscience</i> , 2010, 30, 5234-5241. | 3.6 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Characterization of a Novel Chronic Photothrombotic Ring Stroke Model in Rats by Magnetic Resonance Imaging, Biochemical Imaging, and Histology. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004, 24, 789-797. | 4.3 | 24 |
| 74 | Switching on the Lights for Gene Therapy. <i>PLoS ONE</i> , 2007, 2, e528. | 2.5 | 24 |
| 75 | Challenges towards MR imaging of the peripheral inflammatory response in the subacute and chronic stages of transient focal ischemia. <i>NMR in Biomedicine</i> , 2011, 24, 35-45. | 2.8 | 24 |
| 76 | In Vivo Fate Imaging of Intracerebral Stem Cell Grafts in Mouse Brain. <i>PLoS ONE</i> , 2015, 10, e0144262. | 2.5 | 24 |
| 77 | CO ₂ Reactivity Measured by Perfusion MRI During Transient Focal Cerebral Ischemia in Rats. <i>Stroke</i> , 2000, 31, 2236-2244. | 2.0 | 23 |
| 78 | Freezing versus heat stabilization for the visualization of metabolites by mass spectrometry imaging in a mouse stroke model. <i>Proteomics</i> , 2016, 16, 1652-1659. | 2.2 | 22 |
| 79 | Lesion Size- and Location-Dependent Recruitment of Contralesional Thalamus and Motor Cortex Facilitates Recovery after Stroke in Mice. <i>Translational Stroke Research</i> , 2021, 12, 87-97. | 4.2 | 22 |
| 80 | Vascular changes after stroke in the rat: a longitudinal study using optimized magnetic resonance imaging. <i>Contrast Media and Molecular Imaging</i> , 2013, 8, 383-392. | 0.8 | 21 |
| 81 | Bioluminescent Imaging of Genetically Selected Induced Pluripotent Stem Cell-Derived Cardiomyocytes after Transplantation into Infarcted Heart of Syngeneic Recipients. <i>PLoS ONE</i> , 2014, 9, e107363. | 2.5 | 21 |
| 82 | Initial graft size and not the innate immune response limit survival of engrafted neural stem cells. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018, 12, 784-793. | 2.7 | 19 |
| 83 | Ageing Reduces the Functional Brain Networks Strength—a Resting State fMRI Study of Healthy Mouse Brain. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 277. | 3.4 | 19 |
| 84 | Murine iPSC-derived microglia and macrophage cell culture models recapitulate distinct phenotypical and functional properties of classical and alternative neuro-immune polarisation. <i>Brain, Behavior, and Immunity</i> , 2019, 82, 406-421. | 4.1 | 19 |
| 85 | Multimodal MR imaging of acute and subacute experimental traumatic brain injury: Time course and correlation with cerebral energy metabolites. <i>Acta Radiologica Short Reports</i> , 2015, 4, 204798161455514. | 0.7 | 18 |
| 86 | Bioluminescence imaging visualizes osteopontin-induced neurogenesis and neuroblast migration in the mouse brain after stroke. <i>Stem Cell Research and Therapy</i> , 2018, 9, 182. | 5.5 | 18 |
| 87 | Translating Functional Connectivity After Stroke: Functional Magnetic Resonance Imaging Detects Comparable Network Changes in Mice and Humans. <i>Stroke</i> , 2021, 52, 2948-2960. | 2.0 | 18 |
| 88 | Reactive astrocytes prevent maladaptive plasticity after ischemic stroke. <i>Progress in Neurobiology</i> , 2022, 209, 102199. | 5.7 | 18 |
| 89 | Functional Magnetic Resonance Imaging and Somatosensory Evoked Potentials in Rats with a Neonatally Induced Freeze Lesion of the Somatosensory Cortex. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004, 24, 1409-1418. | 4.3 | 17 |
| 90 | In vivo imaging of inhibitory, GABAergic neurons by MRI. <i>NeuroImage</i> , 2012, 62, 1685-1693. | 4.2 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Connectivity of thalamo-cortical pathway in rat brain: combined diffusion spectrum imaging and functional MRI at 11.7%T. <i>NMR in Biomedicine</i> , 2012, 25, 943-952. | 2.8 | 17 |
| 92 | The Neural Cell Adhesion Molecule-Derived (NCAM)-Peptide FG Loop (FGL) Mobilizes Endogenous Neural Stem Cells and Promotes Endogenous Regenerative Capacity after Stroke. <i>Journal of NeuroImmune Pharmacology</i> , 2016, 11, 708-720. | 4.1 | 17 |
| 93 | D-mannose-Coating of Maghemite Nanoparticles Improved Labeling of Neural Stem Cells and Allowed Their Visualization by <i>ex vivo</i> MRI after Transplantation in the Mouse Brain. <i>Cell Transplantation</i> , 2019, 28, 553-567. | 2.5 | 17 |
| 94 | The in vivo timeline of differentiation of engrafted human neural progenitor cells. <i>Stem Cell Research</i> , 2019, 37, 101429. | 0.7 | 17 |
| 95 | Improved stem cell MR detectability in animal models by modification of the inhalation gas. <i>Molecular Imaging</i> , 2005, 4, 104-9. | 1.4 | 16 |
| 96 | In vivo Cell Tracking Using Non-invasive Imaging of Iron Oxide-Based Particles with Particular Relevance for Stem Cell-Based Treatments of Neurological and Cardiac Disease. <i>Molecular Imaging and Biology</i> , 2020, 22, 1469-1488. | 2.6 | 14 |
| 97 | Cortical tissue loss and major structural reorganization as result of distal middle cerebral artery occlusion in the chronic phase of nude mice. <i>Scientific Reports</i> , 2019, 9, 6823. | 3.3 | 13 |
| 98 | Human Neural Stem Cell Induced Functional Network Stabilization After Cortical Stroke: A Longitudinal Resting-State fMRI Study in Mice. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 86. | 3.7 | 12 |
| 99 | The gut microbiota modulates brain network connectivity under physiological conditions and after acute brain ischemia. <i>IScience</i> , 2021, 24, 103095. | 4.1 | 12 |
| 100 | MRI Stem Cell Tracking for Therapy in Experimental Cerebral Ischemia. <i>Translational Stroke Research</i> , 2012, 3, 22-35. | 4.2 | 10 |
| 101 | Correlation between MR-spectroscopic rat hippocampal choline levels and phospholipase A2. <i>World Journal of Biological Psychiatry</i> , 2006, 7, 246-250. | 2.6 | 9 |
| 102 | MRI Mouse Brain Data of Ischemic Lesion after Transient Middle Cerebral Artery Occlusion. <i>Frontiers in Neuroinformatics</i> , 2017, 11, 51. | 2.5 | 9 |
| 103 | Persistent Quantitative Vitality of Stem Cell Graft Is Necessary for Stabilization of Functional Brain Networks After Stroke. <i>Frontiers in Neurology</i> , 2019, 10, 335. | 2.4 | 9 |
| 104 | In vivo imaging of cell transplants in experimental ischemia. <i>Progress in Brain Research</i> , 2012, 201, 55-78. | 1.4 | 7 |
| 105 | Imaging Reporter Strategy to Monitor Gene Activation of Microglia Polarisation States under Stimulation. <i>Journal of NeuroImmune Pharmacology</i> , 2018, 13, 371-382. | 4.1 | 7 |
| 106 | In Vivo Non-Invasive Tracking of Macrophage Recruitment to Experimental Stroke. <i>PLoS ONE</i> , 2016, 11, e0156626. | 2.5 | 7 |
| 107 | The effect of transient hypercapnia on task-related changes in cerebral blood flow and blood oxygenation in awake normal humans: a functional magnetic resonance imaging study. <i>NMR in Biomedicine</i> , 2000, 13, 415-419. | 2.8 | 5 |
| 108 | Increased Mortality and Vascular Phenotype in a Knock-In Mouse Model of Retinal Vasculopathy With Cerebral Leukoencephalopathy and Systemic Manifestations. <i>Stroke</i> , 2020, 51, 300-307. | 2.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Perspectives of In Vivo Bioluminescence Imaging: Application to Basic and Translational Neuroscience. <i>Current Pharmaceutical Design</i> , 2017, 23, 1963-1973. | 1.9 | 5 |
| 110 | Monitoring Neuronal Network Disturbances of Brain Diseases: A Preclinical MRI Approach in the Rodent Brain. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 815552. | 3.7 | 4 |
| 111 | How do we assess regenerative success after stem cell implantation? An experimental approach. <i>Regenerative Medicine</i> , 2011, 6, 417-419. | 1.7 | 3 |
| 112 | In vivo bioluminescence imaging to elucidate stem cell graft differentiation. <i>Neural Regeneration Research</i> , 2020, 15, 61. | 3.0 | 3 |
| 113 | Neurobiological insights from bioluminescence imaging. <i>Oncotarget</i> , 2017, 8, 69198-69199. | 1.8 | 1 |