Gunilla Um Lindström

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4769781/publications.pdf

Version: 2024-02-01

64 papers 4,756 citations

94433 37 h-index 62 g-index

64 all docs

64 docs citations

64 times ranked 3851 citing authors

#	Article	IF	Citations
1	Identification of vulnerable plaques and patients by intracoronary near-infrared spectroscopy and ultrasound (PROSPECT II): a prospective natural history study. Lancet, The, 2021, 397, 985-995.	13.7	208
2	Perfluoroalkyl substances (PFAS) including structural PFOS isomers in plasma from elderly men and women from Sweden: Results from the Prospective Investigation of the Vasculature in Uppsala Seniors (PIVUS). Environment International, 2015, 82, 21-27.	10.0	32
3	A rapid method for the determination of perfluoroalkyl substances including structural isomers of perfluorooctane sulfonic acid in human serum using 96-well plates and column-switching ultra-high performance liquid chromatography tandem mass spectrometry. Journal of Chromatography A, 2013, 1305. 164-170.	3.7	55
4	Professional ski waxers' exposure to PFAS and aerosol concentrations in gas phase and different particle size fractions. Environmental Sciences: Processes and Impacts, 2013, 15, 814.	3.5	28
5	Biotransformation of fluorotelomer compound to perfluorocarboxylates in humans. Environment International, 2013, 51, 8-12.	10.0	77
6	Trends, analytical methods and precision in the determination of perfluoroalkyl acids in human milk. TrAC - Trends in Analytical Chemistry, 2013, 46, 118-128.	11.4	21
7	Results for PCDD/PCDF and dl-PCBs in the First Round of UNEPs Biennial Global Interlaboratory Assessment on Persistent Organic Pollutants. TrAC - Trends in Analytical Chemistry, 2013, 46, 98-109.	11.4	18
8	Trends in the analysis of persistent organic pollutants (POPs) in human blood. TrAC - Trends in Analytical Chemistry, 2013, 46, 129-138.	11.4	21
9	Per- and polyfluorinated compounds (PFCs) in house dust and indoor air in Catalonia, Spain: Implications for human exposure. Environment International, 2012, 39, 172-180.	10.0	111
10	Circulating levels of Persistent Organic Pollutants (POPs) among elderly men and women from Sweden: Results from the Prospective Investigation of the Vasculature in Uppsala Seniors (PIVUS). Environment International, 2012, 44, 59-67.	10.0	45
11	A rapid method for screening of the Stockholm Convention POPs in small amounts of human plasma using SPE and HRGC/HRMS. Chemosphere, 2012, 86, 747-753.	8.2	60
12	Biomonitoring perfluorinated compounds in Catalonia, Spain: concentrations and trends in human liver and milk samples. Environmental Science and Pollution Research, 2010, 17, 750-758.	5. 3	137
13	Levels in food and beverages and daily intake of perfluorinated compounds in Norway. Chemosphere, 2010, 80, 1137-1143.	8.2	168
14	Inhalation Exposure to Fluorotelomer Alcohols Yield Perfluorocarboxylates in Human Blood?. Environmental Science & Technology, 2010, 44, 7717-7722.	10.0	60
15	Analysis of POPs in human samples reveal a contribution of brominated dioxin of up to 15% of the total dioxin TEQ. Chemosphere, 2010, 78, 113-120.	8.2	59
16	A Time Trend Study of Significantly Elevated Perfluorocarboxylate Levels in Humans after Using Fluorinated Ski Wax. Environmental Science & Environmen	10.0	110
17	Accuracy and precision in the determination of perfluorinated chemicals in human blood verified by interlaboratory comparisons. Journal of Chromatography A, 2009, 1216, 394-400.	3.7	41
18	Levels of Perfluorinated Chemicals in Municipal Drinking Water from Catalonia, Spain: Public Health Implications. Archives of Environmental Contamination and Toxicology, 2009, 57, 631-638.	4.1	93

#	Article	IF	CITATIONS
19	Concentrations of organohalogen compounds and titres of antibodies to Epstein-Barr virus antigens and the risk for non-Hodgkin lymphoma. Oncology Reports, 2009, 21, 1567-76.	2.6	35
20	Levels of perfluorochemicals in water samples from Catalonia, Spain: is drinking water a significant contribution to human exposure?. Environmental Science and Pollution Research, 2008, 15, 614-619.	5. 3	131
21	United Nations Environment Programme Capacity Building Pilot Projectâ€"Training and interlaboratory study on persistent organic pollutant analysis under the Stockholm Convention. Analytica Chimica Acta, 2008, 617, 208-215.	5.4	16
22	Human Exposure to Perfluorinated Chemicals through the Diet: Intake of Perfluorinated Compounds in Foods from the Catalan (Spain) Market. Journal of Agricultural and Food Chemistry, 2008, 56, 1787-1794.	5.2	242
23	Increased Concentrations of Certain Persistent Organic Pollutants in Subjects with Self-Reported Electromagnetic Hypersensitivity—A Pilot Study. Electromagnetic Biology and Medicine, 2008, 27, 197-203.	1.4	7
24	Perfluorinated chemicals in blood of residents in Catalonia (Spain) in relation to age and gender: A pilot study. Environment International, 2007, 33, 616-623.	10.0	135
25	Identification and pattern of perfluorooctane sulfonate (PFOS) isomers in human serum and plasma. Environment International, 2007, 33, 782-788.	10.0	102
26	Decreased survival in pancreatic cancer patients with high concentrations of organochlorines in adipose tissue. Biomedicine and Pharmacotherapy, 2007, 61, 659-664.	5.6	26
27	Exposure of Perfluorinated Chemicals through Lactation: Levels of Matched Human Milk and Serum and a Temporal Trend, 1996–2004, in Sweden. Environmental Health Perspectives, 2007, 115, 226-230.	6.0	401
28	Levels of 12 Perfluorinated Chemicals in Pooled Australian Serum, Collected 2002â^'2003, in Relation to Age, Gender, and Region. Environmental Science & Environmental Science & 2006, 40, 3742-3748.	10.0	152
29	Struggle for Quality in Determination of Perfluorinated Contaminants in Environmental and Human Samples. Environmental Science & Environmental Environ	10.0	123
30	Improved adherence to Swedish national guidelines for acute myocardial infarction: The Quality Improvement in Coronary Care (QUICC) study. American Heart Journal, 2006, 152, 1175-1181.	2.7	60
31	Perfluorinated chemicals in relation to other persistent organic pollutants in human blood. Chemosphere, 2006, 64, 1582-1591.	8.2	144
32	Chemical and toxicological characterisation of PBDFs from photolytic decomposition of decaBDE in toluene. Environment International, 2006, 32, 851-857.	10.0	41
33	Adipose Tissue Concentrations of Persistent Organic Pollutants and the Risk of Prostate Cancer. Journal of Occupational and Environmental Medicine, 2006, 48, 700-707.	1.7	73
34	In utero exposure to persistent organic pollutants in relation to testicular cancer risk. Journal of Developmental and Physical Disabilities, 2006, 29, 228-234.	3.6	133
35	Determination of 2,4,6-trichloroanisole and 2,4,6-tribromoanisole on $ngLa^2$ to $pgLa^2$ levels in wine by solid-phase microextraction and gas chromatography-high-resolution mass spectrometry. Journal of Chromatography A, 2006, 1111, 71-75.	3.7	38
36	High Concentrations of Organochlorines in a Patient with Kidney Cancer and Anorexia-cachexia Syndrome. Medicinal Chemistry, 2006, 2, 607-610.	1.5	6

#	Article	IF	CITATIONS
37	Solid-Phase Extraction of Polybrominated Diphenyl Ethers in Human Plasma? Comparison with an Open Column Extraction Method. Chromatographia, 2005, 61, 67-73.	1.3	15
38	Development of a Solid-Phase Extraction-HPLC/Single Quadrupole MS Method for Quantification of Perfluorochemicals in Whole Blood. Analytical Chemistry, 2005, 77, 864-870.	6.5	91
39	Concentrations of polychlorinated biphenyls in blood and the risk for testicular cancer. Journal of Developmental and Physical Disabilities, 2004, 27, 282-290.	3.6	68
40	Adipose tissue concentrations of p,p′-DDE and the risk for endometrial cancer. Gynecologic Oncology, 2004, 95, 706-711.	1.4	35
41	Congener-Specific Accumulation and Food Chain Transfer of Polybrominated Diphenyl Ethers in Two Arctic Food Chains. Environmental Science & Eamp; Technology, 2004, 38, 1667-1674.	10.0	153
42	Peer Reviewed: Analytical Challenges Hamper Perfluoroalkyl Research. Environmental Science & Emp; Technology, 2004, 38, 248A-255A.	10.0	201
43	PCDD/F and non-ortho PCB concentrations in adipose tissue of individuals living in the vicinity of a hazardous waste incinerator. Chemosphere, 2004, 57, 357-364.	8.2	35
44	Increased concentrations of polychlorinated biphenyls, hexachlorobenzene, and chlordanes in mothers of men with testicular cancer Environmental Health Perspectives, 2003, 111, 930-934.	6.0	185
45	Is DDT Exposure during Fetal Period and Breast-Feeding Associated with Neurological Impairment?. Environmental Research, 2002, 88, 141-144.	7. 5	26
46	Comparing electron ionization high-resolution and electron capture low-resolution mass spectrometric determination of polybrominated diphenyl ethers in plasma, serum and milk. Chemosphere, 2002, 46, 641-648.	8.2	49
47	Adipose Tissue Concentrations of Dioxins and Dibenzofurans, Titers of Antibodies to Epstein–Barr Virus Early Antigen and the Risk for Non-Hodgkin Lymphoma. Environmental Research, 2001, 87, 99-107.	7.5	29
48	Case-Control Study on Concentrations of Organohalogen Compounds and Titers of Antibodies to Epstein-Barr Virus Antigens in the Etiology of Non-Hodgkin Lymphoma. Leukemia and Lymphoma, 2001, 42, 619-629.	1.3	81
49	Multivariate data evaluation of PCB and dioxin profiles in the general population in Sweden and Spain. Chemosphere, 2000, 40, 1083-1088.	8.2	44
50	Concentrations of Organochlorines Related to Titers to Epstein-Barr Virus Early Antigen IgG as Risk Factors for Hairy Cell Leukemia. Environmental Health Perspectives, 2000, 108, 441-445.	6.0	27
51	Development of a Solid Phase Carbon Trap for Simultaneous Determination of PCDDs, PCDFs, PCBs, and Pesticides in Environmental Samples Using SFE-LC. Analytical Chemistry, 1996, 68, 1279-1283.	6.5	63
52	Multivariate structureâ€activity relationships for farmacokinetic uptake/elimination curves of polychlorinated dibenzofurans in adipose tissue for four animal species. Toxicological and Environmental Chemistry, 1995, 52, 45-56.	1.2	0
53	Interlaboratory comparison study on PCDDs and PCDFs in cow's milk. Fresenius' Journal of Analytical Chemistry, 1993, 345, 72-77.	1.5	11
54	Multivariate data analysis applied in a toxicokinetic study on polychlorinated dibenzofurans in liver and fat tissue of test animals. Chemometrics and Intelligent Laboratory Systems, 1992, 14, 235-243.	3.5	2

#	Article	lF	CITATIONS
55	Analytical procedure operating on 0.1-1 ppt level applied in toxicological studies on PCDFs/PCDDs. Chemosphere, 1990, 20, 851-856.	8.2	20
56	Levels of PCDDs and PCDFs in milk cartons and in commercial milk. Chemosphere, 1990, 20, 1649-1656.	8.2	10
57	Multivariate data analysis applied in studying the distribution of PCDDs and PCDFs in human milk. Chemosphere, 1989, 19, 745-750.	8.2	2
58	Analytical method for analysis of polychlorinated dibenzo-p-dioxins and dibenzofurans in milk. Chemosphere, 1988, 17, 921-935.	8.2	28
59	SOURCES AND RELATIVE IMPORTANCE OF PCDD AND PCDF EMISSIONS. , 1988, , 147-159.		O
60	Sources and Relative Importance of PCDD and PCDF Emissions. Waste Management and Research, 1987, 5, 225-237.	3.9	25
61	Overview on environmental fate of chlorinated dioxins and dibenzofurans. Sources, levels and isomeric pattern in various matrices. Chemosphere, 1987, 16, 1603-1618.	8.2	193
62	Polychlorinated Dibenzofurans and Dibenzo-p -dioxins and other Chlorinated Contaminants in Cow Milk from Various Locations in Switzerland. Environmental Science & Environmental Science, 1987, 21, 964-970.	10.0	74
63	Dioxins and dibenzofurans in biological samples of European origin. Chemosphere, 1986, 15, 1635-1639.	8.2	79
64	Quality assurance of multivariate analytical measurements by principal components analysis. Chemosphere, 1985, 14, 1695-1701.	8.2	1