

Francesco Lozupone

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4770083/publications.pdf>

Version: 2024-02-01

34
papers

4,307
citations

218677

26
h-index

395702

33
g-index

34
all docs

34
docs citations

34
times ranked

6575
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of exosomes in colorectal cancer disease progression and response to therapy. Cytokine and Growth Factor Reviews, 2020, 51, 84-91.	7.2	19
2	TM9SF4 expression in tumor tissues: a novel diagnostic biomarker for gastrointestinal tumors. Translational Cancer Research, 2020, 9, 6652-6659.	1.0	3
3	TM9SF4 is a novel V-ATPase-interacting protein that modulates tumor pH alterations associated with drug resistance and invasiveness of colon cancer cells. Oncogene, 2015, 34, 5163-5174.	5.9	69
4	Cancer Cell Cannibalism: A Primeval Option to Survive.. Current Molecular Medicine, 2015, 15, 836-841.	1.3	29
5	Insulin-Like-Growth-Factor-Binding-Protein-3 (IGFBP-3) Contrasts Melanoma Progression In Vitro and In Vivo. PLoS ONE, 2014, 9, e98641.	2.5	17
6	Dormant Mycobacterium tuberculosis Fails To Block Phagosome Maturation and Shows Unexpected Capacity To Stimulate Specific Human T Lymphocytes. Journal of Immunology, 2013, 191, 274-282.	0.8	28
7	pH-dependent glycoprotein binds to ezrin at amino acid residues 149-242 in the FERM domain and plays a key role in the multidrug resistance of human osteosarcoma. International Journal of Cancer, 2012, 130, 2824-2834.	5.1	56
8	pH-dependent antitumor activity of proton pump inhibitors against human melanoma is mediated by inhibition of tumor acidity. International Journal of Cancer, 2010, 127, 207-219.	5.1	237
9	Proton pump inhibition induces autophagy as a survival mechanism following oxidative stress in human melanoma cells. Cell Death and Disease, 2010, 1, e87-e87.	6.3	155
10	High Levels of Exosomes Expressing CD63 and Caveolin-1 in Plasma of Melanoma Patients. PLoS ONE, 2009, 4, e5219.	2.5	806
11	Pleiotropic function of ezrin in human metastatic melanomas. International Journal of Cancer, 2009, 124, 2804-2812.	5.1	41
12	The human homologue of Dictyostelium discoideum phg1A is expressed by human metastatic melanoma cells. EMBO Reports, 2009, 10, 1348-1354.	4.5	57
13	Small interfering RNA targeting the subunit ATP6L of proton pump V-ATPase overcomes chemoresistance of breast cancer cells. Cancer Letters, 2009, 280, 110-119.	7.2	82
14	Proton Pump Inhibitors Induce Apoptosis of Human B-Cell Tumors through a Caspase-Independent Mechanism Involving Reactive Oxygen Species. Cancer Research, 2007, 67, 5408-5417.	0.9	280
15	Mutually exclusive NRASQ61R and BRAFV600E mutations at the single-cell level in the same human melanoma. Oncogene, 2006, 25, 3357-3364.	5.9	157
16	Cannibalism of Live Lymphocytes by Human Metastatic but Not Primary Melanoma Cells. Cancer Research, 2006, 66, 3629-3638.	0.9	242
17	The role of FAS to ezrin association in FAS-mediated apoptosis. Apoptosis: an International Journal on Programmed Cell Death, 2005, 10, 941-947.	4.9	41
18	Escape strategies and reasons for failure in the interaction between tumour cells and the immune system: how can we tilt the balance towards immune-mediated cancer control?. Expert Opinion on Biological Therapy, 2005, 5, 463-476.	3.1	63

#	ARTICLE	IF	CITATIONS
19	Effect of Proton Pump Inhibitor Pretreatment on Resistance of Solid Tumors to Cytotoxic Drugs. Journal of the National Cancer Institute, 2004, 96, 1702-1713.	6.3	395
20	Identification and Relevance of the CD95-binding Domain in the N-terminal Region of Ezrin. Journal of Biological Chemistry, 2004, 279, 9199-9207.	3.4	53
21	Effect Of Human Natural Killer and γ T Cells on the Growth of Human Autologous Melanoma Xenografts in SCID Mice. Cancer Research, 2004, 64, 378-385.	0.9	90
22	CD95/phosphorylated ezrin association underlies HIV-1 GP120/IL-2-induced susceptibility to CD95(APO-1/Fas)-mediated apoptosis of human resting CD4+T lymphocytes. Cell Death and Differentiation, 2004, 11, 574-582.	11.2	32
23	Adoptive transfer of an anti-MART-12735-specific CD8+ T α cell clone leads to immunoselection of human melanoma antigen-loss variants in SCID mice. European Journal of Immunology, 2003, 33, 556-566.	2.9	48
24	Potent Phagocytic Activity Discriminates Metastatic and Primary Human Malignant Melanomas: A Key Role of Ezrin. Laboratory Investigation, 2003, 83, 1555-1567.	3.7	89
25	Induction of Lymphocyte Apoptosis by Tumor Cell Secretion of FasL-bearing Microvesicles. Journal of Experimental Medicine, 2002, 195, 1303-1316.	8.5	660
26	P-glycoprotein-actin association through ERM family proteins: a role in P-glycoprotein function in human cells of lymphoid origin. Blood, 2002, 99, 641-648.	1.4	134
27	Differential expression and distribution of ezrin, radixin and moesin in human natural killer cells. European Journal of Immunology, 2002, 32, 3059-3065.	2.9	28
28	Synergy between truncated c-Met (cyto-Met) and c-Myc in liver oncogenesis: importance of TGF- β 2 signalling in the control of liver homeostasis and transformation. Oncogene, 2002, 21, 1335-1345.	5.9	21
29	Murine granulocytes control human tumor growth in SCID mice. International Journal of Cancer, 2000, 87, 569-573.	5.1	24
30	CD95 (APO-1/Fas) linkage to the actin cytoskeleton through ezrin in human T lymphocytes: a novel regulatory mechanism of the CD95 apoptotic pathway. EMBO Journal, 2000, 19, 5123-5134.	7.8	203
31	Linkage between cell membrane proteins and actin-based cytoskeleton: the cytoskeletal-driven cellular functions. Histology and Histopathology, 2000, 15, 539-49.	0.7	25
32	Antitumor Effect of c-myc Antisense Phosphorothioate Oligodeoxynucleotides on Human Melanoma Cells In Vitro and in Mice. Journal of the National Cancer Institute, 1996, 88, 419-429.	6.3	115
33	Antitumor and antimetastatic effects of dacarbazine combined with cyclophosphamide and interleukin-2 in Lewis lung carcinoma (3LL). Cancer Immunology, Immunotherapy, 1995, 41, 375-383.	4.2	8
34	Antiproliferative activity of <i>Psidium guajava</i> essential oil: a preliminary study. , 0, , .		0