

Eric J Sherman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4770360/publications.pdf>

Version: 2024-02-01

92
papers

5,154
citations

117453

34
h-index

95083

68
g-index

93
all docs

93
docs citations

93
times ranked

6008
citing authors

#	ARTICLE	IF	CITATIONS
1	Axitinib Is an Active Treatment for All Histologic Subtypes of Advanced Thyroid Cancer: Results From a Phase II Study. <i>Journal of Clinical Oncology</i> , 2008, 26, 4708-4713.	0.8	593
2	Efficacy of Selpercatinib in <i>RET</i> -Altered Thyroid Cancers. <i>New England Journal of Medicine</i> , 2020, 383, 825-835.	13.9	454
3	Vemurafenib in patients with BRAFV600E-positive metastatic or unresectable papillary thyroid cancer refractory to radioactive iodine: a non-randomised, multicentre, open-label, phase 2 trial. <i>Lancet Oncology</i> , The, 2016, 17, 1272-1282.	5.1	290
4	Randomized Phase II Trial of Nivolumab With Stereotactic Body Radiotherapy Versus Nivolumab Alone in Metastatic Head and Neck Squamous Cell Carcinoma. <i>Journal of Clinical Oncology</i> , 2021, 39, 30-37.	0.8	239
5	Integrated Genomic Analysis of Human Head and Neck Squamous Cell Cancer Reveals Oncogenic Drivers, Recurrent Mitochondrial Mutations, and Unique Chromosomal Landscapes. <i>Cancer Cell</i> , 2018, 34, 256-270.e5.	7.7	195
6	The Molecular Landscape of Recurrent and Metastatic Head and Neck Cancers. <i>JAMA Oncology</i> , 2017, 3, 244.	3.4	191
7	Intensity-Modulated Radiotherapy in the Treatment of Oropharyngeal Cancer: An Update of the Memorial Sloan-Kettering Cancer Center Experience. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 291-298.	0.4	168
8	Vemurafenib Redifferentiation of <i>BRAF</i> Mutant, RAI-Refractory Thyroid Cancers. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 1417-1428.	1.8	165
9	Proton beam radiation therapy results in significantly reduced toxicity compared with intensity-modulated radiation therapy for head and neck tumors that require ipsilateral radiation. <i>Radiotherapy and Oncology</i> , 2016, 118, 286-292.	0.3	160
10	Patterns of Treatment Failure and Postrecurrence Outcomes Among Patients With Locally Advanced Head and Neck Squamous Cell Carcinoma After Chemoradiotherapy Using Modern Radiation Techniques. <i>JAMA Oncology</i> , 2017, 3, 1487.	3.4	146
11	Dissecting Anaplastic Thyroid Carcinoma: A Comprehensive Clinical, Histologic, Immunophenotypic, and Molecular Study of 360 Cases. <i>Thyroid</i> , 2020, 30, 1505-1517.	2.4	143
12	Strategy of Using Intratreatment Hypoxia Imaging to Selectively and Safely Guide Radiation Dose De-escalation Concurrent With Chemotherapy for Locoregionally Advanced Human Papillomavirus-Related Oropharyngeal Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 96, 9-17.	0.4	121
13	Proton therapy for head and neck cancer: expanding the therapeutic window. <i>Lancet Oncology</i> , The, 2017, 18, e254-e265.	5.1	106
14	Precision Radiotherapy: Reduction in Radiation for Oropharyngeal Cancer in the 30 ROC Trial. <i>Journal of the National Cancer Institute</i> , 2021, 113, 742-751.	3.0	98
15	Concurrent doxorubicin and radiotherapy for anaplastic thyroid cancer: A critical re-evaluation including uniform pathologic review. <i>Radiotherapy and Oncology</i> , 2011, 101, 425-430.	0.3	88
16	Incidence and timing of common adverse events in Lenvatinib-treated patients from the SELECT trial and their association with survival outcomes. <i>Endocrine</i> , 2017, 56, 121-128.	1.1	82
17	A nomogram to predict loco-regional control after re-irradiation for head and neck cancer. <i>Radiotherapy and Oncology</i> , 2014, 111, 382-387.	0.3	75
18	Mammary analog secretory carcinoma of the thyroid gland: A primary thyroid adenocarcinoma harboring ETV6-NTRK3 fusion. <i>Modern Pathology</i> , 2016, 29, 985-995.	2.9	74

#	ARTICLE	IF	CITATIONS
19	Tumor volume doubling time of pulmonary metastases predicts overall survival and can guide the initiation of multikinase inhibitor therapy in patients with metastatic, follicular cell-derived thyroid carcinoma. <i>Cancer</i> , 2017, 123, 2955-2964.	2.0	70
20	Palliative head and neck radiotherapy with the RTOG 8502 regimen for incurable primary or metastatic cancers. <i>Oral Oncology</i> , 2015, 51, 957-962.	0.8	67
21	Open-Label, Single-Arm, Multicenter, Phase II Trial of Lenvatinib for the Treatment of Patients With Anaplastic Thyroid Cancer. <i>Journal of Clinical Oncology</i> , 2021, 39, 2359-2366.	0.8	64
22	Evaluation of Romidepsin for Clinical Activity and Radioactive Iodine Reuptake in Radioactive Iodine-Refractory Thyroid Carcinoma. <i>Thyroid</i> , 2013, 23, 593-599.	2.4	63
23	Alteration of p53 Pathway in Squamous Cell Carcinoma of the Head and Neck: Impact on Treatment Outcome in Patients Treated With Larynx Preservation Intent. <i>Journal of Clinical Oncology</i> , 2002, 20, 2980-2987.	0.8	61
24	Phase 2 study evaluating the combination of sorafenib and temsirolimus in the treatment of radioactive iodine-refractory thyroid cancer. <i>Cancer</i> , 2017, 123, 4114-4121.	2.0	59
25	External beam radiotherapy with or without concurrent chemotherapy in advanced or recurrent non-anaplastic non-medullary thyroid cancer. <i>Journal of Surgical Oncology</i> , 2014, 110, 375-382.	0.8	55
26	Efficacy and safety of larotrectinib in patients with TRK fusion-positive thyroid carcinoma. <i>European Journal of Endocrinology</i> , 2022, 186, 631-643.	1.9	55
27	Treatment-related toxicities in older adults with head and neck cancer: A population-based analysis. <i>Cancer</i> , 2015, 121, 2083-2089.	2.0	54
28	Efficacy of concurrent cetuximab vs. 5-fluorouracil/carboplatin or high-dose cisplatin with intensity-modulated radiation therapy (IMRT) for locally-advanced head and neck cancer (LAHNSCC). <i>Oral Oncology</i> , 2014, 50, 947-955.	0.8	51
29	A Phase 1b Study of Cetuximab and BYL719 (Alpelisib) Concurrent with Intensity Modulated Radiation Therapy in Stage III-IVB Head and Neck Squamous Cell Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 106, 564-570.	0.4	51
30	The evolution of RET inhibitor resistance in RET-driven lung and thyroid cancers. <i>Nature Communications</i> , 2022, 13, 1450.	5.8	47
31	The Role of External Beam Radiation and Targeted Therapy in Thyroid Cancer. <i>Seminars in Radiation Oncology</i> , 2012, 22, 254-262.	1.0	43
32	Grading of medullary thyroid carcinoma on the basis of tumor necrosis and high mitotic rate is an independent predictor of poor outcome. <i>Modern Pathology</i> , 2020, 33, 1690-1701.	2.9	42
33	Primary high-grade non-anaplastic thyroid carcinoma: a retrospective study of 364 cases. <i>Histopathology</i> , 2022, 80, 322-337.	1.6	41
34	American Head and Neck Society Endocrine Surgery Section and International Thyroid Oncology Group consensus statement on mutational testing in thyroid cancer: Defining advanced thyroid cancer and its targeted treatment. <i>Head and Neck</i> , 2022, 44, 1277-1300.	0.9	41
35	Evaluation of Substantial Reduction in Elective Radiotherapy Dose and Field in Patients With Human Papillomavirus-Associated Oropharyngeal Carcinoma Treated With Definitive Chemoradiotherapy. <i>JAMA Oncology</i> , 2022, 8, 364.	3.4	39
36	Outcomes of multimodal therapy in a large series of patients with anaplastic thyroid cancer. <i>Cancer</i> , 2020, 126, 444-452.	2.0	38

#	ARTICLE	IF	CITATIONS
37	Phase II trial of bevacizumab+cetuximab+cisplatin with concurrent intensity-modulated radiation therapy for patients with stage III/IVB head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2016, 38, E566-70.	0.9	35
38	The relative prognostic utility of standardized uptake value, gross tumor volume, and metabolic tumor volume in oropharyngeal cancer patients treated with platinum based concurrent chemoradiation with a pre-treatment [18F] fluorodeoxyglucose positron emission tomography scan. <i>Oral Oncology</i> , 2014, 50, 802-808.	0.8	34
39	Toxicity Profiles and Survival Outcomes Among Patients With Nonmetastatic Nasopharyngeal Carcinoma Treated With Intensity-Modulated Proton Therapy vs Intensity-Modulated Radiation Therapy. <i>JAMA Network Open</i> , 2021, 4, e2113205.	2.8	34
40	Phase I study of induction chemotherapy with afatinib, ribavirin, and weekly carboplatin and paclitaxel for stage IVA/IVB human papillomavirus-associated oropharyngeal squamous cell cancer. <i>Head and Neck</i> , 2018, 40, 233-241.	0.9	33
41	Long-term survival in patients with metastatic head and neck squamous cell carcinoma treated with metastasis-directed therapy. <i>British Journal of Cancer</i> , 2019, 121, 897-903.	2.9	32
42	The collection of indirect and nonmedical direct costs (COIN) form. <i>Cancer</i> , 2001, 91, 841-853.	2.0	31
43	Outcomes and toxicities of definitive radiotherapy and reirradiation using 3-dimensional conformal or intensity-modulated (pencil beam) proton therapy for patients with nasal cavity and paranasal sinus malignancies. <i>Cancer</i> , 2020, 126, 1905-1916.	2.0	31
44	Genomic analysis of exceptional responders to radiotherapy reveals somatic mutations in <i>ATM</i> . <i>Oncotarget</i> , 2017, 8, 10312-10323.	0.8	31
45	Enhancing Radioiodine Incorporation in <i>BRAF</i> -Mutant, Radioiodine-Refractory Thyroid Cancers with Vemurafenib and the Anti-ErbB3 Monoclonal Antibody CDX-3379: Results of a Pilot Clinical Trial. <i>Thyroid</i> , 2022, 32, 273-282.	2.4	30
46	Definitive chemoradiation for primary oral cavity carcinoma: A single institution experience. <i>Oral Oncology</i> , 2015, 51, 709-715.	0.8	29
47	Trends in chemoradiation use in elderly patients with head and neck cancer: Changing treatment patterns with cetuximab. <i>Head and Neck</i> , 2016, 38, E165-71.	0.9	26
48	TALK score: Development and validation of a prognostic model for predicting larynx preservation outcome. <i>Laryngoscope</i> , 2012, 122, 1043-1050.	1.1	25
49	The 3 Bs of cancer care amid the COVID-19 pandemic crisis: "Be safe, be smart, be kind" A multidisciplinary approach increasing the use of radiation and embracing telemedicine for head and neck cancer. <i>Cancer</i> , 2020, 126, 4092-4104.	2.0	24
50	Temporal Lobe Necrosis in Head and Neck Cancer Patients after Proton Therapy to the Skull Base. <i>International Journal of Particle Therapy</i> , 2020, 6, 17-28.	0.9	24
51	Combined high-intensity local treatment and systemic therapy in metastatic head and neck squamous cell carcinoma: An analysis of the National Cancer Data Base. <i>Cancer</i> , 2017, 123, 4583-4593.	2.0	23
52	Intensity-Modulated Radiation Therapy With or Without Concurrent Chemotherapy in Nonanaplastic Thyroid Cancer with Unresectable or Gross Residual Disease. <i>Thyroid</i> , 2018, 28, 1180-1189.	2.4	23
53	Past, present and future of proton therapy for head and neck cancer. <i>Oral Oncology</i> , 2020, 110, 104879.	0.8	22
54	Treatment modalities and outcomes of Fanconi anemia patients with head and neck squamous cell carcinoma: Series of 9 cases and review of the literature. <i>Head and Neck</i> , 2019, 41, 1418-1426.	0.9	21

#	ARTICLE	IF	CITATIONS
55	Patients with low lying lymph nodes are at high risk for distant metastasis in oropharyngeal cancer. <i>Oral Oncology</i> , 2014, 50, 863-868.	0.8	20
56	The toxicity and efficacy of concomitant chemoradiotherapy in patients aged 70 years and older with oropharyngeal carcinoma in the intensityâ€modulated radiotherapy era. <i>Cancer</i> , 2017, 123, 1345-1353.	2.0	20
57	Employment and return to work following chemoradiation in patient with HPV-related oropharyngeal cancer. <i>Cancers of the Head & Neck</i> , 2016, 1, 4.	6.2	19
58	Hypopharyngeal squamous cell carcinoma: Threeâ€dimensional or Intensityâ€modulated radiotherapy? A single institution's experience. <i>Laryngoscope</i> , 2016, 126, 620-626.	1.1	16
59	Patterns of nodal failure after intensity modulated radiotherapy for nasopharyngeal carcinoma. <i>Laryngoscope</i> , 2017, 127, 377-382.	1.1	16
60	Longâ€term outcomes in oral cavity squamous cell carcinoma with adjuvant and salvage radiotherapy after surgery. <i>Laryngoscope</i> , 2018, 128, 2539-2545.	1.1	16
61	Last-line local treatment with the Quad Shot regimen for previously irradiated head and neck cancers. <i>Oral Oncology</i> , 2020, 104, 104641.	0.8	16
62	Structural Doubling Time Predicts Overall Survival in Patients with Medullary Thyroid Cancer in Patients with Rapidly Progressive Metastatic Medullary Thyroid Cancer Treated with Molecular Targeted Therapies. <i>Thyroid</i> , 2020, 30, 1112-1119.	2.4	15
63	Prolongation of tumour volume doubling time (midDT) is associated with improvement in diseaseâ€specific survival in patients with rapidly progressive radioactive iodine refractory differentiated thyroid cancer selected for molecular targeted therapy. <i>Clinical Endocrinology</i> , 2019, 90, 617-622.	1.2	14
64	Platinumâ€based regimens <i>versus</i> cetuximab in definitive chemoradiation for human papillomavirusâ€unrelated head and neck cancer. <i>International Journal of Cancer</i> , 2020, 147, 107-115.	2.3	14
65	Genomic and Transcriptomic Correlates of Thyroid Carcinoma Evolution after BRAF Inhibitor Therapy. <i>Molecular Cancer Research</i> , 2022, 20, 45-55.	1.5	13
66	Impact of concomitant chemoradiation on survival for patients with T1â€N1 head and neck cancer. <i>Cancer</i> , 2017, 123, 1555-1565.	2.0	12
67	Prognostic significance of human papillomavirus and <sc>Epsteinâ€Bar</sc> virus in nasopharyngeal carcinoma. <i>Head and Neck</i> , 2020, 42, 2364-2374.	0.9	12
68	Outcomes and prognostic factors of major salivary gland tumors treated with proton beam radiation therapy. <i>Head and Neck</i> , 2021, 43, 1056-1062.	0.9	11
69	Co-inhibition of SMAD and MAPK signaling enhances 124I uptake in BRAF-mutant thyroid cancers. <i>Endocrine-Related Cancer</i> , 2021, 28, 391-402.	1.6	10
70	<i>TERT</i> Promoter Mutations Are Enriched in Oral Cavity Cancers and Associated With Locoregional Recurrence. <i>JCO Precision Oncology</i> , 2021, 5, 1259-1269.	1.5	10
71	Trends and Disparities of Proton Therapy Use among Patients with Head and Neck Cancer: Analysis from the National Cancer Database (2005-14). <i>International Journal of Particle Therapy</i> , 2019, 5, 1-10.	0.9	10
72	Intensityâ€modulated radiation therapy and doxorubicin in thyroid cancer: A prospective phase 2 trial. <i>Cancer</i> , 2021, 127, 4161-4170.	2.0	8

#	ARTICLE	IF	CITATIONS
73	Irradiation for locoregionally recurrent, never-irradiated oral cavity cancers. <i>Head and Neck</i> , 2015, 37, 1633-1641.	0.9	7
74	Head and neck cancers associated with exposure to the September 11, 2001 World Trade Center terrorist attacks. <i>International Journal of Cancer</i> , 2018, 142, 2485-2490.	2.3	7
75	Long-term quality of life in older patients with HPV-related oropharyngeal cancer. <i>Head and Neck</i> , 2018, 40, 2321-2328.	0.9	6
76	Targeting the mTOR Pathway in Hurthle Cell Carcinoma Results in Potent Antitumor Activity. <i>Molecular Cancer Therapeutics</i> , 2022, 21, 382-394.	1.9	6
77	Selpercatinib-Induced Hypothyroidism Through Off-Target Inhibition of Type 2 Iodothyronine Deiodinase. <i>JCO Precision Oncology</i> , 2022, , .	1.5	5
78	Targeting VEGF and EGFR: a combination worth re-exploring?. <i>Lancet Oncology</i> , The, 2018, 19, 1007-1009.	5.1	4
79	Phase 2 study of vascular endothelial growth factor trap for the treatment of metastatic thyroid cancer. <i>Cancer</i> , 2019, 125, 2984-2990.	2.0	4
80	Outcomes of surgery and postoperative radiation therapy in managing medullary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2020, 121, 234-243.	0.8	4
81	The Importance of Locoregional Therapy in Metastatic Nasopharyngeal Cancer. <i>JAMA Oncology</i> , 2020, 6, 1353.	3.4	4
82	A Pilot Study of Durvalumab (MEDI4736) with Tremelimumab in Combination with Image-Guided Stereotactic Body Radiotherapy in the Treatment of Metastatic Anaplastic Thyroid Cancer. <i>Thyroid</i> , 2022, 32, 799-806.	2.4	4
83	Association of Low and Intermediate Combined Positive Scores With Outcomes of Treatment With Pembrolizumab in Patients With Recurrent and Metastatic Head and Neck Squamous Cell Carcinoma. <i>JAMA Oncology</i> , 0, , .	3.4	4
84	Using Patients As Their Own Controls for Cost Evaluation of Phase I Clinical Trials. <i>Journal of Clinical Oncology</i> , 2004, 22, 1308-1314.	0.8	3
85	Prediction of survival in patients with head and neck cancer using the histoculture drug response assay. , 2002, 24, 437.		3
86	Nasopharynx cancer: Induction or adjuvant? That is the question. <i>Cancer</i> , 2020, 126, 3620-3623.	2.0	1
87	Any day, split halfway: Flexibility in scheduling high-dose cisplatinâ€”A large retrospective review from a high-volume cancer center. <i>International Journal of Cancer</i> , 2021, 149, 139-148.	2.3	1
88	Abstract CT212: Expanded phase 1/2a study of PLX8394, a novel next generation BRAF inhibitor in patients with advanced, unresectable solid tumors with alterations in BRAF. , 2021, , .		1
89	The collection of indirect and nonmedical direct costs (COIN) form. <i>Cancer</i> , 2001, 91, 841-853.	2.0	1
90	A New Intensified Therapeutic Regimen for Advanced Head and Neck Squamous Cell Carcinomas: Where Does It Fit Among Available Treatment Options?. <i>Cancer Investigation</i> , 2001, 19, 217-218.	0.6	0

#	ARTICLE	IF	CITATIONS
91	The effect of short radiation treatment breaks on chemoâ€radiotherapy for oropharyngeal cancers. Head and Neck, 2021, 43, 3796-3809.	0.9	0
92	Outcomes and Toxicities of Nonmedullary Thyroid Tumors Treated with Proton Beam Radiation Therapy. International Journal of Particle Therapy, 2022, 9, 20-30.	0.9	0