

# Marcela Fu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4771130/publications.pdf>

Version: 2024-02-01

106  
papers

2,180  
citations

218381

26  
h-index

288905

40  
g-index

117  
all docs

117  
docs citations

117  
times ranked

2297  
citing authors

#	ARTICLE	IF	CITATIONS
1	Knowledge, Attitudes, and Training in Tobacco Dependence and Cessation Treatment Among Nursing Students in Catalonia (ECTEC Study): Cross-Sectional Study. <i>International Journal of Mental Health and Addiction</i> , 2023, 21, 1041-1056.	4.4	1
2	Compliance with the smoke-free policy in hospitals in Spain: the patients's perspective. <i>European Journal of Cancer Prevention</i> , 2023, 32, 81-88.	0.6	2
3	Beyond the European Union Tobacco Products Directive: smokers' and recent quitters' support for further tobacco control measures (2016-2018). <i>Tobacco Control</i> , 2022, 31, 765-769.	1.8	6
4	Secondhand Smoke Exposure in European Countries With Different Smoke-Free Legislation: Findings From the EUREST-PLUS ITC Europe Surveys. <i>Nicotine and Tobacco Research</i> , 2022, 24, 85-92.	1.4	5
5	Association between biomarkers of tobacco consumption and lung cancer risk among daily smokers. <i>Expert Review of Respiratory Medicine</i> , 2022, 16, 247-252.	1.0	1
6	Non-smokers' and smokers' support for smoke-free legislation in 14 indoor and outdoor settings across 12 European countries. <i>Environmental Research</i> , 2022, 204, 112224.	3.7	6
7	Measuring cigarette dependence: A comparison of two scales in two different groups of smokers. <i>Tobacco Prevention and Cessation</i> , 2022, 8, 1-8.	0.2	1
8	Burden of disease from exposure to secondhand smoke in children in Europe. <i>Pediatric Research</i> , 2021, 90, 216-222.	1.1	10
9	Who Smokes in Europe? Data From 12 European Countries in the TackSHS Survey (2017-2018). <i>Journal of Epidemiology</i> , 2021, 31, 145-151.	1.1	55
10	Exposure to secondhand aerosol of electronic cigarettes in indoor settings in 12 European countries: data from the TackSHS survey. <i>Tobacco Control</i> , 2021, 30, 49-56.	1.8	25
11	Third-hand exposure at homes: Assessment using salivary cotinine. <i>Environmental Research</i> , 2021, 196, 110393.	3.7	12
12	How widespread is electronic cigarette use in outdoor settings? A field check from the TackSHS project in 11 European countries. <i>Environmental Research</i> , 2021, 193, 110571.	3.7	1
13	Toward a correct measure of third-hand exposure. <i>Environmental Research</i> , 2021, 194, 110686.	3.7	1
14	Environmental and individual exposure to secondhand aerosol of electronic cigarettes in confined spaces: Results from the TackSHS Project. <i>Indoor Air</i> , 2021, 31, 1601-1613.	2.0	4
15	Burden of disease from second-hand tobacco smoke exposure at home among adults from European Union countries in 2017: an analysis using a review of recent meta-analyses. <i>Preventive Medicine</i> , 2021, 145, 106412.	1.6	15
16	6-Year Risk of Developing Lung Cancer in Spain: Analysis by Autonomous Communities. <i>Archivos De Bronconeumologia</i> , 2021, 57, 521-527.	0.4	2
17	Health and economic impact at a population level of both primary and secondary preventive lung cancer interventions: A model-based cost-effectiveness analysis. <i>Lung Cancer</i> , 2021, 159, 153-161.	0.9	7
18	Tackling second-hand exposure to tobacco smoke and aerosols of electronic cigarettes: the TackSHS project protocol. <i>Gaceta Sanitaria</i> , 2020, 34, 77-82.	0.6	30

#	ARTICLE	IF	CITATIONS
19	Patient perceptions of tobacco control after smoke-free hospital grounds legislation: Multi-center cross-sectional study. <i>International Journal of Nursing Studies</i> , 2020, 102, 103485.	2.5	6
20	Passive exposure of non-smokers to E-Cigarette aerosols: Sensory irritation, timing and association with volatile organic compounds. <i>Environmental Research</i> , 2020, 182, 108963.	3.7	29
21	Online sales compliance with the electronic cigarettes ban in India: a content analysis. <i>International Journal of Public Health</i> , 2020, 65, 1497-1505.	1.0	11
22	Exposure to second-hand tobacco smoke in waterpipe caf�s in Barcelona, Spain: An assessment of airborne nicotine and PM2.5. <i>Environmental Research</i> , 2020, 184, 109347.	3.7	9
23	Night entertainment venues comply poorly with the smoke-free law in Chile. <i>Gaceta Sanitaria</i> , 2020, 35, 402-404.	0.6	2
24	Do smokers want to protect non-smokers from the harms of second-hand smoke in cars? Findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii108-iii112.	0.1	2
25	Transitions from and to roll-your-own tobacco, perceptions and health beliefs among smokers: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii18-iii25.	0.1	4
26	Evaluating the impact of the Tobacco Products Directive within the context of the FCTC in Europe� findings from the EUREST-PLUS ITC Europe Surveys: introductory Commentary. <i>European Journal of Public Health</i> , 2020, 30, iii1-iii3.	0.1	0
27	Support for e-cigarette policies among smokers in seven European countries: longitudinal findings from the 2016�18 EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii68-iii77.	0.1	5
28	Social norms for e-cigarettes and smoking: associations with initiation of e-cigarette use, intentions to quit smoking and quit attempts: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii46-iii54.	0.1	10
29	Quitting behaviours and cessation methods used in eight European Countries in 2018: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii26-iii33.	0.1	10
30	European adult smokers� perceptions of the harmfulness of e-cigarettes relative to combustible cigarettes: cohort findings from the 2016 and 2018 EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii38-iii45.	0.1	11
31	Measuring for change: A multi-centre pre-post trial of an air quality feedback intervention to promote smoke-free homes. <i>Environment International</i> , 2020, 140, 105738.	4.8	10
32	Methods of the International Tobacco Control (ITC) EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii4-iii9.	0.1	21
33	Factors associated with receipt of the 5As model of brief intervention for smoking cessation among hospitalized patients. <i>Addiction</i> , 2020, 115, 2098-2112.	1.7	4
34	The Tobacco Control Scale as a research tool to measure country-level tobacco control policy implementation. <i>Tobacco Induced Diseases</i> , 2020, 18, 1-17.	0.3	9
35	Regulation of Electronic Cigarette Use in Public and Private Areas in 48 Countries Within the WHO European Region: A Survey to In-country Informants. <i>Journal of Epidemiology</i> , 2020, , .	1.1	6
36	Burden of disease attributable to second-hand smoke exposure: A systematic review. <i>Preventive Medicine</i> , 2019, 129, 105833.	1.6	84

#	ARTICLE	IF	CITATIONS
37	Impact of an Online Training Program in Smoking Cessation Interventions in Hospitals. <i>Journal of Nursing Scholarship</i> , 2019, 51, 449-458.	1.1	10
38	Comparison of TSNA concentration in saliva according to type of tobacco smoked. <i>Environmental Research</i> , 2019, 172, 73-80.	3.7	9
39	Exploring individual and contextual factors contributing to tobacco cessation intervention implementation. <i>Addictive Behaviors</i> , 2019, 88, 163-168.	1.7	14
40	Prevalence and determinants of tobacco, e-cigarettes, and cannabis use among nursing students: A multicenter cross-sectional study. <i>Nurse Education Today</i> , 2019, 74, 61-68.	1.4	23
41	Smoking pattern and risk of lung cancer among women participating in cancer screening programmes. <i>Journal of Public Health</i> , 2019, 42, 90-97.	1.0	4
42	Secondhand exposure to aerosol from electronic cigarettes: pilot study of assessment of tobacco-specific nitrosamine (NNAL) in urine. <i>Gaceta Sanitaria</i> , 2019, 33, 575-578.	0.6	16
43	Motivation and main flavour of use, use with nicotine and dual use of electronic cigarettes in Barcelona, Spain: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e018329.	0.8	17
44	Validity of self-reported intensity of exposure to second-hand smoke at home against environmental and personal markers. <i>Gaceta Sanitaria</i> , 2018, 32, 393-395.	0.6	3
45	Sex and Age Specific Projections of Smoking Prevalence in Spain: A Bayesian Approach. <i>Nicotine and Tobacco Research</i> , 2018, 20, 725-730.	1.4	14
46	Identifying high-risk individuals for lung cancer screening: Going beyond NLST criteria. <i>PLoS ONE</i> , 2018, 13, e0195441.	1.1	7
47	Impact of the Spanish smoking legislation among smokers: A longitudinal study with biomarkers in Barcelona (Spain). <i>Addictive Behaviors</i> , 2018, 87, 101-108.	1.7	3
48	The purchase sources of and price paid for cigarettes in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A16.	0.3	6
49	Social norms towards smoking and electronic cigarettes among adult smokers in seven European Countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A15.	0.3	13
50	Conflicts of interest in research on electronic cigarettes. <i>Tobacco Induced Diseases</i> , 2018, 16, 28.	0.3	11
51	Smoking among hospitalized patients: A multi-hospital cross-sectional study of a widely neglected problem. <i>Tobacco Induced Diseases</i> , 2018, 16, 34.	0.3	4
52	Impact of anti-smoking advertising on health-risk knowledge and quit attempts across 6 European countries from the EUREST-PLUS ITC Europe Survey. <i>Tobacco Induced Diseases</i> , 2018, 16, A5.	0.3	7
53	Secondhand exposure to e-cigarette aerosols among smokers: A cross-sectional study in six European countries of the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A11.	0.3	10
54	Prevalence and correlates of different smoking bans in homes and cars among smokers in 6 Countries of the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A8.	0.3	8

#	ARTICLE	IF	CITATIONS
55	Smoking in public places in six European countries: Findings from the EUREST-PLUS ITC Europe Survey. Tobacco Induced Diseases, 2018, 16, A18.	0.3	0
56	Correlates of the support for smoke-free policies among smokers: A cross-sectional study in six European countries of the EUREST-PLUS ITC EUROPE SURVEYS. Tobacco Induced Diseases, 2018, 16, A17.	0.3	4
57	Manufactured and roll-your-own cigarettes: A changing pattern of smoking in Barcelona, Spain. Environmental Research, 2017, 155, 167-174.	3.7	13
58	Changes in Secondhand Smoke Exposure After Smoke-Free Legislation (Spain, 2006â€“2011). Nicotine and Tobacco Research, 2017, 19, 1390-1394.	1.4	25
59	Modelling lung cancer mortality rates from smoking prevalence: Fill in the gap. Cancer Epidemiology, 2017, 49, 19-23.	0.8	16
60	Impact of the Spanish smoking legislations in the adoption of smoke-free rules at home: a longitudinal study in Barcelona (Spain). Tobacco Control, 2017, 26, 557-562.	1.8	6
61	Use of electronic cigarettes in public and private settings in Barcelona (Spain). Environmental Research, 2017, 158, 685-690.	3.7	9
62	Impact of the Spanish smoking laws on tobacco consumption and secondhand smoke exposure: A longitudinal population study. Addictive Behaviors, 2017, 75, 30-35.	1.7	20
63	Assessment of salivary cotinine concentration among general non-smokers population: Before and after Spanish smoking legislations. Cancer Epidemiology, 2017, 51, 87-91.	0.8	10
64	Secondhand smoke risk perception and smoke-free rules in homes: a cross-sectional study in Barcelona (Spain). BMJ Open, 2017, 7, e014207.	0.8	12
65	Evaluation of tobacco specific nitrosamines exposure by quantification of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK) in human hair of non-smokers. Scientific Reports, 2016, 6, 25043.	1.6	17
66	Assessment of tobacco specific nitrosamines (TSNAs) in oral fluid as biomarkers of cancer risk: A population-based study. Environmental Research, 2016, 151, 635-641.	3.7	27
67	Second-hand smoke exposure in indoor and outdoor areas of cafÃ©s and restaurants: Need for extending smoking regulation outdoors?. Environmental Research, 2016, 148, 421-428.	3.7	35
68	Perception of electronic cigarettes in the general population: does their usefulness outweigh their risks?. BMJ Open, 2015, 5, e009218.	0.8	19
69	Secondhand smoke in outdoor settings: smokers' consumption, non-smokers' perceptions, and attitudes towards smoke-free legislation in Spain. BMJ Open, 2015, 5, e007554-e007554.	0.8	31
70	Secondhand smoke in psychiatric units: patient and staff misperceptions. Tobacco Control, 2015, 24, e212-e220.	1.8	7
71	Association of second-hand smoke exposure at home with psychological distress in the Spanish adult population. Addictive Behaviors, 2015, 50, 84-88.	1.7	15
72	Particulate Matter from Electronic Cigarettes and Conventional Cigarettes: a Systematic Review and Observational Study. Current Environmental Health Reports, 2015, 2, 423-429.	3.2	95

#	ARTICLE	IF	CITATIONS
73	Impact of a long-term tobacco-free policy at a comprehensive cancer center: a series of cross-sectional surveys. <i>BMC Public Health</i> , 2014, 14, 1228.	1.2	11
74	Impact of tobacco control policies in hospitals: Evaluation of a national smoke-free campus ban in Spain. <i>Preventive Medicine Reports</i> , 2014, 1, 56-61.	0.8	14
75	Do smoke-free policies in work and public places increase smoking in private venues?: Table 1. <i>Tobacco Control</i> , 2014, 23, 204-207.	1.8	32
76	Electronic cigarette use among adult population: a cross-sectional study in Barcelona, Spain (2013-2014). <i>BMJ Open</i> , 2014, 4, e005894-e005894.	0.8	42
77	Opposite trends in the consumption of manufactured and roll-your-own cigarettes in Spain (1991-2020). <i>BMJ Open</i> , 2014, 4, e006552.	0.8	28
78	Cigarettes vs. e-cigarettes: Passive exposure at home measured by means of airborne marker and biomarkers. <i>Environmental Research</i> , 2014, 135, 76-80.	3.7	159
79	Safety belt and mobile phone usage in vehicles in Barcelona (Spain). <i>Gaceta Sanitaria</i> , 2014, 28, 305-308.	0.6	10
80	Secondhand smoke exposure at home: Assessment by biomarkers and airborne markers. <i>Environmental Research</i> , 2014, 133, 111-116.	3.7	32
81	Validity of self-reported exposure to second-hand smoke in hospitality venues. <i>Environmental Research</i> , 2014, 133, 1-3.	3.7	10
82	Impact of the Spanish Smoke-Free Legislation on Adult, Non-Smoker Exposure to Secondhand Smoke: Cross-Sectional Surveys before (2004) and after (2012) Legislation. <i>PLoS ONE</i> , 2014, 9, e89430.	1.1	41
83	Attitudes towards Electronic Cigarettes Regulation in Indoor Workplaces and Selected Public and Private Places: A Population-Based Cross-Sectional Study. <i>PLoS ONE</i> , 2014, 9, e114256.	1.1	23
84	Handwritten versus scanned signature on the invitation letter: does it make any difference in participation in a population-based study?. <i>European Journal of Epidemiology</i> , 2013, 28, 931-934.	2.5	3
85	Variability in the correlation between nicotine and PM2.5 as airborne markers of second-hand smoke exposure. <i>Environmental Research</i> , 2013, 127, 49-55.	3.7	17
86	Questionnaire-based second-hand smoke assessment in adults. <i>European Journal of Public Health</i> , 2013, 23, 763-767.	0.1	36
87	Impact of the 2011 Spanish Smoking Ban in Hospitality Venues: Indoor Secondhand Smoke Exposure and Influence of Outdoor Smoking. <i>Nicotine and Tobacco Research</i> , 2013, 15, 992-996.	1.4	39
88	Smoking Cessation in Hospital Workers. <i>Cancer Nursing</i> , 2012, 35, 327-336.	0.7	6
89	Two-year impact of the Spanish smoking law on exposure to secondhand smoke: evidence of the failure of the "Spanish model"™. <i>Tobacco Control</i> , 2012, 21, 407-411.	1.8	42
90	Nicotine dependence and salivary cotinine concentration in daily smokers. <i>European Journal of Cancer Prevention</i> , 2012, 21, 96-102.	0.6	14

#	ARTICLE	IF	CITATIONS
91	Secondhand smoke levels in public building main entrances: outdoor and indoor PM <sub>2.5</sub> assessment. Tobacco Control, 2012, 21, 543-548.	1.8	61
92	Stages of change, smoking characteristics, and cotinine concentrations in smokers: Setting priorities for smoking cessation. Preventive Medicine, 2011, 52, 139-145.	1.6	16
93	Association Between Time to First Cigarette After Waking Up and Salivary Cotinine Concentration. Nicotine and Tobacco Research, 2011, 13, 168-172.	1.4	10
94	Second-hand smoke in hospitals in Catalonia (2009): A cross-sectional study measuring PM2.5 and vapor-phase nicotine. Environmental Research, 2010, 110, 750-755.	3.7	22
95	Smoking Behaviour, Involuntary Smoking, Attitudes towards Smoke-Free Legislations, and Tobacco Control Activities in the European Union. PLoS ONE, 2010, 5, e13881.	1.1	66
96	Impact of the Spanish Smoking Law on Exposure to Secondhand Smoke in Offices and Hospitality Venues: Before-and-After Study. Environmental Health Perspectives, 2009, 117, 344-347.	2.8	75
97	Impact of the Spanish smoking law in smoker hospitality workers. Nicotine and Tobacco Research, 2009, 11, 1099-1106.	1.4	22
98	Tobacco control policies in hospitals before and after the implementation of a national smoking ban in Catalonia, Spain. BMC Public Health, 2009, 9, 160.	1.2	28
99	Salivary cotinine concentrations in daily smokers in Barcelona, Spain: a cross-sectional study. BMC Public Health, 2009, 9, 320.	1.2	36
100	A COMPARISON OF THE FAGERSTRÅ-M TEST FOR NICOTINE DEPENDENCE AND SMOKING PREVALENCE ACROSS COUNTRIES: UPDATED DATA FROM SPAIN. Addiction, 2009, 104, 326-327.	1.7	9
101	Exposure to second-hand smoke in primary health care centres in Catalonia, Spain (2006). Environmental Research, 2009, 109, 775-778.	3.7	5
102	Assessment of exposure to secondhand smoke by questionnaire and salivary cotinine in the general population of Barcelona, Spain (2004-2005). Preventive Medicine, 2009, 48, 218-223.	1.6	44
103	Comparing salivary cotinine concentration in non-smokers from the general population and hospitality workers in Spain. European Journal of Public Health, 2009, 19, 662-664.	0.1	1
104	Impact of the Spanish Smoking Law on Exposure to Second-Hand Smoke and Respiratory Health in Hospitality Workers: A Cohort Study. PLoS ONE, 2009, 4, e4244.	1.1	102
105	Secondhand Smoke Exposure in Spanish Adult Non-Smokers Following the Introduction of an Anti-Smoking Law. Revista Espanola De Cardiologia (English Ed ), 2008, 61, 687-694.	0.4	18
106	Secondhand smoke in hospitals of Catalonia (Spain) before and after a comprehensive ban on smoking at the national level. Preventive Medicine, 2008, 47, 624-628.	1.6	29