Sudhir K Rai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4771795/publications.pdf

Version: 2024-02-01

24 papers

1,149 citations

471509 17 h-index 610901 24 g-index

24 all docs

24 docs citations

times ranked

24

1368 citing authors

#	Article	IF	CITATIONS
1	Production of alkaline protease by a thermophilic Bacillus subtilis under solid-state fermentation (SSF) condition using Imperata cylindrica grass and potato peel as low-cost medium: Characterization and application of enzyme in detergent formulation. Biochemical Engineering Journal, 2008, 39, 353-361.	3.6	158
2	Polymer-assisted iron oxide magnetic nanoparticle immobilized keratinase. Nanotechnology, 2009, 20, 225107.	2.6	110
3	Purification, characterization and biotechnological application of an alkaline \hat{l}^2 -keratinase produced by Bacillus subtilis RM-01 in solid-state fermentation using chicken-feather as substrate. Biochemical Engineering Journal, 2009, 45, 218-225.	3.6	88
4	Statistical optimization of production, purification and industrial application of a laundry detergent and organic solvent-stable subtilisin-like serine protease (Alzwiprase) from Bacillus subtilis DM-04. Biochemical Engineering Journal, 2010, 48, 173-180.	3.6	88
5	To study the influence of different components of fermentable substrates on induction of extracellular α-amylase synthesis by Bacillus subtilis DM-03 in solid-state fermentation and exploration of feasibility for inclusion of α-amylase in laundry detergent formulations. Biochemical Engineering lournal. 2009, 43, 149-156.	3.6	83
6	Deep-desulfurization of dibenzothiophene and its derivatives present in diesel oil by a newly isolated bacterium Achromobacter sp. to reduce the environmental pollution from fossil fuel combustion. Fuel Processing Technology, 2014, 119, 236-244.	7.2	69
7	Optimization of production of an oxidant and detergent-stable alkaline β-keratinase from Brevibacillus sp. strain AS-S10-II: Application of enzyme in laundry detergent formulations and in leather industry. Biochemical Engineering Journal, 2011, 54, 47-56.	3.6	68
8	Characterisation of a detergent-stable alkaline protease from a novel thermophilic strain Paenibacillus tezpurensis sp. nov. AS-S24-II. Applied Microbiology and Biotechnology, 2010, 85, 1437-1450.	3.6	66
9	Characterization and application of a detergent-stable alkaline α-amylase from Bacillus subtilis strain AS-S01a. International Journal of Biological Macromolecules, 2012, 50, 219-229.	7.5	59
10	A statistical approach for the enhanced production of alkaline protease showing fibrinolytic activity from a newly isolated Gram-negative Bacillus sp. strain AS-S20-I. New Biotechnology, 2011, 28, 182-189.	4.4	58
11	Bafibrinase: A non-toxic, non-hemorrhagic, direct-acting fibrinolytic serine protease from Bacillus sp. strain AS-S20-I exhibits inÂvivo anticoagulant activity and thrombolytic potency. Biochimie, 2012, 94, 1300-1308.	2.6	58
12	Ecological significance and some biotechnological application of an organic solvent stable alkaline serine protease from Bacillus subtilis strain DM-04. Bioresource Technology, 2009, 100, 2642-2645.	9.6	53
13	Biodegradable and biocompatible epoxidized vegetable oil modified thermostable poly(vinyl chloride): Thermal and performance characteristics post biodegradation with Pseudomonas aeruginosa and Achromobacter sp Journal of Hazardous Materials, 2012, 209-210, 434-442.	12.4	38
14	Statistical optimization of Bacillus alcalophilus α-amylase immobilization on iron-oxide magnetic nanoparticles. Biotechnology and Bioprocess Engineering, 2010, 15, 984-992.	2.6	37
15	Loss of the SWI/SNF ATPase subunits BRM and BRG1 drives lung cancer development. Oncoscience, 2016, 3, 322-336.	2.2	25
16	Biodegradation of waste chicken-feathers by an alkaline \hat{l}^2 -keratinase (Mukartinase) purified from a mutant Brevibacillus sp. strain AS-S10-II. International Biodeterioration and Biodegradation, 2011, 65, 1229-1237.	3.9	22
17	Optimization for production of liquid nitrogen fertilizer from the degradation of chicken feather by iron-oxide (Fe3O4) magnetic nanoparticles coupled \hat{l}^2 -keratinase. Biocatalysis and Agricultural Biotechnology, 2015, 4, 632-644.	3.1	21
18	High-Frequency Lithium Acetate Transformation of Schizosaccharomyces pombe. Methods in Molecular Biology, 2018, 1721, 167-177.	0.9	11

SUDHIR K RAI

#	Article	IF	CITATION
19	Application of poly(vinyl alcohol)-assisted silver nanoparticles immobilized \hat{l}^2 -keratinase composite as topical antibacterial and dehairing agent. Journal of Proteins and Proteomics, 2020, 11, 119-134.	1.5	9
20	BRG1 and BRM loss selectively impacts RB and P53, respectively: BRG1 and BRM have differential functions in vivo. Oncoscience, 2016, 3, 337-350.	2.2	9
21	Host factors that promote retrotransposon integration are similar in distantly related eukaryotes. PLoS Genetics, 2017, 13, e1006775.	3.5	7
22	Qualitative and Quantitative Assays of Transposition and Homologous Recombination of the Retrotransposon Tf1 in Schizosaccharomyces pombe. Methods in Molecular Biology, 2016, 1400, 117-130.	0.9	6
23	Statistical optimization for improved production of fibrin(Ogen)olytic enzyme by Bacillus cereus strain FF01 and assessment of in vitro thrombolytic potential of protease enzyme. Biocatalysis and Agricultural Biotechnology, 2015, 4, 191-198.	3.1	4
24	Duplication and Transformation of the Schizosaccharomyces pombe Collection of Deletion Strains. Methods in Molecular Biology, 2018, 1721, 197-215.	0.9	2