

Oa Hammam

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4772839/publications.pdf>

Version: 2024-02-01

84
papers

1,532
citations

361296

20
h-index

360920

35
g-index

86
all docs

86
docs citations

86
times ranked

2618
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular Detection of Genetic Susceptibility to Bladder Cancer in Egyptian Patients. <i>Asian Pacific Journal of Cancer Prevention</i> , 2022, 23, 221-232.	0.5	4
2	Investigating the Impact of Optimized Trans-Cinnamic Acid-Loaded PLGA Nanoparticles on Epithelial to Mesenchymal Transition in Breast Cancer. <i>International Journal of Nanomedicine</i> , 2022, Volume 17, 733-750.	3.3	11
3	Early intervention with probiotics and metformin alleviates liver injury in NAFLD rats via targeting gut microbiota dysbiosis and p-AKT/mTOR/LC-3II pathways. <i>Human and Experimental Toxicology</i> , 2021, 40, 1496-1509.	1.1	16
4	IL-4, IL-17 and CD163 Immunoexpression and IL-6 Gene Polymorphism in Chronic Hepatitis C Patients and Associated Hepatocellular Carcinoma. <i>Asian Pacific Journal of Cancer Prevention</i> , 2021, 22, 1105-1113.	0.5	3
5	Expression of Myoglobin in Normal and Cancer Brain Tissues: Correlation With Hypoxia Markers. <i>Frontiers in Oncology</i> , 2021, 11, 590771.	1.3	4
6	Î±-Lipoic acid modulates liver fibrosis: A cross talk between TGF-Î²1, autophagy, and apoptosis. <i>Human and Experimental Toxicology</i> , 2020, 39, 440-450.	1.1	11
7	Brassica juncea L. (Mustard) Extract Silver NanoParticles and Knocking off Oxidative Stress, Prolinflammatory Cytokine and Reverse DNA Genotoxicity. <i>Biomolecules</i> , 2020, 10, 1650.	1.8	12
8	Interleukin-4 Signaling Plays a Major Role in Urogenital Schistosomiasis-Associated Bladder Pathogenesis. <i>Infection and Immunity</i> , 2020, 88, .	1.0	8
9	Tissue Profile of CDK4 and STAT3 as Possible Innovative Therapeutic Targets in Urinary Bladder Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2020, 21, 547-554.	0.5	13
10	FRI-282-Effect of the farnesoid X receptor agonist, obeticholic acid, in hepatocellular carcinoma: Is it NASH-dependent or -independent?. <i>Journal of Hepatology</i> , 2019, 70, e520.	1.8	0
11	Potentials of Differentiated Human Cord Blood-Derived Unrestricted Somatic Stem Cells in Treatment of Liver Cirrhosis. <i>Experimental and Clinical Transplantation</i> , 2019, 17, 251-258.	0.2	3
12	Cord blood-derived mesenchymal stem cells with hepatogenic differentiation potential ameliorate chronic liver affection in experimental models. <i>Advances in Clinical and Experimental Medicine</i> , 2018, 27, 1329-1339.	0.6	12
13	Colonic Stem Cells Expression of Lgr5 and CD133 Proteins as Predictive Markers in Colorectal Cancer among Egyptian Patients. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2018, 6, 968-974.	0.1	3
14	Overview of MDM2 and B-RAF Expression in Gastric Lesions. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2018, 6, 1795-1802.	0.1	4
15	Transplant of Hepatocytes, Undifferentiated Mesenchymal Stem Cells, and In Vitro Hepatocyte-Differentiated Mesenchymal Stem Cells in a Chronic Liver Failure Experimental Model: A Comparative Study. <i>Experimental and Clinical Transplantation</i> , 2018, 16, 81-89.	0.2	9
16	Rosmarinic acid attenuates hepatic fibrogenesis via suppression of hepatic stellate cell activation/proliferation and induction of apoptosis. <i>Asian Pacific Journal of Tropical Medicine</i> , 2017, 10, 444-453.	0.4	16
17	Cromolyn chitosan nanoparticles as a novel protective approach for colorectal cancer. <i>Chemico-Biological Interactions</i> , 2017, 275, 1-12.	1.7	25
18	MP65-19 EXPRESSION OF FGFR 3 PROTEIN AND GENE AMPLIFICATION (FISH) IN DIFFERENT STAGES AND GRADES OF BLADDER CANCER. <i>Journal of Urology</i> , 2017, 197, .	0.2	0

#	ARTICLE	IF	CITATIONS
19	Expression of Epidermal Growth Factor Receptor and Transforming Growth Factor Alpha in Cancer Bladder: Schistosomal and Non-Schistosomal. <i>Current Urology</i> , 2017, 9, 192-201.	0.4	9
20	Evaluation of CD44 and CD133 as markers of liver cancer stem cells in Egyptian patients with HCV-induced chronic liver diseases versus hepatocellular carcinoma. <i>Electronic Physician</i> , 2017, 9, 4708-4717.	0.2	13
21	Expression of ERG Protein and TMRPSS2-ERG Fusion in Prostatic Carcinoma in Egyptian Patients. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2017, 5, 147-154.	0.1	6
22	Expression of FGFR3 Protein and Gene Amplification in Urinary Bladder Lesions in Relation to Schistosomiasis. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2017, 5, 160-166.	0.1	7
23	Expression of MDM2 mRNA, MDM2, P53 and P16 Proteins in Urothelial Lesions in the View of the WHO 4th Edition Guidelines as A Molecular Insight towards Personalized Medicine. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2017, 5, 578-586.	0.1	2
24	Expression of hnRNPK & Claudin-4 in HCV-Induced Early HCC and Adjacent Liver Tissue. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2017, 5, 595-602.	0.1	1
25	Her2/neu Protein Expression and Oncogene Amplification in Gastric Carcinoma with Clinico-Pathological Correlation in Egyptian Patients. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2016, 4, 535-542.	0.1	5
26	Fibrosis in Chronic Hepatitis C: Correlation between Immunohistochemically-Assessed Virus Load with Steatosis and Cellular Iron Content. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2016, 4, 578-584.	0.1	0
27	Bioactive chemical constituents of <i>Curcuma longa</i> L. rhizomes extract inhibit the growth of human hepatoma cell line (HepG2). <i>Acta Pharmaceutica</i> , 2016, 66, 387-398.	0.9	64
28	Wharton's jelly-derived mesenchymal stem cells combined with praziquantel as a potential therapy for <i>Schistosoma mansoni</i> -induced liver fibrosis. <i>Scientific Reports</i> , 2016, 6, 21005.	1.6	24
29	Induction of apoptosis in HepG2 by <i>Vitex agnus-castus</i> L. leaves extracts and identification of their active chemical constituents by LC-ESI-MS. <i>Asian Pacific Journal of Tropical Disease</i> , 2016, 6, 539-548.	0.5	5
30	Dose-response relationship in <i>Schistosoma mansoni</i> juvenile and adult stages following limonin treatment in experimentally infected mice. <i>Parasitology Research</i> , 2016, 115, 4045-4054.	0.6	10
31	Co-administration of metformin and N-acetylcysteine with dietary control improves the biochemical and histological manifestations in rats with non-alcoholic fatty liver. <i>Research in Pharmaceutical Sciences</i> , 2016, 11, 374.	0.6	23
32	Resveratrol mitigates hepatic injury in rats by regulating oxidative stress, nuclear factor-kappa B, and apoptosis. <i>Journal of Advanced Pharmaceutical Technology and Research</i> , 2016, 7, 99.	0.4	20
33	Possible carcinogenic potential of dimethyl dimethoxy biphenyl dicarboxylate in experimental animals. <i>Journal of Advanced Pharmaceutical Technology and Research</i> , 2016, 7, 54.	0.4	0
34	P0976 : Effect of rosuvastatin or/and Î²-carotene and dietary control on non-alcoholic fatty liver disease (NAFLD) in rats. <i>Journal of Hepatology</i> , 2015, 62, S712.	1.8	1
35	MP85-14 IS THERE A ROLE FOR PRECONDITIONING THE KIDNEY BEFORE WARM ISCHEMIA WITH SILDENAFIL?. <i>Journal of Urology</i> , 2015, 193, .	0.2	0
36	The clinical significance of HER2 protein amplification/expression in urinary bladder lesion. <i>Arab Journal of Urology Arab Association of Urology</i> , 2015, 13, 146-152.	0.7	13

#	ARTICLE	IF	CITATIONS
37	Impact of epidermal growth factor receptor and transforming growth factor β on hepatitis C virus-induced hepatocarcinogenesis. <i>Apmis</i> , 2015, 123, 823-831.	0.9	24
38	P0024 : Efficacy of wharton's jelly-derived mesenchymal stem cells combined with praziquantel in schistosoma mansoni-induced liver fibrosis in mice. <i>Journal of Hepatology</i> , 2015, 62, S300.	1.8	0
39	Schistosoma haematobium egg-induced bladder urothelial abnormalities dependent on p53 are modulated by host sex. <i>Experimental Parasitology</i> , 2015, 158, 55-60.	0.5	25
40	Dietary fructose in pregnancy induces hyperglycemia, hypertension, and pathologic kidney and liver changes in a rodent model. <i>Pregnancy Hypertension</i> , 2015, 5, 308-314.	0.6	16
41	Protective effect of Pelargonium graveolens against carbon tetrachloride-induced hepatotoxicity in mice and characterization of its bioactive constituents by HPLC-PDA-ESI-MS/MS analysis. <i>Medicinal Chemistry Research</i> , 2015, 24, 1438-1448.	1.1	13
42	Cyclo-oxygenase-2 and vascular endothelial growth factor expression in colorectal cancer patients. <i>The Egyptian Journal of Surgery</i> , 2015, 34, 35.	0.3	2
43	Hepatoprotective and Antioxidant Effect of Bauhinia hookeri Extract against Carbon Tetrachloride-Induced Hepatotoxicity in Mice and Characterization of Its Bioactive Compounds by HPLC-PDA-ESI-MS/MS. <i>BioMed Research International</i> , 2014, 2014, 1-9.	0.9	39
44	A New Mouse Model for Female Genital Schistosomiasis. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2825.	1.3	12
45	Hepatoprotective and antioxidant activity of Melaleuca stypelioides on carbon tetrachloride-induced hepatotoxicity in mice. <i>Pharmaceutical Biology</i> , 2014, 52, 1581-1590.	1.3	21
46	MP29-06 IQGAP1 EXPRESSION AND SURVIVAL IN CLEAR CELL RENAL CELL CARCINOMA. <i>Journal of Urology</i> , 2014, 191, .	0.2	0
47	MP4-12 A NEW MOUSE MODEL OF FEMALE GENITAL SCHISTOSOMIASIS. <i>Journal of Urology</i> , 2014, 191, .	0.2	0
48	Galectin 3 for the diagnosis of bladder cancer. <i>Arab Journal of Urology Arab Association of Urology</i> , 2014, 12, 178-181.	0.7	13
49	Controversies and challenges in research on urogenital schistosomiasis-associated bladder cancer. <i>Trends in Parasitology</i> , 2014, 30, 324-332.	1.5	78
50	Diagnostic and Prognostic Significance of Serum and Tissue Galectin 3 Expression in Patients with Carcinoma of the Bladder. <i>Current Urology</i> , 2014, 7, 185-190.	0.4	18
51	Expression of Cytokeration 7 , 20 , 14 in Urothelial Carcinoma and Squamous Cell Carcinoma of the Egprian Urinary Bladder Cancer. <i>Journal of the Egyptian Society of Parasitology</i> , 2014, 44, 733-740.	0.1	13
52	Mutant MMP-9 and HGF Gene Transfer Enhance Resolution of CCl4-Induced Liver Fibrosis in Rats: Role of ASH1 and EZH2 Methyltransferases Repression. <i>PLoS ONE</i> , 2014, 9, e112384.	1.1	48
53	Ameliorative Effect of Bone Marrow-Derived Stem Cells on Injured Liver of Mice Infected with Schistosoma mansoni. <i>Korean Journal of Parasitology</i> , 2014, 52, 151-162.	0.5	12
54	Superiority of Flourescent in Situ Hybridization over Immunohistochemistry in Detection of her2 Gene in Carcinoma of the Urinary Bladder Associated with and without Schistosomiasis. <i>Journal of the Egyptian Society of Parasitology</i> , 2014, 44, 719-731.	0.1	0

#	ARTICLE	IF	CITATIONS
55	Telmisartan, an AT1 receptor blocker and a PPAR gamma activator, alleviates liver fibrosis induced experimentally by <i>Schistosoma mansoni</i> infection. <i>Parasites and Vectors</i> , 2013, 6, 199.	1.0	30
56	The expression of p63 in bladder cancer vs. chronic bilharzial bladder. <i>Arab Journal of Urology Arab Association of Urology</i> , 2013, 11, 106-112.	0.7	1
57	Evaluation of the diagnostic value of serum and tissue apoptotic cytokeratin-18 in patients with chronic hepatitis C. <i>Arab Journal of Gastroenterology</i> , 2013, 14, 68-72.	0.4	11
58	Is there a correlation between HPV and urinary bladder carcinoma?. <i>Biomedicine and Pharmacotherapy</i> , 2013, 67, 183-191.	2.5	20
59	TGF-B1 pathway as biological marker of bladder carcinoma schistosomal and non-schistosomal. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 372-378.	0.8	7
60	Effect of Ketoconazole, a Cytochrome P450 Inhibitor, on the Efficacy of Quinine and Halofantrine against <i>Schistosoma mansoni</i> in Mice. <i>Korean Journal of Parasitology</i> , 2013, 51, 165-175.	0.5	10
61	DNA Damage in Inflammation-Related Carcinogenesis and Cancer Stem Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2013, 2013, 1-9.	1.9	163
62	Protective and Anti-Pathology Effects of Sm Fructose-1,6-Bisphosphate Aldolase-Based DNA Vaccine against <i>Schistosoma mansoni</i> by Changing Route of Injection. <i>Korean Journal of Parasitology</i> , 2013, 51, 155-163.	0.5	14
63	ecancermedalscience. <i>Ecancermedalscience</i> , 2012, 6, 278.	0.6	7
64	Nuclear Localization of COX-2 in relation to the Expression of Stemness Markers in Urinary Bladder Cancer. <i>Mediators of Inflammation</i> , 2012, 2012, 1-8.	1.4	58
65	The Role of Fas/Fas Ligand System in the Pathogenesis of Liver Cirrhosis and Hepatocellular Carcinoma. <i>Hepatitis Monthly</i> , 2012, 12, e6132.	0.1	22
66	Phase II Trial: Undifferentiated Versus Differentiated Autologous Mesenchymal Stem Cells Transplantation in Egyptian Patients with HCV Induced Liver Cirrhosis. <i>Stem Cell Reviews and Reports</i> , 2012, 8, 972-981.	5.6	151
67	Anti-inflammatory/anti-fibrotic effects of the hepatoprotective silymarin and the schistosomicide praziquantel against <i>Schistosoma mansoni</i> -induced liver fibrosis. <i>Parasites and Vectors</i> , 2012, 5, 9.	1.0	88
68	Nitrative DNA damage and Oct3/4 expression in urinary bladder cancer with <i>Schistosoma haematobium</i> infection. <i>Biochemical and Biophysical Research Communications</i> , 2011, 414, 344-349.	1.0	47
69	Pharmacodynamics of mefloquine and praziquantel combination therapy in mice harbouring juvenile and adult <i>Schistosoma mansoni</i> . <i>Memorias Do Instituto Oswaldo Cruz</i> , 2011, 106, 814-822.	0.8	23
70	Expression of Transforming Growth Factor Beta-1 Protein and Its Receptor in Tissues of Patients with Bladder Cancer Associated with Schistosomiasis or Not Associated. <i>Current Urology</i> , 2011, 5, 33-40.	0.4	0
71	Potential antifibrotic effects of AT1 receptor antagonist, losartan, and/or praziquantel on acute and chronic experimental liver fibrosis induced by <i>Schistosoma mansoni</i> . <i>Clinical and Experimental Pharmacology and Physiology</i> , 2011, 38, 695-704.	0.9	10
72	CD133+ human umbilical cord blood stem cells enhance angiogenesis in experimental chronic hepatic fibrosis. <i>Apmis</i> , 2011, 119, 66-75.	0.9	20

#	ARTICLE	IF	CITATIONS
73	Molecular markers and bladder carcinoma: Schistosomal and non-schistosomal. <i>Clinical Biochemistry</i> , 2011, 44, 237-244.	0.8	5
74	Homing of transplanted bone marrow cells in livers of <i>Schistosoma mansoni</i> -infected mice. <i>Apmis</i> , 2010, 118, 277-287.	0.9	11
75	Praziquantel efficacy in mice infected with PZQ non-susceptible <i>S. mansoni</i> isolate treated with artemether: parasitological, biochemical and immunohistochemical assessment. <i>Apmis</i> , 2010, 118, 692-702.	0.9	18
76	The Role of TGF-beta-1 Protein and TGF-beta-R-1 Receptor in Immune Escape Mechanism in Bladder Cancer. <i>Journal of Men's Health</i> , 2009, 6, 230-230.	0.1	0
77	Low-dose simultaneous delivery of adenovirus encoding hepatocyte growth factor and vascular endothelial growth factor in dogs enhances liver proliferation without systemic growth factor elevation. <i>Liver International</i> , 2009, 29, 1022-1030.	1.9	14
78	Possible role of telomerase and sFas in pathogenesis of various bladder lesions associated with schistosomiasis. <i>Clinical Biochemistry</i> , 2009, 42, 864-872.	0.8	6
79	<i>Schistosoma haematobium</i> (Egyptian Strain): Rate of Development and Effect of Praziquantel Treatment. <i>Journal of Parasitology</i> , 2008, 94, 386-394.	0.3	21
80	Possible role of cyclooxygenase-2 in schistosomal and non-schistosomal-associated bladder cancer. <i>Medscape Journal of Medicine</i> , 2008, 10, 60.	0.6	11
81	The role of TGF-beta-1 protein and TGF-beta-R-1 receptor in immune escape mechanism in bladder cancer. <i>MedGenMed: Medscape General Medicine</i> , 2007, 9, 34.	0.2	7
82	Effect of adamantylamide dipeptide as adjuvant therapy to praziquantel in mice infected with different <i>S. mansoni</i> isolates. <i>Apmis</i> , 2006, 114, 480-491.	0.9	3
83	Neovascularization of the amniotic membrane as a biological immune barrier. <i>Transplantation Proceedings</i> , 2004, 36, 1194-1198.	0.3	18
84	Activity of 9-(S)-[3-Hydroxy-2-(Phosphonomethoxy)Propyl]Adenine against Schistosomiasis mansoni in Mice. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 3853-3858.	1.4	42