
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4773444/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Monitoring Menstrual Health Knowledge: Awareness of Menstruation at Menarche as an Indicator. Frontiers in Global Women S Health, 2022, 3, 832549. | 1.1 | 5 |
| 2 | Adaptation of selected models for describing competitive per- and polyfluoroalkyl substances breakthrough curves in groundwater treated by granular activated carbon. Journal of Hazardous Materials, 2022, 433, 128804. | 6.5 | 3 |
| 3 | Revalidation and adaptation of the Menstrual Practice Needs Scale (MPNS) in a cross-sectional survey to measure the menstrual experiences of adult women working in Mukono District, Uganda. BMJ Open, 2022, 12, e057662. | 0.8 | 3 |
| 4 | School and work absenteeism due to menstruation in three West African countries: findings from PMA2020 surveys. Sexual and Reproductive Health Matters, 2021, 29, 409-424. | 0.7 | 14 |
| 5 | Optimizing Human Intestinal Enteroids for Environmental Monitoring of Human Norovirus. Food and Environmental Virology, 2021, 13, 470-484. | 1.5 | 9 |
| 6 | Detection of ultrashort-chain and other per- and polyfluoroalkyl substances (PFAS) in U.S. bottled water. Water Research, 2021, 201, 117292. | 5.3 | 46 |
| 7 | Selected Mechanistic Aspects of Viral Inactivation by Peracetic Acid. Environmental Science & Technology, 2021, 55, 16120-16129. | 4.6 | 24 |
| 8 | Assessing nutrient loading from reclaimed water irrigation using the chemical marker iohexol. AWWA Water Science, 2020, 2, e1198. | 1.0 | 0 |
| 9 | The Menstrual Practices Questionnaire (MPQ): development, elaboration, and implications for future research. Global Health Action, 2020, 13, 1829402. | 0.7 | 17 |
| 10 | Measuring menstrual hygiene experience: development and validation of the Menstrual Practice Needs Scale (MPNS-36) in Soroti, Uganda. BMJ Open, 2020, 10, e034461. | 0.8 | 44 |
| 11 | Measurement in the study of menstrual health and hygiene: A systematic review and audit. PLoS ONE, 2020, 15, e0232935. | 1.1 | 34 |
| 12 | Microfluidic droplet application for bacterial surveillance in fresh-cut produce wash waters. PLoS ONE, 2020, 15, e0233239. | 1.1 | 14 |
| 13 | National Monitoring for Menstrual Health and Hygiene: Is the Type of Menstrual Material Used Indicative of Needs Across 10 Countries?. International Journal of Environmental Research and Public Health, 2020, 17, 2633. | 1.2 | 16 |
| 14 | <i>â€~</i> I do what a woman should do': a grounded theory study of women's menstrual experiences at work in Mukono District, Uganda. BMJ Global Health, 2020, 5, e003433. | 2.0 | 27 |
| 15 | Measurement in the study of menstrual health and hygiene: A systematic review and audit. , 2020, 15, e0232935. | | 0 |
| 16 | Measurement in the study of menstrual health and hygiene: A systematic review and audit. , 2020, 15, e0232935. | | 0 |
| 17 | Microfluidic droplet application for bacterial surveillance in fresh-cut produce wash waters. , 2020, 15, e0233239. | | 0 |
| 18 | Microfluidic droplet application for bacterial surveillance in fresh-cut produce wash waters. , 2020, 15, e0233239. | | 0 |

| # | Article | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Microfluidic droplet application for bacterial surveillance in fresh-cut produce wash waters. , 2020, 15, e0233239. | | 0 |
| 20 | Microfluidic droplet application for bacterial surveillance in fresh-cut produce wash waters. , 2020, 15, e0233239. | | 0 |
| 21 | Sustainable practice for the food industry: assessment of selected treatment options for reclamation of washwater from vegetable processing. International Journal of Environmental Science and Technology, 2019, 16, 1369-1378. | 1.8 | 5 |
| 22 | The prevalence of schistosomiasis in Uganda: A nationally representative population estimate to inform control programs and water and sanitation interventions. PLoS Neglected Tropical Diseases, 2019, 13, e0007617. | 1.3 | 40 |
| 23 | Women's and girls' experiences of menstruation in low- and middle-income countries: A systematic review and qualitative metasynthesis. PLoS Medicine, 2019, 16, e1002803. | 3.9 | 190 |
| 24 | Comparison of 1-week and 2-week recall periods for caregiver-reported diarrhoeal illness in children, using nationally representative household surveys. International Journal of Epidemiology, 2019, 48, 1228-1239. | 0.9 | 11 |
| 25 | Addressing how multiple household water sources and uses build water resilience and support sustainable development. Npj Clean Water, 2019, 2, . | 3.1 | 51 |
| 26 | Arsenic in groundwater in private wells in rural North Dakota and South Dakota: Water quality assessment for an intervention trial. Environmental Research, 2019, 168, 41-47. | 3.7 | 26 |
| 27 | Effects of pH Variability on Peracetic Acid Reduction of Human Norovirus GI, GII RNA, and Infectivity Plus RNA Reduction of Selected Surrogates. Food and Environmental Virology, 2019, 11, 76-89. | 1.5 | 9 |
| 28 | Minimally Invasive Saliva Testing to Monitor Norovirus Infection in Community Settings. Journal of Infectious Diseases, 2019, 219, 1234-1242. | 1.9 | 22 |
| 29 | Impacts of virus processing on human norovirus GI and GII persistence during disinfection of municipal secondary wastewater effluent. Water Research, 2018, 134, 1-12. | 5.3 | 29 |
| 30 | Extreme Precipitation, Public Health Emergencies, and Safe Drinking Water in the USA. Current Environmental Health Reports, 2018, 5, 305-315. | 3.2 | 27 |
| 31 | Wealthy, urban, educated. Who is represented in population surveys of women's menstrual hygiene management?. Reproductive Health Matters, 2018, 26, 81-91. | 1.3 | 11 |
| 32 | Infectivity reduction efficacy of UV irradiation and peracetic acid-UV combined treatment on MS2 bacteriophage and murine norovirus in secondary wastewater effluent. Journal of Environmental Management, 2018, 221, 1-9. | 3.8 | 28 |
| 33 | Evolution on the Biophysical Fitness Landscape of an RNA Virus. Molecular Biology and Evolution, 2018, 35, 2390-2400. | 3.5 | 45 |
| 34 | The Relationship between Household Sanitation and Women's Experience of Menstrual Hygiene: Findings from a Cross-Sectional Survey in Kaduna State, Nigeria. International Journal of Environmental Research and Public Health, 2018, 15, 905. | 1.2 | 24 |
| 35 | Comparative Inactivation of Murine Norovirus and MS2 Bacteriophage by Peracetic Acid and Monochloramine in Municipal Secondary Wastewater Effluent. Environmental Science & Technology, 2017, 51, 2972-2981. | 4.6 | 52 |
| 36 | Inactivation of Human Norovirus Genogroups I and II and Surrogates by Free Chlorine in Postharvest Leafy Green Wash Water. Applied and Environmental Microbiology, 2017, 83, . | 1.4 | 14 |

| # | Article | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Reduction of Human Norovirus GI, GII, and Surrogates by Peracetic Acid and Monochloramine in Municipal Secondary Wastewater Effluent. Environmental Science & Technology, 2017, 51, 11918-11927. | 4.6 | 26 |
| 38 | Minimizing Bias in Virally Seeded Water Treatment Studies: Evaluation of Optimal Bacteriophage and Mammalian Virus Preparation Methodologies. Food and Environmental Virology, 2017, 9, 473-486. | 1.5 | 8 |
| 39 | Environmental Determinants of Vibrio parahaemolyticus in the Chesapeake Bay. Applied and Environmental Microbiology, 2017, 83, . | 1.4 | 35 |
| 40 | Surface Sampling Collection and Culture Methods for Escherichia coli in Household Environments with High Fecal Contamination. International Journal of Environmental Research and Public Health, 2017, 14, 947. | 1.2 | 5 |
| 41 | Underreporting of high-risk water and sanitation practices undermines progress on global targets. PLoS ONE, 2017, 12, e0176272. | 1.1 | 32 |
| 42 | The role of packaged water in meeting global targets on improved water access. Journal of Water Sanitation and Hygiene for Development, 2017, 7, 369-377. | 0.7 | 11 |
| 43 | Use of Pathogen-Specific Antibody Biomarkers to Estimate Waterborne Infections in Population-Based Settings. Current Environmental Health Reports, 2016, 3, 322-334. | 3.2 | 22 |
| 44 | Floors and Toilets: Association of Floors and Sanitation Practices with Fecal Contamination in Peruvian Amazon Peri-Urban Households. Environmental Science & Technology, 2016, 50, 7373-7381. | 4.6 | 30 |
| 45 | Murine norovirus (MNV-1) exposure in vitro to the purine nucleoside analog Ribavirin increases quasispecies diversity. Virus Research, 2016, 211, 165-173. | 1.1 | 7 |
| 46 | Assessment and speciation of chlorine demand in fresh-cut produce wash water. Food Control, 2016, 60, 543-551. | 2.8 | 53 |
| 47 | Using Geographic Information Systems and Spatial Analysis Methods to Assess Household Water Access and Sanitation Coverage in the SHINE Trial. Clinical Infectious Diseases, 2015, 61, S716-S725. | 2.9 | 19 |
| 48 | Genes Indicative of Zoonotic and Swine Pathogens Are Persistent in Stream Water and Sediment following a Swine Manure Spill. Applied and Environmental Microbiology, 2015, 81, 3430-3441. | 1.4 | 27 |
| 49 | Genotypic and Phenotypic Characterization of Escherichia coli Isolates from Feces, Hands, and Soils in Rural Bangladesh via the Colilert Quanti-Tray System. Applied and Environmental Microbiology, 2015, 81, 1735-1743. | 1.4 | 31 |
| 50 | Absolute quantification of norovirus capsid protein in food, water, and soil using synthetic peptides with electrospray and MALDI mass spectrometry. Journal of Hazardous Materials, 2015, 286, 525-532. | 6.5 | 10 |
| 51 | Estimates of Nitrogen, Phosphorus, Biochemical Oxygen Demand, and Fecal Coliforms Entering the Environment Due to Inadequate Sanitation Treatment Technologies in 108 Low and Middle Income Countries. Environmental Science & Technology, 2015, 49, 11604-11611. | 4.6 | 26 |
| 52 | Water quality, weather and environmental factors associated with fecal indicator organism density in beach sand at two recreational marine beaches. Science of the Total Environment, 2014, 497-498, 440-447. | 3.9 | 22 |
| 53 | Lower prevalence of antibiotic-resistant Salmonella on large-scale U.S. conventional poultry farms that transitioned to organic practices. Science of the Total Environment, 2014, 476-477, 387-392. | 3.9 | 49 |
| 54 | Effects of magnetic ion exchange pretreatment on low pressure membrane filtration of natural surface water. Water Research, 2012, 46, 5483-5490. | 5.3 | 41 |

| # | Article | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Mechanisms of Membrane Fouling Control by Integrated Magnetic Ion Exchange and Coagulation. Environmental Science & Technology, 2012, 46, 10711-10717. | 4.6 | 42 |
| 56 | Fecal Contamination and Diarrheal Pathogens on Surfaces and in Soils among Tanzanian Households with and without Improved Sanitation. Environmental Science & amp; Technology, 2012, 46, 5736-5743. | 4.6 | 149 |
| 57 | Mechanisms of virus removal from secondary wastewater effluent by low pressure membrane filtration. Journal of Membrane Science, 2012, 409-410, 1-8. | 4.1 | 67 |
| 58 | Evaluation of Human Enteric Viruses in Surface Water and Drinking Water Resources in Southern Ghana. American Journal of Tropical Medicine and Hygiene, 2011, 84, 20-29. | 0.6 | 55 |
| 59 | Thermal Inactivation of Human Norovirus Surrogates. Food and Environmental Virology, 2011, 3, 74-77. | 1.5 | 39 |
| 60 | Norovirus Infectivity in Humans and Persistence in Water. Applied and Environmental Microbiology, 2011, 77, 6884-6888. | 1.4 | 248 |
| 61 | Assessment of Bioaerosol Generation and Sampling Efficiency Based on <i>Pantoea agglomerans</i> . Aerosol Science and Technology, 2009, 43, 620-628. | 1.5 | 24 |
| 62 | Pretreatment for Low Pressure Membranes in Water Treatment: A Review. Environmental Science & Technology, 2009, 43, 3011-3019. | 4.6 | 471 |
| 63 | Evaluation of Murine Norovirus, Feline Calicivirus, Poliovirus, and MS2 as Surrogates for Human Norovirus in a Model of Viral Persistence in Surface Water and Groundwater. Applied and Environmental Microbiology, 2008, 74, 477-484. | 1.4 | 303 |
| 64 | Are Existing Bacterial Indicators Adequate for Determining Recreational Water Illness in Waters Impacted by Nonpoint Pollution?. Epidemiology, 2007, 18, 21-22. | 1.2 | 13 |
| 65 | Microbial and Chemical Assessment of Regions within New Orleans, LA Impacted by Hurricane Katrina. Environmental Science & Technology, 2007, 41, 2401-2406. | 4.6 | 49 |
| 66 | Inhibition of quantitative PCR analysis of fungal conidia associated with indoor air particulate matter. Aerobiologia, 2007, 23, 35-45. | 0.7 | 28 |
| 67 | Research needs in drinking water: a basis in regulations in the United States. Journal of Water and Health, 2006, 4, 1-9. | 1.1 | 4 |
| 68 | Deficiencies in drinking water distribution systems in developing countries. Journal of Water and Health, 2005, 3, 109-127. | 1.1 | 245 |
| 69 | Laboratory efforts to cultivate noroviruses. Journal of General Virology, 2004, 85, 79-87. | 1.3 | 517 |
| 70 | Development of a PCR-Enzyme Immunoassay Oligoprobe Detection Method for Toxoplasma gondii Oocysts, Incorporating PCR Controls. Applied and Environmental Microbiology, 2003, 69, 5819-5825. | 1.4 | 43 |
| 71 | Foodborne infections vectored by molluscan shellfish. Current Gastroenterology Reports, 2000, 2, 305-309. | 1.1 | 31 |
| 72 | Development of Methods To Detect "Norwalk-Like Viruses―(NLVs) and Hepatitis A Virus in Delicatessen Foods: Application to a Food-Borne NLV Outbreak. Applied and Environmental Microbiology, 2000, 66, 213-218. | 1.4 | 148 |