

Abdalla M El-Mowafy

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/477426/abdalla-m-el-mowafy-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

34
papers

1,135
citations

19
h-index

33
g-index

35
ext. papers

1,220
ext. citations

4.7
avg, IF

4.09
L-index

#	Paper	IF	Citations
34	Novel protection by Omega-3-FAs (DHA or EPA) against carbamazepine liver-injury: differential suppression of oxidative-stress and inflammatory markers, and the influence on carbamazepine-clearance. <i>Clinical Nutrition Open Science</i> , 2022 , 42, 14-26		0
33	Novel molecular triggers underlie valproate-induced liver injury and its alleviation by the omega-3 fatty acid DHA: role of inflammation and apoptosis. <i>Heliyon</i> , 2016 , 2, e00130	3.6	14
32	Emerging Clues and Altered Metabolic Findings in Autism: Breakthroughs and Prospects from Omics Studies. <i>Autism-open Access</i> , 2016 , 06,	0	2
31	Valproate-induced liver injury: modulation by the omega-3 fatty acid DHA proposes a novel anticonvulsant regimen. <i>Drugs in R and D</i> , 2014 , 14, 85-94	3.4	31
30	Herbal Therapy: Can Omics Technology Create Order from Chaos?. <i>Biochemistry and Analytical Biochemistry: Current Research</i> , 2012 , 01,		3
29	Evaluation of renal protective effects of the green-tea (EGCG) and red grape resveratrol: role of oxidative stress and inflammatory cytokines. <i>Natural Product Research</i> , 2011 , 25, 850-6	2.3	45
28	Eicosapentaenoic acid ablates valproate-induced liver oxidative stress and cellular derangement without altering its clearance rate: dynamic synergy and therapeutic utility. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2011 , 1811, 460-7	5	15
27	Novel role of curcumin combined with bone marrow transplantation in reversing experimental diabetes: Effects on pancreatic islet regeneration, oxidative stress, and inflammatory cytokines. <i>European Journal of Pharmacology</i> , 2011 , 658, 41-8	5.3	59
26	Prominent chemopreventive and chemoenhancing effects for resveratrol: unraveling molecular targets and the role of C-reactive protein. <i>Chemotherapy</i> , 2010 , 56, 60-5	3.2	25
25	Novel chemotherapeutic and renal protective effects for the green tea (EGCG): role of oxidative stress and inflammatory-cytokine signaling. <i>Phytomedicine</i> , 2010 , 17, 1067-75	6.5	46
24	Chemopreventive and renal protective effects for docosahexaenoic acid (DHA): implications of CRP and lipid peroxides. <i>Cell Division</i> , 2009 , 4, 6	2.8	42
23	Resveratrol reverses ET-1-evoked mitogenic effects in human coronary arterial cells by activating the kinase-G to inhibit ERK-enzymes. <i>International Journal of Cardiology</i> , 2009 , 136, 263-9	3.2	21
22	Resveratrol-induced apoptosis in human breast cancer cells is mediated primarily through the caspase-3-dependent pathway. <i>Archives of Medical Research</i> , 2008 , 39, 162-8	6.6	50
21	Resveratrol reverses hydrogen peroxide-induced proliferative effects in human coronary smooth muscle cells: a novel signaling mechanism. <i>Archives of Medical Research</i> , 2008 , 39, 155-61	6.6	22
20	Nongenomic activation of the GC-A enzyme by resveratrol and estradiol downstream from membrane estrogen receptors in human coronary arterial cells. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007 , 17, 508-16	4.5	10
19	Differential recognition of resveratrol isomers by the human estrogen receptor-alpha: molecular dynamics evidence for stereoselective ligand binding. <i>Chirality</i> , 2004 , 16, 190-5	2.1	26
18	Resveratrol activates adenylyl-cyclase in human breast cancer cells: a novel, estrogen receptor-independent cytostatic mechanism. <i>Carcinogenesis</i> , 2003 , 24, 869-73	4.6	90

17	Overexpression of wild-type p53 gene renders MCF-7 breast cancer cells more sensitive to the antiproliferative effect of progesterone. <i>Journal of Endocrinology</i> , 2003 , 179, 55-62	4.7	30
16	Molecular dynamics simulation characteristics of resveratrol interaction with human estrogen receptor- β distinct recognition from diethylstilbestrol. <i>Computational and Theoretical Chemistry</i> , 2002 , 593, 39-48		8
15	Endothelium-independent effect of estrogen on Ca(2+)-activated K(+) channels in human coronary artery smooth muscle cells. <i>Cardiovascular Research</i> , 2002 , 53, 650-61	9.9	82
14	Growth inhibition of MCF-7 human breast cancer cells by progesterone is associated with cell differentiation and phosphorylation of Akt protein. <i>European Journal of Cancer Prevention</i> , 2002 , 11, 481-8	2	21
13	Recognition of resveratrol by the human estrogen receptor-alpha: a molecular modeling approach to understand its biological actions. <i>Medical Principles and Practice</i> , 2002 , 11, 86-92	2.1	14
12	Resveratrol activates membrane-bound guanylyl cyclase in coronary arterial smooth muscle: a novel signaling mechanism in support of coronary protection. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 291, 1218-24	3.4	48
11	Synthesis, spectroscopic characterization, stability assessment and DNA-binding of new 2,6-piperidinedione derivatives. <i>Il Farmaco</i> , 2001 , 56, 763-70		7
10	Mirazid: A New Schistosomicidal Drug. <i>Pharmaceutical Biology</i> , 2001 , 39, 127-131	3.8	21
9	ET(B) receptor activates adenylyl cyclase via a c-PLA(2)-dependent mechanism: a novel counterregulatory mechanism of ET-induced contraction in airway smooth muscle. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 286, 388-93	3.4	8
8	Novel piperidinedione analogs as inhibitors of breast cancer cell growth. <i>Archiv Der Pharmazie</i> , 2000 , 333, 431-4	4.3	3
7	H(2)O(2) opens BK(Ca) channels via the PLA(2)-arachidonic acid signaling cascade in coronary artery smooth muscle. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000 , 279, H475-83	5.2	83
6	cAMP-dependent vasodilators cross-activate the cGMP-dependent protein kinase to stimulate BK(Ca) channel activity in coronary artery smooth muscle cells. <i>Circulation Research</i> , 2000 , 86, 897-905	15.7	155
5	Resveratrol inhibits MAPK activity and nuclear translocation in coronary artery smooth muscle: reversal of endothelin-1 stimulatory effects. <i>FEBS Letters</i> , 1999 , 451, 63-7	3.8	102
4	Role of endogenous endothelin-1 in stress-induced gastric mucosal damage and acid secretion in rats. <i>Regulatory Peptides</i> , 1998 , 73, 43-50		19
3	Evidence for a tyrosine kinase-dependent activation of the adenylyl Cyclase/PKA cascade downstream from the G-protein-linked endothelin ETA receptor in vascular smooth muscle. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 251, 494-500	3.4	18
2	Non-epithelial endothelin-A receptors activate adenylate cyclase in rat trachea: biochemical mechanisms and physiological implications. <i>Life Sciences</i> , 1997 , 61, 1529-38	6.8	4
1	Endothelins-induce cyclicAMP formation in the guinea-pig trachea through an ETA receptor- and cyclooxygenase-dependent mechanism. <i>British Journal of Pharmacology</i> , 1996 , 118, 531-6	8.6	11