Claudio Doglioni

List of Publications by Citations

Source: https://exaly.com/author-pdf/4774714/claudio-doglioni-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

25,268 149 372 79 h-index g-index citations papers 6.6 28,609 6.25 394 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
372	Regression of primary low-grade B-cell gastric lymphoma of mucosa-associated lymphoid tissue type after eradication of Helicobacter pylori. <i>Lancet, The</i> , 1993 , 342, 575-7	40	1742
371	Epidermal growth factor receptor gene and protein and gefitinib sensitivity in non-small-cell lung cancer. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 643-55	9.7	1367
370	Pancreatic cancers require autophagy for tumor growth. <i>Genes and Development</i> , 2011 , 25, 717-29	12.6	1003
369	Monocyte-derived IL-1 and IL-6 are differentially required for cytokine-release syndrome and neurotoxicity due to CAR T cells. <i>Nature Medicine</i> , 2018 , 24, 739-748	50.5	615
368	Hematopoietic stem cell gene transfer in a tumor-prone mouse model uncovers low genotoxicity of lentiviral vector integration. <i>Nature Biotechnology</i> , 2006 , 24, 687-96	44.5	556
367	Induction of EMT by twist proteins as a collateral effect of tumor-promoting inactivation of premature senescence. <i>Cancer Cell</i> , 2008 , 14, 79-89	24.3	547
366	Aberrant Wnt/beta-catenin pathway activation in idiopathic pulmonary fibrosis. <i>American Journal of Pathology</i> , 2003 , 162, 1495-502	5.8	541
365	Intratumor T helper type 2 cell infiltrate correlates with cancer-associated fibroblast thymic stromal lymphopoietin production and reduced survival in pancreatic cancer. <i>Journal of Experimental Medicine</i> , 2011 , 208, 469-78	16.6	454
364	The genotoxic potential of retroviral vectors is strongly modulated by vector design and integration site selection in a mouse model of HSC gene therapy. <i>Journal of Clinical Investigation</i> , 2009 , 119, 964-75	15.9	407
363	Twist is a potential oncogene that inhibits apoptosis. <i>Genes and Development</i> , 1999 , 13, 2207-17	12.6	406
362	Identification of proangiogenic TIE2-expressing monocytes (TEMs) in human peripheral blood and cancer. <i>Blood</i> , 2007 , 109, 5276-85	2.2	398
361	Calretinin: a novel immunocytochemical marker for mesothelioma. <i>American Journal of Surgical Pathology</i> , 1996 , 20, 1037-46	6.7	390
360	Definition, diagnosis, and management of intravascular large B-cell lymphoma: proposals and perspectives from an international consensus meeting. <i>Journal of Clinical Oncology</i> , 2007 , 25, 3168-73	2.2	370
359	TNM staging of neoplasms of the endocrine pancreas: results from a large international cohort study. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 764-77	9.7	362
358	High prevalence of activated intraepithelial cytotoxic T lymphocytes and increased neoplastic cell apoptosis in colorectal carcinomas with microsatellite instability. <i>American Journal of Pathology</i> , 1999 , 154, 1805-13	5.8	359
357	p63, a p53 homologue, is a selective nuclear marker of myoepithelial cells of the human breast. <i>American Journal of Surgical Pathology</i> , 2001 , 25, 1054-60	6.7	310
356	Combined circulating tumor DNA and protein biomarker-based liquid biopsy for the earlier detection of pancreatic cancers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 10202-10207	11.5	303

(2011-2003)

355	Alterations of beta-catenin pathway in non-melanoma skin tumors: loss of alpha-ABC nuclear reactivity correlates with the presence of beta-catenin gene mutation. <i>American Journal of Pathology</i> , 2003 , 163, 2277-87	5.8	283
354	Microsatellite instability and high content of activated cytotoxic lymphocytes identify colon cancer patients with a favorable prognosis. <i>American Journal of Pathology</i> , 2001 , 159, 297-304	5.8	253
353	Immunobiological characterization of cancer stem cells isolated from glioblastoma patients. <i>Clinical Cancer Research</i> , 2010 , 16, 800-13	12.9	244
352	High incidence of primary gastric lymphoma in northeastern Italy. <i>Lancet, The</i> , 1992 , 339, 834-5	40	233
351	Tumor-mediated liver X receptor-alpha activation inhibits CC chemokine receptor-7 expression on dendritic cells and dampens antitumor responses. <i>Nature Medicine</i> , 2010 , 16, 98-105	50.5	216
350	Two positive nodes represent a significant cut-off value for cancer specific survival in patients with node positive prostate cancer. A new proposal based on a two-institution experience on 703 consecutive N+ patients treated with radical prostatectomy, extended pelvic lymph node	10.2	213
349	Coordinated expression and amplification of the MDM2, CDK4, and HMGI-C genes in atypical lipomatous tumours. <i>Journal of Pathology</i> , 2000 , 190, 531-6	9.4	211
348	High syndecan-1 expression in breast carcinoma is related to an aggressive phenotype and to poorer prognosis. <i>Cancer</i> , 2003 , 98, 474-83	6.4	183
347	Regression of ocular adnexal lymphoma after Chlamydia psittaci-eradicating antibiotic therapy. <i>Journal of Clinical Oncology</i> , 2005 , 23, 5067-73	2.2	177
346	Germinal center dysregulation by histone methyltransferase EZH2 promotes lymphomagenesis. Journal of Clinical Investigation, 2013 , 123, 5009-22	15.9	174
345	CDX-2 homeobox gene expression is a reliable marker of colorectal adenocarcinoma metastases to the lungs. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 141-9	6.7	171
344	Clinical and molecular profile of a new series of patients with immune dysregulation, polyendocrinopathy, enteropathy, X-linked syndrome: inconsistent correlation between forkhead box protein 3 expression and disease severity. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 122, 1	11.5 105-111	
343	Abnormal re-epithelialization and lung remodeling in idiopathic pulmonary fibrosis: the role of deltaN-p63. <i>Laboratory Investigation</i> , 2002 , 82, 1335-45	5.9	164
342	Bacteria-eradicating therapy with doxycycline in ocular adnexal MALT lymphoma: a multicenter prospective trial. <i>Journal of the National Cancer Institute</i> , 2006 , 98, 1375-82	9.7	161
341	Loss of P53 Function Activates JAK2-STAT3 Signaling to Promote Pancreatic Tumor Growth, Stroma Modification, and Gemcitabine Resistance in Mice and Is Associated With Patient Survival. <i>Gastroenterology</i> , 2016 , 151, 180-193.e12	13.3	157
340	Improved histologic and clinicopathologic criteria for prognostic evaluation of pancreatic endocrine tumors. <i>Human Pathology</i> , 2009 , 40, 30-40	3.7	147
339	Genome-wide DNA profiling of marginal zone lymphomas identifies subtype-specific lesions with an impact on the clinical outcome. <i>Blood</i> , 2011 , 117, 1595-604	2.2	145
338	A prognostic score to predict major complications after pancreaticoduodenectomy. <i>Annals of Surgery</i> , 2011 , 254, 702-7; discussion 707-8	7.8	144

337	Human IL2RA null mutation mediates immunodeficiency with lymphoproliferation and autoimmunity. <i>Clinical Immunology</i> , 2013 , 146, 248-61	9	141
336	Variations in clinical presentation, frequency of hemophagocytosis and clinical behavior of intravascular lymphoma diagnosed in different geographical regions. <i>Haematologica</i> , 2007 , 92, 486-92	6.6	137
335	Transformation of normal human cells in the absence of telomerase activation. <i>Cancer Cell</i> , 2002 , 2, 40°	1-2143.3	137
334	Immunology of IgG4-related disease. <i>Clinical and Experimental Immunology</i> , 2015 , 181, 191-206	6.2	133
333	Predictive value of a proteomic signature in patients with non-small-cell lung cancer treated with second-line erlotinib or chemotherapy (PROSE): a biomarker-stratified, randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2014 , 15, 713-21	21.7	131
332	Cathepsin-K immunoreactivity distinguishes MiTF/TFE family renal translocation carcinomas from other renal carcinomas. <i>Modern Pathology</i> , 2009 , 22, 1016-22	9.8	130
331	p53 over-expression is an early event in the development of human squamous-cell carcinoma of the larynx: genetic and prognostic implications. <i>International Journal of Cancer</i> , 1992 , 52, 178-82	7·5	130
330	The oxysterol-CXCR2 axis plays a key role in the recruitment of tumor-promoting neutrophils. Journal of Experimental Medicine, 2013, 210, 1711-28	16.6	127
329	bcl-2 expression in pleural and extrapleural solitary fibrous tumours. <i>Journal of Pathology</i> , 1997 , 181, 362-7	9.4	126
328	Chlamydophila psittaci eradication with doxycycline as first-line targeted therapy for ocular adnexae lymphoma: final results of an international phase II trial. <i>Journal of Clinical Oncology</i> , 2012 , 30, 2988-94	2.2	125
327	The chemokine receptor CX3CR1 is involved in the neural tropism and malignant behavior of pancreatic ductal adenocarcinoma. <i>Cancer Research</i> , 2008 , 68, 9060-9	10.1	125
326	Distinct functional significance of Akt and mTOR constitutive activation in mantle cell lymphoma. <i>Blood</i> , 2008 , 111, 5142-51	2.2	123
325	HER2 testing in gastric cancer. Advances in Anatomic Pathology, 2011, 18, 53-9	5.1	121
324	(Ir)relevance of Metformin Treatment in Patients with Metastatic Pancreatic Cancer: An Open-Label, Randomized Phase II Trial. <i>Clinical Cancer Research</i> , 2016 , 22, 1076-85	12.9	116
323	Uncovering and dissecting the genotoxicity of self-inactivating lentiviral vectors in vivo. <i>Molecular Therapy</i> , 2014 , 22, 774-85	11.7	113
322	MEN1 in pancreatic endocrine tumors: analysis of gene and protein status in 169 sporadic neoplasms reveals alterations in the vast majority of cases. <i>Endocrine-Related Cancer</i> , 2010 , 17, 771-83	5.7	110
321	Pentraxin-3 as a marker of disease activity in Takayasu arteritis. <i>Annals of Internal Medicine</i> , 2011 , 155, 425-33	8	109
320	Cross-talk between tumor and endothelial cells involving the Notch3-Dll4 interaction marks escape from tumor dormancy. <i>Cancer Research</i> , 2009 , 69, 1314-23	10.1	109

(2008-2009)

319	Immune regulatory neural stem/precursor cells protect from central nervous system autoimmunity by restraining dendritic cell function. <i>PLoS ONE</i> , 2009 , 4, e5959	3.7	108
318	Growth fraction in human brain tumors defined by the monoclonal antibody Ki-67. <i>Acta Neuropathologica</i> , 1987 , 74, 179-82	14.3	106
317	Endoscopic ultrasound-guided application of a new hybrid cryotherm probe in porcine pancreas: a preliminary study. <i>Endoscopy</i> , 2008 , 40, 321-6	3.4	105
316	The Microbiome of the Prostate Tumor Microenvironment. <i>European Urology</i> , 2017 , 72, 625-631	10.2	100
315	Treatment of experimental autoimmune prostatitis in nonobese diabetic mice by the vitamin D receptor agonist elocalcitol. <i>Journal of Immunology</i> , 2006 , 177, 8504-11	5.3	99
314	Safety and efficacy of preoperative or postoperative chemotherapy for resectable pancreatic adenocarcinoma (PACT-15): a randomised, open-label, phase 2-3 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 413-423	18.8	98
313	mdm2 gene alterations and mdm2 protein expression in breast carcinomas. <i>Journal of Pathology</i> , 1995 , 175, 31-8	9.4	97
312	Maturing dendritic cells depend on RAGE for in vivo homing to lymph nodes. <i>Journal of Immunology</i> , 2008 , 180, 2270-5	5.3	95
311	The prevalence of BCL-2 immunoreactivity in breast carcinomas and its clinicopathological correlates, with particular reference to oestrogen receptor status. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1994 , 424, 47-51	5.1	94
310	A "twist box" code of p53 inactivation: twist box: p53 interaction promotes p53 degradation. <i>Cancer Cell</i> , 2012 , 22, 404-15	24.3	92
309	Liver-directed lentiviral gene therapy in a dog model of hemophilia B. <i>Science Translational Medicine</i> , 2015 , 7, 277ra28	17.5	91
308	Feasibility and yield of a novel 22-gauge histology EUS needle in patients with pancreatic masses: a multicenter prospective cohort study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 3733-8	5.2	90
307	T-derived dopamine accelerates productive synapses in germinal centres. <i>Nature</i> , 2017 , 547, 318-323	50.4	89
306	Basaloid squamous cell carcinoma of the head and neck: clinicopathological features and differential diagnosis. <i>Annals of Otology, Rhinology and Laryngology</i> , 1996 , 105, 75-82	2.1	89
305	BCL2, BCL6, MYC, MALT 1, and BCL10 rearrangements in nodal diffuse large B-cell lymphomas: a multicenter evaluation of a new set of fluorescent in situ hybridization probes and correlation with clinical outcome. <i>Human Pathology</i> , 2009 , 40, 645-52	3.7	87
304	CDX-2 homeobox gene product expression in neuroendocrine tumors: its role as a marker of intestinal neuroendocrine tumors. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 1169-76	6.7	87
303	Ghrelin-producing epsilon cells in the developing and adult human pancreas. <i>Diabetologia</i> , 2009 , 52, 486	51933	85
302	Carcinoembryonic antigen-specific but not antiviral CD4+ T cell immunity is impaired in pancreatic carcinoma patients. <i>Journal of Immunology</i> , 2008 , 181, 6595-603	5.3	85

301	Identification of novel sense and antisense transcription at the TRPM2 locus in cancer. <i>Cell Research</i> , 2008 , 18, 1128-40	24.7	84
300	Chromophobe renal cell carcinoma: a comparative study of histological, immunohistochemical and ultrastructural features using high throughput tissue microarray. <i>Histopathology</i> , 2004 , 45, 593-602	7-3	84
299	Biopsy schemes with the fewest cores for detecting 95% of the prostate cancers detected by a 24-core biopsy. <i>European Urology</i> , 2010 , 57, 1-8	10.2	83
298	Bcl-2 and p53 expression in node-negative breast carcinoma: a study with long-term follow-up. <i>Human Pathology</i> , 1996 , 27, 1149-55	3.7	82
297	Quantitative growth fraction evaluation with MIB1 and Ki67 antibodies in breast carcinomas. <i>American Journal of Clinical Pathology</i> , 1994 , 102, 171-5	1.9	82
296	Cancer-initiating cells from colorectal cancer patients escape from T cell-mediated immunosurveillance in vitro through membrane-bound IL-4. <i>Journal of Immunology</i> , 2014 , 192, 523-32	5.3	80
295	Duodenal Mucosa of Patients With Type 1 Diabetes Shows Distinctive Inflammatory Profile and Microbiota. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 1468-1477	5.6	80
294	Antibiotic treatment for low-grade gastric MALT lymphoma. <i>Lancet, The</i> , 1994 , 343, 1503	40	80
293	p21/WAF1/CIP1 expression in normal mucosa and in adenomas and adenocarcinomas of the colon: its relationship with differentiation. <i>Journal of Pathology</i> , 1996 , 179, 248-53	9.4	79
292	Cytokeratin-immunoreactive cells of human lymph nodes and spleen in normal and pathological conditions. An immunocytochemical study. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1990 , 416, 479-90		79
291	Basophil Recruitment into Tumor-Draining Lymph Nodes Correlates with Th2 Inflammation and Reduced Survival in Pancreatic Cancer Patients. <i>Cancer Research</i> , 2016 , 76, 1792-803	10.1	78
290	Progesterone receptor immunoreactivity in pancreatic endocrine tumors. An immunocytochemical study of 156 neuroendocrine tumors of the pancreas, gastrointestinal and respiratory tracts, and skin. <i>Cancer</i> , 1992 , 70, 2268-77	6.4	78
289	Basaloid squamous cell carcinoma of the larynx and hypopharynx. <i>Annals of Otology, Rhinology and Laryngology</i> , 1997 , 106, 1024-35	2.1	77
288	BRAFV600E-mutation is invariably present and associated to oncogene-induced senescence in Erdheim-Chester disease. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1596-602	2.4	75
287	Autologous pancreatic islet transplantation in human bone marrow. <i>Diabetes</i> , 2013 , 62, 3523-31	0.9	74
286	Plasma and tissue expression of the long pentraxin 3 during normal pregnancy and preeclampsia. <i>Obstetrics and Gynecology</i> , 2006 , 108, 148-55	4.9	73
285	Four Neuroendocrine Tumor Types and Neuroendocrine Carcinoma of the Duodenum: Analysis of 203 Cases. <i>Neuroendocrinology</i> , 2017 , 104, 112-125	5.6	72
284	Migratory marker expression in fibroblast foci of idiopathic pulmonary fibrosis. <i>Respiratory Research</i> , 2006 , 7, 95	7.3	72

(2008-2019)

283	A multimodality test to guide the management of patients with a pancreatic cyst. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	71	
282	Ocular adnexal MALT lymphoma: an intriguing model for antigen-driven lymphomagenesis and microbial-targeted therapy. <i>Annals of Oncology</i> , 2008 , 19, 835-46	10.3	71	
281	M-CAM expression as marker of poor prognosis in epithelial ovarian cancer. <i>International Journal of Cancer</i> , 2006 , 119, 1920-6	7.5	71	
280	Immunodetection of proliferating cell nuclear antigen assesses the growth fraction and predicts malignancy in endocrine tumors of the pancreas. <i>American Journal of Surgical Pathology</i> , 1992 , 16, 1215	5-23	71	
279	IgG4-related disease in Italy: clinical features and outcomes of a large cohort of patients. <i>Scandinavian Journal of Rheumatology</i> , 2016 , 45, 135-45	1.9	70	
278	The addition of rituximab to anthracycline-based chemotherapy significantly improves outcome in N VesternNpatients with intravascular large B-cell lymphoma. <i>British Journal of Haematology</i> , 2008 , 143, 253-7	4.5	70	
277	Chlamydia infection and lymphomas: association beyond ocular adnexal lymphomas highlighted by multiple detection methods. <i>Clinical Cancer Research</i> , 2008 , 14, 5794-800	12.9	69	
276	Ex vivo gene therapy with lentiviral vectors rescues adenosine deaminase (ADA)-deficient mice and corrects their immune and metabolic defects. <i>Blood</i> , 2006 , 108, 2979-88	2.2	69	
275	Glial fibrillary acidic protein immunoreactivity in normal and diseased human breast. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1991 , 418, 339-48		68	
274	Tumor necrosis factor (as a master regulator of inflammation in Erdheim-Chester disease: rationale for the treatment of patients with infliximab. <i>Journal of Clinical Oncology</i> , 2012 , 30, e286-90	2.2	67	
273	p16/CDKN2 and CDK4 gene mutations in sporadic melanoma development and progression. <i>International Journal of Cancer</i> , 1997 , 74, 26-30	7.5	67	
272	Evidence for long-term efficacy and safety of gene therapy for Wiskott-Aldrich syndrome in preclinical models. <i>Molecular Therapy</i> , 2009 , 17, 1073-82	11.7	66	
271	Molecular abnormalities of the p53 pathway in dedifferentiated liposarcoma. <i>Journal of Pathology</i> , 1997 , 181, 8-13	9.4	66	
270	Isoaspartate-glycine-arginine: a new tumor vasculature-targeting motif. Cancer Research, 2008, 68, 707	3 <u>1</u> 821	65	
269	A multicenter randomized trial comparing a 25-gauge EUS fine-needle aspiration device with a 20-gauge EUS fine-needle biopsy device. <i>Gastrointestinal Endoscopy</i> , 2019 , 89, 329-339	5.2	63	
268	Productive HIV-1 infection of human cervical tissue ex vivo is associated with the secretory phase of the menstrual cycle. <i>Mucosal Immunology</i> , 2013 , 6, 1081-90	9.2	63	
267	Lentiviral vector-based insertional mutagenesis identifies genes associated with liver cancer. <i>Nature Methods</i> , 2013 , 10, 155-61	21.6	62	
266	Targeted inactivation of the COP9 signalosome impairs multiple stages of T cell development. Journal of Experimental Medicine, 2008, 205, 465-77	16.6	61	

265	Clinical implications of hepatitis C virus infection in MALT-type lymphoma of the ocular adnexa. <i>Annals of Oncology</i> , 2006 , 17, 769-72	10.3	61
264	Rituximab in patients with mucosal-associated lymphoid tissue-type lymphoma of the ocular adnexa. <i>Haematologica</i> , 2005 , 90, 1578-9	6.6	61
263	PD-L1 Expression and CD8 T-cell Infiltrate are Associated with Clinical Progression in Patients with Node-positive Prostate Cancer. <i>European Urology Focus</i> , 2019 , 5, 192-196	5.1	60
262	Antisense transcription at the TRPM2 locus as a novel prognostic marker and therapeutic target in prostate cancer. <i>Oncogene</i> , 2015 , 34, 2094-102	9.2	59
261	Perivascular expression of CXCL9 and CXCL12 in primary central nervous system lymphoma: T-cell infiltration and positioning of malignant B cells. <i>International Journal of Cancer</i> , 2010 , 127, 2300-12	7.5	58
260	Role of dendritic cell-derived CXCL13 in the pathogenesis of Bartonella henselae B-rich granuloma. <i>Blood</i> , 2006 , 107, 454-62	2.2	58
259	Pancreatic (acinar) metaplasia of the gastric mucosa. Histology, ultrastructure, immunocytochemistry, and clinicopathologic correlations of 101 cases. <i>American Journal of Surgical Pathology</i> , 1993 , 17, 1134-43	6.7	58
258	Mesenchymal cells appearing in pancreatic tissue culture are bone marrow-derived stem cells with the capacity to improve transplanted islet function. <i>Stem Cells</i> , 2010 , 28, 140-51	5.8	57
257	A p53/miR-30a/ZEB2 axis controls triple negative breast cancer aggressiveness. <i>Cell Death and Differentiation</i> , 2018 , 25, 2165-2180	12.7	56
256	Peripheral T-cell tolerance associated with prostate cancer is independent from CD4+CD25+ regulatory T cells. <i>Cancer Research</i> , 2008 , 68, 292-300	10.1	56
255	Interleukin-6 in ANCA-associated vasculitis: Rationale for successful treatment with tocilizumab. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 45, 48-54	5.3	55
254	Long-term follow-up of gastric MALT lymphoma treated by eradication of H. pylori with antibodies. <i>Gastroenterology</i> , 1999 , 117, 750-1	13.3	55
253	Reactive perivascular T-cell infiltrate predicts survival in primary central nervous system B-cell lymphomas. <i>British Journal of Haematology</i> , 2007 , 138, 316-23	4.5	53
252	Competitive Testing of the WHO 2010 versus the WHO 2017 Grading of Pancreatic Neuroendocrine Neoplasms: Data from a Large International Cohort Study. <i>Neuroendocrinology</i> , 2018 , 107, 375-386	5.6	52
251	Multiple primary sporadic gastrointestinal stromal tumors in the adult: an underestimated entity. <i>Clinical Cancer Research</i> , 2008 , 14, 5715-21	12.9	51
250	Chlamydophila psittaci is viable and infectious in the conjunctiva and peripheral blood of patients with ocular adnexal lymphoma: results of a single-center prospective case-control study. International Journal of Cancer, 2008, 123, 1089-93	7.5	51
249	Use of calretinin in the differential diagnosis of unicystic ameloblastomas. <i>Histopathology</i> , 2001 , 38, 312	2 7 7.3	51
248	Overexpression of TWIST2 correlates with poor prognosis in head and neck squamous cell carcinomas. <i>Oncotarget</i> , 2011 , 2, 1165-75	3.3	50

247	Prevalence of Borrelia burgdorferi infection in a series of 98 primary cutaneous lymphomas. <i>Oncologist</i> , 2011 , 16, 1582-8	5.7	50	
246	Cyclin D3 expression in normal, reactive and neoplastic tissues. <i>Journal of Pathology</i> , 1998 , 185, 159-66	9.4	49	
245	Calretinin expression in ameloblastomas. <i>Histopathology</i> , 2000 , 37, 27-32	7.3	48	
244	The alteration of lipid metabolism in Burkitt lymphoma identifies a novel marker: adipophilin. <i>PLoS ONE</i> , 2012 , 7, e44315	3.7	47	
243	Enhanced expression of CD13 in vessels of inflammatory and neoplastic tissues. <i>Journal of Histochemistry and Cytochemistry</i> , 2011 , 59, 47-59	3.4	47	
242	Microenvironmental control of malignancy exerted by RNASET2, a widely conserved extracellular RNase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 1104-	- 5 1.5	47	
241	Prognostic factors and analysis of microsatellite instability in resected pulmonary metastases from colorectal carcinoma. <i>Annals of Thoracic Surgery</i> , 2006 , 81, 2008-13	2.7	47	
240	Tumor-associated macrophages as major source of APRIL in gastric MALT lymphoma. <i>Blood</i> , 2011 , 117, 6612-6	2.2	46	
239	Mucin expression pattern in pancreatic diseases: findings from EUS-guided fine-needle aspiration biopsies. <i>American Journal of Gastroenterology</i> , 2011 , 106, 1359-63	0.7	46	
238	Chlamydial infection: the link with ocular adnexal lymphomas. <i>Nature Reviews Clinical Oncology</i> , 2009 , 6, 658-69	19.4	45	
237	Epithelial to mesenchymal transition-related proteins ZEB1, Leatenin, and Leubulin-III in idiopathic pulmonary fibrosis. <i>Modern Pathology</i> , 2017 , 30, 26-38	9.8	44	
236	Cyclin D1 and retinoblastoma susceptibility gene alterations in non-small cell lung cancer. <i>International Journal of Cancer</i> , 1998 , 75, 187-92	7.5	44	
235	Endoscopic ultrasound-guided application of a new internally gas-cooled radiofrequency ablation probe in the liver and spleen of an animal model: a preliminary study. <i>Endoscopy</i> , 2008 , 40, 759-63	3.4	44	
234	Sentinel node mapping during laparoscopic distal gastrectomy for gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2008 , 22, 118-21	5.2	44	
233	Constitutive expression of DeltaN-p63alpha isoform in human thymus and thymic epithelial tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003 , 443, 175-83	5.1	44	
232	Heterogeneity of large cell carcinoma of the lung: an immunophenotypic and miRNA-based analysis. <i>American Journal of Clinical Pathology</i> , 2011 , 136, 773-82	1.9	43	
231	A randomized phase II trial of two different 4-drug combinations in advanced pancreatic adenocarcinoma: cisplatin, capecitabine, gemcitabine plus either epirubicin or docetaxel (PEXG or PDXG regimen). <i>Cancer Chemotherapy and Pharmacology</i> , 2012 , 69, 115-23	3.5	42	
230	Influenza A viruses grow in human pancreatic cells and cause pancreatitis and diabetes in an animal model. <i>Journal of Virology</i> , 2013 , 87, 597-610	6.6	42	

229	Peripheral blood lymphocytes genetically modified to express the self/tumor antigen MAGE-A3 induce antitumor immune responses in cancer patients. <i>Blood</i> , 2009 , 113, 1651-60	2.2	42
228	Bone marrow histopathology in the diagnostic evaluation of splenic marginal-zone and splenic diffuse red pulp small B-cell lymphoma: a reliable substitute for spleen histopathology?. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 1609-18	6.7	41
227	Renal sinus fat invasion in pT3a clear cell renal cell carcinoma affects outcomes of patients without nodal involvement or distant metastases. <i>Journal of Urology</i> , 2009 , 181, 2027-32	2.5	41
226	Covid-19 Interstitial Pneumonia: Histological and Immunohistochemical Features on Cryobiopsies. <i>Respiration</i> , 2021 , 100, 488-498	3.7	41
225	Invariant NKT cells contribute to chronic lymphocytic leukemia surveillance and prognosis. <i>Blood</i> , 2017 , 129, 3440-3451	2.2	40
224	Mechanisms of villous atrophy in autoimmune enteropathy and coeliac disease. <i>Clinical and Experimental Immunology</i> , 2002 , 128, 88-93	6.2	40
223	Pervasive supply of therapeutic lysosomal enzymes in the CNS of normal and Krabbe-affected non-human primates by intracerebral lentiviral gene therapy. <i>EMBO Molecular Medicine</i> , 2016 , 8, 489-5	10 ²	40
222	Immunoglobulin gene repertoire in ocular adnexal lymphomas: hints on the nature of the antigenic stimulation. <i>Leukemia</i> , 2012 , 26, 814-21	10.7	39
221	Association between Helicobacter pylori infection and MALT-type lymphoma of the ocular adnexa: clinical and therapeutic implications. <i>Hematological Oncology</i> , 2006 , 24, 33-7	1.3	39
220	Cytolytic mechanisms of intraepithelial lymphocytes in coeliac disease (CoD). <i>Clinical and Experimental Immunology</i> , 2000 , 120, 235-40	6.2	39
219	The number of positive nodes accurately predicts recurrence after pancreaticoduodenectomy for nonfunctioning neuroendocrine neoplasms. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 778-783	3.6	38
218	Liprin-II regulates breast cancer cell invasion by affecting cell motility, invadopodia and extracellular matrix degradation. <i>Oncogene</i> , 2011 , 30, 1841-9	9.2	38
217	Bax immunohistochemical expression in breast carcinoma: a study with long term follow-up. <i>International Journal of Cancer</i> , 1998 , 79, 13-8	7.5	37
216	Gastroenteric neuroendocrine neoplasms classification: comparison of prognostic models. <i>Cancer</i> , 2013 , 119, 36-44	6.4	36
215	Genomic profiles of MALT lymphomas: variability across anatomical sites. <i>Haematologica</i> , 2011 , 96, 106	54 <i>6</i> 66	36
214	IgG4-related pachymeningitis: evidence of intrathecal IgG4 on cerebrospinal fluid analysis. <i>Annals of Internal Medicine</i> , 2012 , 156, 401-3	8	36
213	Characterization of t(6;11)(p21;q12) in a renal-cell carcinoma of an adult patient. <i>Genes Chromosomes and Cancer</i> , 2007 , 46, 419-26	5	36
212	Involvement of BCL-2 oncoprotein in the development of enterochromaffin-like cell gastric carcinoids. <i>American Journal of Surgical Pathology</i> , 1996 , 20, 433-41	6.7	35

(2011-2019)

211	Regulatory roles of IL-10-producing human follicular T cells. <i>Journal of Experimental Medicine</i> , 2019 , 216, 1843-1856	16.6	34
210	Oncogene-induced senescence distinguishes indolent from aggressive forms of pulmonary and non-pulmonary Langerhans cell histiocytosis. <i>Leukemia and Lymphoma</i> , 2014 , 55, 2620-6	1.9	34
209	TWIST1 plays a pleiotropic role in determining the anaplastic thyroid cancer phenotype. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E772-81	5.6	34
208	Cerebrospinal fluid analysis in immunoglobulin G4-related hypertrophic pachymeningitis. <i>Journal of Rheumatology</i> , 2013 , 40, 1927-9	4.1	33
207	Chlamydia-psittaci-eradicating antibiotic therapy in patients with advanced-stage ocular adnexal MALT lymphoma. <i>Annals of Oncology</i> , 2008 , 19, 194-5	10.3	33
206	IFN-gamma produced by human papilloma virus-18 E6-specific CD4+ T cells predicts the clinical outcome after surgery in patients with high-grade cervical lesions. <i>Journal of Immunology</i> , 2007 , 179, 7176-83	5.3	33
205	A randomised phase 2 trial of nab-paclitaxel plus gemcitabine with or without capecitabine and cisplatin inflocally advanced or borderline resectable pancreatic adenocarcinoma. <i>European Journal of Cancer</i> , 2018 , 102, 95-102	7.5	32
204	Prep1 (pKnox1)-deficiency leads to spontaneous tumor development in mice and accelerates EmuMyc lymphomagenesis: a tumor suppressor role for Prep1. <i>Molecular Oncology</i> , 2010 , 4, 126-34	7.9	32
203	Infectious agents in mucosa-associated lymphoid tissue-type lymphomas: pathogenic role and therapeutic perspectives. <i>Clinical Lymphoma and Myeloma</i> , 2006 , 6, 289-300		32
202	p53 protein in low-grade astrocytomas: a study with long-term follow-up. <i>British Journal of Cancer</i> , 1994 , 69, 586-91	8.7	32
201	t(6;11) renal cell carcinoma: a study of seven cases including two with aggressive behavior, and utility of CD68 (PG-M1) in the differential diagnosis with pure epithelioid PEComa/epithelioid angiomyolipoma. <i>Modern Pathology</i> , 2018 , 31, 474-487	9.8	31
200	Nab-paclitaxel plus gemcitabine with or without capecitabine and cisplatin in metastatic pancreatic adenocarcinoma (PACT-19): a randomised phase 2 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 691-697	18.8	31
199	Does cytotechnician training influence the accuracy of EUS-guided fine-needle aspiration of pancreatic masses?. <i>Digestive and Liver Disease</i> , 2012 , 44, 311-4	3.3	31
198	Variable association between Chlamydophila psittaci infection and ocular adnexal lymphomas: methodological biases or true geographical variations?. <i>Anti-Cancer Drugs</i> , 2008 , 19, 761-5	2.4	31
197	The IL-1/IL-1 receptor axis and tumor cell released inflammasome adaptor ASC are key regulators of TSLP secretion by cancer associated fibroblasts in pancreatic cancer 2019 , 7, 45		30
196	Chronic lymphocytic leukemia: the pathologistN view of lymph node microenvironment. <i>Seminars in Diagnostic Pathology</i> , 2011 , 28, 161-6	4.3	30
195	Neoplasms derived from plasmacytoid monocytes/interferon-producing cells: variability of CD56 and granzyme B expression. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 1489-92; author reply 1492	2-3	30
194	The vasostatin-1 fragment of chromogranin A preserves a quiescent phenotype in hypoxia-driven endothelial cells and regulates tumor neovascularization. <i>FASEB Journal</i> , 2011 , 25, 3906-14	0.9	29

193	Low expression of ARHI is associated with shorter progression-free survival in pancreatic endocrine tumors. <i>Neoplasia</i> , 2007 , 9, 181-3	6.4	29
192	Impact of Ki67 re-assessment at time of disease progression in patients with pancreatic neuroendocrine neoplasms. <i>PLoS ONE</i> , 2017 , 12, e0179445	3.7	29
191	Retinoic acid inhibits the proliferative response induced by CD40 activation and interleukin-4 in mantle cell lymphoma. <i>Cancer Research</i> , 2005 , 65, 587-95	10.1	29
190	Pulmonary Adenocarcinoma With Enteric Differentiation: Immunohistochemistry and Molecular Morphology. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018 , 26, 383-387	1.9	28
189	Revertant T lymphocytes in a patient with Wiskott-Aldrich syndrome: analysis of function and distribution in lymphoid organs. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 125, 439-448.e8	11.5	28
188	Cellular Senescence Markers p16INK4a and p21CIP1/WAF Are Predictors of Hodgkin Lymphoma Outcome. <i>Clinical Cancer Research</i> , 2015 , 21, 5164-72	12.9	27
187	The optimal rebiopsy prostatic scheme depends on patient clinical characteristics: results of a recursive partitioning analysis based on a 24-core systematic scheme. <i>European Urology</i> , 2011 , 60, 834-4	1 ^{10.2}	27
186	CT-derived radiomic features to discriminate histologic characteristics of pancreatic neuroendocrine tumors. <i>Radiologia Medica</i> , 2021 , 126, 745-760	6.5	27
185	US-guided application of a new hybrid probe in human pancreatic adenocarcinoma: an ex vivo study. <i>Gastrointestinal Endoscopy</i> , 2010 , 71, 1294-7	5.2	26
184	Upregulation of the SOX5 by promoter swapping with the P2RY8 gene in primary splenic follicular lymphoma. <i>Leukemia</i> , 2007 , 21, 2221-5	10.7	26
183	A woman and her canary: a tale of chlamydiae and lymphomas. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 1418-9	9.7	26
182	Optical coherence tomography to detect epithelial lesions of the main pancreatic duct: an Ex Vivo study. <i>American Journal of Gastroenterology</i> , 2005 , 100, 2777-83	0.7	26
181	The administration of drugs inhibiting cholesterol/oxysterol synthesis is safe and increases the efficacy of immunotherapeutic regimens in tumor-bearing mice. <i>Cancer Immunology, Immunotherapy</i> , 2016 , 65, 1303-1315	7.4	25
180	Phase 1B trial of Nab-paclitaxel plus gemcitabine, capecitabine, and cisplatin (PAXG regimen) in patients with unresectable or borderline resectable pancreatic adenocarcinoma. <i>British Journal of Cancer</i> , 2016 , 115, 290-6	8.7	25
179	Main pancreatic duct, common bile duct and sphincter of Oddi structure visualized by optical coherence tomography: An ex vivo study compared with histology. <i>Digestive and Liver Disease</i> , 2006 , 38, 409-14	3.3	25
178	IL-17 superfamily cytokines modulate normal germinal center B cell migration. <i>Journal of Leukocyte Biology</i> , 2016 , 100, 913-918	6.5	24
177	Nodular lymphocyte predominant Hodgkin lymphoma with non-invasive or early invasive growth pattern suggests an early step of the disease with a highly favorable outcome. <i>American Journal of Hematology</i> , 2013 , 88, 161-2	7.1	24
176	A reappraisal of the diagnostic and therapeutic management of uncommon histologies of primary ocular adnexal lymphoma. <i>Oncologist</i> , 2013 , 18, 876-84	5.7	24

(2013-2010)

175	Co-graft of allogeneic immune regulatory neural stem cells (NPC) and pancreatic islets mediates tolerance, while inducing NPC-derived tumors in mice. <i>PLoS ONE</i> , 2010 , 5, e10357	3.7	24	
174	Increased frequency of bronchiolar histotypes in lung carcinomas associated with idiopathic pulmonary fibrosis. <i>Histopathology</i> , 2017 , 71, 725-735	7.3	23	
173	Clinical signature and pathogenetic factors of diabetes associated with pancreas disease (T3cDM): a prospective observational study in surgical patients. <i>Acta Diabetologica</i> , 2014 , 51, 801-11	3.9	23	
172	Sclerosing stromal tumor of the ovary. A hormonal, histochemical and ultrastructural study. <i>Virchows Archiv A, Pathological Anatomy and Histology</i> , 1983 , 402, 155-61		23	
171	Management of neuroendocrine carcinomas of the pancreas (WHO G3): A tailored approach between proliferation and morphology. <i>World Journal of Gastroenterology</i> , 2016 , 22, 9944-9953	5.6	23	
170	Human malignant mesothelioma is recapitulated in immunocompetent BALB/c mice injected with murine AB cells. <i>Scientific Reports</i> , 2016 , 6, 22850	4.9	23	
169	A preoperative score to predict early death after pancreatic cancer resection. <i>Digestive and Liver Disease</i> , 2017 , 49, 1050-1056	3.3	22	
168	Gastric lymphoma: the histology report. <i>Digestive and Liver Disease</i> , 2011 , 43 Suppl 4, S310-8	3.3	22	
167	Identifying the primary sites of metastatic carcinoma: the increasing role of immunohistochemistry. <i>Current Diagnostic Pathology</i> , 2001 , 7, 168-175		22	
166	Laryngeal carcinoma showing multidirectional epithelial neuroendocrine and sarcomatous differentiation. <i>Orl</i> , 1990 , 52, 316-26	2	22	
165	24-Hydroxycholesterol participates in pancreatic neuroendocrine tumor development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E6219-E6227	11.5	22	
164	Nerves and Pancreatic Cancer: New Insights into a Dangerous Relationship. <i>Cancers</i> , 2019 , 11,	6.6	21	
163	Expression of TP73L is a helpful diagnostic marker of primary mediastinal large B-cell lymphomas. <i>Modern Pathology</i> , 2005 , 18, 1448-53	9.8	21	
162	Expression study of the target receptor tyrosine kinase of Imatinib mesylate in skull base chordomas. <i>Oncology Reports</i> , 2007 , 18, 249-52	3.5	21	
161	Serological immunoreactivity against colon cancer proteome varies upon disease progression. <i>Journal of Proteome Research</i> , 2008 , 7, 504-14	5.6	20	
160	Pilot study on the correlation of optical coherence tomography with histology in celiac disease and normal subjects. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 2256-60	4	20	
159	A pilot Phase I study combining peptide-based vaccination and NGR-hTNF vessel targeting therapy in metastatic melanoma. <i>OncoImmunology</i> , 2014 , 3, e963406	7.2	19	
158	Dual regulation of Myc by Abl. <i>Oncogene</i> , 2013 , 32, 5261-71	9.2	19	

157	High blood levels of chromogranin A in giant cell arteritis identify patients refractory to corticosteroid treatment. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 293-5	2.4	18
156	Low expression of p27 and low proliferation index do not correlate in hairy cell leukaemia. <i>British Journal of Haematology</i> , 2000 , 111, 263-71	4.5	18
155	The pathogenic role of epithelial and endothelial cells in early-phase COVID-19 pneumonia: victims and partners in crime. <i>Modern Pathology</i> , 2021 , 34, 1444-1455	9.8	18
154	COL6A5 variants in familial neuropathic chronic itch. <i>Brain</i> , 2017 , 140, 555-567	11.2	17
153	Uterine inflammatory myofibroblastic tumor in a 10-year-old girl presenting as polypoid mass. <i>Journal of Clinical Oncology</i> , 2015 , 33, e7-e10	2.2	17
152	Ligand-dependent activation of EGFR in follicular dendritic cells sarcoma is sustained by local production of cognate ligands. <i>Clinical Cancer Research</i> , 2013 , 19, 5027-38	12.9	17
151	Optical coherence tomography in pediatric patients: a feasible technique for diagnosing celiac disease in children with villous atrophy. <i>Digestive and Liver Disease</i> , 2009 , 41, 639-43	3.3	17
150	Fibroepithelial tumor of the breast with digital fibroma-like inclusions in the stromal component. Case report with immunocytochemical and ultrastructural analysis. <i>American Journal of Surgical Pathology</i> , 1994 , 18, 296-301	6.7	17
149	Is the Real Prevalence of Pancreatic Neuroendocrine Tumors Underestimated? A Retrospective Study on a Large Series of Pancreatic Specimens. <i>Neuroendocrinology</i> , 2019 , 109, 165-170	5.6	16
			•
148	New transcription factors in diagnostic hematopathology. <i>Advances in Anatomic Pathology</i> , 2007 , 14, 25-35	5.1	16
148		5.1	16
	14, 25-35		
147	14, 25-35 Atypical lipomatous tumor: molecular characterization. <i>Current Opinion in Oncology</i> , 2004 , 16, 355-8 Activation of infiltrating cytotoxic T lymphocytes and lymphoma cell apoptotic rates in gastric MALT lymphomas. Differences between high-grade and low-grade cases. <i>American Journal of</i>	4.2	16
147 146	Atypical lipomatous tumor: molecular characterization. <i>Current Opinion in Oncology</i> , 2004 , 16, 355-8 Activation of infiltrating cytotoxic T lymphocytes and lymphoma cell apoptotic rates in gastric MALT lymphomas. Differences between high-grade and low-grade cases. <i>American Journal of Pathology</i> , 1999 , 155, 823-9 Polycomb dysregulation in gliomagenesis targets a Zfp423-dependent differentiation network.	4·2 5.8	16
147 146 145	Atypical lipomatous tumor: molecular characterization. <i>Current Opinion in Oncology</i> , 2004 , 16, 355-8 Activation of infiltrating cytotoxic T lymphocytes and lymphoma cell apoptotic rates in gastric MALT lymphomas. Differences between high-grade and low-grade cases. <i>American Journal of Pathology</i> , 1999 , 155, 823-9 Polycomb dysregulation in gliomagenesis targets a Zfp423-dependent differentiation network. <i>Nature Communications</i> , 2016 , 7, 10753 First Occurrence of Plasmablastic Lymphoma in Adenosine Deaminase-Deficient Severe Combined	4.2 5.8 17.4	161616
147 146 145	Atypical lipomatous tumor: molecular characterization. <i>Current Opinion in Oncology</i> , 2004 , 16, 355-8 Activation of infiltrating cytotoxic T lymphocytes and lymphoma cell apoptotic rates in gastric MALT lymphomas. Differences between high-grade and low-grade cases. <i>American Journal of Pathology</i> , 1999 , 155, 823-9 Polycomb dysregulation in gliomagenesis targets a Zfp423-dependent differentiation network. <i>Nature Communications</i> , 2016 , 7, 10753 First Occurrence of Plasmablastic Lymphoma in Adenosine Deaminase-Deficient Severe Combined Immunodeficiency Disease Patient and Review of the Literature. <i>Frontiers in Immunology</i> , 2018 , 9, 113 Preoperative chemotherapy does not adversely affect pancreatic structure and short-term	4.2 5.8 17.4 8.4	16161615
147 146 145 144	Atypical lipomatous tumor: molecular characterization. <i>Current Opinion in Oncology</i> , 2004 , 16, 355-8 Activation of infiltrating cytotoxic T lymphocytes and lymphoma cell apoptotic rates in gastric MALT lymphomas. Differences between high-grade and low-grade cases. <i>American Journal of Pathology</i> , 1999 , 155, 823-9 Polycomb dysregulation in gliomagenesis targets a Zfp423-dependent differentiation network. <i>Nature Communications</i> , 2016 , 7, 10753 First Occurrence of Plasmablastic Lymphoma in Adenosine Deaminase-Deficient Severe Combined Immunodeficiency Disease Patient and Review of the Literature. <i>Frontiers in Immunology</i> , 2018 , 9, 113 Preoperative chemotherapy does not adversely affect pancreatic structure and short-term outcome after pancreatectomy. <i>Journal of Gastrointestinal Surgery</i> , 2013 , 17, 488-93	4.2 5.8 17.4 8.4	1616161515

(2016-2008)

139	Constitutive overexpression of CDC25A in primary human mammary epithelial cells results in both defective DNA damage response and chromosomal breaks at fragile sites. <i>International Journal of Cancer</i> , 2008 , 123, 1466-71	7.5	15	
138	VEGFA amplification/increased gene copy number and VEGFA mRNA expression in renal cell carcinoma with TFEB gene alterations. <i>Modern Pathology</i> , 2019 , 32, 258-268	9.8	15	
137	Radical intended surgery for highly selected stage IV neuroendocrine neoplasms G3. <i>American Journal of Surgery</i> , 2020 , 220, 284-289	2.7	14	
136	Cardiotoxicity after low-dose chloroquine antimalarial therapy. Heart and Vessels, 2009, 24, 385-7	2.1	14	
135	A transcription-dependent micrococcal nuclease-resistant fragment of the urokinase-type plasminogen activator promoter interacts with the enhancer. <i>Journal of Biological Chemistry</i> , 2007 , 282, 12537-46	5.4	14	
134	Optical coherence tomography compared with histology of the main pancreatic duct structure in normal and pathological conditions: an Nex vivo studyN. Digestive and Liver Disease, 2006, 38, 688-95	3.3	14	
133	Keratin immunoreactivity in extrafollicular reticular cells of the lymph node. <i>American Journal of Clinical Pathology</i> , 1989 , 91, 239-40	1.9	14	
132	Detection of clustered circulating tumour cells in early breast cancer. <i>British Journal of Cancer</i> , 2021 , 125, 23-27	8.7	14	
131	Islet Allotransplantation in the Bone Marrow of Patients With Type 1 Diabetes: A Pilot Randomized Trial. <i>Transplantation</i> , 2019 , 103, 839-851	1.8	14	
130	Three-Dimensional Primary Cell Culture: A Novel Preclinical Model for Pancreatic Neuroendocrine Tumors. <i>Neuroendocrinology</i> , 2021 , 111, 273-287	5.6	13	
129	Linearized texture of three-dimensional extracellular matrix is mandatory for bladder cancer cell invasion. <i>Scientific Reports</i> , 2016 , 6, 36128	4.9	13	
128	The fibrogenic chemokine CCL18 is associated with disease severity in Erdheim-Chester disease. <i>Oncolmmunology</i> , 2018 , 7, e1440929	7.2	13	
127	CDC25A protein stability represents a previously unrecognized target of HER2 signaling in human breast cancer: implication for a potential clinical relevance in trastuzumab treatment. <i>Neoplasia</i> , 2013 , 15, 579-90	6.4	13	
126	Gastric metastasis from ovarian carcinoma diagnosed by EUS-FNA biopsy and elastography. <i>Gastrointestinal Endoscopy</i> , 2011 , 74, 223-5	5.2	13	
125	Bacteria-eradicating therapy for ocular adnexal MALT lymphoma: questions for an open international prospective trial. <i>Annals of Oncology</i> , 2006 , 17, 1721-2	10.3	13	
124	Effect of Diabetes on Survival after Resection of Pancreatic Adenocarcinoma. A Prospective, Observational Study. <i>PLoS ONE</i> , 2016 , 11, e0166008	3.7	13	
123	Study of 2009 H1N1 Pandemic Influenza Virus as a Possible Causative Agent of Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 4343-4356	5.6	13	
122	Insulin resistance is associated with the aggressiveness of pancreatic ductal carcinoma. <i>Acta Diabetologica</i> , 2016 , 53, 945-956	3.9	12	

121	Metallothioneins as dynamic markers for brain disease in lysosomal disorders. <i>Annals of Neurology</i> , 2014 , 75, 127-37	9.4	12
120	Exposure to animals and increased risk of marginal zone B-cell lymphomas of the ocular adnexae. <i>British Journal of Cancer</i> , 2012 , 106, 966-9	8.7	12
119	Re-occurrence of the CD20 molecule expression subsequent to CD20-negative relapse in diffuse large B-cell lymphoma. <i>Haematologica</i> , 2007 , 92, e1-2	6.6	12
118	Amsterdam International Consensus Meeting: tumor response scoring in the pathology assessment of resected pancreatic cancer after neoadjuvant therapy. <i>Modern Pathology</i> , 2021 , 34, 4-12	9.8	12
117	Intracranial granulocytic sarcoma after chemotherapy for pineal germinoma and testicular cancer. <i>Journal of Clinical Oncology</i> , 2008 , 26, 4507-9	2.2	11
116	Megakaryoblastic differentiation of myeloid sarcoma in a patient with essential thrombocythemia. <i>Leukemia and Lymphoma</i> , 2006 , 47, 2414-7	1.9	11
115	The art of diagnosis in head and neck tumors. Acta Oto-Laryngologica, 2001, 121, 324-8	1.6	11
114	Current prognostic and predictive biomarkers for gastrointestinal tumors in clinical practice. <i>Pathologica</i> , 2020 , 112, 248-259	1.9	11
113	Common features between neoplastic and preneoplastic lesions of the biliary tract and the pancreas. <i>World Journal of Gastroenterology</i> , 2019 , 25, 4343-4359	5.6	11
112	Neuroendocrine Tumors (NETs) of the Minor Papilla/Ampulla: Analysis of 16 Cases Underlines Homology With Major Ampulla NETs and Differences From Extra-Ampullary Duodenal NETs. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 725-736	6.7	11
111	MYD88 L265P mutation and interleukin-10 detection in cerebrospinal fluid are highly specific discriminating markers in patients with primary central nervous system lymphoma: results from a prospective study. <i>British Journal of Haematology</i> , 2021 , 193, 497-505	4.5	11
110	Enzymatic Inactivation of Oxysterols in Breast Tumor Cells Constraints Metastasis Formation by Reprogramming the Metastatic Lung Microenvironment. <i>Frontiers in Immunology</i> , 2018 , 9, 2251	8.4	11
109	The size of well differentiated pancreatic neuroendocrine tumors correlates with Ki67 proliferative index and is not associated with age. <i>Digestive and Liver Disease</i> , 2019 , 51, 735-740	3.3	10
108	Plasma Chromogranin A as a marker of cardiovascular involvement in Erdheim-Chester disease. <i>Oncolmmunology</i> , 2016 , 5, e1181244	7.2	10
107	Interobserver agreement among pathologists regarding core tissue specimens obtained with a new endoscopic ultrasound histology needle; a prospective multicentre study in 50 cases. Histopathology, 2013 , 62, 602-8	7.3	10
106	Randomized proteomic stratified phase III study of second-line erlotinib (E) versus chemotherapy (CT) in patients with inoperable non-small cell lung cancer (PROSE) <i>Journal of Clinical Oncology</i> , 2013 , 31, LBA8005-LBA8005	2.2	10
105	Rapid targeted somatic mutation analysis of solid tumors in routine clinical diagnostics. <i>Oncotarget</i> , 2015 , 6, 30592-603	3.3	10
104	Prognostic role of liver X receptor-alpha in resected stage II and III non-small-cell lung cancer. <i>Clinical Respiratory Journal</i> , 2018 , 12, 241-246	1.7	9

103	Anti-metastatic activity of the tumor vascular targeting agent NGR-TNF. <i>Clinical and Experimental Metastasis</i> , 2015 , 32, 289-300	4.7	9
102	Parvalbumin is expressed in normal and pathological human parathyroid glands. <i>Journal of Histochemistry and Cytochemistry</i> , 2000 , 48, 105-11	3.4	9
101	Diabetes associated with pancreatic ductal adenocarcinoma is just diabetes: Results of a prospective observational study in surgical patients. <i>Pancreatology</i> , 2016 , 16, 844-52	3.8	9
100	Positive neck margin at frozen section analysis is a significant predictor of tumour recurrence and poor survival after pancreatodudenectomy for pancreatic cancer. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1524-1531	3.6	8
99	Phase II trial of salvage therapy with trabectedin in metastatic pancreatic adenocarcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2016 , 77, 477-84	3.5	8
98	Breast metastases from oligodendroglioma: an unusual extraneural spread in two young women and a review of the literature. <i>Critical Reviews in Oncology/Hematology</i> , 2013 , 88, 564-72	7	8
97	Obesity does not increase the risk of lymph node metastases in patients with clinically localized prostate cancer undergoing radical prostatectomy and extended pelvic lymph node dissection. <i>International Journal of Urology</i> , 2009 , 16, 676-81	2.3	8
96	Disrupting N-glycan expression on tumor cells boosts chimeric antigen receptor T cell efficacy against solid malignancies <i>Science Translational Medicine</i> , 2022 , 14, eabg3072	17.5	8
95	Galectin-3 in Prostate Cancer Stem-Like Cells Is Immunosuppressive and Drives Early Metastasis. <i>Frontiers in Immunology</i> , 2020 , 11, 1820	8.4	8
94	R Status is a Relevant Prognostic Factor for Recurrence and Survival After Pancreatic Head Resection for Ductal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2021 , 28, 4602-4612	3.1	8
93	Isolated bone marrow occurrence of classic HodgkinN lymphoma in an HIV-negative patient. <i>Haematologica</i> , 2006 , 91, ECR04	6.6	8
92	Concomitant Lung Cancer and Gastrointestinal Stromal Tumor: First Report of Hypoxia Imaging With 18F-FAZA PET/CT. <i>Clinical Nuclear Medicine</i> , 2017 , 42, e349-e351	1.7	7
91	The Suv420h histone methyltransferases regulate PPAR-land energy expenditure in response to environmental stimuli. <i>Science Advances</i> , 2019 , 5, eaav1472	14.3	7
90	Prevalence of chlamydial infection in a series of 108 primary cutaneous lymphomas. <i>British Journal of Dermatology</i> , 2012 , 166, 1121-3	4	7
89	Innate responses to Aspergillus: role of C1q and pentraxin 3 in nasal polyposis. <i>American Journal of Rhinology & Allergy</i> , 2007 , 21, 224-30		7
88	Metachronous coexistence of laryngeal pseudolymphoma and squamous cell carcinoma. An unreported case. <i>Orl</i> , 1984 , 46, 202-9	2	7
87	Next Generation Sequencing in Non-Small Cell Lung Cancer: Pitfalls and Opportunities. <i>Diagnostics</i> , 2020 , 10,	3.8	7
86	Nuclear receptor ligands induce TREM-1 expression on dendritic cells: analysis of their role in tumors. <i>Oncolmmunology</i> , 2019 , 8, 1554967	7.2	7

85	miR-204 is associated with an endocrine phenotype in human pancreatic islets but does not regulate the insulin mRNA through MAFA. <i>Scientific Reports</i> , 2017 , 7, 14051	4.9	6
84	Fluorescence in situ analysis of soft tissue tumor associated genetic alterations in formalin-fixed paraffin-embedded tissue. <i>Pathology Research and Practice</i> , 2014 , 210, 804-11	3.4	6
83	Plasma cell granuloma of the thyroid gland: a challenging diagnostic problem. <i>International Journal of Surgical Pathology</i> , 2012 , 20, 500-6	1.2	6
82	Therapeutic management of ocular adnexal MALT lymphoma. <i>Expert Opinion on Pharmacotherapy</i> , 2007 , 8, 1073-83	4	6
81	Identification of two novel frameshift mutations in the KCNJ11 gene in two Italian patients affected by Congenital Hyperinsulinism of Infancy. <i>Experimental and Molecular Pathology</i> , 2007 , 83, 59-	6 4 ·4	6
80	Optical coherence tomography in the diagnosis of coeliac disease: a preliminary report. <i>Gut</i> , 2006 , 55, 579	19.2	6
79	Prognostic and predictive role of EGFR pathway alterations in biliary cancer patients treated with chemotherapy and anti-EGFR. <i>PLoS ONE</i> , 2018 , 13, e0191593	3.7	6
78	Erdheim-Chester Disease With Multiorgan Involvement, Following Polycythemia Vera: A Case Report. <i>Medicine (United States)</i> , 2016 , 95, e3697	1.8	6
77	Angiopoietin 2 expression in the cornea and its control of corneal neovascularisation. <i>British Journal of Ophthalmology</i> , 2016 , 100, 1005-1010	5.5	6
76	Gene expression analysis of embryonic pancreas development master regulators and terminal cell fate markers in resected pancreatic cancer: A correlation with clinical outcome. <i>Pancreatology</i> , 2018 , 18, 945-953	3.8	6
75	Parenchymal biopsy in the management of patients with renal cancer. <i>World Journal of Urology</i> , 2021 , 39, 2961-2968	4	6
74	5-Hydroxytyrosol inhibits HIV-1 replication in primary cells of the lower and upper female reproductive tract. <i>Antiviral Research</i> , 2017 , 142, 16-20	10.8	5
73	Identification and monitoring of somatic mutations in circulating cell-free tumor DNA in lung cancer patients. <i>Lung Cancer</i> , 2019 , 134, 225-232	5.9	5
72	Histopathological and Immunophenotypic Changes of Pancreatic Neuroendocrine Tumors after Neoadjuvant Peptide Receptor Radionuclide Therapy (PRRT). <i>Endocrine Pathology</i> , 2020 , 31, 119-131	4.2	5
71	Digital Pathology and PD-L1 Testing in Non Small Cell Lung Cancer: A Workshop Record. <i>Cancers</i> , 2020 , 12,	6.6	5
70	Erdheim-Chester disease: An in vivo human model of M? activation at the crossroad between chronic inflammation and cancer. <i>Journal of Leukocyte Biology</i> , 2020 , 108, 591-599	6.5	5
69	Comparison of pancreatic histology specimens obtained by EUS 19G versus 22G core biopsy needles: A prospective multicentre study among experienced pathologists. <i>United European Gastroenterology Journal</i> , 2017 , 5, 854-858	5.3	5
68	18F-FAZA PET/CT in the Preoperative Evaluation of NSCLC: Comparison with 18F-FDG and Immunohistochemistry. <i>Current Radiopharmaceuticals</i> , 2018 , 11, 50-57	1.8	5

(2011-2019)

67	Agreement on endoscopic ultrasonography-guided tissue specimens: Comparing a 20-G fine-needle biopsy to a 25-G fine-needle aspiration needle among academic and non-academic pathologists. Digestive Endoscopy, 2019, 31, 690-697	3.7	5	
66	FOXP1 and TP63 involvement in the progression of myelodysplastic syndrome with 5q- and additional cytogenetic abnormalities. <i>BMC Cancer</i> , 2014 , 14, 396	4.8	5	
65	Gains of CCND3 gene in ocular adnexal MALT lymphomas: an integrated analysis. <i>British Journal of Haematology</i> , 2013 , 160, 719-22	4.5	5	
64	Laser capture microdissection as a new tool to assess graft-infiltrating lymphocytes gene profile in islet transplantation. <i>Cell Transplantation</i> , 2009 , 18, 827-32	4	5	
63	Preoperative cytodiagnosis of primitive carcinoid tumor of the Wirsung duct: a case report with immunocytochemical study. <i>Diagnostic Cytopathology</i> , 1993 , 9, 471-4	1.4	5	
62	Main Duct Thresholds for Malignancy Are Different in Intraductal Papillary Mucinous Neoplasms of the Pancreatic Head and Body-Tail. <i>Clinical Gastroenterology and Hepatology</i> , 2020 ,	6.9	5	
61	Evidence of a common cell origin in a case of pancreatic mixed intraductal papillary mucinous neoplasm-neuroendocrine tumor. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 , 478, 1215-1219	5.1	5	
60	Identification of calretinin and the alternatively spliced form calretinin-22k in primary pleural mesotheliomas and in their metastases. <i>Anticancer Research</i> , 2004 , 24, 4003-9	2.3	5	
59	Clinical, radiological, and pathological findings in patients with persistent lung disease following SARS-CoV-2 infection <i>European Respiratory Journal</i> , 2022 ,	13.6	5	
58	Methotrexate in refractory bilateral juvenile temporal arteritis: Report of a case. <i>Modern Rheumatology</i> , 2016 , 26, 276-7	3.3	4	
57	Four-class tumor staging for early diagnosis and monitoring of murine pancreatic cancer using magnetic resonance and ultrasound. <i>Carcinogenesis</i> , 2018 , 39, 1197-1206	4.6	4	
56	Rates of cycling cells in cryopreserved valvular homograft: a preliminary study. <i>Artificial Organs</i> , 2007 , 31, 152-4	2.6	4	
55	Reply to the article Mepatitis C virus (HCV) infection and MALT-type ocular adnexal lymphoma (OAL)Nby P. Arnaud, MC. Escande, M. Lecuit et al. (Ann Oncol doi:10.1093/annonc/mdl369). <i>Annals of Oncology</i> , 2007 , 18, 401-403	10.3	4	
54	Gastrointestinal lymphoproliferative lesions: a practical diagnostic approach. <i>Pathologica</i> , 2020 , 112, 227-247	1.9	4	
53	Short formalin fixation and rapid microwave processing do not affect HER2 testing. <i>Recent Results in Cancer Research</i> , 2015 , 199, 55-64	1.5	4	
52	RNA Extraction from Endoscopic Ultrasound-Acquired Tissue of Pancreatic Cancer Is Feasible and Allows Investigation of Molecular Features. <i>Cells</i> , 2020 , 9,	7.9	4	
51	p53 immunostaining in dermatopathology. Archives of Dermatology, 1994, 130, 518-9		4	
50	In vitro efficacy of tyrosine kinase inhibitors: SYK and BCR-ABL inhibitors in lymphomas. Hematological Oncology, 2011 , 29, 164-6	1.3	3	

49	Primary intracranial meningeal marginal zone B cell lymphoma of malt type (PMML) with osseous infiltration. <i>Annals of Hematology</i> , 2009 , 88, 599-601	3	3
48	A virtual tissue bank for primary central nervous system lymphomas in immunocompetent individuals. <i>Pathobiology</i> , 2007 , 74, 264-9	3.6	3
47	Inflammatory and tumor-like lesions of the pancreas. <i>Pathologica</i> , 2020 , 112, 197-209	1.9	3
46	Oncogene-induced senescence in hematopoietic progenitors features myeloid restricted hematopoiesis, chronic inflammation and histiocytosis. <i>Nature Communications</i> , 2021 , 12, 4559	17.4	3
45	3D culture of Erdheim-Chester disease tissues unveils histiocyte metabolism as a new therapeutic target. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 862-864	2.4	3
44	Conditioning Regimens in Long-Term Pre-Clinical Studies to Support Development of Gene Therapy: Review of Nonproliferative and Proliferative Changes. <i>Human Gene Therapy</i> , 2021 , 32, 66-76	4.8	3
43	The role of acinar content at pancreatic resection margin in the development of postoperative pancreatic fistula and acute pancreatitis after pancreaticoduodenectomy. <i>Surgery</i> , 2021 , 170, 1215-122	2 ^{3.6}	3
42	Tu1650 Feasibility and Diagnostic Yield of a New EUS Guided Histology 20-Gauge Needle in the Evaluation of Intraintestinal and Extraintestinal Lesions. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, AB545	5.2	2
41	In vivo confocal microscopy in goldenhar syndrome: a case report. <i>BMC Ophthalmology</i> , 2013 , 13, 55	2.3	2
40	Ex vivo enrichment of circulating anti-tumor T cells from both cutaneous and ocular melanoma patients: clinical implications for adoptive cell transfer therapy. <i>Cancer Immunology, Immunotherapy</i> , 2012 , 61, 1169-82	7.4	2
39	Absence of Rac1 and Rac3 GTPases in the nervous system hinders thymic, splenic and immune-competence development. <i>European Journal of Immunology</i> , 2011 , 41, 1410-9	6.1	2
38	Syk expression patterns differ among B-cell lymphomas. <i>Leukemia Research</i> , 2010 , 34, e243-5	2.7	2
37	Perioperative and oncologic outcomes of open radical nephrectomy and inferior vena cava thrombectomy with liver mobilization and Pringle maneuver for Mayo III level tumor thrombus: single institution experience. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and</i>	4.4	2
36	Nephrology, 2020 , Diagnostic accuracy of EUS-FNA in the evaluation of pancreatic neuroendocrine neoplasms grading: Possible clinical impact of misclassification. <i>Endoscopic Ultrasound</i> , 2021 , 10, 372-380	3.6	2
35	Extrafoveal M I ler cells detection in vivo in the human retina: A pilot study based on optical coherence tomography. <i>Experimental Eye Research</i> , 2020 , 199, 108183	3.7	2
34	Oncogene-induced maladaptive activation of trained immunity in the pathogenesis and treatment of Erdheim-Chester disease. <i>Blood</i> , 2021 , 138, 1554-1569	2.2	2
33	Justifying vein resection with pancreatoduodenectomy. Lancet Oncology, The, 2016, 17, e177-8	21.7	2
32	A Novel Histiocytosis With Synovial and Skin Involvement. <i>Annals of Internal Medicine</i> , 2021 , 174, 273-2	7 -	2

(2020-2008)

31	Fluorescent in situ hybridization as a screening test for HER2 amplification in G2 and G3 breast cancers of lobular and ductal histotype and metastases. <i>Oncology Reports</i> , 2008 , 19, 1271-5	3.5	2
30	Standardization of a Radiofrequency Ablation Tool in an Ex-Vivo Porcine Liver Model. <i>Gastrointestinal Disorders</i> , 2020 , 2, 300-309	0.8	1
29	Bugs and marginal zone lymphoma of the ocular adnexae: is the future already here?. <i>Blood</i> , 2009 , 114, 3499; author reply 3499-500	2.2	1
28	A Specific Bug for Each MALT Lymphoma Site. Advances in Anatomic Pathology, 2004 , 11, 276-277	5.1	1
27	Microsatellite instability in colorectal cancer: prognostic, predictive or both?. <i>American Journal of Pathology</i> , 2002 , 160, 384-5; author reply 385-6	5.8	1
26	Array-CGH Identifies Both Common and Subtype-Specific Genomic Aberrations in Marginal Zone Lymphomas. <i>Blood</i> , 2008 , 112, 622-622	2.2	1
25	Rosai-Dorfman disease <i>Pathologica</i> , 2021 , 113, 388-395	1.9	1
24	Malignancy risk in indeterminate thyroid nodules with Hfthle cells: role of autoimmune thyroiditis. <i>Endocrine</i> , 2021 , 75, 823	4	1
23	Leiomyoadenomatoid tumours of the epididymis: A new case report and review of the literature. <i>Andrologia</i> , 2021 , e14280	2.4	1
22	EZH2 Inhibition as New Epigenetic Treatment Option for Pancreatic Neuroendocrine Neoplasms (PanNENs). <i>Cancers</i> , 2021 , 13,	6.6	1
21	Final Results of a Multicenter Phase II Trial with Translational Elements to Investigate the Possible Infective Causes of Ocular Adnexal Marginal Zone B-Cell Lymphoma (OAMZL) with Particular Reference to Chlamydia Species and the Efficacy of Doxycycline As First-Line Lymphoma Treatment	2.2	1
20	Randomized proteomic stratified phase III study of second-line erlotinib (E) versus chemotherapy (CT) in patients with inoperable non-small cell lung cancer (PROSE) <i>Journal of Clinical Oncology</i> , 2013 , 31, LBA8005-LBA8005	2.2	1
19	Mesothelial or monocytic incidental cardiac excrescence on anterior leaflet of mitral valve. <i>Journal of Cardiac Surgery</i> , 2020 , 35, 2418-2421	1.3	1
18	Exploring chemotherapy holiday and drugs re-challenge in advanced pancreatic cancer patients. <i>Cancer Chemotherapy and Pharmacology</i> , 2021 , 87, 95-101	3.5	1
17	High sensitivity of ROSE-supported ERCP-guided brushing for biliary strictures. <i>Endoscopy International Open</i> , 2021 , 9, E363-E370	3	1
16	Clinical and pathological characteristics of a series of patients with newly diagnosed primary renal liposarcoma: natural history and effect on survival. <i>Archivos Espanoles De Urologia</i> , 2018 , 71, 555-558	0.4	1
15	Radiomic and gEnomic approaches for the enhanced Diagnosis of clear cell REnal Cancer (REDIRECt): a translational pilot methodological study <i>Translational Andrology and Urology</i> , 2022 , 11, 149-158	2.3	1
14	Pancreatic metastasis of papillary thyroid carcinoma with an intraductal growth pattern. <i>Endoscopy</i> , 2020 , 52, E452-E453	3.4	O

13	Chlamydia Psittaci-Eradicating Antibiotic Therapy as a Potential Therapeutic Strategy Against Marginal Zone B-Cell Lymphoma of the Ocular Adnexa <i>Blood</i> , 2004 , 104, 3274-3274	2.2	0
12	Ampullary Neuroendocrine Neoplasms: Identification of Prognostic Factors in a Multicentric Series of 119 Cases <i>Endocrine Pathology</i> , 2022 , 1	4.2	O
11	Workflow for high-dimensional flow cytometry analysis of T cells from tumor metastases. <i>Life Science Alliance</i> , 2022 , 5, e202101316	5.8	O
10	Atypical presentation of Churg-Strauss syndrome or an undescribed hypereosinophilic disease?. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 128, 908-11	11.5	
9	Bilateral renal mass suggestive of cancer. European Urology, 2006, 49, 746-7	10.2	
8	Bilateral renal mass suggestive of cancer: part 2. European Urology, 2006, 49, 918-20	10.2	
7	Bronchiolar Epithelium in Idiopathic Pulmonary Fibrosis/Usual Interstitial Fibrosis. <i>Lung Biology in Health and Disease</i> , 2003 , 631-664		
6	Modeling the Genotoxicity of Viral Vector Integration in a Tumor Prone Hematopoietic Stem Cell Transplantation Model <i>Blood</i> , 2006 , 108, 451-451	2.2	
5	Immunoglobulin Gene Repertoire in Ocular Adnexa Lymphomas (OAL): Hints on the Nature of the Antigenic Stimulation. <i>Blood</i> , 2008 , 112, 623-623	2.2	
4	Histopathological EXAMINATION of BONE MARROW Biopsy (BMB) IN Primary Splenic B CELL Lymphomas of Marginal-ZONE ORIGIN (PSMZL). A Reliable Substitute for Spleen Pathology? <i>Blood</i> , 2009 , 114, 1924-1924	2.2	
3	Life After Death: The Devil® Details. American Journal of Clinical Pathology, 2021, 156, 491-492	1.9	
2	Quantitative and Qualitative Analysis of Tumor-Associated CD4+ T Cells. <i>Methods in Molecular Biology</i> , 2016 , 1393, 37-51	1.4	
1	Molecular characterization to delineate the clonal evolution of primary prostate cancer with synchronous lymph node metastasis <i>Journal of Clinical Oncology</i> , 2022 , 40, 266-266	2.2	