Claudio Doglioni

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4774714/claudio-doglioni-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

25,268 372 149 79 h-index g-index citations papers 6.6 28,609 6.25 394 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
372	Disrupting N-glycan expression on tumor cells boosts chimeric antigen receptor T cell efficacy against solid malignancies <i>Science Translational Medicine</i> , 2022 , 14, eabg3072	17.5	8
371	Molecular characterization to delineate the clonal evolution of primary prostate cancer with synchronous lymph node metastasis <i>Journal of Clinical Oncology</i> , 2022 , 40, 266-266	2.2	
370	Radiomic and gEnomic approaches for the enhanced Diagnosis of clear cell REnal Cancer (REDIRECt): a translational pilot methodological study <i>Translational Andrology and Urology</i> , 2022 , 11, 149-158	2.3	1
369	Clinical, radiological, and pathological findings in patients with persistent lung disease following SARS-CoV-2 infection <i>European Respiratory Journal</i> , 2022 ,	13.6	5
368	Ampullary Neuroendocrine Neoplasms: Identification of Prognostic Factors in a Multicentric Series of 119 Cases <i>Endocrine Pathology</i> , 2022 , 1	4.2	O
367	Workflow for high-dimensional flow cytometry analysis of T cells from tumor metastases. <i>Life Science Alliance</i> , 2022 , 5, e202101316	5.8	О
366	Three-Dimensional Primary Cell Culture: A Novel Preclinical Model for Pancreatic Neuroendocrine Tumors. <i>Neuroendocrinology</i> , 2021 , 111, 273-287	5.6	13
365	Rosai-Dorfman disease Pathologica, 2021 , 113, 388-395	1.9	1
364	Malignancy risk in indeterminate thyroid nodules with Hfthle cells: role of autoimmune thyroiditis. <i>Endocrine</i> , 2021 , 75, 823	4	1
363	Diagnostic accuracy of EUS-FNA in the evaluation of pancreatic neuroendocrine neoplasms grading: Possible clinical impact of misclassification. <i>Endoscopic Ultrasound</i> , 2021 , 10, 372-380	3.6	2
362	Leiomyoadenomatoid tumours of the epididymis: A new case report and review of the literature. <i>Andrologia</i> , 2021 , e14280	2.4	1
361	EZH2 Inhibition as New Epigenetic Treatment Option for Pancreatic Neuroendocrine Neoplasms (PanNENs). <i>Cancers</i> , 2021 , 13,	6.6	1
3 60	Evidence of a common cell origin in a case of pancreatic mixed intraductal papillary mucinous neoplasm-neuroendocrine tumor. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 , 478, 1215-1219	5.1	5
359	Detection of clustered circulating tumour cells in early breast cancer. <i>British Journal of Cancer</i> , 2021 , 125, 23-27	8.7	14
358	The pathogenic role of epithelial and endothelial cells in early-phase COVID-19 pneumonia: victims and partners in crime. <i>Modern Pathology</i> , 2021 , 34, 1444-1455	9.8	18
357	Oncogene-induced maladaptive activation of trained immunity in the pathogenesis and treatment of Erdheim-Chester disease. <i>Blood</i> , 2021 , 138, 1554-1569	2.2	2
356	Life After Death: The DevilN Details. American Journal of Clinical Pathology, 2021, 156, 491-492	1.9	

(2020-2021)

355	Oncogene-induced senescence in hematopoietic progenitors features myeloid restricted hematopoiesis, chronic inflammation and histiocytosis. <i>Nature Communications</i> , 2021 , 12, 4559	17.4	3	
354	Exploring chemotherapy holiday and drugs re-challenge in advanced pancreatic cancer patients. <i>Cancer Chemotherapy and Pharmacology</i> , 2021 , 87, 95-101	3.5	1	
353	Amsterdam International Consensus Meeting: tumor response scoring in the pathology assessment of resected pancreatic cancer after neoadjuvant therapy. <i>Modern Pathology</i> , 2021 , 34, 4-12	9.8	12	
352	A Novel Histiocytosis With Synovial and Skin Involvement. <i>Annals of Internal Medicine</i> , 2021 , 174, 273-27	7 - \$	2	
351	Conditioning Regimens in Long-Term Pre-Clinical Studies to Support Development of Gene Therapy: Review of Nonproliferative and Proliferative Changes. <i>Human Gene Therapy</i> , 2021 , 32, 66-76	4.8	3	
350	Covid-19 Interstitial Pneumonia: Histological and Immunohistochemical Features on Cryobiopsies. <i>Respiration</i> , 2021 , 100, 488-498	3.7	41	
349	R Status is a Relevant Prognostic Factor for Recurrence and Survival After Pancreatic Head Resection for Ductal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2021 , 28, 4602-4612	3.1	8	
348	MYD88 L265P mutation and interleukin-10 detection in cerebrospinal fluid are highly specific discriminating markers in patients with primary central nervous system lymphoma: results from a prospective study. <i>British Journal of Haematology</i> , 2021 , 193, 497-505	4.5	11	
347	High sensitivity of ROSE-supported ERCP-guided brushing for biliary strictures. <i>Endoscopy International Open</i> , 2021 , 9, E363-E370	3	1	
346	CT-derived radiomic features to discriminate histologic characteristics of pancreatic neuroendocrine tumors. <i>Radiologia Medica</i> , 2021 , 126, 745-760	6.5	27	
345	The role of acinar content at pancreatic resection margin in the development of postoperative pancreatic fistula and acute pancreatitis after pancreaticoduodenectomy. <i>Surgery</i> , 2021 , 170, 1215-122	2 ^{3.6}	3	
344	Parenchymal biopsy in the management of patients with renal cancer. <i>World Journal of Urology</i> , 2021 , 39, 2961-2968	4	6	
343	Standardization of a Radiofrequency Ablation Tool in an Ex-Vivo Porcine Liver Model. <i>Gastrointestinal Disorders</i> , 2020 , 2, 300-309	0.8	1	
342	Histopathological and Immunophenotypic Changes of Pancreatic Neuroendocrine Tumors after Neoadjuvant Peptide Receptor Radionuclide Therapy (PRRT). <i>Endocrine Pathology</i> , 2020 , 31, 119-131	4.2	5	
341	Pancreatic metastasis of papillary thyroid carcinoma with an intraductal growth pattern. <i>Endoscopy</i> , 2020 , 52, E452-E453	3.4	0	
340	Digital Pathology and PD-L1 Testing in Non Small Cell Lung Cancer: A Workshop Record. <i>Cancers</i> , 2020 , 12,	6.6	5	
339	Positive neck margin at frozen section analysis is a significant predictor of tumour recurrence and poor survival after pancreatodudenectomy for pancreatic cancer. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1524-1531	3.6	8	
338	Erdheim-Chester disease: An in vivo human model of M? activation at the crossroad between chronic inflammation and cancer. <i>Journal of Leukocyte Biology</i> , 2020 , 108, 591-599	6.5	5	

337	Radical intended surgery for highly selected stage IV neuroendocrine neoplasms G3. <i>American Journal of Surgery</i> , 2020 , 220, 284-289	2.7	14
336	Perioperative and oncologic outcomes of open radical nephrectomy and inferior vena cava thrombectomy with liver mobilization and Pringle maneuver for Mayo III level tumor thrombus: single institution experience. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and</i>	4.4	2
335	Current prognostic and predictive biomarkers for gastrointestinal tumors in clinical practice. <i>Pathologica</i> , 2020 , 112, 248-259	1.9	11
334	Gastrointestinal lymphoproliferative lesions: a practical diagnostic approach. <i>Pathologica</i> , 2020 , 112, 227-247	1.9	4
333	Inflammatory and tumor-like lesions of the pancreas. <i>Pathologica</i> , 2020 , 112, 197-209	1.9	3
332	Main Duct Thresholds for Malignancy Are Different in Intraductal Papillary Mucinous Neoplasms of the Pancreatic Head and Body-Tail. <i>Clinical Gastroenterology and Hepatology</i> , 2020 ,	6.9	5
331	RNA Extraction from Endoscopic Ultrasound-Acquired Tissue of Pancreatic Cancer Is Feasible and Allows Investigation of Molecular Features. <i>Cells</i> , 2020 , 9,	7.9	4
330	Mesothelial or monocytic incidental cardiac excrescence on anterior leaflet of mitral valve. <i>Journal of Cardiac Surgery</i> , 2020 , 35, 2418-2421	1.3	1
329	Extrafoveal M l ler cells detection in vivo in the human retina: A pilot study based on optical coherence tomography. <i>Experimental Eye Research</i> , 2020 , 199, 108183	3.7	2
328	Galectin-3 in Prostate Cancer Stem-Like Cells Is Immunosuppressive and Drives Early Metastasis. <i>Frontiers in Immunology</i> , 2020 , 11, 1820	8.4	8
327	Next Generation Sequencing in Non-Small Cell Lung Cancer: Pitfalls and Opportunities. <i>Diagnostics</i> , 2020 , 10,	3.8	7
326	A multicenter randomized trial comparing a 25-gauge EUS fine-needle aspiration device with a 20-gauge EUS fine-needle biopsy device. <i>Gastrointestinal Endoscopy</i> , 2019 , 89, 329-339	5.2	63
325	Regulatory roles of IL-10-producing human follicular T cells. <i>Journal of Experimental Medicine</i> , 2019 , 216, 1843-1856	16.6	34
324	Identification and monitoring of somatic mutations in circulating cell-free tumor DNA in lung cancer patients. <i>Lung Cancer</i> , 2019 , 134, 225-232	5.9	5
323	Is the Real Prevalence of Pancreatic Neuroendocrine Tumors Underestimated? A Retrospective Study on a Large Series of Pancreatic Specimens. <i>Neuroendocrinology</i> , 2019 , 109, 165-170	5.6	16
322	The Suv420h histone methyltransferases regulate PPAR-land energy expenditure in response to environmental stimuli. <i>Science Advances</i> , 2019 , 5, eaav1472	14.3	7
321	The size of well differentiated pancreatic neuroendocrine tumors correlates with Ki67 proliferative index and is not associated with age. <i>Digestive and Liver Disease</i> , 2019 , 51, 735-740	3.3	10
320	The IL-1/IL-1 receptor axis and tumor cell released inflammasome adaptor ASC are key regulators of TSLP secretion by cancer associated fibroblasts in pancreatic cancer 2019 , 7, 45		30

(2018-2019)

319	Agreement on endoscopic ultrasonography-guided tissue specimens: Comparing a 20-G fine-needle biopsy to a 25-G fine-needle aspiration needle among academic and non-academic pathologists. Digestive Endoscopy, 2019 , 31, 690-697	3.7	5
318	A multimodality test to guide the management of patients with a pancreatic cyst. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	71
317	Nerves and Pancreatic Cancer: New Insights into a Dangerous Relationship. <i>Cancers</i> , 2019 , 11,	6.6	21
316	Common features between neoplastic and preneoplastic lesions of the biliary tract and the pancreas. <i>World Journal of Gastroenterology</i> , 2019 , 25, 4343-4359	5.6	11
315	Islet Allotransplantation in the Bone Marrow of Patients With Type 1 Diabetes: A Pilot Randomized Trial. <i>Transplantation</i> , 2019 , 103, 839-851	1.8	14
314	Neuroendocrine Tumors (NETs) of the Minor Papilla/Ampulla: Analysis of 16 Cases Underlines Homology With Major Ampulla NETs and Differences From Extra-Ampullary Duodenal NETs. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 725-736	6.7	11
313	VEGFA amplification/increased gene copy number and VEGFA mRNA expression in renal cell carcinoma with TFEB gene alterations. <i>Modern Pathology</i> , 2019 , 32, 258-268	9.8	15
312	Nuclear receptor ligands induce TREM-1 expression on dendritic cells: analysis of their role in tumors. <i>Oncolmmunology</i> , 2019 , 8, 1554967	7.2	7
311	3D culture of Erdheim-Chester disease tissues unveils histiocyte metabolism as a new therapeutic target. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 862-864	2.4	3
310	PD-L1 Expression and CD8 T-cell Infiltrate are Associated with Clinical Progression in Patients with Node-positive Prostate Cancer. <i>European Urology Focus</i> , 2019 , 5, 192-196	5.1	60
309	A p53/miR-30a/ZEB2 axis controls triple negative breast cancer aggressiveness. <i>Cell Death and Differentiation</i> , 2018 , 25, 2165-2180	12.7	56
308	Safety and efficacy of preoperative or postoperative chemotherapy for resectable pancreatic adenocarcinoma (PACT-15): a randomised, open-label, phase 2-3 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 413-423	18.8	98
307	The number of positive nodes accurately predicts recurrence after pancreaticoduodenectomy for nonfunctioning neuroendocrine neoplasms. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 778-783	3.6	38
306	Prognostic role of liver X receptor-alpha in resected stage II and III non-small-cell lung cancer. <i>Clinical Respiratory Journal</i> , 2018 , 12, 241-246	1.7	9
305	Pulmonary Adenocarcinoma With Enteric Differentiation: Immunohistochemistry and Molecular Morphology. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018 , 26, 383-387	1.9	28
304	t(6;11) renal cell carcinoma: a study of seven cases including two with aggressive behavior, and utility of CD68 (PG-M1) in the differential diagnosis with pure epithelioid PEComa/epithelioid angiomyolipoma. <i>Modern Pathology</i> , 2018 , 31, 474-487	9.8	31
303	18F-FAZA PET/CT in the Preoperative Evaluation of NSCLC: Comparison with 18F-FDG and Immunohistochemistry. <i>Current Radiopharmaceuticals</i> , 2018 , 11, 50-57	1.8	5
302	Four-class tumor staging for early diagnosis and monitoring of murine pancreatic cancer using magnetic resonance and ultrasound. <i>Carcinogenesis</i> , 2018 , 39, 1197-1206	4.6	4

301	First Occurrence of Plasmablastic Lymphoma in Adenosine Deaminase-Deficient Severe Combined Immunodeficiency Disease Patient and Review of the Literature. <i>Frontiers in Immunology</i> , 2018 , 9, 113	8.4	15
300	Nab-paclitaxel plus gemcitabine with or without capecitabine and cisplatin in metastatic pancreatic adenocarcinoma (PACT-19): a randomised phase 2 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 691-697	18.8	31
299	A randomised phase 2 trial of nab-paclitaxel plus gemcitabine with or without capecitabine and cisplatin in locally advanced or borderline resectable pancreatic adenocarcinoma. <i>European Journal of Cancer</i> , 2018 , 102, 95-102	7.5	32
298	The fibrogenic chemokine CCL18 is associated with disease severity in Erdheim-Chester disease. <i>Oncolmmunology</i> , 2018 , 7, e1440929	7.2	13
297	Prognostic and predictive role of EGFR pathway alterations in biliary cancer patients treated with chemotherapy and anti-EGFR. <i>PLoS ONE</i> , 2018 , 13, e0191593	3.7	6
296	Enzymatic Inactivation of Oxysterols in Breast Tumor Cells Constraints Metastasis Formation by Reprogramming the Metastatic Lung Microenvironment. <i>Frontiers in Immunology</i> , 2018 , 9, 2251	8.4	11
295	Competitive Testing of the WHO 2010 versus the WHO 2017 Grading of Pancreatic Neuroendocrine Neoplasms: Data from a Large International Cohort Study. <i>Neuroendocrinology</i> , 2018 , 107, 375-386	5.6	52
294	Study of 2009 H1N1 Pandemic Influenza Virus as a Possible Causative Agent of Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 4343-4356	5.6	13
293	Gene expression analysis of embryonic pancreas development master regulators and terminal cell fate markers in resected pancreatic cancer: A correlation with clinical outcome. <i>Pancreatology</i> , 2018 , 18, 945-953	3.8	6
	, 10, 5 15 555		
292	Monocyte-derived IL-1 and IL-6 are differentially required for cytokine-release syndrome and neurotoxicity due to CAR T cells. <i>Nature Medicine</i> , 2018 , 24, 739-748	50.5	615
292 291	Monocyte-derived IL-1 and IL-6 are differentially required for cytokine-release syndrome and	50.5	615
	Monocyte-derived IL-1 and IL-6 are differentially required for cytokine-release syndrome and neurotoxicity due to CAR T cells. <i>Nature Medicine</i> , 2018 , 24, 739-748 Clinical and pathological characteristics of a series of patients with newly diagnosed primary renal		
291	Monocyte-derived IL-1 and IL-6 are differentially required for cytokine-release syndrome and neurotoxicity due to CAR T cells. <i>Nature Medicine</i> , 2018 , 24, 739-748 Clinical and pathological characteristics of a series of patients with newly diagnosed primary renal liposarcoma: natural history and effect on survival. <i>Archivos Espanoles De Urologia</i> , 2018 , 71, 555-558 Four Neuroendocrine Tumor Types and Neuroendocrine Carcinoma of the Duodenum: Analysis of	0.4	1
291 290	Monocyte-derived IL-1 and IL-6 are differentially required for cytokine-release syndrome and neurotoxicity due to CAR T cells. <i>Nature Medicine</i> , 2018 , 24, 739-748 Clinical and pathological characteristics of a series of patients with newly diagnosed primary renal liposarcoma: natural history and effect on survival. <i>Archivos Espanoles De Urologia</i> , 2018 , 71, 555-558 Four Neuroendocrine Tumor Types and Neuroendocrine Carcinoma of the Duodenum: Analysis of 203 Cases. <i>Neuroendocrinology</i> , 2017 , 104, 112-125	0.45.6	1 72 17
291290289	Monocyte-derived IL-1 and IL-6 are differentially required for cytokine-release syndrome and neurotoxicity due to CAR T cells. <i>Nature Medicine</i> , 2018 , 24, 739-748 Clinical and pathological characteristics of a series of patients with newly diagnosed primary renal liposarcoma: natural history and effect on survival. <i>Archivos Espanoles De Urologia</i> , 2018 , 71, 555-558 Four Neuroendocrine Tumor Types and Neuroendocrine Carcinoma of the Duodenum: Analysis of 203 Cases. <i>Neuroendocrinology</i> , 2017 , 104, 112-125 COL6A5 variants in familial neuropathic chronic itch. <i>Brain</i> , 2017 , 140, 555-567 5-Hydroxytyrosol inhibits HIV-1 replication in primary cells of the lower and upper female	0.45.611.2	1 72 17
291 290 289 288	Monocyte-derived IL-1 and IL-6 are differentially required for cytokine-release syndrome and neurotoxicity due to CAR T cells. <i>Nature Medicine</i> , 2018 , 24, 739-748 Clinical and pathological characteristics of a series of patients with newly diagnosed primary renal liposarcoma: natural history and effect on survival. <i>Archivos Espanoles De Urologia</i> , 2018 , 71, 555-558 Four Neuroendocrine Tumor Types and Neuroendocrine Carcinoma of the Duodenum: Analysis of 203 Cases. <i>Neuroendocrinology</i> , 2017 , 104, 112-125 COL6A5 variants in familial neuropathic chronic itch. <i>Brain</i> , 2017 , 140, 555-567 5-Hydroxytyrosol inhibits HIV-1 replication in primary cells of the lower and upper female reproductive tract. <i>Antiviral Research</i> , 2017 , 142, 16-20	0.45.611.210.8	1 72 17 5
291 290 289 288 287	Monocyte-derived IL-1 and IL-6 are differentially required for cytokine-release syndrome and neurotoxicity due to CAR T cells. <i>Nature Medicine</i> , 2018 , 24, 739-748 Clinical and pathological characteristics of a series of patients with newly diagnosed primary renal liposarcoma: natural history and effect on survival. <i>Archivos Espanoles De Urologia</i> , 2018 , 71, 555-558 Four Neuroendocrine Tumor Types and Neuroendocrine Carcinoma of the Duodenum: Analysis of 203 Cases. <i>Neuroendocrinology</i> , 2017 , 104, 112-125 COL6A5 variants in familial neuropathic chronic itch. <i>Brain</i> , 2017 , 140, 555-567 5-Hydroxytyrosol inhibits HIV-1 replication in primary cells of the lower and upper female reproductive tract. <i>Antiviral Research</i> , 2017 , 142, 16-20 The Microbiome of the Prostate Tumor Microenvironment. <i>European Urology</i> , 2017 , 72, 625-631 Invariant NKT cells contribute to chronic lymphocytic leukemia surveillance and prognosis. <i>Blood</i> ,	0.4 5.6 11.2 10.8	1 72 17 5 100

(2016-2017)

283	miR-204 is associated with an endocrine phenotype in human pancreatic islets but does not regulate the insulin mRNA through MAFA. <i>Scientific Reports</i> , 2017 , 7, 14051	4.9	6
282	Comparison of pancreatic histology specimens obtained by EUS 19G versus 22G core biopsy needles: A prospective multicentre study among experienced pathologists. <i>United European Gastroenterology Journal</i> , 2017 , 5, 854-858	5.3	5
281	Combined circulating tumor DNA and protein biomarker-based liquid biopsy for the earlier detection of pancreatic cancers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 10202-10207	11.5	303
2 80	A preoperative score to predict early death after pancreatic cancer resection. <i>Digestive and Liver Disease</i> , 2017 , 49, 1050-1056	3.3	22
279	T-derived dopamine accelerates productive synapses in germinal centres. <i>Nature</i> , 2017 , 547, 318-323	50.4	89
278	Epithelial to mesenchymal transition-related proteins ZEB1, Leatenin, and Leubulin-III in idiopathic pulmonary fibrosis. <i>Modern Pathology</i> , 2017 , 30, 26-38	9.8	44
277	Duodenal Mucosa of Patients With Type 1 Diabetes Shows Distinctive Inflammatory Profile and Microbiota. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 1468-1477	5.6	80
276	Impact of Ki67 re-assessment at time of disease progression in patients with pancreatic neuroendocrine neoplasms. <i>PLoS ONE</i> , 2017 , 12, e0179445	3.7	29
275	IgG4-related disease in Italy: clinical features and outcomes of a large cohort of patients. <i>Scandinavian Journal of Rheumatology</i> , 2016 , 45, 135-45	1.9	70
274	(Ir)relevance of Metformin Treatment in Patients with Metastatic Pancreatic Cancer: An Open-Label, Randomized Phase II Trial. <i>Clinical Cancer Research</i> , 2016 , 22, 1076-85	12.9	116
273	IL-17 superfamily cytokines modulate normal germinal center B cell migration. <i>Journal of Leukocyte Biology</i> , 2016 , 100, 913-918	6.5	24
272	The administration of drugs inhibiting cholesterol/oxysterol synthesis is safe and increases the		
	efficacy of immunotherapeutic regimens in tumor-bearing mice. <i>Cancer Immunology, Immunotherapy</i> , 2016 , 65, 1303-1315	7.4	25
271		7·4 8. ₇	25
271 270	Immunotherapy, 2016 , 65, 1303-1315 Phase 1B trial of Nab-paclitaxel plus gemcitabine, capecitabine, and cisplatin (PAXG regimen) in patients with unresectable or borderline resectable pancreatic adenocarcinoma. <i>British Journal of</i>		
	Immunotherapy, 2016, 65, 1303-1315 Phase 1B trial of Nab-paclitaxel plus gemcitabine, capecitabine, and cisplatin (PAXG regimen) in patients with unresectable or borderline resectable pancreatic adenocarcinoma. British Journal of Cancer, 2016, 115, 290-6 Linearized texture of three-dimensional extracellular matrix is mandatory for bladder cancer cell	8.7	25
270	Immunotherapy, 2016, 65, 1303-1315 Phase 1B trial of Nab-paclitaxel plus gemcitabine, capecitabine, and cisplatin (PAXG regimen) in patients with unresectable or borderline resectable pancreatic adenocarcinoma. British Journal of Cancer, 2016, 115, 290-6 Linearized texture of three-dimensional extracellular matrix is mandatory for bladder cancer cell invasion. Scientific Reports, 2016, 6, 36128 Insulin resistance is associated with the aggressiveness of pancreatic ductal carcinoma. Acta	8.7	25
270	Immunotherapy, 2016, 65, 1303-1315 Phase 1B trial of Nab-paclitaxel plus gemcitabine, capecitabine, and cisplatin (PAXG regimen) in patients with unresectable or borderline resectable pancreatic adenocarcinoma. British Journal of Cancer, 2016, 115, 290-6 Linearized texture of three-dimensional extracellular matrix is mandatory for bladder cancer cell invasion. Scientific Reports, 2016, 6, 36128 Insulin resistance is associated with the aggressiveness of pancreatic ductal carcinoma. Acta Diabetologica, 2016, 53, 945-956 Plasma Chromogranin A as a marker of cardiovascular involvement in Erdheim-Chester disease.	8.7 4.9 3.9	25 13 12

265	Methotrexate in refractory bilateral juvenile temporal arteritis: Report of a case. <i>Modern Rheumatology</i> , 2016 , 26, 276-7	3.3	4
264	Management of neuroendocrine carcinomas of the pancreas (WHO G3): A tailored approach between proliferation and morphology. <i>World Journal of Gastroenterology</i> , 2016 , 22, 9944-9953	5.6	23
263	Effect of Diabetes on Survival after Resection of Pancreatic Adenocarcinoma. A Prospective, Observational Study. <i>PLoS ONE</i> , 2016 , 11, e0166008	3.7	13
262	Erdheim-Chester Disease With Multiorgan Involvement, Following Polycythemia Vera: A Case Report. <i>Medicine (United States)</i> , 2016 , 95, e3697	1.8	6
261	Angiopoietin 2 expression in the cornea and its control of corneal neovascularisation. <i>British Journal of Ophthalmology</i> , 2016 , 100, 1005-1010	5.5	6
260	Pervasive supply of therapeutic lysosomal enzymes in the CNS of normal and Krabbe-affected non-human primates by intracerebral lentiviral gene therapy. <i>EMBO Molecular Medicine</i> , 2016 , 8, 489-51	ι ₫ -2	40
259	Human malignant mesothelioma is recapitulated in immunocompetent BALB/c mice injected with murine AB cells. <i>Scientific Reports</i> , 2016 , 6, 22850	4.9	23
258	Polycomb dysregulation in gliomagenesis targets a Zfp423-dependent differentiation network. <i>Nature Communications</i> , 2016 , 7, 10753	17.4	16
257	Quantitative and Qualitative Analysis of Tumor-Associated CD4+ T Cells. <i>Methods in Molecular Biology</i> , 2016 , 1393, 37-51	1.4	
256	Justifying vein resection with pancreatoduodenectomy. <i>Lancet Oncology, The</i> , 2016 , 17, e177-8	21.7	2
255	Loss of P53 Function Activates JAK2-STAT3 Signaling to Promote Pancreatic Tumor Growth, Stroma Modification, and Gemcitabine Resistance in Mice and Is Associated With Patient Survival. <i>Gastroenterology</i> , 2016 , 151, 180-193.e12	13.3	157
254	Diabetes associated with pancreatic ductal adenocarcinoma is just diabetes: Results of a prospective observational study in surgical patients. <i>Pancreatology</i> , 2016 , 16, 844-52	3.8	9
253	24-Hydroxycholesterol participates in pancreatic neuroendocrine tumor development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E6219-E6227	11.5	22
252	Interleukin-6 in ANCA-associated vasculitis: Rationale for successful treatment with tocilizumab. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 45, 48-54	5.3	55
251	Tu1650 Feasibility and Diagnostic Yield of a New EUS Guided Histology 20-Gauge Needle in the Evaluation of Intraintestinal and Extraintestinal Lesions. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, AB545	5.2	2
250	Uterine inflammatory myofibroblastic tumor in a 10-year-old girl presenting as polypoid mass. <i>Journal of Clinical Oncology</i> , 2015 , 33, e7-e10	2.2	17
249	Liver-directed lentiviral gene therapy in a dog model of hemophilia B. <i>Science Translational Medicine</i> , 2015 , 7, 277ra28	17.5	91
248	Cellular Senescence Markers p16INK4a and p21CIP1/WAF Are Predictors of Hodgkin Lymphoma Outcome. <i>Clinical Cancer Research</i> , 2015 , 21, 5164-72	12.9	27

(2013-2015)

247	BRAFV600E-mutation is invariably present and associated to oncogene-induced senescence in Erdheim-Chester disease. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1596-602	2.4	75
246	Antisense transcription at the TRPM2 locus as a novel prognostic marker and therapeutic target in prostate cancer. <i>Oncogene</i> , 2015 , 34, 2094-102	9.2	59
245	Immunology of IgG4-related disease. Clinical and Experimental Immunology, 2015, 181, 191-206	6.2	133
244	Anti-metastatic activity of the tumor vascular targeting agent NGR-TNF. <i>Clinical and Experimental Metastasis</i> , 2015 , 32, 289-300	4.7	9
243	Rapid targeted somatic mutation analysis of solid tumors in routine clinical diagnostics. <i>Oncotarget</i> , 2015 , 6, 30592-603	3.3	10
242	Short formalin fixation and rapid microwave processing do not affect HER2 testing. <i>Recent Results in Cancer Research</i> , 2015 , 199, 55-64	1.5	4
241	Fluorescence in situ analysis of soft tissue tumor associated genetic alterations in formalin-fixed paraffin-embedded tissue. <i>Pathology Research and Practice</i> , 2014 , 210, 804-11	3.4	6
240	Uncovering and dissecting the genotoxicity of self-inactivating lentiviral vectors in vivo. <i>Molecular Therapy</i> , 2014 , 22, 774-85	11.7	113
239	FOXP1 and TP63 involvement in the progression of myelodysplastic syndrome with 5q- and additional cytogenetic abnormalities. <i>BMC Cancer</i> , 2014 , 14, 396	4.8	5
238	Cancer-initiating cells from colorectal cancer patients escape from T cell-mediated immunosurveillance in vitro through membrane-bound IL-4. <i>Journal of Immunology</i> , 2014 , 192, 523-32	5.3	80
237	Oncogene-induced senescence distinguishes indolent from aggressive forms of pulmonary and non-pulmonary Langerhans cell histiocytosis. <i>Leukemia and Lymphoma</i> , 2014 , 55, 2620-6	1.9	34
236	Clinical signature and pathogenetic factors of diabetes associated with pancreas disease (T3cDM): a prospective observational study in surgical patients. <i>Acta Diabetologica</i> , 2014 , 51, 801-11	3.9	23
235	Metallothioneins as dynamic markers for brain disease in lysosomal disorders. <i>Annals of Neurology</i> , 2014 , 75, 127-37	9.4	12
234	TNF-In Erdheim-Chester disease pericardial effusion promotes endothelial leakage in vitro and is neutralized by infliximab. <i>Rheumatology</i> , 2014 , 53, 198-200	3.9	15
233	A pilot Phase I study combining peptide-based vaccination and NGR-hTNF vessel targeting therapy in metastatic melanoma. <i>OncoImmunology</i> , 2014 , 3, e963406	7.2	19
232	Predictive value of a proteomic signature in patients with non-small-cell lung cancer treated with second-line erlotinib or chemotherapy (PROSE): a biomarker-stratified, randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2014 , 15, 713-21	21.7	131
231	Gastroenteric neuroendocrine neoplasms classification: comparison of prognostic models. <i>Cancer</i> , 2013 , 119, 36-44	6.4	36
230	Preoperative chemotherapy does not adversely affect pancreatic structure and short-term outcome after pancreatectomy. <i>Journal of Gastrointestinal Surgery</i> , 2013 , 17, 488-93	3.3	15

229	Feasibility and yield of a novel 22-gauge histology EUS needle in patients with pancreatic masses: a multicenter prospective cohort study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 3733-8	5.2	90
228	CDC25A protein stability represents a previously unrecognized target of HER2 signaling in human breast cancer: implication for a potential clinical relevance in trastuzumab treatment. <i>Neoplasia</i> , 2013 , 15, 579-90	6.4	13
227	Breast metastases from oligodendroglioma: an unusual extraneural spread in two young women and a review of the literature. <i>Critical Reviews in Oncology/Hematology</i> , 2013 , 88, 564-72	7	8
226	In vivo confocal microscopy in goldenhar syndrome: a case report. <i>BMC Ophthalmology</i> , 2013 , 13, 55	2.3	2
225	Antibodies are forever: a study using 12-26-year-old expired antibodies. <i>Histopathology</i> , 2013 , 63, 869-7	7 6 .3	15
224	Autologous pancreatic islet transplantation in human bone marrow. <i>Diabetes</i> , 2013 , 62, 3523-31	0.9	74
223	Influenza A viruses grow in human pancreatic cells and cause pancreatitis and diabetes in an animal model. <i>Journal of Virology</i> , 2013 , 87, 597-610	6.6	42
222	Nodular lymphocyte predominant Hodgkin lymphoma with non-invasive or early invasive growth pattern suggests an early step of the disease with a highly favorable outcome. <i>American Journal of Hematology</i> , 2013 , 88, 161-2	7.1	24
221	Human IL2RA null mutation mediates immunodeficiency with lymphoproliferation and autoimmunity. <i>Clinical Immunology</i> , 2013 , 146, 248-61	9	141
220	Lentiviral vector-based insertional mutagenesis identifies genes associated with liver cancer. Nature Methods, 2013 , 10, 155-61	21.6	62
219	D. J. v. Julius (M. J. Ald. O. v. v. 2042, 22, 5244, 74		19
	Dual regulation of Myc by Abl. <i>Oncogene</i> , 2013 , 32, 5261-71	9.2	
218	The oxysterol-CXCR2 axis plays a key role in the recruitment of tumor-promoting neutrophils. Journal of Experimental Medicine, 2013, 210, 1711-28	9.2	
	The oxysterol-CXCR2 axis plays a key role in the recruitment of tumor-promoting neutrophils.		
218	The oxysterol-CXCR2 axis plays a key role in the recruitment of tumor-promoting neutrophils. Journal of Experimental Medicine, 2013, 210, 1711-28 Productive HIV-1 infection of human cervical tissue ex vivo is associated with the secretory phase	16.6	127
218	The oxysterol-CXCR2 axis plays a key role in the recruitment of tumor-promoting neutrophils. Journal of Experimental Medicine, 2013, 210, 1711-28 Productive HIV-1 infection of human cervical tissue ex vivo is associated with the secretory phase of the menstrual cycle. Mucosal Immunology, 2013, 6, 1081-90 A reappraisal of the diagnostic and therapeutic management of uncommon histologies of primary	16.6 9.2	127 63
218 217 216	The oxysterol-CXCR2 axis plays a key role in the recruitment of tumor-promoting neutrophils. Journal of Experimental Medicine, 2013, 210, 1711-28 Productive HIV-1 infection of human cervical tissue ex vivo is associated with the secretory phase of the menstrual cycle. Mucosal Immunology, 2013, 6, 1081-90 A reappraisal of the diagnostic and therapeutic management of uncommon histologies of primary ocular adnexal lymphoma. Oncologist, 2013, 18, 876-84 Gains of CCND3 gene in ocular adnexal MALT lymphomas: an integrated analysis. British Journal of	16.6 9.2 5·7	1276324
218 217 216 215	The oxysterol-CXCR2 axis plays a key role in the recruitment of tumor-promoting neutrophils. Journal of Experimental Medicine, 2013, 210, 1711-28 Productive HIV-1 infection of human cervical tissue ex vivo is associated with the secretory phase of the menstrual cycle. Mucosal Immunology, 2013, 6, 1081-90 A reappraisal of the diagnostic and therapeutic management of uncommon histologies of primary ocular adnexal lymphoma. Oncologist, 2013, 18, 876-84 Gains of CCND3 gene in ocular adnexal MALT lymphomas: an integrated analysis. British Journal of Haematology, 2013, 160, 719-22 Ligand-dependent activation of EGFR in follicular dendritic cells sarcoma is sustained by local	16.6 9.2 5.7 4.5	12763245

211	Germinal center dysregulation by histone methyltransferase EZH2 promotes lymphomagenesis. Journal of Clinical Investigation, 2013 , 123, 5009-22	15.9	174
210	Randomized proteomic stratified phase III study of second-line erlotinib (E) versus chemotherapy (CT) in patients with inoperable non-small cell lung cancer (PROSE) <i>Journal of Clinical Oncology</i> , 2013 , 31, LBA8005-LBA8005	2.2	10
209	Randomized proteomic stratified phase III study of second-line erlotinib (E) versus chemotherapy (CT) in patients with inoperable non-small cell lung cancer (PROSE) <i>Journal of Clinical Oncology</i> , 2013 , 31, LBA8005-LBA8005	2.2	1
208	Prevalence of chlamydial infection in a series of 108 primary cutaneous lymphomas. <i>British Journal of Dermatology</i> , 2012 , 166, 1121-3	4	7
207	A randomized phase II trial of two different 4-drug combinations in advanced pancreatic adenocarcinoma: cisplatin, capecitabine, gemcitabine plus either epirubicin or docetaxel (PEXG or PDXG regimen). <i>Cancer Chemotherapy and Pharmacology</i> , 2012 , 69, 115-23	3.5	42
206	TNM staging of neoplasms of the endocrine pancreas: results from a large international cohort study. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 764-77	9.7	362
205	Chlamydophila psittaci eradication with doxycycline as first-line targeted therapy for ocular adnexae lymphoma: final results of an international phase II trial. <i>Journal of Clinical Oncology</i> , 2012 , 30, 2988-94	2.2	125
204	Ex vivo enrichment of circulating anti-tumor T cells from both cutaneous and ocular melanoma patients: clinical implications for adoptive cell transfer therapy. <i>Cancer Immunology, Immunotherapy</i> , 2012 , 61, 1169-82	7.4	2
203	A "twist box" code of p53 inactivation: twist box: p53 interaction promotes p53 degradation. <i>Cancer Cell</i> , 2012 , 22, 404-15	24.3	92
202	Does cytotechnician training influence the accuracy of EUS-guided fine-needle aspiration of pancreatic masses?. <i>Digestive and Liver Disease</i> , 2012 , 44, 311-4	3.3	31
201	The alteration of lipid metabolism in Burkitt lymphoma identifies a novel marker: adipophilin. <i>PLoS ONE</i> , 2012 , 7, e44315	3.7	47
200	Plasma cell granuloma of the thyroid gland: a challenging diagnostic problem. <i>International Journal of Surgical Pathology</i> , 2012 , 20, 500-6	1.2	6
199	Exposure to animals and increased risk of marginal zone B-cell lymphomas of the ocular adnexae. <i>British Journal of Cancer</i> , 2012 , 106, 966-9	8.7	12
198	Immunoglobulin gene repertoire in ocular adnexal lymphomas: hints on the nature of the antigenic stimulation. <i>Leukemia</i> , 2012 , 26, 814-21	10.7	39
197	Tumor necrosis factor lass a master regulator of inflammation in Erdheim-Chester disease: rationale for the treatment of patients with infliximab. <i>Journal of Clinical Oncology</i> , 2012 , 30, e286-90	2.2	67
196	IgG4-related pachymeningitis: evidence of intrathecal IgG4 on cerebrospinal fluid analysis. <i>Annals of Internal Medicine</i> , 2012 , 156, 401-3	8	36
195	Bone marrow histopathology in the diagnostic evaluation of splenic marginal-zone and splenic diffuse red pulp small B-cell lymphoma: a reliable substitute for spleen histopathology?. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 1609-18	6.7	41
194	Atypical presentation of Churg-Strauss syndrome or an undescribed hypereosinophilic disease?. Journal of Allergy and Clinical Immunology, 2011 , 128, 908-11	11.5	

193	Gastric metastasis from ovarian carcinoma diagnosed by EUS-FNA biopsy and elastography. <i>Gastrointestinal Endoscopy</i> , 2011 , 74, 223-5	5.2	13
192	Heterogeneity of large cell carcinoma of the lung: an immunophenotypic and miRNA-based analysis. <i>American Journal of Clinical Pathology</i> , 2011 , 136, 773-82	1.9	43
191	Central nervous system marginal zone B-cell lymphoma associated with Chlamydophila psittaci infection. <i>Human Pathology</i> , 2011 , 42, 738-42	3.7	15
190	Gastric lymphoma: the histology report. <i>Digestive and Liver Disease</i> , 2011 , 43 Suppl 4, S310-8	3.3	22
189	Chronic lymphocytic leukemia: the pathologistN view of lymph node microenvironment. <i>Seminars in Diagnostic Pathology</i> , 2011 , 28, 161-6	4.3	30
188	Overexpression of TWIST2 correlates with poor prognosis in head and neck squamous cell carcinomas. <i>Oncotarget</i> , 2011 , 2, 1165-75	3.3	50
187	HER2 testing in gastric cancer. Advances in Anatomic Pathology, 2011 , 18, 53-9	5.1	121
186	A prognostic score to predict major complications after pancreaticoduodenectomy. <i>Annals of Surgery</i> , 2011 , 254, 702-7; discussion 707-8	7.8	144
185	Tumor-associated macrophages as major source of APRIL in gastric MALT lymphoma. <i>Blood</i> , 2011 , 117, 6612-6	2.2	46
184	Genome-wide DNA profiling of marginal zone lymphomas identifies subtype-specific lesions with an impact on the clinical outcome. <i>Blood</i> , 2011 , 117, 1595-604	2.2	145
183	Pentraxin-3 as a marker of disease activity in Takayasu arteritis. <i>Annals of Internal Medicine</i> , 2011 , 155, 425-33	8	109
182	Genomic profiles of MALT lymphomas: variability across anatomical sites. <i>Haematologica</i> , 2011 , 96, 106	4 66 6	36
181	Liprin-II regulates breast cancer cell invasion by affecting cell motility, invadopodia and extracellular matrix degradation. <i>Oncogene</i> , 2011 , 30, 1841-9	9.2	38
180	The optimal rebiopsy prostatic scheme depends on patient clinical characteristics: results of a recursive partitioning analysis based on a 24-core systematic scheme. <i>European Urology</i> , 2011 , 60, 834-4	110.2	27
179	Absence of Rac1 and Rac3 GTPases in the nervous system hinders thymic, splenic and immune-competence development. <i>European Journal of Immunology</i> , 2011 , 41, 1410-9	6.1	2
178	In vitro efficacy of tyrosine kinase inhibitors: SYK and BCR-ABL inhibitors in lymphomas. <i>Hematological Oncology</i> , 2011 , 29, 164-6	1.3	3
177	Pancreatic cancers require autophagy for tumor growth. <i>Genes and Development</i> , 2011 , 25, 717-29	12.6	1003
176	TWIST1 plays a pleiotropic role in determining the anaplastic thyroid cancer phenotype. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E772-81	5.6	34

175	Prevalence of Borrelia burgdorferi infection in a series of 98 primary cutaneous lymphomas. <i>Oncologist</i> , 2011 , 16, 1582-8	5.7	50
174	The vasostatin-1 fragment of chromogranin A preserves a quiescent phenotype in hypoxia-driven endothelial cells and regulates tumor neovascularization. <i>FASEB Journal</i> , 2011 , 25, 3906-14	0.9	29
173	Enhanced expression of CD13 in vessels of inflammatory and neoplastic tissues. <i>Journal of Histochemistry and Cytochemistry</i> , 2011 , 59, 47-59	3.4	47
172	Microenvironmental control of malignancy exerted by RNASET2, a widely conserved extracellular RNase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 1104	۱- و 1.5	47
171	Mucin expression pattern in pancreatic diseases: findings from EUS-guided fine-needle aspiration biopsies. <i>American Journal of Gastroenterology</i> , 2011 , 106, 1359-63	0.7	46
170	Intratumor T helper type 2 cell infiltrate correlates with cancer-associated fibroblast thymic stromal lymphopoietin production and reduced survival in pancreatic cancer. <i>Journal of Experimental Medicine</i> , 2011 , 208, 469-78	16.6	454
169	Final Results of a Multicenter Phase II Trial with Translational Elements to Investigate the Possible Infective Causes of Ocular Adnexal Marginal Zone B-Cell Lymphoma (OAMZL) with Particular Reference to Chlamydia Species and the Efficacy of Doxycycline As First-Line Lymphoma Treatment	2.2	1
168	(the IELSG#27 TRIAL). <i>Blood</i> , 2011 , 118, 267-267 Tumor-mediated liver X receptor-alpha activation inhibits CC chemokine receptor-7 expression on dendritic cells and dampens antitumor responses. <i>Nature Medicine</i> , 2010 , 16, 98-105	50.5	216
167	Co-graft of allogeneic immune regulatory neural stem cells (NPC) and pancreatic islets mediates tolerance, while inducing NPC-derived tumors in mice. <i>PLoS ONE</i> , 2010 , 5, e10357	3.7	24
166	MEN1 in pancreatic endocrine tumors: analysis of gene and protein status in 169 sporadic neoplasms reveals alterations in the vast majority of cases. <i>Endocrine-Related Cancer</i> , 2010 , 17, 771-83	5.7	110
165	Immunobiological characterization of cancer stem cells isolated from glioblastoma patients. <i>Clinical Cancer Research</i> , 2010 , 16, 800-13	12.9	244
164	US-guided application of a new hybrid probe in human pancreatic adenocarcinoma: an ex vivo study. <i>Gastrointestinal Endoscopy</i> , 2010 , 71, 1294-7	5.2	26
163	Revertant T lymphocytes in a patient with Wiskott-Aldrich syndrome: analysis of function and distribution in lymphoid organs. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 125, 439-448.e8	11.5	28
162	Prep1 (pKnox1)-deficiency leads to spontaneous tumor development in mice and accelerates EmuMyc lymphomagenesis: a tumor suppressor role for Prep1. <i>Molecular Oncology</i> , 2010 , 4, 126-34	7.9	32
161	Biopsy schemes with the fewest cores for detecting 95% of the prostate cancers detected by a 24-core biopsy. <i>European Urology</i> , 2010 , 57, 1-8	10.2	83
160	Mesenchymal cells appearing in pancreatic tissue culture are bone marrow-derived stem cells with the capacity to improve transplanted islet function. <i>Stem Cells</i> , 2010 , 28, 140-51	5.8	57
159	Perivascular expression of CXCL9 and CXCL12 in primary central nervous system lymphoma: T-cell infiltration and positioning of malignant B cells. <i>International Journal of Cancer</i> , 2010 , 127, 2300-12	7.5	58
158	Syk expression patterns differ among B-cell lymphomas. <i>Leukemia Research</i> , 2010 , 34, e243-5	2.7	2

157	Immune regulatory neural stem/precursor cells protect from central nervous system autoimmunity by restraining dendritic cell function. <i>PLoS ONE</i> , 2009 , 4, e5959	3.7	108
156	Cross-talk between tumor and endothelial cells involving the Notch3-Dll4 interaction marks escape from tumor dormancy. <i>Cancer Research</i> , 2009 , 69, 1314-23	10.1	109
155	Evidence for long-term efficacy and safety of gene therapy for Wiskott-Aldrich syndrome in preclinical models. <i>Molecular Therapy</i> , 2009 , 17, 1073-82	11.7	66
154	High blood levels of chromogranin A in giant cell arteritis identify patients refractory to corticosteroid treatment. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 293-5	2.4	18
153	Two positive nodes represent a significant cut-off value for cancer specific survival in patients with node positive prostate cancer. A new proposal based on a two-institution experience on 703 consecutive N+ patients treated with radical prostatectomy, extended pelvic lymph node dissection and adjuvant therapy. European Urology, 2009, 55, 261-70	10.2	213
152	Ghrelin-producing epsilon cells in the developing and adult human pancreas. <i>Diabetologia</i> , 2009 , 52, 48	36 19 33	85
151	Cardiotoxicity after low-dose chloroquine antimalarial therapy. Heart and Vessels, 2009, 24, 385-7	2.1	14
150	Primary intracranial meningeal marginal zone B cell lymphoma of malt type (PMML) with osseous infiltration. <i>Annals of Hematology</i> , 2009 , 88, 599-601	3	3
149	Cathepsin-K immunoreactivity distinguishes MiTF/TFE family renal translocation carcinomas from other renal carcinomas. <i>Modern Pathology</i> , 2009 , 22, 1016-22	9.8	130
148	Chlamydial infection: the link with ocular adnexal lymphomas. <i>Nature Reviews Clinical Oncology</i> , 2009 , 6, 658-69	19.4	45
147	Obesity does not increase the risk of lymph node metastases in patients with clinically localized prostate cancer undergoing radical prostatectomy and extended pelvic lymph node dissection. <i>International Journal of Urology</i> , 2009 , 16, 676-81	2.3	8
146	Peripheral blood lymphocytes genetically modified to express the self/tumor antigen MAGE-A3 induce antitumor immune responses in cancer patients. <i>Blood</i> , 2009 , 113, 1651-60	2.2	42
145	Improved histologic and clinicopathologic criteria for prognostic evaluation of pancreatic endocrine tumors. <i>Human Pathology</i> , 2009 , 40, 30-40	3.7	147
144	BCL2, BCL6, MYC, MALT 1, and BCL10 rearrangements in nodal diffuse large B-cell lymphomas: a multicenter evaluation of a new set of fluorescent in situ hybridization probes and correlation with clinical outcome. <i>Human Pathology</i> , 2009 , 40, 645-52	3.7	87
143	Optical coherence tomography in pediatric patients: a feasible technique for diagnosing celiac disease in children with villous atrophy. <i>Digestive and Liver Disease</i> , 2009 , 41, 639-43	3.3	17
142	Renal sinus fat invasion in pT3a clear cell renal cell carcinoma affects outcomes of patients without nodal involvement or distant metastases. <i>Journal of Urology</i> , 2009 , 181, 2027-32	2.5	41
141	Laser capture microdissection as a new tool to assess graft-infiltrating lymphocytes gene profile in islet transplantation. <i>Cell Transplantation</i> , 2009 , 18, 827-32	4	5
140	Bugs and marginal zone lymphoma of the ocular adnexae: is the future already here?. <i>Blood</i> , 2009 , 114, 3499; author reply 3499-500	2.2	1

(2008-2009)

139	The genotoxic potential of retroviral vectors is strongly modulated by vector design and integration site selection in a mouse model of HSC gene therapy. <i>Journal of Clinical Investigation</i> , 2009 , 119, 964-75	15.9	407
138	Histopathological EXAMINATION of BONE MARROW Biopsy (BMB) IN Primary Splenic B CELL Lymphomas of Marginal-ZONE ORIGIN (PSMZL). A Reliable Substitute for Spleen Pathology? <i>Blood</i> , 2009 , 114, 1924-1924	2.2	
137	Identification of novel sense and antisense transcription at the TRPM2 locus in cancer. <i>Cell Research</i> , 2008 , 18, 1128-40	24.7	84
136	The addition of rituximab to anthracycline-based chemotherapy significantly improves outcome in N WesternNpatients with intravascular large B-cell lymphoma. <i>British Journal of Haematology</i> , 2008 , 143, 253-7	4.5	70
135	Induction of EMT by twist proteins as a collateral effect of tumor-promoting inactivation of premature senescence. <i>Cancer Cell</i> , 2008 , 14, 79-89	24.3	547
134	Clinical and molecular profile of a new series of patients with immune dysregulation, polyendocrinopathy, enteropathy, X-linked syndrome: inconsistent correlation between forkhead box protein 3 expression and disease severity. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 122, 110	11.5)5-111	
133	Serological immunoreactivity against colon cancer proteome varies upon disease progression. Journal of Proteome Research, 2008 , 7, 504-14	5.6	20
132	Ocular adnexal MALT lymphoma: an intriguing model for antigen-driven lymphomagenesis and microbial-targeted therapy. <i>Annals of Oncology</i> , 2008 , 19, 835-46	10.3	71
131	Intracranial granulocytic sarcoma after chemotherapy for pineal germinoma and testicular cancer. Journal of Clinical Oncology, 2008 , 26, 4507-9	2.2	11
130	Maturing dendritic cells depend on RAGE for in vivo homing to lymph nodes. <i>Journal of Immunology</i> , 2008 , 180, 2270-5	5.3	95
129	Carcinoembryonic antigen-specific but not antiviral CD4+ T cell immunity is impaired in pancreatic carcinoma patients. <i>Journal of Immunology</i> , 2008 , 181, 6595-603	5.3	85
128	Multiple primary sporadic gastrointestinal stromal tumors in the adult: an underestimated entity. <i>Clinical Cancer Research</i> , 2008 , 14, 5715-21	12.9	51
127	Targeted inactivation of the COP9 signalosome impairs multiple stages of T cell development. Journal of Experimental Medicine, 2008 , 205, 465-77	16.6	61
126	Isoaspartate-glycine-arginine: a new tumor vasculature-targeting motif. Cancer Research, 2008, 68, 7073	3 -182 1	65
125	The chemokine receptor CX3CR1 is involved in the neural tropism and malignant behavior of pancreatic ductal adenocarcinoma. <i>Cancer Research</i> , 2008 , 68, 9060-9	10.1	125
124	Peripheral T-cell tolerance associated with prostate cancer is independent from CD4+CD25+ regulatory T cells. <i>Cancer Research</i> , 2008 , 68, 292-300	10.1	56
123	Chlamydia-psittaci-eradicating antibiotic therapy in patients with advanced-stage ocular adnexal MALT lymphoma. <i>Annals of Oncology</i> , 2008 , 19, 194-5	10.3	33
122	Endoscopic ultrasound-guided application of a new internally gas-cooled radiofrequency ablation probe in the liver and spleen of an animal model: a preliminary study. <i>Endoscopy</i> , 2008 , 40, 759-63	3.4	44

121	Endoscopic ultrasound-guided application of a new hybrid cryotherm probe in porcine pancreas: a preliminary study. <i>Endoscopy</i> , 2008 , 40, 321-6	3.4	105
120	Chlamydia infection and lymphomas: association beyond ocular adnexal lymphomas highlighted by multiple detection methods. <i>Clinical Cancer Research</i> , 2008 , 14, 5794-800	12.9	69
119	Distinct functional significance of Akt and mTOR constitutive activation in mantle cell lymphoma. <i>Blood</i> , 2008 , 111, 5142-51	2.2	123
118	Variable association between Chlamydophila psittaci infection and ocular adnexal lymphomas: methodological biases or true geographical variations?. <i>Anti-Cancer Drugs</i> , 2008 , 19, 761-5	2.4	31
117	Sentinel node mapping during laparoscopic distal gastrectomy for gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2008 , 22, 118-21	5.2	44
116	Chlamydophila psittaci is viable and infectious in the conjunctiva and peripheral blood of patients with ocular adnexal lymphoma: results of a single-center prospective case-control study. International Journal of Cancer, 2008, 123, 1089-93	7.5	51
115	Constitutive overexpression of CDC25A in primary human mammary epithelial cells results in both defective DNA damage response and chromosomal breaks at fragile sites. <i>International Journal of Cancer</i> , 2008 , 123, 1466-71	7.5	15
114	Array-CGH Identifies Both Common and Subtype-Specific Genomic Aberrations in Marginal Zone Lymphomas. <i>Blood</i> , 2008 , 112, 622-622	2.2	1
113	Immunoglobulin Gene Repertoire in Ocular Adnexa Lymphomas (OAL): Hints on the Nature of the Antigenic Stimulation. <i>Blood</i> , 2008 , 112, 623-623	2.2	
112	Fluorescent in situ hybridization as a screening test for HER2 amplification in G2 and G3 breast cancers of lobular and ductal histotype and metastases. <i>Oncology Reports</i> , 2008 , 19, 1271-5	3.5	2
111	Therapeutic management of ocular adnexal MALT lymphoma. <i>Expert Opinion on Pharmacotherapy</i> , 2007 , 8, 1073-83	4	6
110	Low expression of ARHI is associated with shorter progression-free survival in pancreatic endocrine tumors. <i>Neoplasia</i> , 2007 , 9, 181-3	6.4	29
109	Definition, diagnosis, and management of intravascular large B-cell lymphoma: proposals and perspectives from an international consensus meeting. <i>Journal of Clinical Oncology</i> , 2007 , 25, 3168-73	2.2	370
108	Characterization of t(6;11)(p21;q12) in a renal-cell carcinoma of an adult patient. <i>Genes Chromosomes and Cancer</i> , 2007 , 46, 419-26	5	36
107	Upregulation of the SOX5 by promoter swapping with the P2RY8 gene in primary splenic follicular lymphoma. <i>Leukemia</i> , 2007 , 21, 2221-5	10.7	26
106	Pilot study on the correlation of optical coherence tomography with histology in celiac disease and normal subjects. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 2256-60	4	20
105	Reactive perivascular T-cell infiltrate predicts survival in primary central nervous system B-cell lymphomas. <i>British Journal of Haematology</i> , 2007 , 138, 316-23	4.5	53
104	Rates of cycling cells in cryopreserved valvular homograft: a preliminary study. <i>Artificial Organs</i> , 2007 , 31, 152-4	2.6	4

(2006-2007)

	103	Identification of two novel frameshift mutations in the KCNJ11 gene in two Italian patients affected by Congenital Hyperinsulinism of Infancy. <i>Experimental and Molecular Pathology</i> , 2007 , 83, 59-	6 4 ·4	6
:	102	A transcription-dependent micrococcal nuclease-resistant fragment of the urokinase-type plasminogen activator promoter interacts with the enhancer. <i>Journal of Biological Chemistry</i> , 2007 , 282, 12537-46	5.4	14
-	101	IFN-gamma produced by human papilloma virus-18 E6-specific CD4+ T cells predicts the clinical outcome after surgery in patients with high-grade cervical lesions. <i>Journal of Immunology</i> , 2007 , 179, 7176-83	5.3	33
:	100	Reply to the article Mepatitis C virus (HCV) infection and MALT-type ocular adnexal lymphoma (OAL)Nby P. Arnaud, MC. Escande, M. Lecuit et al. (Ann Oncol doi:10.1093/annonc/mdl369). <i>Annals of Oncology</i> , 2007 , 18, 401-403	10.3	4
(99	Identification of proangiogenic TIE2-expressing monocytes (TEMs) in human peripheral blood and cancer. <i>Blood</i> , 2007 , 109, 5276-85	2.2	398
(98	A virtual tissue bank for primary central nervous system lymphomas in immunocompetent individuals. <i>Pathobiology</i> , 2007 , 74, 264-9	3.6	3
(97	Variations in clinical presentation, frequency of hemophagocytosis and clinical behavior of intravascular lymphoma diagnosed in different geographical regions. <i>Haematologica</i> , 2007 , 92, 486-92	6.6	137
(96	A woman and her canary: a tale of chlamydiae and lymphomas. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 1418-9	9.7	26
(95	Re-occurrence of the CD20 molecule expression subsequent to CD20-negative relapse in diffuse large B-cell lymphoma. <i>Haematologica</i> , 2007 , 92, e1-2	6.6	12
	94	New transcription factors in diagnostic hematopathology. <i>Advances in Anatomic Pathology</i> , 2007 , 14, 25-35	5.1	16
(93	Innate responses to Aspergillus: role of C1q and pentraxin 3 in nasal polyposis. <i>American Journal of Rhinology & Allergy</i> , 2007 , 21, 224-30		7
(92	Expression study of the target receptor tyrosine kinase of Imatinib mesylate in skull base chordomas. <i>Oncology Reports</i> , 2007 , 18, 249-52	3.5	21
(91	Bilateral renal mass suggestive of cancer. European Urology, 2006, 49, 746-7	10.2	
	90	Bilateral renal mass suggestive of cancer: part 2. European Urology, 2006, 49, 918-20	10.2	
į	89	Association between Helicobacter pylori infection and MALT-type lymphoma of the ocular adnexa: clinical and therapeutic implications. <i>Hematological Oncology</i> , 2006 , 24, 33-7	1.3	39
	88	M-CAM expression as marker of poor prognosis in epithelial ovarian cancer. <i>International Journal of Cancer</i> , 2006 , 119, 1920-6	7.5	71
į	87	Plasma and tissue expression of the long pentraxin 3 during normal pregnancy and preeclampsia. <i>Obstetrics and Gynecology</i> , 2006 , 108, 148-55	4.9	73
}	86	Clinical implications of hepatitis C virus infection in MALT-type lymphoma of the ocular adnexa. Annals of Oncology, 2006 , 17, 769-72	10.3	61

85	Bacteria-eradicating therapy with doxycycline in ocular adnexal MALT lymphoma: a multicenter prospective trial. <i>Journal of the National Cancer Institute</i> , 2006 , 98, 1375-82	9.7	161
84	Bacteria-eradicating therapy for ocular adnexal MALT lymphoma: questions for an open international prospective trial. <i>Annals of Oncology</i> , 2006 , 17, 1721-2	10.3	13
83	Optical coherence tomography in the diagnosis of coeliac disease: a preliminary report. <i>Gut</i> , 2006 , 55, 579	19.2	6
82	Treatment of experimental autoimmune prostatitis in nonobese diabetic mice by the vitamin D receptor agonist elocalcitol. <i>Journal of Immunology</i> , 2006 , 177, 8504-11	5.3	99
81	Megakaryoblastic differentiation of myeloid sarcoma in a patient with essential thrombocythemia. <i>Leukemia and Lymphoma</i> , 2006 , 47, 2414-7	1.9	11
80	Infectious agents in mucosa-associated lymphoid tissue-type lymphomas: pathogenic role and therapeutic perspectives. <i>Clinical Lymphoma and Myeloma</i> , 2006 , 6, 289-300		32
79	Migratory marker expression in fibroblast foci of idiopathic pulmonary fibrosis. <i>Respiratory Research</i> , 2006 , 7, 95	7.3	72
78	Main pancreatic duct, common bile duct and sphincter of Oddi structure visualized by optical coherence tomography: An ex vivo study compared with histology. <i>Digestive and Liver Disease</i> , 2006 , 38, 409-14	3.3	25
77	Optical coherence tomography compared with histology of the main pancreatic duct structure in normal and pathological conditions: an Nex vivo study N Digestive and Liver Disease, 2006, 38, 688-95	3.3	14
76	Prognostic factors and analysis of microsatellite instability in resected pulmonary metastases from colorectal carcinoma. <i>Annals of Thoracic Surgery</i> , 2006 , 81, 2008-13	2.7	47
75	Role of dendritic cell-derived CXCL13 in the pathogenesis of Bartonella henselae B-rich granuloma. <i>Blood</i> , 2006 , 107, 454-62	2.2	58
74	Ex vivo gene therapy with lentiviral vectors rescues adenosine deaminase (ADA)-deficient mice and corrects their immune and metabolic defects. <i>Blood</i> , 2006 , 108, 2979-88	2.2	69
73	Hematopoietic stem cell gene transfer in a tumor-prone mouse model uncovers low genotoxicity of lentiviral vector integration. <i>Nature Biotechnology</i> , 2006 , 24, 687-96	44.5	556
72	Modeling the Genotoxicity of Viral Vector Integration in a Tumor Prone Hematopoietic Stem Cell Transplantation Model <i>Blood</i> , 2006 , 108, 451-451	2.2	
71	Isolated bone marrow occurrence of classic HodgkinN lymphoma in an HIV-negative patient. <i>Haematologica</i> , 2006 , 91, ECR04	6.6	8
70	Epidermal growth factor receptor gene and protein and gefitinib sensitivity in non-small-cell lung cancer. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 643-55	9.7	1367
69	Expression of TP73L is a helpful diagnostic marker of primary mediastinal large B-cell lymphomas. <i>Modern Pathology</i> , 2005 , 18, 1448-53	9.8	21
68	Regression of ocular adnexal lymphoma after Chlamydia psittaci-eradicating antibiotic therapy. <i>Journal of Clinical Oncology</i> , 2005 , 23, 5067-73	2.2	177

(2002-2005)

67	Optical coherence tomography to detect epithelial lesions of the main pancreatic duct: an Ex Vivo study. <i>American Journal of Gastroenterology</i> , 2005 , 100, 2777-83	0.7	26
66	Retinoic acid inhibits the proliferative response induced by CD40 activation and interleukin-4 in mantle cell lymphoma. <i>Cancer Research</i> , 2005 , 65, 587-95	10.1	29
65	Rituximab in patients with mucosal-associated lymphoid tissue-type lymphoma of the ocular adnexa. <i>Haematologica</i> , 2005 , 90, 1578-9	6.6	61
64	Chromophobe renal cell carcinoma: a comparative study of histological, immunohistochemical and ultrastructural features using high throughput tissue microarray. <i>Histopathology</i> , 2004 , 45, 593-602	7.3	84
63	Atypical lipomatous tumor: molecular characterization. Current Opinion in Oncology, 2004, 16, 355-8	4.2	16
62	CDX-2 homeobox gene product expression in neuroendocrine tumors: its role as a marker of intestinal neuroendocrine tumors. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 1169-76	6.7	87
61	A Specific Bug for Each MALT Lymphoma Site. Advances in Anatomic Pathology, 2004, 11, 276-277	5.1	1
60	Chlamydia Psittaci-Eradicating Antibiotic Therapy as a Potential Therapeutic Strategy Against Marginal Zone B-Cell Lymphoma of the Ocular Adnexa <i>Blood</i> , 2004 , 104, 3274-3274	2.2	O
59	Identification of calretinin and the alternatively spliced form calretinin-22k in primary pleural mesotheliomas and in their metastases. <i>Anticancer Research</i> , 2004 , 24, 4003-9	2.3	5
58	Neoplasms derived from plasmacytoid monocytes/interferon-producing cells: variability of CD56 and granzyme B expression. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 1489-92; author reply 149	<u>2</u> -3	30
57	CDX-2 homeobox gene expression is a reliable marker of colorectal adenocarcinoma metastases to the lungs. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 141-9	6.7	171
56	Constitutive expression of DeltaN-p63alpha isoform in human thymus and thymic epithelial tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003 , 443, 175-83	5.1	44
55	High syndecan-1 expression in breast carcinoma is related to an aggressive phenotype and to poorer prognosis. <i>Cancer</i> , 2003 , 98, 474-83	6.4	183
54	Alterations of beta-catenin pathway in non-melanoma skin tumors: loss of alpha-ABC nuclear reactivity correlates with the presence of beta-catenin gene mutation. <i>American Journal of Pathology</i> , 2003 , 163, 2277-87	5.8	283
53	Aberrant Wnt/beta-catenin pathway activation in idiopathic pulmonary fibrosis. <i>American Journal of Pathology</i> , 2003 , 162, 1495-502	5.8	541
52	Bronchiolar Epithelium in Idiopathic Pulmonary Fibrosis/Usual Interstitial Fibrosis. <i>Lung Biology in Health and Disease</i> , 2003 , 631-664		
51	Transformation of normal human cells in the absence of telomerase activation. Cancer Cell, 2002, 2, 401	-21 23.3	137
50	Mechanisms of villous atrophy in autoimmune enteropathy and coeliac disease. <i>Clinical and Experimental Immunology</i> , 2002 , 128, 88-93	6.2	40

49	Abnormal re-epithelialization and lung remodeling in idiopathic pulmonary fibrosis: the role of deltaN-p63. <i>Laboratory Investigation</i> , 2002 , 82, 1335-45	5.9	164
48	Microsatellite instability in colorectal cancer: prognostic, predictive or both?. <i>American Journal of Pathology</i> , 2002 , 160, 384-5; author reply 385-6	5.8	1
47	Use of calretinin in the differential diagnosis of unicystic ameloblastomas. <i>Histopathology</i> , 2001 , 38, 37	2 7 7.3	51
46	Microsatellite instability and high content of activated cytotoxic lymphocytes identify colon cancer patients with a favorable prognosis. <i>American Journal of Pathology</i> , 2001 , 159, 297-304	5.8	253
45	Identifying the primary sites of metastatic carcinoma: the increasing role of immunohistochemistry. <i>Current Diagnostic Pathology</i> , 2001 , 7, 168-175		22
44	The art of diagnosis in head and neck tumors. <i>Acta Oto-Laryngologica</i> , 2001 , 121, 324-8	1.6	11
43	p63, a p53 homologue, is a selective nuclear marker of myoepithelial cells of the human breast. <i>American Journal of Surgical Pathology</i> , 2001 , 25, 1054-60	6.7	310
42	Parvalbumin is expressed in normal and pathological human parathyroid glands. <i>Journal of Histochemistry and Cytochemistry</i> , 2000 , 48, 105-11	3.4	9
41	Coordinated expression and amplification of the MDM2, CDK4, and HMGI-C genes in atypical lipomatous tumours. <i>Journal of Pathology</i> , 2000 , 190, 531-6	9.4	211
40	Cytolytic mechanisms of intraepithelial lymphocytes in coeliac disease (CoD). <i>Clinical and Experimental Immunology</i> , 2000 , 120, 235-40	6.2	39
39	Calretinin expression in ameloblastomas. <i>Histopathology</i> , 2000 , 37, 27-32	7.3	48
38	Low expression of p27 and low proliferation index do not correlate in hairy cell leukaemia. <i>British Journal of Haematology</i> , 2000 , 111, 263-71	4.5	18
37	Long-term follow-up of gastric MALT lymphoma treated by eradication of H. pylori with antibodies. <i>Gastroenterology</i> , 1999 , 117, 750-1	13.3	55
36	Activation of infiltrating cytotoxic T lymphocytes and lymphoma cell apoptotic rates in gastric MALT lymphomas. Differences between high-grade and low-grade cases. <i>American Journal of Pathology</i> , 1999 , 155, 823-9	5.8	16
35	High prevalence of activated intraepithelial cytotoxic T lymphocytes and increased neoplastic cell apoptosis in colorectal carcinomas with microsatellite instability. <i>American Journal of Pathology</i> , 1999 , 154, 1805-13	5.8	359
34	Twist is a potential oncogene that inhibits apoptosis. <i>Genes and Development</i> , 1999 , 13, 2207-17	12.6	406
33	Cyclin D1 and retinoblastoma susceptibility gene alterations in non-small cell lung cancer. <i>International Journal of Cancer</i> , 1998 , 75, 187-92	7.5	44
32	Bax immunohistochemical expression in breast carcinoma: a study with long term follow-up. <i>International Journal of Cancer</i> , 1998 , 79, 13-8	7.5	37

31	Cyclin D3 expression in normal, reactive and neoplastic tissues. <i>Journal of Pathology</i> , 1998 , 185, 159-66	9.4	49
30	Basaloid squamous cell carcinoma of the larynx and hypopharynx. <i>Annals of Otology, Rhinology and Laryngology</i> , 1997 , 106, 1024-35	2.1	77
29	Molecular abnormalities of the p53 pathway in dedifferentiated liposarcoma. <i>Journal of Pathology</i> , 1997 , 181, 8-13	9.4	66
28	bcl-2 expression in pleural and extrapleural solitary fibrous tumours. <i>Journal of Pathology</i> , 1997 , 181, 362-7	9.4	126
27	p16/CDKN2 and CDK4 gene mutations in sporadic melanoma development and progression. <i>International Journal of Cancer</i> , 1997 , 74, 26-30	7.5	67
26	Basaloid squamous cell carcinoma of the head and neck: clinicopathological features and differential diagnosis. <i>Annals of Otology, Rhinology and Laryngology,</i> 1996 , 105, 75-82	2.1	89
25	Bcl-2 and p53 expression in node-negative breast carcinoma: a study with long-term follow-up. <i>Human Pathology</i> , 1996 , 27, 1149-55	3.7	82
24	p21/WAF1/CIP1 expression in normal mucosa and in adenomas and adenocarcinomas of the colon: its relationship with differentiation. <i>Journal of Pathology</i> , 1996 , 179, 248-53	9.4	79
23	Involvement of BCL-2 oncoprotein in the development of enterochromaffin-like cell gastric carcinoids. <i>American Journal of Surgical Pathology</i> , 1996 , 20, 433-41	6.7	35
22	Calretinin: a novel immunocytochemical marker for mesothelioma. <i>American Journal of Surgical Pathology</i> , 1996 , 20, 1037-46	6.7	390
21	mdm2 gene alterations and mdm2 protein expression in breast carcinomas. <i>Journal of Pathology</i> , 1995 , 175, 31-8	9.4	97
20	The prevalence of BCL-2 immunoreactivity in breast carcinomas and its clinicopathological correlates, with particular reference to oestrogen receptor status. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1994 , 424, 47-51	5.1	94
19	p53 protein in low-grade astrocytomas: a study with long-term follow-up. <i>British Journal of Cancer</i> , 1994 , 69, 586-91	8.7	32
18	Antibiotic treatment for low-grade gastric MALT lymphoma. <i>Lancet, The</i> , 1994 , 343, 1503	40	80
17	Quantitative growth fraction evaluation with MIB1 and Ki67 antibodies in breast carcinomas. <i>American Journal of Clinical Pathology</i> , 1994 , 102, 171-5	1.9	82
16	Fibroepithelial tumor of the breast with digital fibroma-like inclusions in the stromal component. Case report with immunocytochemical and ultrastructural analysis. <i>American Journal of Surgical</i> Pathology, 1994 , 18, 296-301	6.7	17
15	p53 immunostaining in dermatopathology. <i>Archives of Dermatology</i> , 1994 , 130, 518-9		4
14	Regression of primary low-grade B-cell gastric lymphoma of mucosa-associated lymphoid tissue type after eradication of Helicobacter pylori. <i>Lancet, The</i> , 1993 , 342, 575-7	40	1742

13	Pancreatic (acinar) metaplasia of the gastric mucosa. Histology, ultrastructure, immunocytochemistry, and clinicopathologic correlations of 101 cases. <i>American Journal of Surgical Pathology</i> , 1993 , 17, 1134-43	6.7	58
12	Preoperative cytodiagnosis of primitive carcinoid tumor of the Wirsung duct: a case report with immunocytochemical study. <i>Diagnostic Cytopathology</i> , 1993 , 9, 471-4	1.4	5
11	Immunodetection of proliferating cell nuclear antigen assesses the growth fraction and predicts malignancy in endocrine tumors of the pancreas. <i>American Journal of Surgical Pathology</i> , 1992 , 16, 1215	5- 2 3	71
10	High incidence of primary gastric lymphoma in northeastern Italy. <i>Lancet, The</i> , 1992 , 339, 834-5	40	233
9	p53 over-expression is an early event in the development of human squamous-cell carcinoma of the larynx: genetic and prognostic implications. <i>International Journal of Cancer</i> , 1992 , 52, 178-82	7.5	130
8	Progesterone receptor immunoreactivity in pancreatic endocrine tumors. An immunocytochemical study of 156 neuroendocrine tumors of the pancreas, gastrointestinal and respiratory tracts, and skin. <i>Cancer</i> , 1992 , 70, 2268-77	6.4	78
7	Glial fibrillary acidic protein immunoreactivity in normal and diseased human breast. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1991 , 418, 339-48		68
6	Laryngeal carcinoma showing multidirectional epithelial neuroendocrine and sarcomatous differentiation. <i>Orl</i> , 1990 , 52, 316-26	2	22
5	Cytokeratin-immunoreactive cells of human lymph nodes and spleen in normal and pathological conditions. An immunocytochemical study. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1990 , 416, 479-90		79
4	Keratin immunoreactivity in extrafollicular reticular cells of the lymph node. <i>American Journal of Clinical Pathology</i> , 1989 , 91, 239-40	1.9	14
3	Growth fraction in human brain tumors defined by the monoclonal antibody Ki-67. <i>Acta Neuropathologica</i> , 1987 , 74, 179-82	14.3	106
2	Metachronous coexistence of laryngeal pseudolymphoma and squamous cell carcinoma. An unreported case. <i>Orl</i> , 1984 , 46, 202-9	2	7
1	Sclerosing stromal tumor of the ovary. A hormonal, histochemical and ultrastructural study.		23