

# Francisco LÃ¡zaro-DiÃ¡guez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4775336/publications.pdf>

Version: 2024-02-01

22  
papers

981  
citations

471371

17  
h-index

677027

22  
g-index

22  
all docs

22  
docs citations

22  
times ranked

1688  
citing authors

#	ARTICLE	IF	CITATIONS
1	Actin dynamics at the Golgi complex in mammalian cells. <i>Current Opinion in Cell Biology</i> , 2006, 18, 168-178.	2.6	158
2	Mutant Huntingtin Impairs Post-Golgi Trafficking to Lysosomes by Delocalizing Optineurin/Rab8 Complex from the Golgi Apparatus. <i>Molecular Biology of the Cell</i> , 2009, 20, 1478-1492.	0.9	145
3	Diacylglycerol Is Required for the Formation of COPI Vesicles in the Golgi-to-ER Transport Pathway. <i>Molecular Biology of the Cell</i> , 2007, 18, 3250-3263.	0.9	92
4	Dynamics of an F-actin aggresome generated by the actin-stabilizing toxin jasplakinolide. <i>Journal of Cell Science</i> , 2008, 121, 1415-1425.	1.2	68
5	Actin filaments are involved in the maintenance of Golgi cisternae morphology and intra-Golgi pH. <i>Cytoskeleton</i> , 2006, 63, 778-791.	4.4	60
6	The serine/threonine kinase Par1b regulates epithelial lumen polarity via IRSp53-mediated cell-ECM signaling. <i>Journal of Cell Biology</i> , 2011, 192, 525-540.	2.3	55
7	Vacuole Membrane Protein 1 Is an Endoplasmic Reticulum Protein Required for Organelle Biogenesis, Protein Secretion, and Development. <i>Molecular Biology of the Cell</i> , 2008, 19, 3442-3453.	0.9	54
8	Variable actin dynamics requirement for the exit of different cargo from the <i>trans</i> -Golgi network. <i>FEBS Letters</i> , 2007, 581, 3875-3881.	1.3	43
9	Protective effects of lysophosphatidic acid (LPA) on chronic ethanol-induced injuries to the cytoskeleton and on glucose uptake in rat astrocytes. <i>Journal of Neurochemistry</i> , 2003, 87, 220-229.	2.1	41
10	Par1b links lumen polarity with LGN-NuMA positioning for distinct epithelial cell division phenotypes. <i>Journal of Cell Biology</i> , 2013, 203, 251-264.	2.3	36
11	Phospholipid Synthesis Participates in the Regulation of Diacylglycerol Required for Membrane Trafficking at the Golgi Complex. <i>Journal of Biological Chemistry</i> , 2011, 286, 28632-28643.	1.6	34
12	Lipid phosphate phosphatase 3 participates in transport carrier formation and protein trafficking in the early secretory pathway. <i>Journal of Cell Science</i> , 2013, 126, 2641-55.	1.2	32
13	Par1b Induces Asymmetric Inheritance of Plasma Membrane Domains via LGN-Dependent Mitotic Spindle Orientation in Proliferating Hepatocytes. <i>PLoS Biology</i> , 2013, 11, e1001739.	2.6	30
14	Lysophosphatidic acid rescues RhoA activation and phosphoinositides levels in astrocytes exposed to ethanol. <i>Journal of Neurochemistry</i> , 2007, 102, 1044-1052.	2.1	22
15	PRENATAL ETHANOL EXPOSURE ALTERS THE CYTOSKELETON AND INDUCES GLYCOPROTEIN MICROHETEROGENEITY IN RAT NEWBORN HEPATOCYTES. <i>Alcohol and Alcoholism</i> , 2004, 39, 203-212.	0.9	21
16	Cell-cell adhesion accounts for the different orientation of columnar and hepatocytic cell divisions. <i>Journal of Cell Biology</i> , 2017, 216, 3847-3859.	2.3	21
17	Cell shape impacts on the positioning of the mitotic spindle with respect to the substratum. <i>Molecular Biology of the Cell</i> , 2015, 26, 1286-1295.	0.9	20
18	Fluorescent analogues of plasma membrane sphingolipids are sorted to different intracellular compartments in astrocytes. <i>FEBS Letters</i> , 2004, 563, 59-65.	1.3	19

#	ARTICLE	IF	CITATIONS
19	Clearance of a Hirano body-like F-actin aggresome generated by jasplakinolide. <i>Autophagy</i> , 2008, 4, 717-720.	4.3	11
20	The special case of hepatocytes. <i>Bioarchitecture</i> , 2014, 4, 47-52.	1.5	11
21	KIFC3 promotes mitotic progression and integrity of the central spindle in cytokinesis. <i>Cell Cycle</i> , 2014, 13, 426-433.	1.3	5
22	Low Rho activity in hepatocytes prevents apical from basolateral cargo separation during trans-Golgi network to surface transport. <i>Traffic</i> , 2020, 21, 364-374.	1.3	3