## Laurie H Glimcher

## List of Publications by Citations

Source: https://exaly.com/author-pdf/4775457/laurie-h-glimcher-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

17,486
h-index

79
g-index

79
ext. papers

21.4
avg, IF

L-index

#	Paper	IF	Citations
75	A novel transcription factor, T-bet, directs Th1 lineage commitment. <i>Cell</i> , <b>2000</b> , 100, 655-69	56.2	2646
74	XBP-1 regulates a subset of endoplasmic reticulum resident chaperone genes in the unfolded protein response. <i>Molecular and Cellular Biology</i> , <b>2003</b> , 23, 7448-59	4.8	1564
73	XBP1 links ER stress to intestinal inflammation and confers genetic risk for human inflammatory bowel disease. <i>Cell</i> , <b>2008</b> , 134, 743-56	56.2	1046
72	Plasma cell differentiation requires the transcription factor XBP-1. <i>Nature</i> , <b>2001</b> , 412, 300-7	50.4	998
71	Regulation of hepatic lipogenesis by the transcription factor XBP1. <i>Science</i> , <b>2008</b> , 320, 1492-6	33.3	705
70	Plasma cell differentiation and the unfolded protein response intersect at the transcription factor XBP-1. <i>Nature Immunology</i> , <b>2003</b> , 4, 321-9	19.1	688
69	TLR activation of the transcription factor XBP1 regulates innate immune responses in macrophages. <i>Nature Immunology</i> , <b>2010</b> , 11, 411-8	19.1	675
68	XBP1 promotes triple-negative breast cancer by controlling the HIF1 pathway. <i>Nature</i> , <b>2014</b> , 508, 103-1	1 <b>05</b> 6.4	512
67	The transcription factor NF-ATc is essential for cardiac valve formation. <i>Nature</i> , <b>1998</b> , 392, 186-90	50.4	511
66	Development of spontaneous airway changes consistent with human asthma in mice lacking T-bet. <i>Science</i> , <b>2002</b> , 295, 336-8	33.3	506
65	Proteasome inhibitors disrupt the unfolded protein response in myeloma cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2003</b> , 100, 9946-51	11.5	505
64	Sequences and factors: a guide to MHC class-II transcription. <i>Annual Review of Immunology</i> , <b>1992</b> , 10, 13-49	34.7	496
63	ER Stress Sensor XBP1 Controls Anti-tumor Immunity by Disrupting Dendritic Cell Homeostasis. <i>Cell</i> , <b>2015</b> , 161, 1527-38	56.2	427
62	XBP1 is essential for survival under hypoxic conditions and is required for tumor growth. <i>Cancer Research</i> , <b>2004</b> , 64, 5943-7	10.1	423
61	Tumorigenic and Immunosuppressive Effects of Endoplasmic Reticulum Stress in Cancer. <i>Cell</i> , <b>2017</b> , 168, 692-706	56.2	398
60	T helper cell fate specified by kinase-mediated interaction of T-bet with GATA-3. <i>Science</i> , <b>2005</b> , 307, 43	<b>0-3</b> 3.3	388
59	XBP-1 is required for biogenesis of cellular secretory machinery of exocrine glands. <i>EMBO Journal</i> , <b>2005</b> , 24, 4368-80	13	345

## (2013-1996)

58	Unopposed positive selection and autoreactivity in mice expressing class II MHC only on thymic cortex. <i>Nature</i> , <b>1996</b> , 383, 81-5	50.4	330
57	T-bet represses T(H)17 differentiation by preventing Runx1-mediated activation of the gene encoding RORE <i>Nature Immunology</i> , <b>2011</b> , 12, 96-104	19.1	284
56	c-maf promotes T helper cell type 2 (Th2) and attenuates Th1 differentiation by both interleukin 4-dependent and -independent mechanisms. <i>Journal of Experimental Medicine</i> , <b>1998</b> , 188, 1859-66	16.6	247
55	Chondrodysplasia and neurological abnormalities in ATF-2-deficient mice. <i>Nature</i> , <b>1996</b> , 379, 262-5	50.4	247
54	Recent developments in the transcriptional regulation of cytolytic effector cells. <i>Nature Reviews Immunology</i> , <b>2004</b> , 4, 900-11	36.5	239
53	Endoplasmic reticulum stress in immunity. <i>Annual Review of Immunology</i> , <b>2015</b> , 33, 107-38	34.7	230
52	The transcription factor XBP-1 is essential for the development and survival of dendritic cells. Journal of Experimental Medicine, <b>2007</b> , 204, 2267-75	16.6	225
51	An inflammation-targeting hydrogel for local drug delivery in inflammatory bowel disease. <i>Science Translational Medicine</i> , <b>2015</b> , 7, 300ra128	17.5	196
50	In situ hybridization studies of stromelysin and collagenase messenger RNA expression in rheumatoid synovium. <i>Arthritis and Rheumatism</i> , <b>1991</b> , 34, 1076-84		194
49	Dual and opposing roles of the unfolded protein response regulated by IRE1alpha and XBP1 in proinsulin processing and insulin secretion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 8885-90	11.5	189
48	Regulation of adult bone mass by the zinc finger adapter protein Schnurri-3. <i>Science</i> , <b>2006</b> , 312, 1223-7	33.3	188
47	Silencing of lipid metabolism genes through IRE1Hmediated mRNA decay lowers plasma lipids in mice. <i>Cell Metabolism</i> , <b>2012</b> , 16, 487-99	24.6	186
46	TBX21: a functional variant predicts improvement in asthma with the use of inhaled corticosteroids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2004</b> , 101, 18099-104	11.5	144
45	IRE1EXBP1 controls T cell function in ovarian cancer by regulating mitochondrial activity. <i>Nature</i> , <b>2018</b> , 562, 423-428	50.4	139
44	The transcription factor XBP1 is selectively required for eosinophil differentiation. <i>Nature Immunology</i> , <b>2015</b> , 16, 829-37	19.1	117
43	Targeting skeletal endothelium to ameliorate bone loss. <i>Nature Medicine</i> , <b>2018</b> , 24, 823-833	50.5	110
42	Regulation of Memory Formation by the Transcription Factor XBP1. <i>Cell Reports</i> , <b>2016</b> , 14, 1382-1394	10.6	105
41	The unfolded protein response element IRE1Benses bacterial proteins invading the ER to activate RIG-I and innate immune signaling. <i>Cell Host and Microbe</i> , <b>2013</b> , 13, 558-569	23.4	92

40	XBP1 controls maturation of gastric zymogenic cells by induction of MIST1 and expansion of the rough endoplasmic reticulum. <i>Gastroenterology</i> , <b>2010</b> , 139, 2038-49	13.3	86
39	T-bet polymorphisms are associated with asthma and airway hyperresponsiveness. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2006</b> , 173, 64-70	10.2	74
38	In situ hybridization studies suggest a role for the basic region-leucine zipper protein hXBP-1 in exocrine gland and skeletal development during mouse embryogenesis. <i>Developmental Dynamics</i> , <b>1993</b> , 197, 146-56	2.9	72
37	Asthmatic changes in mice lacking T-bet are mediated by IL-13. International Immunology, 2005, 17, 993-	-140,907	70
36	Interspecies comparison of human and murine scleroderma reveals IL-13 and CCL2 as disease subset-specific targets. <i>American Journal of Pathology</i> , <b>2012</b> , 180, 1080-1094	5.8	65
35	The IRE1 endoplasmic reticulum stress sensor activates natural killer cell immunity in part by regulating c-Myc. <i>Nature Immunology</i> , <b>2019</b> , 20, 865-878	19.1	56
34	Extensive pancreas regeneration following acinar-specific disruption of Xbp1 in mice. <i>Gastroenterology</i> , <b>2011</b> , 141, 1463-72	13.3	54
33	From sugar to fat: How the transcription factor XBP1 regulates hepatic lipogenesis. <i>Annals of the New York Academy of Sciences</i> , <b>2009</b> , 1173 Suppl 1, E2-9	6.5	54
32	Trawling for treasure: tales of T-bet. <i>Nature Immunology</i> , <b>2007</b> , 8, 448-50	19.1	52
31	T-bet, a T-CellAssociated Transcription Factor, Is Expressed in a Subset of B-Cell Lymphoproliferative Disorders. <i>American Journal of Clinical Pathology</i> , <b>2004</b> , 122, 292-297	1.9	52
30	Nod/Ripk2 signaling in dendritic cells activates IL-17A-secreting innate lymphoid cells and drives colitis in T-bet-/Rag2-/- (TRUC) mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, E2559-66	11.5	48
29	IRE1EXBP1 signaling in leukocytes controls prostaglandin biosynthesis and pain. <i>Science</i> , <b>2019</b> , 365,	33.3	46
28	IL-21 induces antiviral microRNA-29 in CD4 T cells to limit HIV-1 infection. <i>Nature Communications</i> , <b>2015</b> , 6, 7562	17.4	43
27	Thymic stromal cell specialization and the T-cell receptor repertoire. <i>Immunologic Research</i> , <b>1997</b> , 16, 3-14	4.3	41
26	Schnurri-3 regulates ERK downstream of WNT signaling in osteoblasts. <i>Journal of Clinical Investigation</i> , <b>2013</b> , 123, 4010-22	15.9	39
25	MEKK2 mediates an alternative Etatenin pathway that promotes bone formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, E1226-35	11.5	36
24	Human T-bet Governs Innate and Innate-like Adaptive IFN-Ilmmunity against Mycobacteria. <i>Cell</i> , <b>2020</b> , 183, 1826-1847.e31	56.2	35
23	SMURF2 regulates bone homeostasis by disrupting SMAD3 interaction with vitamin D receptor in osteoblasts. <i>Nature Communications</i> , <b>2017</b> , 8, 14570	17.4	32

## (2004-1993)

22	Immunoregulatory effects of superantigens: interactions of staphylococcal enterotoxins with host MHC and non-MHC products. <i>Immunological Reviews</i> , <b>1993</b> , 131, 27-42	11.3	28
21	XBP1-Independent UPR Pathways Suppress C/EBP-IMediated Chondrocyte Differentiation in ER-Stress Related Skeletal Disease. <i>PLoS Genetics</i> , <b>2015</b> , 11, e1005505	6	26
20	Control of bone resorption in mice by Schnurri-3. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 8173-8	11.5	23
19	p38 MAPK is required for tooth morphogenesis and enamel secretion. <i>Journal of Biological Chemistry</i> , <b>2015</b> , 290, 284-95	5.4	22
18	Molecular Pathways: Immunosuppressive Roles of IRE1EXBP1 Signaling in Dendritic Cells of the Tumor Microenvironment. <i>Clinical Cancer Research</i> , <b>2016</b> , 22, 2121-6	12.9	22
17	Transgenic mice expressing MHC class II molecules with truncated A beta cytoplasmic domains reveal signaling-independent defects in antigen presentation. <i>International Immunology</i> , <b>1995</b> , 7, 665-7	7 <sup>4.9</sup>	19
16	Post-translational control of T cell development by the ESCRT protein CHMP5. <i>Nature Immunology</i> , <b>2017</b> , 18, 780-790	19.1	16
15	Targeting abnormal ER stress responses in tumors: A new approach to cancer immunotherapy. <i>Oncolmmunology</i> , <b>2016</b> , 5, e1098802	7.2	13
14	Control of postnatal bone mass by the zinc finger adapter protein Schnurri-3. <i>Annals of the New York Academy of Sciences</i> , <b>2007</b> , 1116, 174-81	6.5	13
13	Crystal structure of the DNA binding domain of the transcription factor T-bet suggests simultaneous recognition of distant genome sites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, E6572-E6581	11.5	11
12	Tetraspanin CD9 and ectonucleotidase CD73 identify an osteochondroprogenitor population with elevated osteogenic properties. <i>Development (Cambridge)</i> , <b>2015</b> , 142, 438-43	6.6	7
11	XBP-1 and the unfolded protein response (UPR). <i>Nature Immunology</i> , <b>2020</b> , 21, 963-965	19.1	7
10	High Th2 cytokine levels and upper airway inflammation in human inherited T-bet deficiency. Journal of Experimental Medicine, <b>2021</b> , 218,	16.6	7
9	Translating research into therapies. <i>Cell</i> , <b>2012</b> , 148, 1077-8	56.2	4
8	Harvard's women four years later. <i>Nature Immunology</i> , <b>2009</b> , 10, 559-61	19.1	4
7	Blockade of IL-22 signaling reverses erythroid dysfunction in stress-induced anemias. <i>Nature Immunology</i> , <b>2021</b> , 22, 520-529	19.1	4
6	Identification of an IL-4-inducible gene expressed in differentiating lymphocytes and male germ cells. <i>Autoimmunity</i> , <b>1990</b> , 1, 19-30		2
5	How we can help the next generation of scientists: introducing The "Hands-On" Primary Caregiver Support Program. <i>Journal of Immunology</i> , <b>2004</b> , 173, 2891-2	5.3	О

4	Identification of RIOK2 as a master regulator of human blood cell development <i>Nature Immunology</i> , <b>2022</b> , 23, 109-121	19.1 0
3	Reflections on health care. <i>Journal of Clinical Investigation</i> , <b>2009</b> , 119, 2858-9	15.9
2	The Plasma Cell Transcription Factor XBP1 is Required To Mitigate The Unfolded Protein Response In Ph+ ALL. <i>Blood</i> , <b>2013</b> , 122, 836-836	2.2
1	A lily worth gilding. <i>Cell</i> , <b>2021</b> , 184, 5275-5278	56.2