## Belinda R Lennox

## List of Publications by Citations

Source: https://exaly.com/author-pdf/4776321/belinda-r-lennox-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90 papers

3,676 citations

31 h-index 60 g-index

100 ext. papers

4,468 ext. citations

**7.6** avg, IF

5.49 L-index

| #  | Paper   | IF   | Citations |
|----|---|------|-----------|
| 90 | Inflammation and immunity in schizophrenia: implications for pathophysiology and treatment. <i>Lancet Psychiatry,the</i> , <b>2015</b> , 2, 258-270   | 23.3 | 423       |
| 89 | A quantitative meta-analysis of fMRI studies in bipolar disorder. <i>Bipolar Disorders</i> , <b>2011</b> , 13, 1-15   | 3.8  | 321       |
| 88 | Disease-relevant autoantibodies in first episode schizophrenia. <i>Journal of Neurology</i> , <b>2011</b> , 258, 686-8  | 5.5  | 236       |
| 87 | Explicit and implicit facial affect recognition in manic and depressed States of bipolar disorder: a functional magnetic resonance imaging study. <i>Biological Psychiatry</i> , <b>2006</b> , 59, 31-9 | 7.9  | 192       |
| 86 | The functional anatomy of auditory hallucinations in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , <b>2000</b> , 100, 13-20  | 2.9  | 187       |
| 85 | Functional dysconnectivity of corticostriatal circuitry as a risk phenotype for psychosis. <i>JAMA Psychiatry</i> , <b>2013</b> , 70, 1143-51   | 14.5 | 168       |
| 84 | Behavioural and neurocognitive responses to sad facial affect are attenuated in patients with mania. <i>Psychological Medicine</i> , <b>2004</b> , 34, 795-802  | 6.9  | 159       |
| 83 | Autoimmune psychosis: an international consensus on an approach to the diagnosis and management of psychosis of suspected autoimmune origin. <i>Lancet Psychiatry,the</i> , <b>2020</b> , 7, 93-108     | 23.3 | 138       |
| 82 | Meta-analytic evidence for neuroimaging models of depression: state or trait?. <i>Journal of Affective Disorders</i> , <b>2013</b> , 151, 423-431   | 6.6  | 120       |
| 81 | Prevalence and clinical characteristics of serum neuronal cell surface antibodies in first-episode psychosis: a case-control study. <i>Lancet Psychiatry,the</i> , <b>2017</b> , 4, 42-48               | 23.3 | 112       |
| 80 | The psychopathology of NMDAR-antibody encephalitis in adults: a systematic review and phenotypic analysis of individual patient data. <i>Lancet Psychiatry,the</i> , <b>2019</b> , 6, 235-246           | 23.3 | 93        |
| 79 | Spatial and temporal mapping of neural activity associated with auditory hallucinations. <i>Lancet, The</i> , <b>1999</b> , 353, 644  | 40   | 85        |
| 78 | Clinical relevance of serum antibodies to extracellular N-methyl-D-aspartate receptor epitopes. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2015</b> , 86, 708-13                     | 5.5  | 81        |
| 77 | Antibodies to the N-methyl-D-aspartate receptor and other synaptic proteins in psychosis. <i>Biological Psychiatry</i> , <b>2014</b> , 75, 284-91   | 7.9  | 67        |
| 76 | Prebiotic attenuation of olanzapine-induced weight gain in rats: analysis of central and peripheral biomarkers and gut microbiota. <i>Translational Psychiatry</i> , <b>2018</b> , 8, 66                | 8.6  | 66        |
| 75 | Bullying victimisation and risk of psychotic phenomena: analyses of British national survey data. <i>Lancet Psychiatry,the</i> , <b>2015</b> , 2, 618-24  | 23.3 | 61        |
| 74 | N-methyl-D-aspartate receptor antibody production from germinal center reactions: Therapeutic implications. <i>Annals of Neurology</i> , <b>2018</b> , 83, 553-561                                      | 9.4  | 60        |

| 73 | Psychosis: an autoimmune disease?. <i>Immunology</i> , <b>2017</b> , 152, 388-401   | 7.8           | 55 |
|----|---|---------------|----|
| 72 | Using Directed Acyclic Graphs in Epidemiological Research in Psychosis: An Analysis of the Role of Bullying in Psychosis. <i>Schizophrenia Bulletin</i> , <b>2017</b> , 43, 1273-1279   | 1.3           | 54 |
| 71 | Immunotherapy for patients with acute psychosis and serum N-Methyl D-Aspartate receptor (NMDAR) antibodies: a description of a treated case series. <i>Schizophrenia Research</i> , <b>2014</b> , 160, 193-5  | 3.6           | 53 |
| 70 | Young peopled views of UK mental health services. <i>Microbial Biotechnology</i> , <b>2014</b> , 8, 12-23   | 3.3           | 51 |
| 69 | Measuring Disturbance of the Endocannabinoid System in Psychosis: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 914-923   | 14.5          | 46 |
| 68 | Memory encoding and dopamine in the aging brain: a psychopharmacological neuroimaging study. <i>Cerebral Cortex</i> , <b>2010</b> , 20, 743-57  | 5.1           | 42 |
| 67 | Administrative incidence of psychosis assessed in an early intervention service in England: first epidemiological evidence from a diverse, rural and urban setting. <i>Psychological Medicine</i> , <b>2011</b> , 41, 949-  | · <b>58</b> 9 | 39 |
| 66 | The Gut Microbiome and Schizophrenia: The Current State of the Field and Clinical Applications. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 156  | 5             | 38 |
| 65 | Autoimmune encephalitis: a potentially treatable cause of mental disorder. <i>Advances in Psychiatric Treatment</i> , <b>2014</b> , 20, 92-100  |               | 36 |
| 64 | A longitudinal fMRI study of the manic and euthymic states of bipolar disorder. <i>Bipolar Disorders</i> , <b>2010</b> , 12, 344-7  | 3.8           | 36 |
| 63 | Synaptic and Neuronal Autoantibody-Associated Psychiatric Syndromes: Controversies and Hypotheses. <i>Frontiers in Psychiatry</i> , <b>2017</b> , 8, 13   | 5             | 34 |
| 62 | Treating Sleep Problems in Young People at Ultra-High Risk of Psychosis: A Feasibility Case Series.<br>Behavioural and Cognitive Psychotherapy, <b>2018</b> , 46, 276-291   | 2.1           | 33 |
| 61 | Economic impact of early intervention in psychosis services: results from a longitudinal retrospective controlled study in England. <i>BMJ Open</i> , <b>2016</b> , 6, e012611  | 3             | 32 |
| 60 | Prevalence of anti-basal ganglia antibodies in adult obsessive-compulsive disorder: cross-sectional study. <i>British Journal of Psychiatry</i> , <b>2012</b> , 200, 381-6  | 5.4           | 31 |
| 59 | AntiMethyl-D-Aspartate Receptor Encephalitis: A Review of Psychiatric Phenotypes and Management Considerations: A Report of the American Neuropsychiatric Association Committee on Research. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , <b>2019</b> , 31, 137-142 | 2.7           | 31 |
| 58 | Effects of modafinil on emotional processing in first episode psychosis. <i>Biological Psychiatry</i> , <b>2011</b> , 69, 457-64  | 7.9           | 28 |
| 57 | When the healthcare does not follow the evidence: The case of the lack of early intervention programs for psychosis in Spain. <i>Revista De Psiquiatr Y Salud Mental</i> , <b>2017</b> , 10, 78-86  | 2.7           | 25 |
| 56 | Emerging psychiatric syndromes associated with antivoltage-gated potassium channel complex antibodies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2016</b> , 87, 1242-1247   | 5.5           | 24 |

| 55 | European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, 1301-   | 1317 | 22 |
|----|---|------|----|
| 54 | Adolescents with current major depressive disorder show dissimilar patterns of age-related differences in ACC and thalamus. <i>NeuroImage: Clinical</i> , <b>2015</b> , 7, 391-9  | 5.3  | 21 |
| 53 | Pro-cognitive effect of a prebiotic in psychosis: A double blind placebo controlled cross-over study. <i>Schizophrenia Research</i> , <b>2019</b> , 208, 460-461  | 3.6  | 16 |
| 52 | Study of immunotherapy in antibody positive psychosis: feasibility and acceptability (SINAPPS1).<br>Journal of Neurology, Neurosurgery and Psychiatry, <b>2019</b> , 90, 365-367  | 5.5  | 16 |
| 51 | Prebiotic reduction of brain histone deacetylase (HDAC) activity and olanzapine-mediated weight gain in rats, are acetate independent. <i>Neuropharmacology</i> , <b>2019</b> , 150, 184-191  | 5.5  | 15 |
| 50 | Autoantibody-associated psychiatric syndromes: a systematic literature review resulting in 145 cases. <i>Psychological Medicine</i> , <b>2020</b> , 1-12  | 6.9  | 14 |
| 49 | Adolescent Major Depressive Disorder: Neuroimaging Evidence of Sex Difference during an Affective Go/No-Go Task. <i>Frontiers in Psychiatry</i> , <b>2017</b> , 8, 119  | 5    | 12 |
| 48 | Speed of facial affect intensity recognition as an endophenotype of first-episode psychosis and associated limbic-cortical grey matter systems. <i>Psychological Medicine</i> , <b>2013</b> , 43, 591-602   | 6.9  | 12 |
| 47 | Gut dysbiosis in severe mental illness and chronic fatigue: a novel trans-diagnostic construct? A systematic review and meta-analysis. <i>Molecular Psychiatry</i> , <b>2021</b> ,  | 15.1 | 12 |
| 46 | Discharge pathways and relapse following treatment from early intervention in psychosis services. <i>BJPsych Open</i> , <b>2018</b> , 4, 368-374  | 5    | 12 |
| 45 | Aberrant brain responses to emotionally valent words is normalised after cognitive behavioural therapy in female depressed adolescents. <i>Journal of Affective Disorders</i> , <b>2016</b> , 189, 54-61  | 6.6  | 11 |
| 44 | Psychotic-like experiences in help-seeking adolescents: Dimensional exploration and association with different forms of bullying victimization - A developmental social psychiatry perspective. <i>International Journal of Social Psychiatry</i> , <b>2017</b> , 63, 752-762         | 8.5  | 10 |
| 43 | Functional MRI of emotional memory in adolescent depression. <i>Developmental Cognitive Neuroscience</i> , <b>2016</b> , 19, 31-41  | 5.5  | 10 |
| 42 | Magnetic resonance imaging of a randomized controlled trial investigating predictors of recovery following psychological treatment in adolescents with moderate to severe unipolar depression: study protocol for Magnetic Resonance-Improving Mood with Psychoanalytic and Cognitive | 4.2  | 10 |
| 41 | The gut-microbiome as a target for the treatment of schizophrenia: A systematic review and meta-analysis of randomised controlled trials of add-on strategies. <i>Schizophrenia Research</i> , <b>2021</b> , 234, 1-13  | 3.6  | 10 |
| 40 | Behavioural and molecular endophenotypes in psychotic disorders reveal heritable abnormalities in glutamatergic neurotransmission. <i>Translational Psychiatry</i> , <b>2015</b> , 5, e540  | 8.6  | 9  |
| 39 | Can prebiotics assist in the management of cognition and weight gain in schizophrenia?. <i>Psychoneuroendocrinology</i> , <b>2018</b> , 95, 179-185   | 5    | 9  |
| 38 | Bullying victimisation and psychosis: The interdependence and independence of risk trajectories. <i>BJ Psych Advances</i> , <b>2017</b> , 23, 397-406   | 0.8  | 8  |

## (2021-2009)

| 37 | The clinical experience and potential of brain imaging in patients with mental illness. <i>Frontiers in Human Neuroscience</i> , <b>2009</b> , 3, 46   | 3.3  | 8 |  |
|----|--|------|---|--|
| 36 | Influence of methodological and patient factors on serum NMDAR IgG antibody detection in psychotic disorders: a meta-analysis of cross-sectional and case-control studies. <i>Lancet Psychiatry,the</i> , <b>2021</b> , 8, 109-120   | 23.3 | 8 |  |
| 35 | Maternal Immune Activation and Schizophrenia-Evidence for an Immune Priming Disorder. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 585742  | 5    | 7 |  |
| 34 | N-Methyl-D-Aspartate Receptor Autoantibodies in Psychiatric Illness. <i>Biological Psychiatry</i> , <b>2016</b> , 79, e61  | 7.9  | 6 |  |
| 33 | Intravenous immunoglobulin and rituximab versus placebo treatment of antibody-associated psychosis: study protocol of a randomised phase IIa double-blinded placebo-controlled trial (SINAPPS2). <i>Trials</i> , <b>2019</b> , 20, 331   | 2.8  | 6 |  |
| 32 | Attitudes to physical healthcare in severe mental illness; a patient and mental health clinician qualitative interview study. <i>BMC Family Practice</i> , <b>2020</b> , 21, 243   | 2.6  | 5 |  |
| 31 | Endocannabinoid system mediates the association between gut-microbial diversity and anhedonia/amotivation in a general population cohort. <i>Molecular Psychiatry</i> , <b>2021</b> ,  | 15.1 | 5 |  |
| 30 | The neuropsychiatry of movement disorders. Current Opinion in Psychiatry, 2003, 16, 333-336  | 4.9  | 4 |  |
| 29 | Mind and movement: the neuropsychiatry of movement disorders. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2002</b> , 72 Suppl 1, I28-I31   | 5.5  | 4 |  |
| 28 | Brain glutamate concentration in men with early psychosis: a magnetic resonance spectroscopy case-control study at 7 T. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 367  | 8.6  | 4 |  |
| 27 | Autoimmune encephalitis in the elderly: who to test and what to test for. <i>Evidence-Based Mental Health</i> , <b>2019</b> , 22, 172-176  | 11.1 | 4 |  |
| 26 | The effect of a youth mental health service model on access to secondary mental healthcare for young people aged 14-25 years. <i>BJPsych Bulletin</i> , <b>2019</b> , 43, 27-31  | 1.2  | 4 |  |
| 25 | Serum neuronal cell-surface antibodies in first-episode psychosis-AuthorsUreply. <i>Lancet Psychiatry,the</i> , <b>2017</b> , 4, 187-188   | 23.3 | 3 |  |
| 24 | Specialised early intervention teams (extended time) for recent-onset psychosis. <i>The Cochrane Library</i> , <b>2020</b> , 11, CD013287  | 5.2  | 3 |  |
| 23 | Elevated homocysteine and -methyl-d-aspartate-receptor antibodies as a cause of behavioural and cognitive decline in 22q11.2 deletion syndrome. <i>Oxford Medical Case Reports</i> , <b>2017</b> , 2017, omx076  | 0.6  | 3 |  |
| 22 | Antibody-mediated encephalitis and psychosis. <i>British Journal of Psychiatry</i> , <b>2012</b> , 200, 344; author reply 344-5  | 5.4  | 3 |  |
| 21 | Violent outcomes in first-episode psychosis: A clinical cohort study. <i>Microbial Biotechnology</i> , <b>2020</b> , 14, 379-382   | 3.3  | 3 |  |
| 20 | The Early Youth Engagement in first episode psychosis (EYE-2) study: pragmatic cluster randomised controlled trial of implementation, effectiveness and cost-effectiveness of a team-based motivational engagement intervention to improve engagement. <i>Trials</i> , <b>2021</b> , 22, 272 | 2.8  | 3 |  |

| 19 | Specialised early intervention teams for recent-onset psychosis. <i>The Cochrane Library</i> , <b>2020</b> , 11, CD013  | 288  | 1 |
|----|---|------|---|
| 18 | Mental health: a global focus 2018. <i>Lancet Psychiatry,the</i> , <b>2018</b> , 5, 617   | 23.3 | 1 |
| 17 | . Current Opinion in Psychiatry, <b>2003</b> , 16, 333-336  | 4.9  | 1 |
| 16 | Behavioural insensitivity to sad facial expressions is associated with attenuated activation of amygdala and cingulate regions in patients with mania. <i>Bipolar Disorders</i> , <b>2002</b> , 4, 89-89          | 3.8  | 1 |
| 15 | Immunopsychiatry in 2021: premise to promise, and back again Lancet Psychiatry, the, 2022, 9, 11-12   | 23.3 | 1 |
| 14 | The psychological journey of weight gain in psychosis <i>Psychology and Psychotherapy: Theory,</i> Research and Practice, <b>2022</b> ,   | 3.5  | 1 |
| 13 | The Importance of Keeping in Mind the Diagnosis of N-Methyl-D-Aspartate Receptor Encephalitis. <i>Biological Psychiatry</i> , <b>2016</b> , 80, e15   | 7.9  | 1 |
| 12 | Development and external validation of an admission risk prediction model after treatment from early intervention in psychosis services. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 35                   | 8.6  | 1 |
| 11 | Specialised early intervention teams (extended time) for first episode psychosis. <i>The Cochrane Library</i> ,   | 5.2  | 1 |
| 10 | Specialised early intervention teams for first episode psychosis. <i>The Cochrane Library</i> ,   | 5.2  | 1 |
| 9  | Effect of point of care blood testing on physical health check completion in mental health services: mixed-methods evaluation. <i>BJPsych Open</i> , <b>2020</b> , 6, e127  | 5    | O |
| 8  | Mental healthcare clinician engagement with point of care testing; a qualitative study. <i>BMC Psychiatry</i> , <b>2021</b> , 21, 73  | 4.2  | O |
| 7  | Investigating the pro-cognitive and anti-depressant efficacy of metformin: A systematic review and meta-analysis of randomised controlled trials <i>Journal of Affective Disorders</i> , <b>2022</b> , 310, 52-59 | 6.6  | O |
| 6  | Validating measures of stigma against those with mental illness among a community sample in Kilifi<br>Kenya. <i>Global Mental Health (Cambridge, England)</i> ,1-8  | 3.9  | O |
| 5  | Neuroimmunology 2017: making progress over 20 years. <i>Lancet Psychiatry,the</i> , <b>2018</b> , 5, 9-10   | 23.3 |   |
| 4  | NMDAR antibodies in first episode psychosis: conclusions too inflammatory given results? - AuthorsUreply. <i>Lancet Psychiatry,the</i> , <b>2017</b> , 4, 356-357   | 23.3 |   |
| 3  | Neurocognition of depression <b>2008</b> , 447-458  |      |   |
| 2  | The Division Between Psychiatric and Neurological Practice Does Not Help Patients with Disorders<br>That Span the Two <b>2016</b> , 171-173   |      |   |

## LIST OF PUBLICATIONS

The early impact of the COVID-19 pandemic on patients with severe mental illness: An interrupted time series study in South-East England.. *European Psychiatry*, **2022**, 1-15

6