

Genevieve Bourdy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4776788/publications.pdf>

Version: 2024-02-01

72
papers

3,285
citations

108046

37
h-index

175968

55
g-index

73
all docs

73
docs citations

73
times ranked

3874
citing authors

#	ARTICLE	IF	CITATIONS
1	Forest Fevers: traditional treatment of malaria in the southern lowlands of Laos. <i>Journal of Ethnopharmacology</i> , 2020, 249, 112187.	2.0	9
2	Evaluation of Anti-inflammatory, Anti-pyretic, Analgesic, and Hepatoprotective Properties of <i>Terminalia macroptera</i> . <i>Planta Medica International Open</i> , 2020, 07, e58-e67.	0.3	3
3	Hmong herbal medicine and herbalists in Lao PDR: pharmacopeia and knowledge transmission. <i>Journal of Ethnobiology and Ethnomedicine</i> , 2019, 15, 27.	1.1	17
4	Herbal medicine for epilepsy seizures in Asia, Africa and Latin America: A systematic review. <i>Journal of Ethnopharmacology</i> , 2019, 234, 119-153.	2.0	44
5	A metabolomic approach to identify anti-hepatocarcinogenic compounds from plants used traditionally in the treatment of liver diseases. <i>FÄ-toterapÄ-Äç</i> , 2018, 127, 226-236.	1.1	40
6	Herbal medicine uses to treat people with epilepsy: A survey in rural communities of northern Peru. <i>Journal of Ethnopharmacology</i> , 2018, 215, 184-190.	2.0	15
7	Herbal Medicine Practices of Patients With Liver Cancer in Peru: A Comprehensive Study Toward Integrative Cancer Management. <i>Integrative Cancer Therapies</i> , 2018, 17, 52-64.	0.8	24
8	In vivo validation of anti-malarial activity of crude extracts of <i>Terminalia macroptera</i> , a Malian medicinal plant. <i>Malaria Journal</i> , 2018, 17, 68.	0.8	31
9	Treating leishmaniasis in Amazonia: A review of ethnomedicinal concepts and pharmaco-chemical analysis of traditional treatments to inspire modern phytotherapies. <i>Journal of Ethnopharmacology</i> , 2017, 199, 211-230.	2.0	30
10	Quassia âœbiopiracyâ€case and the Nagoya Protocol: A researcher's perspective. <i>Journal of Ethnopharmacology</i> , 2017, 206, 290-297.	2.0	16
11	Treatment and management of liver diseases by Khmer traditional healers practicing in Phnom Penh area, Cambodia. <i>Journal of Ethnopharmacology</i> , 2017, 202, 38-53.	2.0	22
12	A new phthalide derivative from <i>Peperomia nivalis</i> . <i>Natural Product Research</i> , 2017, 31, 138-142.	1.0	7
13	Wayanin and guaijaverin, two active metabolites found in a <i>Psidium acutangulum</i> Mart. ex DC (syn. P.) Tj ETQq1 1 0.784314 rgBT /Ov <i>Journal of Ethnopharmacology</i> , 2016, 187, 241-248.	2.0	18
14	A 13-Year Retrospective Study on Primary Liver Cancer in Cambodia: A Strikingly High Hepatitis C Occurrence among Hepatocellular Carcinoma Cases. <i>Oncology</i> , 2016, 91, 106-116.	0.9	14
15	Natural remedies used by Bunong people in Mondulkiri province (Northeast Cambodia) with special reference to the treatment of 11 most common ailments. <i>Journal of Ethnopharmacology</i> , 2016, 191, 41-70.	2.0	49
16	Desmodium adscendens . De lâ™usage traditionnel camerounais contre les hÃ©patites Ä lâ™accompagnement des chimiothÃ©rapies. <i>HEGEL - HEpato-GastroEntÃ©rologie LibÃ©rale</i> , 2015, NÃ° 4, 268-282.	0.0	1
17	Antiproliferative activity and phenotypic modification induced by selected Peruvian medicinal plants on human hepatocellular carcinoma Hep3B cells. <i>Journal of Ethnopharmacology</i> , 2015, 166, 185-199.	2.0	33
18	Sacha Inchi Oil (<i>Plukenetia volubilis</i> L.), effect on adherence of <i>Staphylococcus aureus</i> to human skin explant and keratinocytes in vitro. <i>Journal of Ethnopharmacology</i> , 2015, 171, 330-334.	2.0	34

#	ARTICLE	IF	CITATIONS
19	Antiplasmodial and anti-inflammatory effects of an antimalarial remedy from the Wayana Amerindians, French Guiana: Takamalaïm (Psidium acutangulum Mart. ex DC., Myrtaceae). Journal of Ethnopharmacology, 2015, 166, 279-285.	2.0	18
20	Hot and cold: Medicinal plant uses in Quechua speaking communities in the high Andes (Callejón de Tarma). Journal of Ethnopharmacology, 2015, 166, 279-285.	2.0	64
21	Leishmanicidal compounds and potent PPAR δ activators from Renealmia thyrsoidea (Ruiz & Pav.) Poepp. & Endl.. Journal of Ethnopharmacology, 2014, 157, 149-155.	2.0	11
22	Abstract 3204: Screening of extracts from ethnopharmacologically selected peruvian plants in human hepatocarcinoma cell line Hep3B. , 2014, , .		0
23	Medical ethnobotany of the Chayahuita of the Paranapura basin (Peruvian Amazon). Journal of Ethnopharmacology, 2013, 146, 127-153.	2.0	89
24	Quassinoids: Anticancer and Antimalarial Activities. , 2013, , 3775-3802.		12
25	Dihydrochalcones and Benzoic Acid Derivatives from Piper dennisii. Planta Medica, 2012, 78, 914-918.	0.7	18
26	Anti-inflammatory activity of Mitraphylline isolated from Uncaria tomentosa bark. Journal of Ethnopharmacology, 2012, 143, 801-804.	2.0	76
27	New findings on Simalikalactone D, an antimalarial compound from Quassia amara L. (Simaroubaceae). Experimental Parasitology, 2012, 130, 341-347.	0.5	11
28	Picrasin K, a new quassinoid from Quassia amara L. (Simaroubaceae). Phytochemistry Letters, 2012, 5, 162-164.	0.6	6
29	Simalikalactone E (SkE), a new weapon in the armamentarium of drugs targeting cancers that exhibit constitutive activation of the ERK pathway. Oncotarget, 2012, 3, 1688-1699.	0.8	11
30	Antiplasmodial activity of New Caledonia and Vanuatu traditional medicines. Pharmaceutical Biology, 2011, 49, 369-376.	1.3	12
31	Antileishmanial sesquiterpene lactones from Pseudelephantopus spicatus, a traditional remedy from the Chayahuita Amerindians (Peru). Part III. Journal of Ethnopharmacology, 2011, 137, 875-879.	2.0	42
32	Treatment of leishmaniasis in the Oyapock basin (French Guiana): A K.A.P. survey and analysis of the evolution of phytotherapy knowledge amongst Wayãpi Indians. Journal of Ethnopharmacology, 2011, 137, 1228-1239.	2.0	44
33	Activity-guided isolation of antileishmanial compounds from Piper hispidum. Phytochemistry Letters, 2011, 4, 363-366.	0.6	28
34	Do ethnobotanical and laboratory data predict clinical safety and efficacy of anti-malarial plants?. Malaria Journal, 2011, 10, S7.	0.8	40
35	The rainbow hurts my skin: Medicinal concepts and plants uses among the Yaneshá (Amuesha), an Amazonian Peruvian ethnic group. Journal of Ethnopharmacology, 2010, 127, 175-192.	2.0	65
36	Caffeic Acid Esters and Lignans from <i>Piper sanguineispicum</i> . Journal of Natural Products, 2010, 73, 1884-1890.	1.5	38

#	ARTICLE	IF	CITATIONS
37	Antimalarial Activity of Simalikalactone E, a New Quassinoid from <i>Quassia amara</i> L. (Simaroubaceae). <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 4393-4398.	1.4	65
38	Four anti-protozoal and anti-bacterial compounds from <i>Tapirira guianensis</i> . <i>Phytochemistry</i> , 2009, 70, 305-311.	1.4	28
39	Antiparasitic activity of prenylated benzoic acid derivatives from <i>Piper</i> species. <i>Phytochemistry</i> , 2009, 70, 621-627.	1.4	44
40	Medicinal plants from the Yanasha (Peru): Evaluation of the leishmanicidal and antimalarial activity of selected extracts. <i>Journal of Ethnopharmacology</i> , 2009, 123, 413-422.	2.0	122
41	Taâ€™taâ€™™, Huayani: Perception of leishmaniasis and evaluation of medicinal plants used by the Chayahuita in Peru. Part II. <i>Journal of Ethnopharmacology</i> , 2009, 126, 149-158.	2.0	41
42	Quassinoid constituents of <i>Quassia amara</i> L. leaf herbal tea. Impact on its antimalarial activity and cytotoxicity. <i>Journal of Ethnopharmacology</i> , 2009, 126, 114-118.	2.0	49
43	Benzoic Acid Derivatives from <i>Piper</i> Species and Their Antiparasitic Activity. <i>Journal of Natural Products</i> , 2008, 71, 1538-1543.	1.5	46
44	Leishmanicidal Constituents from the Leaves of <i>Piper rusbyi</i> . <i>Planta Medica</i> , 2007, 73, 206-211.	0.7	39
45	From Tonic-cups to Bitter-cups: Kwasi bita beker from Suriname. <i>Journal of Ethnopharmacology</i> , 2007, 110, 318-322.	2.0	16
46	<i>Quassia amara</i> L. (Simaroubaceae) leaf tea: Effect of the growing stage and desiccation status on the antimalarial activity of a traditional preparation. <i>Journal of Ethnopharmacology</i> , 2007, 111, 40-42.	2.0	21
47	Evaluation of the leishmanicidal activity of plants used by Peruvian Chayahuita ethnic group. <i>Journal of Ethnopharmacology</i> , 2007, 114, 254-259.	2.0	73
48	Activity-guided isolation of antiplasmodial dihydrochalcones and flavanones from <i>Piper hostmannianum</i> var. <i>berbicense</i> . <i>Phytochemistry</i> , 2007, 68, 1312-1320.	1.4	76
49	Validation of use of a traditional antimalarial remedy from French Guiana, <i>Zanthoxylum rhoifolium</i> Lam. <i>Journal of Ethnopharmacology</i> , 2006, 106, 348-352.	2.0	51
50	Simalikalactone D is responsible for the antimalarial properties of an amazonian traditional remedy made with <i>Quassia amara</i> L. (Simaroubaceae). <i>Journal of Ethnopharmacology</i> , 2006, 108, 155-157.	2.0	47
51	Isolation and Antimalarial Activity of Alkaloids from <i>Pseudoxandra cuspidata</i> . <i>Planta Medica</i> , 2006, 72, 894-898.	0.7	10
52	Evaluation of French Guiana traditional antimalarial remedies. <i>Journal of Ethnopharmacology</i> , 2005, 98, 45-54.	2.0	96
53	Antimalarial remedies in French Guiana: A knowledge attitudes and practices study. <i>Journal of Ethnopharmacology</i> , 2005, 98, 351-360.	2.0	97
54	In vitro immunomodulatory activity of plants used by the Tacana ethnic group in Bolivia. <i>Phytomedicine</i> , 2004, 11, 516-522.	2.3	44

#	ARTICLE	IF	CITATIONS
55	Pharmacopoeia in a shamanistic society: the Izoceño-Guaraní (Bolivian Chaco). <i>Journal of Ethnopharmacology</i> , 2004, 91, 189-208.	2.0	55
56	A search for natural bioactive compounds in Bolivia through a multidisciplinary approach. <i>Journal of Ethnopharmacology</i> , 2004, 93, 269-277.	2.0	35
57	A search for natural bioactive compounds in Bolivia through a multidisciplinary approach. Part V. Evaluation of the antimalarial activity of plants used by the Tacana Indians. <i>Journal of Ethnopharmacology</i> , 2001, 77, 91-98.	2.0	179
58	A search for natural bioactive compounds in Bolivia through a multidisciplinary approach. <i>Journal of Ethnopharmacology</i> , 2000, 73, 271-275.	2.0	38
59	The search for natural bioactive compounds through a multidisciplinary approach in Bolivia. Part II. Antimalarial activity of some plants used by Mosekene Indians. <i>Journal of Ethnopharmacology</i> , 2000, 69, 139-155.	2.0	109
60	A search for natural bioactive compounds in Bolivia through a multidisciplinary approach. <i>Journal of Ethnopharmacology</i> , 2000, 69, 127-137.	2.0	98
61	Medicinal plants uses of the Tacana, an Amazonian Bolivian ethnic group. <i>Journal of Ethnopharmacology</i> , 2000, 70, 87-109.	2.0	127
62	A search for natural bioactive compounds in Bolivia through a multidisciplinary approach. <i>Journal of Ethnopharmacology</i> , 2000, 71, 123-131.	2.0	39
63	Ethnobotany of the Tacana: Quantitative inventories of two permanent plots of Northwestern Bolivia. <i>Economic Botany</i> , 1999, 53, 237-260.	0.8	73
64	Maternity and medicinal plants in Vanuatu II. Pharmacological screening of five selected species. <i>Journal of Ethnopharmacology</i> , 1996, 52, 139-143.	2.0	14
65	Saponins from <i>Pisonia umbellifera</i> . <i>Phytochemistry</i> , 1996, 43, 189-194.	1.4	20
66	Naturally Occurring Somatostatin and Vasoactive Intestinal Peptide Inhibitors. Isolation of Alkaloids from Two Marine Sponges. <i>Planta Medica</i> , 1996, 62, 28-30.	0.7	37
67	Flavonoids from <i>Alphitonia neocaledonica</i> . <i>Planta Medica</i> , 1995, 61, 197-197.	0.7	4
68	Bioactive Prenylhydroquinone Sulfates and a Novel C31 Furanoterpene Alcohol Sulfate from the Marine Sponge, <i>Ircinia</i> Sp.. <i>Journal of Natural Products</i> , 1995, 58, 1444-1449.	1.5	42
69	Further Brominated Bis- and Tris-Indole Alkaloids from the Deep-Water New Caledonian Marine Sponge <i>Orina</i> sp.. <i>Journal of Natural Products</i> , 1995, 58, 1254-1260.	1.5	156
70	Traditional remedies used in the Western Pacific for the treatment of ciguatera poisoning. <i>Journal of Ethnopharmacology</i> , 1992, 36, 163-174.	2.0	60
71	Maternity and medicinal plants in Vanuatu I. The cycle of reproduction. <i>Journal of Ethnopharmacology</i> , 1992, 37, 179-196.	2.0	94
72	Structure elucidation of streptindole, a novel genotoxic metabolite isolated from intestinal bacteria. <i>Tetrahedron Letters</i> , 1983, 24, 4719-4722.	0.7	148