

# Ali Reza Torabi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4778142/publications.pdf>

Version: 2024-02-01

153  
papers

3,546  
citations

136950

32  
h-index

197818

49  
g-index

153  
all docs

153  
docs citations

153  
times ranked

611  
citing authors

#	ARTICLE	IF	CITATIONS
1	Experimental verification of the virtual isotropic material concept for the last-ply-failure of U-notched quasi-isotropic E-glass/epoxy composite laminates under tension-shear loading. <i>Journal of Industrial Textiles</i> , 2022, 51, 3949S-3979S.	2.4	8
2	Investigation of notch effects on load-bearing capacity of AA7075-AA7075 friction-stir welded joints under mixed mode I/II loading. <i>Theoretical and Applied Fracture Mechanics</i> , 2022, 118, 103252.	4.7	2
3	Fracture testing and estimation of critical loads in a PMMA-based dental material with nonlinear behavior in the presence of notches. <i>Theoretical and Applied Fracture Mechanics</i> , 2022, 118, 103282.	4.7	7
4	A Modified Mean Stress Criterion for Considering Size Effects on Mode I Fracture Estimation of Rounded-Tip V-Notched Polymeric Specimens. <i>Polymers</i> , 2022, 14, 1491.	4.5	0
5	A new methodology inspired from the Theory of Critical Distances for determination of inherent tensile strength and fracture toughness of rock materials. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2022, 152, 105073.	5.8	11
6	U-notch fracture in additively manufactured ABS specimens under symmetric three-point bending. <i>Theoretical and Applied Fracture Mechanics</i> , 2022, 119, 103318.	4.7	12
7	Translaminar notch fracture toughness expressions for composite laminates. <i>Theoretical and Applied Fracture Mechanics</i> , 2022, 119, 103332.	4.7	6
8	A two-level strategy for simplification of fracture prediction in notched orthotropic samples with nonlinear behavior. <i>Theoretical and Applied Fracture Mechanics</i> , 2022, 120, 103388.	4.7	4
9	Tensile-Tearing Fracture Analysis of U-Notched Spruce Samples. <i>Materials</i> , 2022, 15, 3661.	2.9	1
10	Providing a virtual material for simple estimation of fracture in U-notched highly orthotropic specimens with nonlinear behavior under mixed mode I/II loading. <i>Theoretical and Applied Fracture Mechanics</i> , 2022, 121, 103485.	4.7	3
11	Limit curves for brittle fracture in key-hole notches under mixed mode I/III loading based on stress-based criteria. <i>European Journal of Mechanics, A/Solids</i> , 2021, 85, 104089.	3.7	7
12	On the use of the Fictitious Material Concept in estimating the ultimate load of keyhole notched AA6061-T6 specimens under large tension-torsion deformations. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2021, 44, 488-504.	3.4	3
13	Strain Energy Density-Predicted Brittle Fracture of U-Notched Components Under Combined Tension/Tear Loading. <i>Strength of Materials</i> , 2021, 53, 1-10.	0.5	1
14	Notch Fracture in Polymeric Specimens under Compressive Stresses: The Role of the Equivalent Material Concept in Estimating the Critical Stress of Polymers. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 2104.	2.5	3
15	Critical Load Prediction in Notched E/Glass-Epoxy-Laminated Composites Using the Virtual Isotropic Material Concept Combined with the Average Strain Energy Density Criterion. <i>Polymers</i> , 2021, 13, 1057.	4.5	7
16	Mixed mode I/II crack propagation in stainless steel 316L sheets by large plastic deformations: Prediction of critical load by combining LEFM with fictitious material concept. <i>Engineering Fracture Mechanics</i> , 2021, 247, 107657.	4.3	7
17	Extension of the Equivalent Material Concept to Compressive Loading: Combination with LEFM Criteria for Fracture Prediction of Keyhole Notched Polymeric Samples. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 4138.	2.5	4
18	A Methodology to Determine the Effective Plastic Zone Size Around Blunt V-Notches under Mixed Mode I/II Loading and Plane-Stress Conditions. <i>Metals</i> , 2021, 11, 1042.	2.3	4

#	ARTICLE	IF	CITATIONS
19	Unsteady aero-elastic analysis of a composite wing containing an edge crack. <i>Aerospace Science and Technology</i> , 2021, 115, 106769.	4.8	2
20	Free vibration analysis of a laminated beam using dynamic stiffness matrix method considering delamination. <i>Thin-Walled Structures</i> , 2021, 166, 107952.	5.3	10
21	Compressive fracture analysis of U-notched specimens made of porous graphite reinforced by aluminum particles. <i>Diamond and Related Materials</i> , 2021, 120, 108613.	3.9	1
22	Integral evaluation for V-notched ductile plates subjected to tension. <i>Material Design and Processing Communications</i> , 2020, 2, e91.	0.9	1
23	Application of digital image correlation method for determination of mixed mode stress intensity factors in sharp notches. <i>Optics and Lasers in Engineering</i> , 2020, 124, 105830.	3.8	33
24	On the use of digital image correlation method for determining the stress field at blunt V-notch neighborhood. <i>Engineering Fracture Mechanics</i> , 2020, 223, 106768.	4.3	9
25	Implementation of XFEM for fracture prediction of VO-notched brittle specimens. <i>European Journal of Mechanics, A/Solids</i> , 2020, 81, 103970.	3.7	10
26	Fracture of U- and V-notched Al6061-T6 plates: The first examination of the Fictitious Material Concept under mixed mode I/III loading. <i>Theoretical and Applied Fracture Mechanics</i> , 2020, 109, 102766.	4.7	5
27	Evaluation of the equivalent material concept in mixed mode I/III fracture estimation of V-notched Al7075-T6 plates. <i>Engineering Fracture Mechanics</i> , 2020, 237, 107259.	4.3	2
28	Fracture Behavior of Two Biopolymers Containing Notches: Effects of Notch Tip Plasticity. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 8445.	2.5	4
29	Semi-analytical estimation of the effective plastic zone size at U-notch neighborhood in thin sheets under mixed mode I/III loading. <i>Engineering Fracture Mechanics</i> , 2020, 239, 107323.	4.3	9
30	Scaling effects on notch fracture toughness of graphite specimens under mode I loading. <i>Engineering Fracture Mechanics</i> , 2020, 235, 107153.	4.3	14
31	Using the Equivalent Material Concept and the Average Strain Energy Density to Analyse the Fracture Behaviour of Structural Materials. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 1601.	2.5	11
32	Mixed mode notch fracture toughness assessment of quasi-brittle polymeric specimens at different scales. <i>Theoretical and Applied Fracture Mechanics</i> , 2020, 109, 102682.	4.7	15
33	Elastic-plastic damage prediction in notched epoxy resin specimens under mixed mode I/III loading using two virtual linear elastic failure criteria. <i>International Journal of Damage Mechanics</i> , 2020, 29, 1100-1116.	4.2	6
34	In-situ brittle fracture analysis of sharp V-notched components using digital image correlation. <i>Theoretical and Applied Fracture Mechanics</i> , 2020, 106, 102484.	4.7	12
35	Notch tip plastic zone determination by extending Irwin's model. <i>Theoretical and Applied Fracture Mechanics</i> , 2020, 108, 102643.	4.7	14
36	Fracture Load Predictions in Short Glass Fiber Reinforced Polyamide 6 U-Notched Specimens Combining the Equivalent Material Concept and the Theory of Critical Distances. <i>Journal of Testing and Evaluation</i> , 2020, 48, 1226-1251.	0.7	1

#	ARTICLE	IF	CITATIONS
37	On the use of the combined FMC-ASED criterion for fracture prediction of notched specimens with nonlinear behavior. <i>Procedia Structural Integrity</i> , 2020, 28, 84-92.	0.8	4
38	An extension of the Equivalent Material Concept applied to fracture of U-notched solids. <i>Procedia Structural Integrity</i> , 2020, 28, 752-763.	0.8	2
39	Energy-based assessment of brittle fracture in VO-notched polymer specimens under combined compression-shear loading conditions. <i>International Journal of Damage Mechanics</i> , 2019, 28, 664-689.	4.2	15
40	Application of EMC criterion to fracture prediction of U-notched polymeric specimens with nonlinear behaviour. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2019, 42, 352-362.	3.4	15
41	Elastic-plastic fracture assessment of CNT-reinforced epoxy/nanocomposite specimens weakened by U-shaped notches under mixed mode loading. <i>Composites Part B: Engineering</i> , 2019, 176, 107114.	12.0	19
42	On the ability of the notch fracture mechanics in predicting the last-ply-failure of blunt V-notched laminated composite specimens: A hard problem can be easily solved by conventional methods. <i>Engineering Fracture Mechanics</i> , 2019, 217, 106534.	4.3	16
43	Crack growth onset in thin aluminum sheets under mixed mode I/II loading: A new form of the Equivalent Material Concept. <i>Thin-Walled Structures</i> , 2019, 144, 106337.	5.3	13
44	Extension of the virtual isotropic material concept to mixed mode I/II loading for predicting the last-ply-failure of U-notched glass/epoxy laminated composite specimens. <i>Composites Part B: Engineering</i> , 2019, 176, 107287.	12.0	17
45	Failure analysis of round-tip V-notched laminated composite plates under mixed mode I/II loading. <i>Theoretical and Applied Fracture Mechanics</i> , 2019, 104, 102342.	4.7	16
46	Out-of-plane shear fracture analysis of PMMA and GPPS polymers weakened by round-tip V-notches. <i>Theoretical and Applied Fracture Mechanics</i> , 2019, 104, 102360.	4.7	0
47	Pure mode II fracture analysis of dissimilar Al-Al and Al-Cu friction stir welded joints using the generalized MTS criterion. <i>Theoretical and Applied Fracture Mechanics</i> , 2019, 104, 102369.	4.7	23
48	The fictitious material concept. <i>Engineering Fracture Mechanics</i> , 2019, 209, 17-31.	4.3	23
49	Finite Fracture Mechanics Assessment in Moderate and Large Scale Yielding Regimes. <i>Metals</i> , 2019, 9, 602.	2.3	11
50	Mixed mode I/II crack growth investigation for bi-metal FSW aluminum alloy AA7075-T6/pure copper joints. <i>Theoretical and Applied Fracture Mechanics</i> , 2019, 103, 102243.	4.7	24
51	Experimental determination of the notch stress intensity factor for sharp V-notched specimens by using the digital image correlation method. <i>Theoretical and Applied Fracture Mechanics</i> , 2019, 103, 102244.	4.7	33
52	Notch failure in laminated composites under opening mode: The Virtual Isotropic Material Concept. <i>Composites Part B: Engineering</i> , 2019, 172, 61-75.	12.0	32
53	Using the generalized maximum tangential stress criterion to predict mode II fracture of hot mix asphalt in terms of mode I results – A statistical analysis. <i>Construction and Building Materials</i> , 2019, 213, 483-491.	7.2	62
54	Energy-based ductile failure predictions in cracked friction-stir welded joints. <i>Engineering Failure Analysis</i> , 2019, 102, 327-337.	4.0	20

#	ARTICLE	IF	CITATIONS
55	Experimental verification of the Fictitious Material Concept for tensile fracture in short glass fibre reinforced polyamide 6 notched specimens with variable moisture. <i>Engineering Fracture Mechanics</i> , 2019, 212, 95-105.	4.3	15
56	Application of the equivalent material concept to the study of the ductile failure due to U-notches. <i>International Journal of Pressure Vessels and Piping</i> , 2019, 172, 65-69.	2.6	7
57	Pure mode III fracture of U-notched specimens made of PMMA and GPPS polymers: Experimental and theoretical evaluations. <i>Engineering Fracture Mechanics</i> , 2019, 211, 70-81.	4.3	5
58	Mixed mode I/II failure prediction of thin U-notched ductile steel plates with significant strain-hardening and large strain-to-failure: The Fictitious Material Concept. <i>European Journal of Mechanics, A/Solids</i> , 2019, 75, 225-236.	3.7	11
59	On Suitability of the Averaged Strain Energy Density Criterion in Predicting Mixed Mode I/II Brittle Fracture of Blunt V-Notches with Negative Mode I Contributions. <i>Strength of Materials</i> , 2019, 51, 770-785.	0.5	3
60	Notch ductile failure with significant strain-hardening: The modified equivalent material concept. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2019, 42, 439-453.	3.4	22
61	Fracture study in notched graphite specimens subjected to mixed mode I/II loading: Application of XFEM based on the cohesive zone model. <i>Theoretical and Applied Fracture Mechanics</i> , 2019, 99, 60-70.	4.7	15
62	Finite Fracture Mechanics crack initiation from a circular hole. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2018, 41, 1627-1636.	3.4	37
63	Fracture study in notched ductile polymeric plates subjected to mixed mode I/II loading: Application of equivalent material concept. <i>European Journal of Mechanics, A/Solids</i> , 2018, 70, 37-43.	3.7	30
64	J-integral expression for mixed mode I/II ductile failure prediction of U-notched Al 6061-T6 plates under large-scale yielding regime. <i>Engineering Fracture Mechanics</i> , 2018, 195, 253-266.	4.3	23
65	On combination of the equivalent material concept and $J$ -integral criterion for ductile failure prediction of U-notches subjected to tension. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2018, 41, 1476-1487.	3.4	23
66	Fracture study of a ductile polymer-based nanocomposite weakened by blunt V-notches under mode I loading: Application of the Equivalent Material Concept. <i>Theoretical and Applied Fracture Mechanics</i> , 2018, 94, 26-33.	4.7	19
67	Compressive Brittle Fracture Prediction in Blunt V-Notched PMMA Specimens by Means of the Strain Energy Density Approach. <i>Physical Mesomechanics</i> , 2018, 21, 104-109.	1.9	0
68	Fracture analysis of dissimilar Al-Al friction stir welded joints under tensile/shear loading. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2018, 41, 2040-2053.	3.4	25
69	Experimental and stress-based theoretical studies on mixed mode I/III fracture of round-tip V-notched Polystyrene specimens. <i>Theoretical and Applied Fracture Mechanics</i> , 2018, 95, 283-305.	4.7	13
70	Ductile failure prediction of thin notched aluminum plates subjected to combined tension-shear loading. <i>Theoretical and Applied Fracture Mechanics</i> , 2018, 97, 280-288.	4.7	30
71	Tensile failure prediction of U-notched plates under moderate-scale and large-scale yielding regimes. <i>Theoretical and Applied Fracture Mechanics</i> , 2018, 97, 434-439.	4.7	31
72	Prediction of fracture loads in PMMA U-notched specimens using the equivalent material concept and the theory of critical distances combined criterion. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2018, 41, 688-699.	3.4	29

#	ARTICLE	IF	CITATIONS
73	On the use of the extended finite element and incremental methods in brittle fracture assessment of key-hole notched polystyrene specimens under mixed mode I/II loading with negative mode I contributions. <i>Archive of Applied Mechanics</i> , 2018, 88, 587-612.	2.2	18
74	Experimental and theoretical investigation of mixed mode I/III brittle fracture of U-notched polystyrene components. <i>Journal of Strain Analysis for Engineering Design</i> , 2018, 53, 15-25.	1.8	5
75	Predictions of fracture load, crack initiation angle, and trajectory for V-notched Brazilian disk specimens under mixed mode I/II loading with negative mode I contributions. <i>International Journal of Damage Mechanics</i> , 2018, 27, 1173-1191.	4.2	20
76	Application of the equivalent material concept to fracture of U-notched solids under small scale yielding. <i>Procedia Structural Integrity</i> , 2018, 13, 267-272.	0.8	4
77	Brazilian disk tests: Circular holes and size effects. <i>Procedia Structural Integrity</i> , 2018, 13, 596-600.	0.8	0
78	Brittle failure of PMMA in the presence of blunt V-notches under combined tension-tear loading: Experiments and stress-based theories. <i>Polymer Testing</i> , 2018, 72, 94-109.	4.8	14
79	Estimation of Fracture Loads in AL7075-T651 Notched Specimens Using the Equivalent Material Concept Combined with the Strain Energy Density Criterion and with the Theory of Critical Distances. <i>Metals</i> , 2018, 8, 87.	2.3	16
80	Mixed mode I/II fracture prediction of blunt V-notched nanocomposite specimens with nonlinear behavior by means of the Equivalent Material Concept. <i>Composites Part B: Engineering</i> , 2018, 154, 363-373.	12.0	15
81	Ductile failure analysis of blunt V-notched epoxy resin plates subjected to combined tension-shear loading. <i>Polymer Testing</i> , 2018, 70, 57-66.	4.8	15
82	Predicting the fracture trajectory in U, VO, and key-hole notched specimens using an incremental approach. <i>Engineering Fracture Mechanics</i> , 2018, 200, 189-207.	4.3	9
83	Mode III Notch Fracture Toughness Assessment for Various Notch Features. <i>Physical Mesomechanics</i> , 2018, 21, 320-332.	1.9	4
84	Averaged strain energy density criterion to predict ductile failure of U-notched Al 6061-T6 plates under mixed mode loading. <i>Theoretical and Applied Fracture Mechanics</i> , 2017, 91, 86-93.	4.7	31
85	Experimental verification of two stress-based criteria for mixed mode I/III brittle fracture assessment of U-notched components. <i>Engineering Fracture Mechanics</i> , 2017, 182, 229-244.	4.3	18
86	Tensile fracture analysis of a ductile polymeric material weakened by U-notches. <i>Polymer Testing</i> , 2017, 64, 117-126.	4.8	27
87	Tensile failure in blunt V-notched ductile members: A new formulation of the Equivalent Material Concept. <i>Engineering Fracture Mechanics</i> , 2017, 184, 1-13.	4.3	16
88	Size effects on brittle fracture of Brazilian disk samples containing a circular hole. <i>Engineering Fracture Mechanics</i> , 2017, 186, 496-503.	4.3	34
89	Large-Scale Yielding Failure Prediction of Notched Ductile Plates by Means of the Linear Elastic Notch Fracture Mechanics. <i>Strength of Materials</i> , 2017, 49, 224-233.	0.5	12
90	Comprehensive notch shape factors for V-notched Brazilian disk specimens loaded under mixed mode I/II from pure opening mode to pure closing mode. <i>Archive of Applied Mechanics</i> , 2017, 87, 299-313.	2.2	12

#	ARTICLE	IF	CITATIONS
91	Static Strength of V-Notches With End Holes Under Combined Tension-Shear Loading: Experimental Measurement by the Disk Test and Theoretical Prediction by the Local Energy. <i>Journal of Testing and Evaluation</i> , 2017, 45, 20140496.	0.7	6
92	Brittle fracture assessment of engineering components in the presence of notches: a review. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2016, 39, 267-291.	3.4	34
93	A successful combination of the equivalent material concept and the averaged strain energy density criterion for predicting crack initiation from blunt V-notches in ductile aluminum plates under mixed mode loading. <i>Physical Mesomechanics</i> , 2016, 19, 382-391.	1.9	17
94	Elastic-plastic fracture analysis of notched Al 7075-T6 plates by means of the local energy combined with the equivalent material concept. <i>Physical Mesomechanics</i> , 2016, 19, 204-214.	1.9	41
95	Evaluation of the load-carrying capacity of notched ductile plates under mixed mode loading. <i>Theoretical and Applied Fracture Mechanics</i> , 2016, 85, 375-386.	4.7	19
96	Brittle failure of key-hole notches under mixed mode I/II loading with negative mode I contributions. <i>Engineering Fracture Mechanics</i> , 2016, 168, 51-72.	4.3	23
97	Mixed mode I/II crack initiation from U-notches in Al 7075-T6 thin plates by large-scale yielding regime. <i>Theoretical and Applied Fracture Mechanics</i> , 2016, 86, 284-291.	4.7	34
98	Mixed mode I/II brittle fracture in V-notched Brazilian disk specimens under negative mode I conditions. <i>Physical Mesomechanics</i> , 2016, 19, 332-348.	1.9	21
99	Investigation of ductile rupture in U-notched Al 6061-T6 plates under mixed mode loading. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2016, 39, 551-565.	3.4	32
100	Tensile Fracture Analysis of Key-Hole Notches by Means of the Strain Energy Density. <i>Strength of Materials</i> , 2016, 48, 259-269.	0.5	8
101	On the necessity of using critical distance model in mixed mode brittle fracture prediction of V-notched Brazilian disk specimens under negative mode I conditions. <i>Theoretical and Applied Fracture Mechanics</i> , 2016, 84, 38-48.	4.7	35
102	Mixed mode I/III brittle fracture in round-tip V-notches. <i>Theoretical and Applied Fracture Mechanics</i> , 2016, 83, 135-151.	4.7	26
103	Application of the equivalent material concept to ductile failure prediction of blunt V-notches encountering moderate-scale yielding. <i>International Journal of Damage Mechanics</i> , 2016, 25, 853-877.	4.2	27
104	Mode II Brittle Fracture Assessment of Key-Hole Notches by Means of the Local Energy. <i>Journal of Testing and Evaluation</i> , 2016, 44, 1261-1270.	0.7	23
105	On the Ability of the Equivalent Material Concept in Predicting Ductile Failure of U-Notches under Moderate- and Large-Scale Yielding Conditions. <i>Physical Mesomechanics</i> , 2015, 18, 337-347.	1.9	39
106	Brittle fracture in key-hole notches under mixed mode loading: Experimental study and theoretical predictions. <i>Engineering Fracture Mechanics</i> , 2015, 134, 35-53.	4.3	30
107	Theoretical and experimental investigation of brittle fracture in V-notched PMMA specimens under compressive loading. <i>Engineering Fracture Mechanics</i> , 2015, 135, 187-205.	4.3	33
108	Fracture assessment of VO-notches under mode II loading: Experiments and theories. <i>Theoretical and Applied Fracture Mechanics</i> , 2015, 75, 59-69.	4.7	26

#	ARTICLE	IF	CITATIONS
109	Local strain energy density to predict mode II brittle fracture in Brazilian disk specimens weakened by V-notches with end holes. <i>Materials &amp; Design</i> , 2015, 69, 22-29.	5.1	73
110	Fracture Study on Key-Hole Notches Under Tension: Two Brittle Fracture Criteria and Notch Fracture Toughness Measurement by the Disk Test. <i>Experimental Mechanics</i> , 2015, 55, 393-401.	2.0	28
111	Experimental and theoretical investigation of brittle fracture in key-hole notches under mixed mode I/II loading. <i>Acta Mechanica</i> , 2015, 226, 2313-2322.	2.1	32
112	Brittle fracture in V-notches with end holes. <i>International Journal of Damage Mechanics</i> , 2015, 24, 529-545.	4.2	36
113	Brittle fracture analysis of blunt V-notches under compression. <i>International Journal of Solids and Structures</i> , 2015, 67-68, 219-230.	2.7	16
114	Tensile fracture analysis of V-notches with end holes by means of the local energy. <i>Physical Mesomechanics</i> , 2015, 18, 194-202.	1.9	30
115	Mode II notch fracture toughness measurement for key-hole notches by the disk test. <i>Journal of Strain Analysis for Engineering Design</i> , 2015, 50, 264-275.	1.8	16
116	Mixed-mode ductile failure analysis of V-notched Al 7075-T6 thin sheets. <i>Engineering Fracture Mechanics</i> , 2015, 150, 70-95.	4.3	50
117	Combined tension-shear fracture analysis of V-notches with end holes. <i>Acta Mechanica</i> , 2015, 226, 3717-3736.	2.1	26
118	Fracture assessment of graphite V-notched and U-notched specimens by using the cohesive crack model. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2015, 38, 563-573.	3.4	38
119	Stress-based criteria for brittle fracture in key-hole notches under mixed mode loading. <i>European Journal of Mechanics, A/Solids</i> , 2015, 49, 1-12.	3.7	49
120	Strain energy density to assess mode II fracture in U-notched disk-type graphite plates. <i>International Journal of Damage Mechanics</i> , 2014, 23, 917-930.	4.2	43
121	Pure shear fracture study in a brittle graphite material containing a U-notch. <i>International Journal of Damage Mechanics</i> , 2014, 23, 839-854.	4.2	29
122	Compressive brittle fracture in V-notches with end holes. <i>European Journal of Mechanics, A/Solids</i> , 2014, 45, 32-40.	3.7	35
123	Closed-form expressions of mode I apparent notch fracture toughness for key-hole notches. <i>Journal of Strain Analysis for Engineering Design</i> , 2014, 49, 583-591.	1.8	23
124	Fracture analysis of U-notched disc-type graphite specimens under mixed mode loading. <i>International Journal of Solids and Structures</i> , 2014, 51, 1287-1298.	2.7	50
125	Mixed mode fracture assessment of U-notched graphite Brazilian disk specimens by means of the local energy. <i>Structural Engineering and Mechanics</i> , 2014, 50, 723-740.	1.0	26
126	Notch Fracture Toughness Evaluation for a Brittle Graphite Material. <i>Materials Performance and Characterization</i> , 2014, 3, 20130041.	0.3	7



#	ARTICLE	IF	CITATIONS
127	Ultimate Bending Strength Evaluation of U-Notched Ductile Steel Samples Under Large-Scale Yielding Conditions. <i>International Journal of Fracture</i> , 2013, 180, 261-268.	2.2	34
128	Fracture Assessment of Blunt V-Notched Graphite Specimens by Means of the Strain Energy Density. <i>Strength of Materials</i> , 2013, 45, 635-647.	0.5	28
129	Tensile fracture in coarse-grained polycrystalline graphite weakened by a U-shaped notch. <i>Engineering Fracture Mechanics</i> , 2013, 111, 77-85.	4.3	57
130	Sudden Fracture from U-Notches in Fine-Grained Isostatic Graphite Under Mixed Mode I/II Loading. <i>International Journal of Fracture</i> , 2013, 181, 309-316.	2.2	33
131	Fracture Assessment of U-Notched Graphite Plates Under Tension. <i>International Journal of Fracture</i> , 2013, 181, 285-292.	2.2	50
132	On the use of the Equivalent Material Concept to predict tensile load-bearing capacity of ductile steel bolts containing V-shaped threads. <i>Engineering Fracture Mechanics</i> , 2013, 97, 136-147.	4.3	42
133	The Equivalent Material Concept: Application to failure of O-notches. <i>Engineering Solid Mechanics</i> , 2013, 1, 129-140.	1.2	36
134	Wide range brittle fracture curves for U-notched components based on UMTS model. <i>Engineering Solid Mechanics</i> , 2013, 1, 57-68.	1.2	24
135	Failure curves for predicting brittle fracture in V-notched structural components loaded under mixed tension/shear: An advanced engineering design package. <i>Engineering Solid Mechanics</i> , 2013, , 99-118.	1.2	12
136	Determination of permissible defect size for solid axles loaded under fully-reversed rotating bending. <i>Engineering Solid Mechanics</i> , 2013, , 27-36.	1.2	6
137	Comprehensive data for rapid calculation of notch stress intensity factors in U-notched Brazilian disc specimen under tensile-shear loading. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 541, 135-142.	5.6	22
138	Failure Analysis and Repair of a Catastrophically Damaged Gas Turbine Compressor Disk Using SEM Technique and CFD Analysis. <i>Journal of Failure Analysis and Prevention</i> , 2012, 12, 391-401.	0.9	5
139	Fatigue Crack Growth in a Solid Circular Shaft Under Fully Reversed Rotating Bending. <i>Journal of Failure Analysis and Prevention</i> , 2012, 12, 419-426.	0.9	4
140	Estimation of tensile load-bearing capacity of ductile metallic materials weakened by a V-notch: The equivalent material concept. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 536, 249-255.	5.6	114
141	Extensive data of notch shape factors for V-notched Brazilian disc specimen under mixed mode loading. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 8599-8609.	5.6	18
142	Experimental verification of RV-MTS model for fracture in soda-lime glass weakened by a V-notch. <i>Journal of Mechanical Science and Technology</i> , 2011, 25, 2529-2534.	1.5	47
143	Experimental and Theoretical Assessment of Brittle Fracture in Engineering Components Containing a Sharp V-Notch. <i>Experimental Mechanics</i> , 2011, 51, 919-932.	2.0	76
144	Failure assessment of notched polycrystalline graphite under tensile-shear loading. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 5685-5695.	5.6	75

#	ARTICLE	IF	CITATIONS
145	Brittle fracture in rounded-tip V-shaped notches. <i>Materials &amp; Design</i> , 2010, 31, 60-67.	5.1	172
146	Investigation of mixed mode brittle fracture in rounded-tip V-notched components. <i>Engineering Fracture Mechanics</i> , 2010, 77, 3087-3104.	4.3	110
147	Tensile fracture in notched polycrystalline graphite specimens. <i>Carbon</i> , 2010, 48, 2255-2265.	10.3	124
148	Determination of mode II fracture toughness for U-shaped notches using Brazilian disc specimen. <i>International Journal of Solids and Structures</i> , 2010, 47, 454-465.	2.7	79
149	A criterion for brittle fracture in U-notched components under mixed mode loading. <i>Engineering Fracture Mechanics</i> , 2009, 76, 1883-1896.	4.3	90
150	Experimental fracture study for a V-notched soda-lime glass specimen. , 2009, , .		0
151	Delamination effects on the unsteady aero-elastic behavior of composite wing by modal analysis. <i>JVC/Journal of Vibration and Control</i> , 0, , 107754632110192.	2.6	1
152	Elastoplastic fracture analysis of thin notched AA7075- $\theta$ AA2024 dissimilar friction- $\sigma$ welded plates under mixed mode I/II loading. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 0, , .	3.4	3
153	Experimental Verification of the Averaged Strain Energy Density Criterion for Brittle Fracture in Blunt V-Notches under Pure Compression. <i>Strength of Materials</i> , 0, , .	0.5	1