

Chih-Hsin Tang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4778220/chih-hsin-tang-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

276
papers

7,860
citations

47
h-index

65
g-index

300
ext. papers

9,411
ext. citations

5.3
avg, IF

6.31
L-index

#	Paper	IF	Citations
276	Upregulated WTAP expression appears to both promote breast cancer growth and inhibit lymph node metastasis.. <i>Scientific Reports</i> , 2022 , 12, 1023	4.9	0
275	The Traditional Chinese Medicine "Hu-Qian-Wan" Attenuates Osteoarthritis-Induced Signs and Symptoms in an Experimental Rat Model of Knee Osteoarthritis.. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022 , 2022, 5367494	2.3	0
274	Upregulated WTAP expression in colorectal cancer correlates with tumor site and differentiation.. <i>PLoS ONE</i> , 2022 , 17, e0263749	3.7	0
273	Cordycerebroside A inhibits ICAM-1-dependent M1 monocyte adhesion to osteoarthritis synovial fibroblasts.. <i>Journal of Food Biochemistry</i> , 2022 , e14108	3.3	0
272	Melatonin abolished proinflammatory factor expression and antagonized osteoarthritis progression in vivo.. <i>Cell Death and Disease</i> , 2022 , 13, 215	9.8	0
271	Visfatin Polymorphisms, Lifestyle Risk Factors and Risk of Oral Squamous Cell Carcinoma in a Cohort of Taiwanese Males.. <i>International Journal of Medical Sciences</i> , 2022 , 19, 762-768	3.7	1
270	Nerve growth factor promotes lysyl oxidase-dependent chondrosarcoma cell metastasis by suppressing miR-149-5p synthesis. <i>Cell Death and Disease</i> , 2021 , 12, 1101	9.8	0
269	Thrombospondin 2 Promotes IL-6 Production in Osteoarthritis Synovial Fibroblasts via the PI3K/AKT/NF- κ B Pathway. <i>Journal of Inflammation Research</i> , 2021 , 14, 5955-5967	4.8	1
268	Antcin K inhibits VEGF-dependent angiogenesis in human rheumatoid arthritis synovial fibroblasts. <i>Journal of Food Biochemistry</i> , 2021 , e14022	3.3	1
267	ET-1 Promotes Epithelial-Mesenchymal Transition in Oral Squamous Cell Carcinoma Cells via the microRNA-489-3p /TWIST Axis. <i>OncoTargets and Therapy</i> , 2021 , 14, 5005-5018	4.4	1
266	miR-144-3p ameliorates the progression of osteoarthritis by targeting IL-1 β Potential therapeutic implications. <i>Journal of Cellular Physiology</i> , 2021 , 236, 6988-7000	7	8
265	Targeting CCN Proteins in Rheumatoid Arthritis and Osteoarthritis. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	8
264	DPP4 reduces proinflammatory cytokine production in human rheumatoid arthritis synovial fibroblasts. <i>Journal of Cellular Physiology</i> , 2021 , 236, 8060	7	3
263	PKC ϵ mediated SGLT1 upregulation confers the acquired resistance of NSCLC to EGFR TKIs. <i>Oncogene</i> , 2021 , 40, 4796-4808	9.2	2
262	miR-let-7c-5p and miR-149-5p inhibit proinflammatory cytokine production in osteoarthritis and rheumatoid arthritis synovial fibroblasts. <i>Aging</i> , 2021 , 13, 17227-17236	5.6	7
261	IGFBP-3 stimulates human osteosarcoma cell migration by upregulating VCAM-1 expression. <i>Life Sciences</i> , 2021 , 265, 118758	6.8	5
260	Melatonin impedes prostate cancer metastasis by suppressing MMP-13 expression. <i>Journal of Cellular Physiology</i> , 2021 , 236, 3979-3990	7	14

259	Cigarette smoke-induced LKB1/AMPK pathway deficiency reduces EGFR TKI sensitivity in NSCLC. <i>Oncogene</i> , 2021 , 40, 1162-1175	9.2	3
258	Prostate cancer-secreted CCN3 uses the GSK3 β and E-catenin pathways to enhance osteogenic factor levels in osteoblasts. <i>Environmental Toxicology</i> , 2021 , 36, 425-432	4.2	2
257	PM2.5 facilitates IL-6 production in human osteoarthritis synovial fibroblasts via ASK1 activation. <i>Journal of Cellular Physiology</i> , 2021 , 236, 2205-2213	7	9
256	Melatonin interrupts osteoclast functioning and suppresses tumor-secreted RANKL expression: implications for bone metastases. <i>Oncogene</i> , 2021 , 40, 1503-1515	9.2	6
255	The mir-423-5p/MMP-2 Axis Regulates the Nerve Growth Factor-Induced Promotion of Chondrosarcoma Metastasis. <i>Cancers</i> , 2021 , 13,	6.6	4
254	Hesperidin Is a Potential Inhibitor against SARS-CoV-2 Infection. <i>Nutrients</i> , 2021 , 13,	6.7	16
253	S1P Increases VEGF Production in Osteoblasts and Facilitates Endothelial Progenitor Cell Angiogenesis by Inhibiting miR-16-5p Expression via the c-Src/FAK Signaling Pathway in Rheumatoid Arthritis. <i>Cells</i> , 2021 , 10,	7.9	5
252	A novel melatonin-regulated lncRNA suppresses TPA-induced oral cancer cell motility through replenishing PRUNE2 expression. <i>Journal of Pineal Research</i> , 2021 , 71, e12760	10.4	13
251	Nesfatin-1 facilitates IL-1 β production in osteoarthritis synovial fibroblasts by suppressing miR-204-5p synthesis through the AP-1 and NF- κ B pathways. <i>Aging</i> , 2021 , 13, 22490-22501	5.6	2
250	Apelin Promotes Endothelial Progenitor Cell Angiogenesis in Rheumatoid Arthritis Disease the miR-525-5p/Angiopoietin-1 Pathway. <i>Frontiers in Immunology</i> , 2021 , 12, 737990	8.4	2
249	Potential natural products that target the SARS-CoV-2 spike protein identified by structure-based virtual screening, isothermal titration calorimetry and lentivirus particles pseudotyped (Vpp) infection assay. <i>Journal of Traditional and Complementary Medicine</i> , 2021 ,	4.6	3
248	The potential remedy of melatonin on osteoarthritis. <i>Journal of Pineal Research</i> , 2021 , 71, e12762	10.4	6
247	CXCL13/CXCR5 axis facilitates endothelial progenitor cell homing and angiogenesis during rheumatoid arthritis progression. <i>Cell Death and Disease</i> , 2021 , 12, 846	9.8	9
246	Adiponectin Promotes VEGF Expression in Rheumatoid Arthritis Synovial Fibroblasts and Induces Endothelial Progenitor Cell Angiogenesis by Inhibiting miR-106a-5p. <i>Cells</i> , 2021 , 10,	7.9	2
245	Betulin suppresses TNF- α and IL-1 β production in osteoarthritis synovial fibroblasts by inhibiting the MEK/ERK/NF- κ B pathway. <i>Journal of Functional Foods</i> , 2021 , 86, 104729	5.1	6
244	Cordycerebroside A suppresses VCAM-dependent monocyte adhesion in osteoarthritis synovial fibroblasts by inhibiting MEK/ERK/AP-1 signaling. <i>Journal of Functional Foods</i> , 2021 , 86, 104712	5.1	7
243	Drug Screening of Potential Multiple Target Inhibitors for Estrogen Receptor- α Positive Breast Cancer. <i>In Vivo</i> , 2021 , 35, 761-777	2.3	1
242	Antcin K Inhibits TNF- α , IL-1 β and IL-8 Expression in Synovial Fibroblasts and Ameliorates Cartilage Degradation: Implications for the Treatment of Rheumatoid Arthritis.. <i>Frontiers in Immunology</i> , 2021 , 12, 790925	8.4	0

241	High Expression of Both Resistin and Fascin-1 Predicts a Poor Prognosis in Patients with Colorectal Cancer. <i>BioMed Research International</i> , 2020 , 2020, 8753175	3	9
240	S1P facilitates IL-1 β production in osteoblasts via the JAK and STAT3 signaling pathways. <i>Environmental Toxicology</i> , 2020 , 35, 991-997	4.2	4
239	Visfatin Increases VEGF-dependent Angiogenesis of Endothelial Progenitor Cells during Osteoarthritis Progression. <i>Cells</i> , 2020 , 9,	7.9	13
238	Knockdown of Amphiregulin Triggers Doxorubicin-Induced Autophagic and Apoptotic Death by Regulating Endoplasmic Reticulum Stress in Glioblastoma Cells. <i>Journal of Molecular Neuroscience</i> , 2020 , 70, 1461-1470	3.3	2
237	S1P promotes IL-6 expression in osteoblasts through the PI3K, MEK/ERK and NF- κ B signaling pathways. <i>International Journal of Medical Sciences</i> , 2020 , 17, 1207-1214	3.7	11
236	Adlay Seed (L.) Extracts Exhibit a Prophylactic Effect on Diet-Induced Metabolic Dysfunction and Nonalcoholic Fatty Liver Disease in Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020 , 2020, 9519625	2.3	3
235	Resistin Enhances VCAM-1 Expression and Monocyte Adhesion in Human Osteoarthritis Synovial Fibroblasts by Inhibiting MiR-381 Expression through the PKC, p38, and JNK Signaling Pathways. <i>Cells</i> , 2020 , 9,	7.9	12
234	Impacts of RETN genetic polymorphism on breast cancer development. <i>Journal of Cancer</i> , 2020 , 11, 2769-2777	4.5	5
233	Apelin Affects the Progression of Osteoarthritis by Regulating VEGF-Dependent Angiogenesis and miR-150-5p Expression in Human Synovial Fibroblasts. <i>Cells</i> , 2020 , 9,	7.9	13
232	Soya-cerebroside inhibits VEGF-facilitated angiogenesis in endothelial progenitor cells. <i>Food and Agricultural Immunology</i> , 2020 , 31, 193-204	2.9	33
231	Impact of CCL4 gene polymorphisms upon the progression of lung cancer in a Han Chinese cohort. <i>Medicine (United States)</i> , 2020 , 99, e18906	1.8	
230	Basic fibroblast growth factor promotes doxorubicin resistance in chondrosarcoma cells by affecting XRCC5 expression. <i>Molecular Carcinogenesis</i> , 2020 , 59, 293-303	5	6
229	Role of apolipoprotein E in electronegative low-density lipoprotein-induced mitochondrial dysfunction in cardiomyocytes. <i>Metabolism: Clinical and Experimental</i> , 2020 , 107, 154227	12.7	5
228	Noggin Inhibits IL-1 β and BMP-2 Expression, and Attenuates Cartilage Degeneration and Subchondral Bone Destruction in Experimental Osteoarthritis. <i>Cells</i> , 2020 , 9,	7.9	23
227	Combined High Resistin and EGFR Expression Predicts a Poor Prognosis in Breast Cancer. <i>BioMed Research International</i> , 2020 , 2020, 8835398	3	6
226	Apelin enhances IL-1 β expression in human synovial fibroblasts by inhibiting miR-144-3p through the PI3K and ERK pathways. <i>Aging</i> , 2020 , 12, 9224-9239	5.6	8
225	Visfatin increases ICAM-1 expression and monocyte adhesion in human osteoarthritis synovial fibroblasts by reducing miR-320a expression. <i>Aging</i> , 2020 , 12, 18635-18648	5.6	4
224	Amphiregulin promotes cisplatin chemoresistance by upregulating ABCB1 expression in human chondrosarcoma. <i>Aging</i> , 2020 , 12, 9475-9488	5.6	2

223	Angiopoietin-2 gene polymorphisms are biomarkers for the development and progression of colorectal cancer in Han Chinese. <i>International Journal of Medical Sciences</i> , 2020 , 17, 97-102	3.7	2
222	Combinational treatment of all-trans retinoic acid (ATRA) and bisdemethoxycurcumin (BDMC)-induced apoptosis in liver cancer Hep3B cells. <i>Journal of Food Biochemistry</i> , 2020 , 44, e13122	3.3	19
221	Impact of Matrix Metalloproteinase-11 Gene Polymorphisms on Biochemical Recurrence and Clinicopathological Characteristics of Prostate Cancer. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
220	Resistin enhances IL-1 β and TNF- α expression in human osteoarthritis synovial fibroblasts by inhibiting miR-149 expression via the MEK and ERK pathways. <i>FASEB Journal</i> , 2020 , 34, 13671-13684	0.9	5
219	Downregulated METTL14 Expression Correlates with Breast Cancer Tumor Grade and Molecular Classification. <i>BioMed Research International</i> , 2020 , 2020, 8823270	3	7
218	CXCL13/CXCR5 Interaction Facilitates VCAM-1-Dependent Migration in Human Osteosarcoma. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
217	Soya-cerebroside reduces interleukin production in human rheumatoid arthritis synovial fibroblasts by inhibiting the ERK, NF- κ B and AP-1 signalling pathways. <i>Food and Agricultural Immunology</i> , 2020 , 31, 740-750	2.9	15
216	Monocyte Chemoattractant Protein 1 Promotes VEGF-A Expression in OSCC by Activating ILK and MEK1/2 Signaling and Downregulating miR-29c. <i>Frontiers in Oncology</i> , 2020 , 10, 592415	5.3	2
215	Subcellular localization of HMGB1 in colorectal cancer impacts on tumor grade and survival prognosis. <i>Scientific Reports</i> , 2020 , 10, 18587	4.9	3
214	Reconsidering the Role of Melatonin in Rheumatoid Arthritis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
213	An update on current and future treatment options for chondrosarcoma. <i>Expert Review of Anticancer Therapy</i> , 2019 , 19, 773-786	3.5	21
212	Glucocerebroside reduces endothelial progenitor cell-induced angiogenesis. <i>Food and Agricultural Immunology</i> , 2019 , 30, 1033-1045	2.9	51
211	Oridonin, A natural diterpenoid, protected NGF-differentiated PC12 cells against MPP- and kainic acid-induced injury. <i>Food and Chemical Toxicology</i> , 2019 , 133, 110765	4.7	15
210	Correlation between genetic polymorphism of angiopoietin-2 gene and clinical aspects of rheumatoid arthritis. <i>International Journal of Medical Sciences</i> , 2019 , 16, 331-336	3.7	8
209	High-density lipoprotein ameliorates palmitic acid-induced lipotoxicity and oxidative dysfunction in H9c2 cardiomyoblast cells via ROS suppression. <i>Nutrition and Metabolism</i> , 2019 , 16, 36	4.6	57
208	Casticin inhibits human prostate cancer DU 145 cell migration and invasion via Ras/Akt/NF- κ B signaling pathways. <i>Journal of Food Biochemistry</i> , 2019 , 43, e12902	3.3	62
207	Thrombospondin enhances RANKL-dependent osteoclastogenesis and facilitates lung cancer bone metastasis. <i>Biochemical Pharmacology</i> , 2019 , 166, 23-32	6	44
206	Lupeol suppresses migration and invasion p38/MAPK and PI3K/Akt signaling pathways in human osteosarcoma U-2 OS cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2019 , 83, 1729-1739	2.1	14

205	Phomaketide A Inhibits Lymphangiogenesis in Human Lymphatic Endothelial Cells. <i>Marine Drugs</i> , 2019 , 17,	6	10
204	Associations between Adipokines in Arthritic Disease and Implications for Obesity. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	31
203	Garcimultiflorone K inhibits angiogenesis through Akt/eNOS- and mTOR-dependent pathways in human endothelial progenitor cells. <i>Phytomedicine</i> , 2019 , 64, 152911	6.5	10
202	Soya-cerebroside reduces IL-1 β -induced MMP-1 production in chondrocytes and inhibits cartilage degradation: implications for the treatment of osteoarthritis. <i>Food and Agricultural Immunology</i> , 2019 , 30, 620-632	2.9	53
201	Valproic acid-induced amphiregulin secretion confers resistance to temozolomide treatment in human glioma cells. <i>BMC Cancer</i> , 2019 , 19, 756	4.8	11
200	CCN3 Facilitates Runx2 and Osterix Expression by Inhibiting miR-608 through PI3K/Akt Signaling in Osteoblasts. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	17
199	Correlations between angiopoietin-2 gene polymorphisms and lung cancer progression in a Chinese Han population. <i>Journal of Cancer</i> , 2019 , 10, 2935-2941	4.5	2
198	Gene Polymorphisms Increase Susceptibility to Rheumatoid Arthritis. <i>International Journal of Medical Sciences</i> , 2019 , 16, 1397-1403	3.7	2
197	TGF- β enhances FOXO3 expression in human synovial fibroblasts by inhibiting miR-92a through AMPK and p38 pathways. <i>Aging</i> , 2019 , 11, 4075-4089	5.6	29
196	Resistin enhances angiogenesis in osteosarcoma via the MAPK signaling pathway. <i>Aging</i> , 2019 , 11, 9767-9777	5.7	19
195	Sphingosine-1-phosphate promotes PDGF-dependent endothelial progenitor cell angiogenesis in human chondrosarcoma cells. <i>Aging</i> , 2019 , 11, 11040-11053	5.6	8
194	Amphiregulin Promotes Vascular Endothelial Growth Factor-C Expression and Lymphangiogenesis through STAT3 Activation in Human Chondrosarcoma Cells. <i>Cellular Physiology and Biochemistry</i> , 2019 , 52, 1-15	3.9	6
193	Resistin Enhances Monocyte Chemoattractant Protein-1 Production in Human Synovial Fibroblasts and Facilitates Monocyte Migration. <i>Cellular Physiology and Biochemistry</i> , 2019 , 52, 408-420	3.9	14
192	Melatonin suppresses lung cancer metastasis by inhibition of epithelial-mesenchymal transition through targeting to Twist. <i>Clinical Science</i> , 2019 , 133, 709-722	6.5	26
191	Associations between WNT1-inducible signaling pathway protein-1 (WISP-1) genetic polymorphisms and clinical aspects of rheumatoid arthritis among Chinese Han subjects. <i>Medicine (United States)</i> , 2019 , 98, e17604	1.8	2
190	Impact of WNT1-inducible signaling pathway protein-1 (WISP-1) genetic polymorphisms and clinical aspects of breast cancer. <i>Medicine (United States)</i> , 2019 , 98, e17854	1.8	10
189	WISP-1 Promotes Epithelial-Mesenchymal Transition in Oral Squamous Cell Carcinoma Cells Via the miR-153-3p/Snail Axis. <i>Cancers</i> , 2019 , 11,	6.6	16
188	Plumbagin suppresses endothelial progenitor cell-related angiogenesis in vitro and in vivo. <i>Journal of Functional Foods</i> , 2019 , 52, 537-544	5.1	76

187	Melatonin reduces lung cancer stemness through inhibiting of PLC, ERK, p38, E-catenin, and Twist pathways. <i>Environmental Toxicology</i> , 2019 , 34, 203-209	4.2	40
186	Resistin facilitates VEGF-A-dependent angiogenesis by inhibiting miR-16-5p in human chondrosarcoma cells. <i>Cell Death and Disease</i> , 2019 , 10, 31	9.8	24
185	Melatonin attenuates TNF- α and IL-1 β expression in synovial fibroblasts and diminishes cartilage degradation: Implications for the treatment of rheumatoid arthritis. <i>Journal of Pineal Research</i> , 2019 , 66, e12560	10.4	75
184	Myostatin induces tumor necrosis factor- α expression in rheumatoid arthritis synovial fibroblasts through the PI3K-Akt signaling pathway. <i>Journal of Cellular Physiology</i> , 2019 , 234, 9793-9801	7	14
183	CCN2 promotes drug resistance in osteosarcoma by enhancing ABCG2 expression. <i>Journal of Cellular Physiology</i> , 2019 , 234, 9297-9307	7	11
182	MLN4924, a Protein Neddylolation Inhibitor, Suppresses the Growth of Human Chondrosarcoma through Inhibiting Cell Proliferation and Inducing Endoplasmic Reticulum Stress-Related Apoptosis. <i>International Journal of Molecular Sciences</i> , 2018 , 20,	6.3	19
181	Cigarette smoke enhances oncogene addiction to c-MET and desensitizes EGFR-expressing non-small cell lung cancer to EGFR TKIs. <i>Molecular Oncology</i> , 2018 , 12, 705-723	7.9	19
180	Osteoblast-secreted WISP-1 promotes adherence of prostate cancer cells to bone via the VCAM-1/integrin α β system. <i>Cancer Letters</i> , 2018 , 426, 47-56	9.9	29
179	Glucose enhances aggrecan expression in chondrocytes via the PKC δ /p38-miR141-3p signaling pathway. <i>Journal of Cellular Physiology</i> , 2018 , 233, 6878-6887	7	18
178	Resistin polymorphisms are associated with rheumatoid arthritis susceptibility in Chinese Han subjects. <i>Medicine (United States)</i> , 2018 , 97, e0177	1.8	13
177	Chemokine C-C Motif Ligand 4 Gene Polymorphisms Associated with Susceptibility to Rheumatoid Arthritis. <i>BioMed Research International</i> , 2018 , 2018, 9181647	3	9
176	genetic polymorphisms are biomarkers for the development and progression of breast cancer. <i>International Journal of Medical Sciences</i> , 2018 , 15, 580-586	3.7	22
175	Impact of matrix metalloproteinase-11 gene polymorphisms upon the development and progression of hepatocellular carcinoma. <i>International Journal of Medical Sciences</i> , 2018 , 15, 653-658	3.7	16
174	Simvastatin Sensitizes Radioresistant Prostate Cancer Cells by Compromising DNA Double-Strand Break Repair. <i>Frontiers in Pharmacology</i> , 2018 , 9, 600	5.6	14
173	Chemokine CCL4 Induces Vascular Endothelial Growth Factor C Expression and Lymphangiogenesis by miR-195-3p in Oral Squamous Cell Carcinoma. <i>Frontiers in Immunology</i> , 2018 , 9, 412	8.4	48
172	Visfatin Promotes IL-6 and TNF- α Production in Human Synovial Fibroblasts by Repressing miR-199a-5p through ERK, p38 and JNK Signaling Pathways. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	37
171	Senescence Induces Dysfunctions in Endothelial Progenitor Cells and Osteoblasts by Interfering Translational Machinery and Bioenergetic Homeostasis. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	1
170	Implications of Angiogenesis Involvement in Arthritis. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	87

169	Thrombospondin 2 promotes tumor metastasis by inducing matrix metalloproteinase-13 production in lung cancer cells. <i>Biochemical Pharmacology</i> , 2018 , 155, 537-546	6	46
168	Resistin facilitates VEGF-C-associated lymphangiogenesis by inhibiting miR-186 in human chondrosarcoma cells. <i>Biochemical Pharmacology</i> , 2018 , 154, 234-242	6	39
167	Glucose suppresses IL-1 β induced MMP-1 expression through the FAK, MEK, ERK, and AP-1 signaling pathways. <i>Environmental Toxicology</i> , 2018 , 33, 1061-1068	4.2	42
166	Variations in the Gene: Biomarkers for the Development and Progression of Hepatocellular Carcinoma. <i>International Journal of Medical Sciences</i> , 2018 , 15, 170-175	3.7	27
165	Correlation between gene polymorphisms and clinical aspects of breast cancer. <i>International Journal of Medical Sciences</i> , 2018 , 15, 1179-1186	3.7	10
164	Antrocin Sensitizes Prostate Cancer Cells to Radiotherapy through Inhibiting PI3K/AKT and MAPK Signaling Pathways. <i>Cancers</i> , 2018 , 11,	6.6	18
163	Increased expression of type 1 cannabinoid (CB1) receptor among patients with rotator cuff lesions and shoulder stiffness. <i>Journal of Shoulder and Elbow Surgery</i> , 2018 , 27, 333-338	4.3	2
162	Association of Resistin Gene Polymorphisms with Oral Squamous Cell Carcinoma Progression and Development. <i>BioMed Research International</i> , 2018 , 2018, 9531315	3	10
161	CCN6-mediated MMP-9 activation enhances metastatic potential of human chondrosarcoma. <i>Cell Death and Disease</i> , 2018 , 9, 955	9.8	14
160	Amphiregulin enhances cell migration and resistance to doxorubicin in chondrosarcoma cells through the MAPK pathway. <i>Molecular Carcinogenesis</i> , 2018 , 57, 1816-1824	5	11
159	CTGF promotes osteosarcoma angiogenesis by regulating miR-543/angiopoietin 2 signaling. <i>Cancer Letters</i> , 2017 , 391, 28-37	9.9	56
158	Soya-cerebroside, an extract of <i>Cordyceps militaris</i> , suppresses monocyte migration and prevents cartilage degradation in inflammatory animal models. <i>Scientific Reports</i> , 2017 , 7, 43205	4.9	24
157	Thrombospondin-2 promotes prostate cancer bone metastasis by the up-regulation of matrix metalloproteinase-2 through down-regulating miR-376c expression. <i>Journal of Hematology and Oncology</i> , 2017 , 10, 33	22.4	41
156	WISP-1 positively regulates angiogenesis by controlling VEGF-A expression in human osteosarcoma. <i>Cell Death and Disease</i> , 2017 , 8, e2750	9.8	46
155	Induction of sirtuin-1 signaling by resveratrol induces human chondrosarcoma cell apoptosis and exhibits antitumor activity. <i>Scientific Reports</i> , 2017 , 7, 3180	4.9	52
154	Enhancement of CCL2 expression and monocyte migration by CCN1 in osteoblasts through inhibiting miR-518a-5p: implication of rheumatoid arthritis therapy. <i>Scientific Reports</i> , 2017 , 7, 421	4.9	22
153	Impacts of CCL4 gene polymorphisms on hepatocellular carcinoma susceptibility and development. <i>International Journal of Medical Sciences</i> , 2017 , 14, 880-884	3.7	13
152	Association of Gene Polymorphisms with Lung Cancer Susceptibility and Clinical Aspects. <i>International Journal of Medical Sciences</i> , 2017 , 14, 1197-1202	3.7	21

151	Impact of CCL4 gene polymorphisms and environmental factors on oral cancer development and clinical characteristics. <i>Oncotarget</i> , 2017 , 8, 31424-31434	3.3	22
150	Sphingosine-1-phosphate suppresses chondrosarcoma metastasis by upregulation of tissue inhibitor of metalloproteinase 3 through suppressing miR-101 expression. <i>Molecular Oncology</i> , 2017 , 11, 1380-1398	7.9	27
149	Hypoxia induced mitogenic factor (HIMF) triggers angiogenesis by increasing interleukin-18 production in myoblasts. <i>Scientific Reports</i> , 2017 , 7, 7393	4.9	9
148	Brain-derived neurotrophic factor promotes VEGF-C-dependent lymphangiogenesis by suppressing miR-624-3p in human chondrosarcoma cells. <i>Cell Death and Disease</i> , 2017 , 8, e2964	9.8	30
147	FSCN1 gene polymorphisms: biomarkers for the development and progression of breast cancer. <i>Scientific Reports</i> , 2017 , 7, 15887	4.9	25
146	EGFR conjunct FSCN1 as a Novel Therapeutic Strategy in Triple-Negative Breast Cancer. <i>Scientific Reports</i> , 2017 , 7, 15654	4.9	29
145	Amphiregulin enhances VEGF-A production in human chondrosarcoma cells and promotes angiogenesis by inhibiting miR-206 via FAK/c-Src/PKC pathway. <i>Cancer Letters</i> , 2017 , 385, 261-270	9.9	40
144	Osteopontin inhibition of miR-129-3p enhances IL-17 expression and monocyte migration in rheumatoid arthritis. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017 , 1861, 15-22	4	26
143	CCN1 Promotes VEGF Production in Osteoblasts and Induces Endothelial Progenitor Cell Angiogenesis by Inhibiting miR-126 Expression in Rheumatoid Arthritis. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 34-45	6.3	50
142	Correlation between resistin gene polymorphism and clinical aspects of lung cancer. <i>Medicine (United States)</i> , 2017 , 96, e9485	1.8	15
141	Periostin promotes epithelial-mesenchymal transition via the MAPK/miR-381 axis in lung cancer. <i>Oncotarget</i> , 2017 , 8, 62248-62260	3.3	36
140	Prognostic significance of high-mobility group box protein 1 genetic polymorphisms in rheumatoid arthritis disease outcome. <i>International Journal of Medical Sciences</i> , 2017 , 14, 1382-1388	3.7	12
139	YKL-40-Induced Inhibition of miR-590-3p Promotes Interleukin-18 Expression and Angiogenesis of Endothelial Progenitor Cells. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	29
138	Myostatin Promotes Interleukin-1 Expression in Rheumatoid Arthritis Synovial Fibroblasts through Inhibition of miR-21-5p. <i>Frontiers in Immunology</i> , 2017 , 8, 1747	8.4	36
137	Sensitization of Radioresistant Prostate Cancer Cells by Resveratrol Isolated from Arachis hypogaea Stems. <i>PLoS ONE</i> , 2017 , 12, e0169204	3.7	22
136	Transforming growth factor β enhances heme oxygenase 1 expression in human synovial fibroblasts by inhibiting microRNA 519b synthesis. <i>PLoS ONE</i> , 2017 , 12, e0176052	3.7	27
135	WISP-3 inhibition of miR-452 promotes VEGF-A expression in chondrosarcoma cells and induces endothelial progenitor cells angiogenesis. <i>Oncotarget</i> , 2017 , 8, 39571-39581	3.3	19
134	Tanshinone IIA inhibits angiogenesis in human endothelial progenitor cells and. <i>Oncotarget</i> , 2017 , 8, 109217-109227	3.3	18

133	Kuei-Lu-Er-Xian-Jiao extract enhances BMP-2 production in osteoblasts. <i>BioMedicine (Taiwan)</i> , 2017 , 7, 2	1.1	20
132	Anti-inflammatory Cerebrosides from Cultivated <i>Cordyceps militaris</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 1540-8	5.7	50
131	Characteristics of resistin in rheumatoid arthritis angiogenesis. <i>Biomarkers in Medicine</i> , 2016 , 10, 651-60	2.3	19
130	Oncogenic roles of carbonic anhydrase 8 in human osteosarcoma cells. <i>Tumor Biology</i> , 2016 , 37, 7989-8005	3.5	9
129	Endothelin-1 promotes epithelial-mesenchymal transition in human chondrosarcoma cells by repressing miR-300. <i>Oncotarget</i> , 2016 , 7, 70232-70246	3.3	15
128	A novel benzofuran derivative, ACDB, induces apoptosis of human chondrosarcoma cells through mitochondrial dysfunction and endoplasmic reticulum stress. <i>Oncotarget</i> , 2016 , 7, 83530-83543	3.3	7
127	CCL3 promotes angiogenesis by dysregulation of miR-374b/ VEGF-A axis in human osteosarcoma cells. <i>Oncotarget</i> , 2016 , 7, 4310-25	3.3	57
126	WISP-1 promotes VEGF-C-dependent lymphangiogenesis by inhibiting miR-300 in human oral squamous cell carcinoma cells. <i>Oncotarget</i> , 2016 , 7, 9993-10005	3.3	30
125	Effects of HMGB1 Polymorphisms on the Susceptibility and Progression of Hepatocellular Carcinoma. <i>International Journal of Medical Sciences</i> , 2016 , 13, 304-9	3.7	25
124	CCL5 promotes VEGF-C production and induces lymphangiogenesis by suppressing miR-507 in human chondrosarcoma cells. <i>Oncotarget</i> , 2016 , 7, 36896-36908	3.3	28
123	BL-038, a Benzofuran Derivative, Induces Cell Apoptosis in Human Chondrosarcoma Cells through Reactive Oxygen Species/Mitochondrial Dysfunction and the Caspases Dependent Pathway. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	10
122	Leptin promotes VEGF-C production and induces lymphangiogenesis by suppressing miR-27b in human chondrosarcoma cells. <i>Scientific Reports</i> , 2016 , 6, 28647	4.9	27
121	Interleukin-1 β induces fibroblast growth factor 2 expression and subsequently promotes endothelial progenitor cell angiogenesis in chondrocytes. <i>Clinical Science</i> , 2016 , 130, 667-81	6.5	44
120	Adiponectin promotes VEGF-C-dependent lymphangiogenesis by inhibiting miR-27b through a CaMKII/AMPK/p38 signaling pathway in human chondrosarcoma cells. <i>Clinical Science</i> , 2016 , 130, 1523-33	6.5	25
119	Fascin-1 as a novel diagnostic marker of triple-negative breast cancer. <i>Cancer Medicine</i> , 2016 , 5, 1983-8	4.8	33
118	Osteopontin Promotes Oncostatin M Production in Human Osteoblasts: Implication of Rheumatoid Arthritis Therapy. <i>Journal of Immunology</i> , 2015 , 195, 3355-64	5.3	37
117	Berberine attenuates CCN2-induced IL-1 β expression and prevents cartilage degradation in a rat model of osteoarthritis. <i>Toxicology and Applied Pharmacology</i> , 2015 , 289, 20-9	4.6	40
116	CCL5/CCR5 axis induces vascular endothelial growth factor-mediated tumor angiogenesis in human osteosarcoma microenvironment. <i>Carcinogenesis</i> , 2015 , 36, 104-14	4.6	91

115	Basic fibroblast growth factor induces VEGF expression in chondrosarcoma cells and subsequently promotes endothelial progenitor cell-primed angiogenesis. <i>Clinical Science</i> , 2015 , 129, 147-58	6.5	21
114	Resistin Promotes Angiogenesis in Endothelial Progenitor Cells Through Inhibition of MicroRNA206: Potential Implications for Rheumatoid Arthritis. <i>Stem Cells</i> , 2015 , 33, 2243-55	5.8	51
113	Adiponectin promotes VEGF-A-dependent angiogenesis in human chondrosarcoma through PI3K, Akt, mTOR, and HIF-1 β pathway. <i>Oncotarget</i> , 2015 , 6, 36746-61	3.3	57
112	CCL5 promotes vascular endothelial growth factor expression and induces angiogenesis by down-regulating miR-199a in human chondrosarcoma cells. <i>Cancer Letters</i> , 2015 , 357, 476-87	9.9	64
111	Resistin promotes tumor metastasis by down-regulation of miR-519d through the AMPK/p38 signaling pathway in human chondrosarcoma cells. <i>Oncotarget</i> , 2015 , 6, 258-70	3.3	59
110	WISP-1 a novel angiogenic regulator of the CCN family promotes oral squamous cell carcinoma angiogenesis through VEGF-A expression. <i>Oncotarget</i> , 2015 , 6, 4239-52	3.3	47
109	Amphiregulin enhances alpha6beta1 integrin expression and cell motility in human chondrosarcoma cells through Ras/Raf/MEK/ERK/AP-1 pathway. <i>Oncotarget</i> , 2015 , 6, 11434-46	3.3	22
108	Lapatinib increases motility of triple-negative breast cancer cells by decreasing miRNA-7 and inducing Raf-1/MAPK-dependent interleukin-6. <i>Oncotarget</i> , 2015 , 6, 37965-78	3.3	31
107	Adiponectin Induces Oncostatin M Expression in Osteoblasts through the PI3K/Akt Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2015 , 17,	6.3	27
106	An overview of current and future treatment options for chondrosarcoma. <i>Expert Opinion on Orphan Drugs</i> , 2014 , 2, 217-227	1.1	4
105	Bradykinin promotes vascular endothelial growth factor expression and increases angiogenesis in human prostate cancer cells. <i>Biochemical Pharmacology</i> , 2014 , 87, 243-53	6	31
104	Leptin increases VEGF expression and enhances angiogenesis in human chondrosarcoma cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014 , 1840, 3483-93	4	25
103	Brain-derived neurotrophic factor increases vascular endothelial growth factor expression and enhances angiogenesis in human chondrosarcoma cells. <i>Biochemical Pharmacology</i> , 2014 , 91, 522-33	6	48
102	Naringin suppress chondrosarcoma migration through inhibition vascular adhesion molecule-1 expression by modulating miR-126. <i>International Immunopharmacology</i> , 2014 , 22, 107-14	5.8	22
101	CTGF increases drug resistance to paclitaxel by upregulating survivin expression in human osteosarcoma cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014 , 1843, 846-54	4.9	31
100	CCN1 induces oncostatin M production in osteoblasts via integrin-dependent signal pathways. <i>PLoS ONE</i> , 2014 , 9, e106632	3.7	22
99	Adiponectin enhances intercellular adhesion molecule-1 expression and promotes monocyte adhesion in human synovial fibroblasts. <i>PLoS ONE</i> , 2014 , 9, e92741	3.7	22
98	CCN2 enhances resistance to cisplatin-mediated cell apoptosis in human osteosarcoma. <i>PLoS ONE</i> , 2014 , 9, e90159	3.7	37

97	BMP-7 enhances cell migration and $\alpha 5 \beta 1$ integrin expression via a c-Src-dependent pathway in human chondrosarcoma cells. <i>PLoS ONE</i> , 2014 , 9, e112636	3-7	16
96	High level of plasma matrix metalloproteinase-11 is associated with clinicopathological characteristics in patients with oral squamous cell carcinoma. <i>PLoS ONE</i> , 2014 , 9, e113129	3-7	19
95	Evolving Personalized Therapy for Castration-Resistant Prostate Cancer. <i>BioMedicine (Taiwan)</i> , 2014 , 4, 2	1-1	13
94	The CCN family proteins: modulators of bone development and novel targets in bone-associated tumors. <i>BioMed Research International</i> , 2014 , 2014, 437096	3	36
93	Paeonol suppresses chondrosarcoma metastasis through up-regulation of miR-141 by modulating PKC δ and c-Src signaling pathway. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 11760-72	6-3	25
92	Leptin induces oncostatin M production in osteoblasts by downregulating miR-93 through the Akt signaling pathway. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 15778-90	6-3	35
91	Syk/JNK/AP-1 signaling pathway mediates interleukin-6-promoted cell migration in oral squamous cell carcinoma. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 545-59	6-3	42
90	The characteristics of thrombin in osteoarthritic pathogenesis and treatment. <i>BioMed Research International</i> , 2014 , 2014, 407518	3	12
89	Prostate cancer-derived CCN3 induces M2 macrophage infiltration and contributes to angiogenesis in prostate cancer microenvironment. <i>Oncotarget</i> , 2014 , 5, 1595-608	3-3	61
88	CTGF increases matrix metalloproteinases expression and subsequently promotes tumor metastasis in human osteosarcoma through down-regulating miR-519d. <i>Oncotarget</i> , 2014 , 5, 3800-12	3-3	77
87	Osteoblast-derived WNT-induced secreted protein 1 increases VCAM-1 expression and enhances prostate cancer metastasis by down-regulating miR-126. <i>Oncotarget</i> , 2014 , 5, 7589-98	3-3	42
86	CCL5 promotes VEGF-dependent angiogenesis by down-regulating miR-200b through PI3K/Akt signaling pathway in human chondrosarcoma cells. <i>Oncotarget</i> , 2014 , 5, 10718-31	3-3	50
85	Bradykinin enhances cell migration in human prostate cancer cells through B2 receptor/PKC δ /c-Src dependent signaling pathway. <i>Prostate</i> , 2013 , 73, 89-100	4-2	30
84	CCN4 induces IL-6 production through $\alpha 5 \beta 1$ receptor, PI3K, Akt, and NF- κ B signaling pathway in human synovial fibroblasts. <i>Arthritis Research and Therapy</i> , 2013 , 15, R19	5-7	50
83	Enhancement of placenta growth factor expression by oncostatin M in human rheumatoid arthritis synovial fibroblasts. <i>Journal of Cellular Physiology</i> , 2013 , 228, 983-90	7	14
82	CCL2 increases $\alpha 5 \beta 1$ integrin expression and subsequently promotes prostate cancer migration. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013 , 1830, 4917-27	4	46
81	Ras activation mediates WISP-1-induced increases in cell motility and matrix metalloproteinase expression in human osteosarcoma. <i>Cellular Signalling</i> , 2013 , 25, 2812-22	4-9	35
80	Si-Wu-tang extract stimulates bone formation through PI3K/Akt/NF- κ B signaling pathways in osteoblasts. <i>BMC Complementary and Alternative Medicine</i> , 2013 , 13, 277	4-7	24

79	AMP-activated protein kinase activation mediates CCL3-induced cell migration and matrix metalloproteinase-2 expression in human chondrosarcoma. <i>Cell Communication and Signaling</i> , 2013 , 11, 68	7.5	30
78	CTGF induces monocyte chemoattractant protein-1 expression to enhance monocyte migration in human synovial fibroblasts. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013 , 1833, 1114-24	4.9	31
77	High glucose induces vascular endothelial growth factor production in human synovial fibroblasts through reactive oxygen species generation. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013 , 1830, 2649-58	4	32
76	Endothelin-1 enhances cell migration through COX-2 up-regulation in human chondrosarcoma. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013 , 1830, 3355-64	4	21
75	Trichodermin induces cell apoptosis through mitochondrial dysfunction and endoplasmic reticulum stress in human chondrosarcoma cells. <i>Toxicology and Applied Pharmacology</i> , 2013 , 272, 335-44	4.6	25
74	Interleukin-6 induces vascular endothelial growth factor expression and promotes angiogenesis through apoptosis signal-regulating kinase 1 in human osteosarcoma. <i>Biochemical Pharmacology</i> , 2013 , 85, 531-40	6	85
73	CCN4 induces vascular cell adhesion molecule-1 expression in human synovial fibroblasts and promotes monocyte adhesion. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013 , 1833, 966-74	4.9	23
72	IL-6 promotes ICAM-1 expression and cell motility in human osteosarcoma. <i>Cancer Letters</i> , 2013 , 328, 135-43	9.9	41
71	Berberine Reduces the Metastasis of Chondrosarcoma by Modulating the $\alpha 5 \beta 1$ Integrin and the PKC δ c-Src, and AP-1 Signaling Pathways. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013 , 2013, 423164	2.3	24
70	Novel strategies for the treatment of chondrosarcomas: targeting integrins. <i>BioMed Research International</i> , 2013 , 2013, 396839	3	40
69	Thrombin promotes matrix metalloproteinase-13 expression through the PKC δ c-Src/EGFR/PI3K/Akt/AP-1 signaling pathway in human chondrocytes. <i>Mediators of Inflammation</i> , 2013 , 2013, 326041	4.3	32
68	Apoptosis signal-regulating kinase 1 is involved in brain-derived neurotrophic factor (BDNF)-enhanced cell motility and matrix metalloproteinase 1 expression in human chondrosarcoma cells. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 15459-78	6.3	18
67	CCN3 promotes prostate cancer bone metastasis by modulating the tumor-bone microenvironment through RANKL-dependent pathway. <i>Carcinogenesis</i> , 2013 , 34, 1669-79	4.6	37
66	D-pinitol inhibits prostate cancer metastasis through inhibition of $\alpha 5 \beta 1$ integrin by modulating FAK, c-Src and NF- κ B pathways. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 9790-802	6.3	47
65	Apoptosis signal-regulating kinase 1 is involved in WISP-1-promoted cell motility in human oral squamous cell carcinoma cells. <i>PLoS ONE</i> , 2013 , 8, e78022	3.7	32
64	β integrin up-regulation in brain-derived neurotrophic factor promotes cell motility in human chondrosarcoma. <i>PLoS ONE</i> , 2013 , 8, e67990	3.7	15
63	Combined effects of icam-1 single-nucleotide polymorphisms and environmental carcinogens on oral cancer susceptibility and clinicopathologic development. <i>PLoS ONE</i> , 2013 , 8, e72940	3.7	22
62	Leptin induces IL-6 expression through OBRI receptor signaling pathway in human synovial fibroblasts. <i>PLoS ONE</i> , 2013 , 8, e75551	3.7	52

61	Impact of interleukin-18 polymorphisms -607A/C and -137G/C on oral cancer occurrence and clinical progression. <i>PLoS ONE</i> , 2013 , 8, e83572	3.7	25
60	Involvement of intercellular adhesion molecule-1 up-regulation in bradykinin promotes cell motility in human prostate cancers. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 13329-45	6.3	24
59	HGF and c-Met interaction promotes migration in human chondrosarcoma cells. <i>PLoS ONE</i> , 2013 , 8, e53934	3.4	29
58	Kaempferol reduces matrix metalloproteinase-2 expression by down-regulating ERK1/2 and the activator protein-1 signaling pathways in oral cancer cells. <i>PLoS ONE</i> , 2013 , 8, e80883	3.7	71
57	CCL2 increases MMP-9 expression and cell motility in human chondrosarcoma cells via the Ras/Raf/MEK/ERK/NF- κ B signaling pathway. <i>Biochemical Pharmacology</i> , 2012 , 83, 335-44	6	83
56	CCN6 enhances ICAM-1 expression and cell motility in human chondrosarcoma cells. <i>Journal of Cellular Physiology</i> , 2012 , 227, 223-32	7	30
55	CCN3 increases BMP-4 expression and bone mineralization in osteoblasts. <i>Journal of Cellular Physiology</i> , 2012 , 227, 2531-41	7	27
54	The novel phloroglucinol derivative BFP induces apoptosis of glioma cancer through reactive oxygen species and endoplasmic reticulum stress pathways. <i>Phytomedicine</i> , 2012 , 19, 1093-100	6.5	35
53	Hepatocyte growth factor-induced BMP-2 expression is mediated by c-Met receptor, FAK, JNK, Runx2, and p300 pathways in human osteoblasts. <i>International Immunopharmacology</i> , 2012 , 13, 156-62	5.8	23
52	HMGB-1 induces cell motility and α 5 β 1 integrin expression in human chondrosarcoma cells. <i>Cancer Letters</i> , 2012 , 322, 98-106	9.9	31
51	Thrombin induces epidermal growth factor receptor transactivation and CCL2 expression in human osteoblasts. <i>Arthritis and Rheumatism</i> , 2012 , 64, 3344-54		49
50	Apoptosis signal-regulating kinase 1 is mediated in TNF- α -induced CCL2 expression in human synovial fibroblasts. <i>Journal of Cellular Biochemistry</i> , 2012 , 113, 3509-19	4.7	20
49	Hepatocyte growth factor increases vascular endothelial growth factor-A production in human synovial fibroblasts through c-Met receptor pathway. <i>PLoS ONE</i> , 2012 , 7, e50924	3.7	25
48	Molecular mechanisms of chondrosarcoma metastasis. <i>BioMedicine (Taiwan)</i> , 2012 , 2, 92-98	1.1	23
47	Thrombin induces heme oxygenase-1 expression in human synovial fibroblasts through protease-activated receptor signaling pathways. <i>Arthritis Research and Therapy</i> , 2012 , 14, R91	5.7	17
46	CCL5 and CCR5 interaction promotes cell motility in human osteosarcoma. <i>PLoS ONE</i> , 2012 , 7, e35101	3.7	72
45	The CCL2/CCR2 axis enhances vascular cell adhesion molecule-1 expression in human synovial fibroblasts. <i>PLoS ONE</i> , 2012 , 7, e49999	3.7	19
44	Endothelin-1 promotes MMP-13 production and migration in human chondrosarcoma cells through FAK/PI3K/Akt/mTOR pathways. <i>Journal of Cellular Physiology</i> , 2012 , 227, 3016-26	7	60

43	FPIP ₂ , a benzimidazole derivative, induces chondrosarcoma cell apoptosis via endoplasmic reticulum stress and apoptosis signal-regulating kinase 1. <i>Molecular Carcinogenesis</i> , 2012 , 51, 315-26	5	4
42	Cyr61 increases matrix metalloproteinase-3 expression and cell motility in human oral squamous cell carcinoma cells. <i>Journal of Cellular Biochemistry</i> , 2012 , 113, 1977-86	4.7	11
41	CCN3 increases cell motility and ICAM-1 expression in prostate cancer cells. <i>Carcinogenesis</i> , 2012 , 33, 937-45	4.6	32
40	1-benzyl-2-phenylbenzimidazole (BPB), a benzimidazole derivative, induces cell apoptosis in human chondrosarcoma through intrinsic and extrinsic pathways. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 16472-88	6.3	13
39	CTGF increases IL-6 expression in human synovial fibroblasts through integrin-dependent signaling pathway. <i>PLoS ONE</i> , 2012 , 7, e51097	3.7	33
38	Nephroblastoma overexpressed gene (NOV) enhances cell motility and COX-2 upregulation of human osteosarcoma involves $\alpha 5 \beta 1$ integrin, ILK and AP-1-dependent pathways. <i>Biochemical Pharmacology</i> , 2011 , 81, 577-85	6	14
37	WISP-1 increases MMP-2 expression and cell motility in human chondrosarcoma cells. <i>Biochemical Pharmacology</i> , 2011 , 81, 1286-95	6	52
36	The novel benzimidazole derivative, MPTB, induces cell apoptosis in human chondrosarcoma cells. <i>Molecular Carcinogenesis</i> , 2011 , 50, 791-803	5	6
35	Leptin increases motility and integrin up-regulation in human prostate cancer cells. <i>Journal of Cellular Physiology</i> , 2011 , 226, 1274-82	7	47
34	CCN3 increases cell motility and MMP-13 expression in human chondrosarcoma through integrin-dependent pathway. <i>Journal of Cellular Physiology</i> , 2011 , 226, 3181-9	7	36
33	FPTB, a novel CA-4 derivative, induces cell apoptosis of human chondrosarcoma cells through mitochondrial dysfunction and endoplasmic reticulum stress pathways. <i>Journal of Cellular Biochemistry</i> , 2011 , 112, 453-62	4.7	14
32	RANKL increases migration of human lung cancer cells through intercellular adhesion molecule-1 up-regulation. <i>Journal of Cellular Biochemistry</i> , 2011 , 112, 933-41	4.7	59
31	Stromal cell-derived factor-1/CXCR4 promotes IL-6 production in human synovial fibroblasts. <i>Journal of Cellular Biochemistry</i> , 2011 , 112, 1219-27	4.7	30
30	Adiponectin increases MMP-3 expression in human chondrocytes through AdipoR1 signaling pathway. <i>Journal of Cellular Biochemistry</i> , 2011 , 112, 1431-40	4.7	70
29	IL-8 increases integrin expression and cell motility in human chondrosarcoma cells. <i>Journal of Cellular Biochemistry</i> , 2011 , 112, 2549-57	4.7	23
28	IL-6 increases MMP-13 expression and motility in human chondrosarcoma cells. <i>Journal of Biological Chemistry</i> , 2011 , 286, 11056-66	5.4	39
27	Prostaglandin E2/EP1 signaling pathway enhances intercellular adhesion molecule 1 (ICAM-1) expression and cell motility in oral cancer cells. <i>Journal of Biological Chemistry</i> , 2010 , 285, 29808-16	5.4	60
26	Cyclooxygenase-2 enhances $\alpha 2 \beta 1$ integrin expression and cell migration via EP1 dependent signaling pathway in human chondrosarcoma cells. <i>Molecular Cancer</i> , 2010 , 9, 43	42.1	35

25	Bradykinin enhances cell migration in human chondrosarcoma cells through BK receptor signaling pathways. <i>Journal of Cellular Biochemistry</i> , 2010 , 109, 82-92	4-7	31
24	Upregulation of heme oxygenase-1 inhibits the maturation and mineralization of osteoblasts. <i>Journal of Cellular Physiology</i> , 2010 , 222, 757-68	7	47
23	The novel isoflavone derivatives inhibit RANKL-induced osteoclast formation. <i>European Journal of Pharmacology</i> , 2010 , 648, 59-66	5-3	10
22	BFPP, a phloroglucinol derivative, induces cell apoptosis in human chondrosarcoma cells through endoplasmic reticulum stress. <i>Biochemical Pharmacology</i> , 2010 , 79, 1410-7	6	13
21	The CCL5/CCR5 axis promotes interleukin-6 production in human synovial fibroblasts. <i>Arthritis and Rheumatism</i> , 2010 , 62, 3615-24		73
20	Thrombin enhanced migration and MMPs expression of human chondrosarcoma cells involves PAR receptor signaling pathway. <i>Journal of Cellular Physiology</i> , 2010 , 223, 737-45	7	26
19	CCL5 increases lung cancer migration via PI3K, Akt and NF-kappaB pathways. <i>Biochemical Pharmacology</i> , 2009 , 77, 794-803	6	121
18	Adiponectin increases motility of human prostate cancer cells via adipoR, p38, AMPK, and NF-kappaB pathways. <i>Prostate</i> , 2009 , 69, 1781-9	4.2	60
17	Bone morphogenetic protein-2 enhances the motility of chondrosarcoma cells via activation of matrix metalloproteinase-13. <i>Bone</i> , 2009 , 44, 233-42	4-7	47
16	Leptin induces IL-8 expression via leptin receptor, IRS-1, PI3K, Akt cascade and promotion of NF-kappaB/p300 binding in human synovial fibroblasts. <i>Cellular Signalling</i> , 2008 , 20, 1478-88	4-9	110
15	Enhancement of bone morphogenetic protein-2 expression and bone formation by coumarin derivatives via p38 and ERK-dependent pathway in osteoblasts. <i>European Journal of Pharmacology</i> , 2008 , 579, 40-9	5-3	85
14	DDTD, an isoflavone derivative, induces cell apoptosis through the reactive oxygen species/apoptosis signal-regulating kinase 1 pathway in human osteosarcoma cells. <i>European Journal of Pharmacology</i> , 2008 , 597, 19-26	5-3	27
13	Thrombin-induced IL-6 production in human synovial fibroblasts is mediated by PAR1, phospholipase C, protein kinase C alpha, c-Src, NF-kappa B and p300 pathway. <i>Molecular Immunology</i> , 2008 , 45, 1587-99	4-3	45
12	BMP-2 increases migration of human chondrosarcoma cells via PI3K/Akt pathway. <i>Journal of Cellular Physiology</i> , 2008 , 217, 846-55	7	60
11	Basic fibroblast growth factor stimulates fibronectin expression through phospholipase C gamma, protein kinase C alpha, c-Src, NF-kappaB, and p300 pathway in osteoblasts. <i>Journal of Cellular Physiology</i> , 2007 , 211, 45-55	7	40
10	Ultrasound induces cyclooxygenase-2 expression through integrin, integrin-linked kinase, Akt, NF-kappaB and p300 pathway in human chondrocytes. <i>Cellular Signalling</i> , 2007 , 19, 2317-28	4-9	44
9	Leptin-induced IL-6 production is mediated by leptin receptor, insulin receptor substrate-1, phosphatidylinositol 3-kinase, Akt, NF-kappaB, and p300 pathway in microglia. <i>Journal of Immunology</i> , 2007 , 179, 1292-302	5-3	122
8	Adiponectin enhances IL-6 production in human synovial fibroblast via an AdipoR1 receptor, AMPK, p38, and NF-kappa B pathway. <i>Journal of Immunology</i> , 2007 , 179, 5483-92	5-3	202

7	Stromal cell-derived factor-1 induces matrix metalloprotease-13 expression in human chondrocytes. <i>Molecular Pharmacology</i> , 2007 , 72, 695-703	4.3	74
6	Attenuation of bone mass and increase of osteoclast formation in decoy receptor 3 transgenic mice. <i>Journal of Biological Chemistry</i> , 2007 , 282, 2346-54	5.4	39
5	Ultrasound stimulates cyclooxygenase-2 expression and increases bone formation through integrin, focal adhesion kinase, phosphatidylinositol 3-kinase, and Akt pathway in osteoblasts. <i>Molecular Pharmacology</i> , 2006 , 69, 2047-57	4.3	128
4	Prostaglandin E2 stimulates fibronectin expression through EP1 receptor, phospholipase C, protein kinase Calpha, and c-Src pathway in primary cultured rat osteoblasts. <i>Journal of Biological Chemistry</i> , 2005 , 280, 22907-16	5.4	88
3	Regulation by ultrasound treatment on the integrin expression and differentiation of osteoblasts. <i>Bone</i> , 2005 , 36, 276-83	4.7	117
2	Differential susceptibility of osteosarcoma cells and primary osteoblasts to cell detachment caused by snake venom metalloproteinase protein. <i>Toxicon</i> , 2004 , 43, 11-20	2.8	8
1	Enhancement of fibronectin synthesis and fibrillogenesis by BMP-4 in cultured rat osteoblast. <i>Journal of Bone and Mineral Research</i> , 2003 , 18, 502-11	6.3	43