

Hong Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4778578/publications.pdf>

Version: 2024-02-01

90
papers

1,663
citations

331259

21
h-index

344852

36
g-index

95
all docs

95
docs citations

95
times ranked

2672
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Phase Ib study of anlotinib combined with TQB2450 in pretreated advanced biliary tract cancer and biomarker analysis. <i>Hepatology</i> , 2023, 77, 65-76. | 3.6 | 10 |
| 2 | A Nomogram to Predict Individual Survival of Patients with Liver-Limited Metastases from Gastroenteropancreatic Neuroendocrine Neoplasms: A US Population-Based Cohort Analysis and Chinese Multicenter Cohort Validation Study. <i>Neuroendocrinology</i> , 2022, 112, 263-275. | 1.2 | 3 |
| 3 | Chinese expert recommendations on management of hepatocellular carcinoma during COVID-19 pandemic: a nationwide multicenter survey. <i>Hpb</i> , 2022, 24, 342-352. | 0.1 | 5 |
| 4 | A third booster dose may be necessary to mitigate neutralizing antibody fading after inoculation with two doses of an inactivated SARS-CoV-2 vaccine. <i>Journal of Medical Virology</i> , 2022, 94, 35-38. | 2.5 | 58 |
| 5 | Comparable survival benefit of local excision versus radical resection for 10- to 20-mm rectal neuroendocrine tumors. <i>European Journal of Surgical Oncology</i> , 2022, 48, 864-872. | 0.5 | 6 |
| 6 | Final clinical outcome and biomarker analysis of sintilimab plus a bevacizumab biosimilar (IBI305) for advanced hepatocellular carcinoma: A phase Ib clinical trial. <i>Journal of Clinical Oncology</i> , 2022, 40, 455-455. | 0.8 | 0 |
| 7 | Serum alpha-fetoprotein as a predictive biomarker for tissue alpha-fetoprotein status and prognosis in patients with hepatocellular carcinoma. <i>Translational Cancer Research</i> , 2022, 11, 669-677. | 0.4 | 5 |
| 8 | Nomogram Incorporating Preoperative Testing Markers for the prediction of Early Recurrence for Colorectal Liver Metastases with Neoadjuvant Chemotherapy followed by Hepatectomy. <i>Journal of Cancer</i> , 2022, 13, 1758-1767. | 1.2 | 2 |
| 9 | Synthetic lethal screening identifies DHODH as a target for MEN1-mutated tumor cells. <i>Cell Research</i> , 2022, , . | 5.7 | 7 |
| 10 | Serum Concentration of CD137 and Tumor Infiltration by M1 Macrophages Predict the Response to Sintilimab plus Bevacizumab Biosimilar in Advanced Hepatocellular Carcinoma Patients. <i>Clinical Cancer Research</i> , 2022, 28, 3499-3508. | 3.2 | 32 |
| 11 | The CRAFTY score: A promising prognostic predictor for patients with hepatocellular carcinoma treated with tyrosine kinase inhibitor and immunotherapy combinations. <i>Journal of Hepatology</i> , 2022, 77, 574-576. | 1.8 | 15 |
| 12 | A prospective randomized, double-blind study to evaluate the diagnostic efficacy of 68Ga-NODAGA-LM3 and 68Ga-DOTA-LM3 in patients with well-differentiated neuroendocrine tumors: compared with 68Ga-DOTATATE. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1613-1622. | 3.3 | 15 |
| 13 | Different Radiological Criteria for Early Tumor Response Evaluation in Patients With Unresectable Hepatocellular Carcinoma Treated With Anti-PD-1 Antibody Plus Bevacizumab. <i>Frontiers in Oncology</i> , 2022, 12, 848129. | 1.3 | 3 |
| 14 | Preoperative Concurrent Chemoradiotherapy Versus Neoadjuvant Chemotherapy for Locally Advanced Gastric Cancer: Phase II Randomized Study. <i>Frontiers in Oncology</i> , 2022, 12, 870741. | 1.3 | 4 |
| 15 | Function and regulation of GPX4 in the development and progression of fibrotic disease. <i>Journal of Cellular Physiology</i> , 2022, 237, 2808-2824. | 2.0 | 7 |
| 16 | A phase Ib study of anlotinib plus TQB2450 as a second-line investigational therapy in advanced hepatocellular carcinoma (aHCC). <i>Journal of Clinical Oncology</i> , 2022, 40, e16184-e16184. | 0.8 | 0 |
| 17 | Adjuvant Chemotherapy Versus Observation Following Resection for Patients With Nonmetastatic Poorly Differentiated Colorectal Neuroendocrine Carcinomas. <i>Annals of Surgery</i> , 2021, 274, e126-e133. | 2.1 | 19 |
| 18 | Lactating Women's Knowledge and Attitudes About Donor Human Milk in China. <i>Journal of Human Lactation</i> , 2021, 37, 52-61. | 0.8 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | What is the optimal number of neoadjuvant chemotherapy cycles for resectable colorectal liver oligometastases?. <i>Annals of Translational Medicine</i> , 2021, 9, 7-7. | 0.7 | 16 |
| 20 | The phosphorylation of the Smad2/3 linker region by nemo-like kinase regulates TGF- β 2 signaling. <i>Journal of Biological Chemistry</i> , 2021, 296, 100512. | 1.6 | 7 |
| 21 | Changes in serum lactate dehydrogenase levels as markers of pathological response and prognosis in colorectal liver metastases patients receiving neoadjuvant chemotherapy followed by resection. <i>Annals of Palliative Medicine</i> , 2021, 10, 0-0. | 0.5 | 1 |
| 22 | Differences of intraoperative outcomes and postoperative complications between intrahepatic cholangiocarcinoma and colorectal liver metastasis in different surgical methods. <i>Translational Cancer Research</i> , 2021, 10, 4020-4032. | 0.4 | 4 |
| 23 | A male-ABCD algorithm for hepatocellular carcinoma risk prediction in HBsAg carriers. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2021, 33, 352-363. | 0.7 | 4 |
| 24 | Upgraded nomograms for the prediction of complications and survival in patients with colorectal liver metastases treated with neoadjuvant chemotherapy followed by hepatic resection. <i>Annals of Translational Medicine</i> , 2021, 9, 265-265. | 0.7 | 3 |
| 25 | A Prospective, Randomized, Double-Blind Study to Evaluate the Safety, Biodistribution, and Dosimetry of ^{68}Ga -NODAGA-LM3 and ^{68}Ga -DOTA-LM3 in Patients with Well-Differentiated Neuroendocrine Tumors. <i>Journal of Nuclear Medicine</i> , 2021, 62, 1398-1405. | 2.8 | 21 |
| 26 | The prognostic factors of primary colorectal sarcoma and the clinical outcomes of negative lymph node dissection. <i>Annals of Translational Medicine</i> , 2021, 9, 250-250. | 0.7 | 1 |
| 27 | Preoperatively elevated RDW-SD and RDW-CV predict favorable survival in intrahepatic cholangiocarcinoma patients after curative resection. <i>BMC Surgery</i> , 2021, 21, 105. | 0.6 | 9 |
| 28 | Prognostic factors for overall survival in patients with primary duodenal adenocarcinoma. <i>Annals of Palliative Medicine</i> , 2021, 10, 2781-2790. | 0.5 | 1 |
| 29 | A nomogram to predict prognosis after surgery for young patients with hepatocellular carcinoma. <i>Translational Cancer Research</i> , 2021, 10, 1773-1786. | 0.4 | 5 |
| 30 | Nomograms incorporating preoperative RDW level for the prediction of postoperative complications and survival in colorectal liver metastases after resection. <i>Annals of Palliative Medicine</i> , 2021, 10, 4143-4158. | 0.5 | 5 |
| 31 | Anlotinib in the treatment of advanced hepatocellular carcinoma: an open-label phase II study (ALTER-0802 study). <i>Hepatology International</i> , 2021, 15, 621-629. | 1.9 | 27 |
| 32 | Nomograms predicting primary lymph node metastases and prognosis for synchronous colorectal liver metastasis with simultaneous resection of colorectal cancer and liver metastases. <i>Annals of Palliative Medicine</i> , 2021, 10, 4220-4231. | 0.5 | 6 |
| 33 | Neoadjuvant radiotherapy to improve overall survival in resectable hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2021, 39, e16178-e16178. | 0.8 | 2 |
| 34 | Identification of DNA methylation biomarkers for risk of liver metastasis in early-stage colorectal cancer. <i>Clinical Epigenetics</i> , 2021, 13, 126. | 1.8 | 10 |
| 35 | Optimal Cut-Off Values of the Positive Lymph Node Ratio and the Number of Removed Nodes for Patients Receiving Resection of Bronchopulmonary Carcinoids: A Propensity Score-Weighted Analysis of the SEER Database. <i>Frontiers in Oncology</i> , 2021, 11, 696732. | 1.3 | 3 |
| 36 | Predictive value of red blood cell distribution width level on histological response and prognosis in colorectal liver metastases. <i>Annals of Palliative Medicine</i> , 2021, 10, 9383-9397. | 0.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Prognostic nomogram for predicting long-term survival in bronchopulmonary carcinoid tumor patients receiving resection. <i>Annals of Translational Medicine</i> , 2021, 9, 1402-1402. | 0.7 | 2 |
| 38 | MiR-320b/RAD21 axis affects hepatocellular carcinoma radiosensitivity to ionizing radiation treatment through DNA damage repair signaling. <i>Cancer Science</i> , 2021, 112, 575-588. | 1.7 | 31 |
| 39 | Antibody response elicited by a third boost dose of inactivated SARS-CoV-2 vaccine can neutralize SARS-CoV-2 variants of concern. <i>Emerging Microbes and Infections</i> , 2021, 10, 1-9. | 3.0 | 25 |
| 40 | Nomogram for the prediction of lymph node metastasis and survival outcomes in rectal neuroendocrine tumour patients undergoing resection. <i>Journal of Gastrointestinal Oncology</i> , 2021, 13, 0-0. | 0.6 | 4 |
| 41 | Impact of Postoperative Infectious Complications on Long-Term Outcomes for Patients Undergoing Simultaneous Resection for Colorectal Cancer Liver Metastases: A Propensity Score Matching Analysis. <i>Frontiers in Oncology</i> , 2021, 11, 793653. | 1.3 | 3 |
| 42 | Efficacy and Safety of Central Memory T Cells Combined With Adjuvant Therapy to Prevent Recurrence of Hepatocellular Carcinoma With Microvascular Invasion: A Pilot Study. <i>Frontiers in Oncology</i> , 2021, 11, 781029. | 1.3 | 3 |
| 43 | Resection Combined with TKI Therapy for Resectable Liver Metastases of Gastrointestinal Stromal Tumours: Results from Three National Centres in China. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1330-1341. | 0.9 | 4 |
| 44 | Neo-adjuvant Chemotherapy-Induced Neutropenia Is Associated with Histological Responses and Outcomes after the Resection of Colorectal Liver Metastases. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 659-670. | 0.9 | 13 |
| 45 | Genome-Wide CRISPR-Cas9 Screen Reveals Selective Vulnerability of ATRX-Mutant Cancers to WEE1 Inhibition. <i>Cancer Research</i> , 2020, 80, 510-523. | 0.4 | 52 |
| 46 | Head-to-Head Comparison of ⁶⁸ Ga-DOTA-JR11 and ⁶⁸ Ga-DOTATATE PET/CT in Patients with Metastatic, Well-Differentiated Neuroendocrine Tumors: A Prospective Study. <i>Journal of Nuclear Medicine</i> , 2020, 61, 897-903. | 2.8 | 46 |
| 47 | XCL1/Glypican-3 Fusion Gene Immunization Generates Potent Antitumor Cellular Immunity and Enhances Anti-PD-1 Efficacy. <i>Cancer Immunology Research</i> , 2020, 8, 81-93. | 1.6 | 34 |
| 48 | The eighth version of American Joint Committee on Cancer nodal classification for high grade pancreatic neuroendocrine tumor should be generalized for the whole population with this disease. <i>Medicine (United States)</i> , 2020, 99, e22089. | 0.4 | 1 |
| 49 | PDCD6 cooperates with C-Raf to facilitate colorectal cancer progression via Raf/MEK/ERK activation. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 147. | 3.5 | 10 |
| 50 | From the completion of neoadjuvant chemotherapy to surgery for colorectal cancer liver metastasis: What is the optimal timing?. <i>Cancer Medicine</i> , 2020, 9, 7849-7862. | 1.3 | 8 |
| 51 | Effects of multidisciplinary team on the outcomes of colorectal cancer patients with liver metastases. <i>Annals of Palliative Medicine</i> , 2020, 9, 2741-2748. | 0.5 | 5 |
| 52 | Development and Validation of a Nomogram-Based Prognostic Evaluation Model for Sarcomatoid Hepatocellular Carcinoma. <i>Advances in Therapy</i> , 2020, 37, 3185-3205. | 1.3 | 3 |
| 53 | Recommendations for medical care of oncological patients during the COVID-19 epidemic: experiences from China. <i>Updates in Surgery</i> , 2020, 72, 235-236. | 0.9 | 5 |
| 54 | Clinical Analysis of 15 Cases of Gallbladder Neuroendocrine Carcinoma and Comparison with Gallbladder Adenocarcinoma Using a Propensity Score Matching. <i>Cancer Management and Research</i> , 2020, Volume 12, 1437-1446. | 0.9 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The combination of preoperative D-dimer and CA19-9 predicts lymph node metastasis and survival in intrahepatic cholangiocarcinoma patients after curative resection. <i>Annals of Translational Medicine</i> , 2020, 8, 192-192. | 0.7 | 9 |
| 56 | Development of a Metastasis-Related Immune Prognostic Model of Metastatic Colorectal Cancer and Its Usefulness to Immunotherapy. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 577125. | 1.8 | 13 |
| 57 | Comment on "Resection of the Primary Gastrointestinal Neuroendocrine Tumor Improves Survival With or Without Liver Treatment"; <i>Annals of Surgery</i> , 2020, Publish Ahead of Print, e758-e759. | 2.1 | 2 |
| 58 | Current situation and trends of online academic activities for oncologists during the COVID-19 pandemic: a multicenter survey. <i>Annals of Translational Medicine</i> , 2020, 8, 1559-1559. | 0.7 | 1 |
| 59 | A Low Neutrophil to Lymphocyte Ratio Before Preoperative Chemotherapy Predicts Good Outcomes After the Resection of Colorectal Liver Metastases. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 563-570. | 0.9 | 16 |
| 60 | P53-R273H mutation enhances colorectal cancer stemness through regulating specific lncRNAs. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 379. | 3.5 | 59 |
| 61 | Outcomes of Lymph Node Dissection for Non-metastatic Pancreatic Neuroendocrine Tumors: A Propensity Score-Weighted Analysis of the National Cancer Database. <i>Annals of Surgical Oncology</i> , 2019, 26, 2722-2729. | 0.7 | 23 |
| 62 | Preoperative D-dimer and Gamma-Glutamyltranspeptidase Predict Major Complications and Survival in Colorectal Liver Metastases Patients After Resection. <i>Translational Oncology</i> , 2019, 12, 996-1004. | 1.7 | 11 |
| 63 | Resectable recurrent colorectal liver metastasis: can radiofrequency ablation replace repeated metastasectomy?. <i>ANZ Journal of Surgery</i> , 2019, 89, 908-913. | 0.3 | 8 |
| 64 | Detection of early-stage hepatocellular carcinoma in asymptomatic HBsAg-seropositive individuals by liquid biopsy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 6308-6312. | 3.3 | 127 |
| 65 | A novel genotype-based clinicopathology classification of arrhythmogenic cardiomyopathy provides novel insights into disease progression. <i>European Heart Journal</i> , 2019, 40, 1690-1703. | 1.0 | 59 |
| 66 | Comparison of the Extent Classification and the New Complexity Classification of Hepatectomy for Prediction of Surgical Outcomes: a Retrospective Cohort Study. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 2421-2429. | 0.9 | 3 |
| 67 | Radiofrequency ablation versus resection for resectable liver metastases of gastrointestinal stromal tumours: Results from three national centres in China. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2019, 43, 317-323. | 0.7 | 7 |
| 68 | Value of computed tomography evaluation in pathologic classification and prognosis prediction of gastric neuroendocrine tumors. <i>Annals of Translational Medicine</i> , 2019, 7, 545-545. | 0.7 | 5 |
| 69 | The safety and feasibility of a single incision in simultaneous resection for patients with colorectal cancer liver metastases. <i>Annals of Translational Medicine</i> , 2019, 7, 547-547. | 0.7 | 2 |
| 70 | RIPK1 Binds MCU to Mediate Induction of Mitochondrial Ca ²⁺ Uptake and Promotes Colorectal Oncogenesis. <i>Cancer Research</i> , 2018, 78, 2876-2885. | 0.4 | 64 |
| 71 | Interaction of margin status and tumour burden determines survival after resection of colorectal liver metastases: A retrospective cohort study. <i>International Journal of Surgery</i> , 2018, 53, 371-377. | 1.1 | 14 |
| 72 | Clinicopathological features and surgical outcomes of four rare subtypes of primary liver carcinoma. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association</i> , Beijing Institute for Cancer Research, 2018, 30, 364-372. | 0.7 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Genetic Features of Aflatoxin-Associated Hepatocellular Carcinoma. <i>Gastroenterology</i> , 2017, 153, 249-262.e2. | 0.6 | 100 |
| 74 | Contribution of hepatitis B virus and hepatitis C virus to liver cancer in China north areas: Experience of the Chinese National Cancer Center. <i>International Journal of Infectious Diseases</i> , 2017, 65, 15-21. | 1.5 | 66 |
| 75 | Prognostic value of the albuminâ€“bilirubin grade in patients with hepatocellular carcinoma: Validation in a Chinese cohort. <i>Hepatology Research</i> , 2017, 47, 731-741. | 1.8 | 52 |
| 76 | Prognostic Analysis of 102 Patients with Synchronous Colorectal Cancer and Liver Metastases Treated with Simultaneous Resection. <i>Chinese Medical Journal</i> , 2017, 130, 1283-1289. | 0.9 | 6 |
| 77 | Systematic review of resecting primary tumor in MNETs patients with unresectable liver metastases. <i>Oncotarget</i> , 2017, 8, 17396-17405. | 0.8 | 18 |
| 78 | Should surgery be conducted for small nonfunctioning pancreatic neuroendocrine tumors: a systematic review. <i>Oncotarget</i> , 2017, 8, 35368-35375. | 0.8 | 11 |
| 79 | A postoperative scoring system for post-hepatectomy early recurrence of colorectal liver metastases. <i>Oncotarget</i> , 2017, 8, 102531-102539. | 0.8 | 12 |
| 80 | Simultaneous hepatic resection benefits patients with synchronous colorectal cancer liver metastases. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2016, 28, 528-535. | 0.7 | 14 |
| 81 | The effectiveness of lifestyle intervention in early pregnancy to prevent gestational diabetes mellitus in Chinese overweight and obese women: A quasi-experimental study. <i>Applied Nursing Research</i> , 2016, 30, 125-130. | 1.0 | 29 |
| 82 | Relatively Small Contribution of Methylation and Genomic Copy Number Aberration to the Aberrant Expression of Inflammation-Related Genes in HBV-Related Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0126836. | 1.1 | 1 |
| 83 | A novel anti-cancer agent Icaritin suppresses hepatocellular carcinoma initiation and malignant growth through the IL-6/Jak2/Stat3 pathway. <i>Oncotarget</i> , 2015, 6, 31927-31943. | 0.8 | 98 |
| 84 | Variants Identified by Hepatocellular Carcinoma and Chronic Hepatitis B Virus Infection Susceptibility GWAS Associated with Survival in HBV-Related Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2014, 9, e101586. | 1.1 | 14 |
| 85 | Identification of biomarkers for hepatocellular carcinoma by semiquantitative immunocytochemistry. <i>World Journal of Gastroenterology</i> , 2014, 20, 5826. | 1.4 | 50 |
| 86 | Characteristics and long-term prognosis of patients with rectal neuroendocrine tumors. <i>World Journal of Gastroenterology</i> , 2014, 20, 16252. | 1.4 | 21 |
| 87 | ARID2: A new tumor suppressor gene in hepatocellular carcinoma. <i>Oncotarget</i> , 2011, 2, 886-891. | 0.8 | 48 |
| 88 | Testing Psychometric Properties of the Standard Chinese Version of the European Organization for Research and Treatment of Cancer Quality of Life Core Questionnaire 30 (EORTC QLQ-C30). <i>Journal of Epidemiology</i> , 2004, 14, 193-203. | 1.1 | 51 |
| 89 | Evaluation of quality of life in Chinese patients with gynaecological cancer: Assessments by patients and nurses. <i>International Journal of Nursing Practice</i> , 2003, 9, 40-48. | 0.8 | 19 |
| 90 | Outcomes of simultaneous resection for elderly patients with colorectal liver metastasis: A propensity score matching analysis. <i>Cancer Medicine</i> , 0, , . | 1.3 | 1 |