

Jingjuan Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4781169/publications.pdf>

Version: 2024-02-01

11
papers

234
citations

1307594

7
h-index

1281871

11
g-index

11
all docs

11
docs citations

11
times ranked

375
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide identification and analysis of the growth-regulating factor family in Chinese cabbage (<i>Brassica rapa</i> L. ssp. <i>pekinensis</i>). <i>BMC Genomics</i> , 2014, 15, 807.	2.8	80
2	Genome-Wide Identification and Analysis of the VQ Motif-Containing Protein Family in Chinese Cabbage (<i>Brassica rapa</i> L. ssp. <i>Pekinensis</i>). <i>International Journal of Molecular Sciences</i> , 2015, 16, 28683-28704.	4.1	43
3	Physiological and Transcriptomic Responses of Chinese Cabbage (<i>Brassica rapa</i> L. ssp. <i>Pekinensis</i>) to Salt Stress. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1953.	4.1	28
4	Integrative Analysis of mRNA and miRNA Expression Profiles of the Tuberous Root Development at Seedling Stages in Turnips. <i>PLoS ONE</i> , 2015, 10, e0137983.	2.5	21
5	MicroRNA expression analysis of rosette and folding leaves in Chinese cabbage using high-throughput Solexa sequencing. <i>Gene</i> , 2013, 532, 222-229.	2.2	20
6	Genome-wide gene expression profiles in response to downy mildew in Chinese cabbage (<i>Brassica rapa</i>) Tj ETQq0 0,0,rgBT /Overlock 10	1.7	10
7	Comparative Transcriptome Analysis Reveals Effects of Exogenous Hematin on Anthocyanin Biosynthesis during Strawberry Fruit Ripening. <i>International Journal of Genomics</i> , 2016, 2016, 1-14.	1.6	8
8	Identification of miRNAs and their targets in regulating tuberous root development in radish using small RNA and degradome analyses. <i>3 Biotech</i> , 2018, 8, 311.	2.2	7
9	Ectopic expression of a <i>Brassica rapa</i> AINTEGUMENTA gene (<i>BrANT-1</i>) increases organ size and stomatal density in <i>Arabidopsis</i> . <i>Scientific Reports</i> , 2018, 8, 10528.	3.3	7
10	Comparative transcriptome analysis between a resistant and a susceptible Chinese cabbage in response to <i>Hyaloperonospora brassicae</i> . <i>Plant Signaling and Behavior</i> , 2020, 15, 1777373.	2.4	7
11	Exogenous metabolites spray, which identified from metabolomics analysis and transcriptomic analysis, can improve salt tolerance of Chinese cabbages (<i>Brassica rapa</i> L.ssp <i>pekinensis</i>)*. <i>Journal of Plant Interactions</i> , 2021, 16, 452-461.	2.1	3