

Hua He

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4781433/hua-he-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

4,282
citations

32
h-index

61
g-index

140
ext. papers

5,043
ext. citations

5.1
avg, IF

5.89
L-index

#	Paper	IF	Citations
130	Novel composite nanomaterials based on magnetic molecularly imprinted polymers for selective extraction and determination of rutin in fruit juice.. <i>Food Chemistry</i> , 2022 , 381, 132275	8.5	1
129	Sensitive and selective detection of carbamazepine in serum samples by bionic double-antibody sandwich method based on cucurbit[7]uril and molecular imprinted polymers.. <i>Biosensors and Bioelectronics</i> , 2022 , 203, 114037	11.8	2
128	Synthesis and characterization of superparamagnetic graphene oxide assembled halloysite composites for extraction of rutin. <i>Applied Clay Science</i> , 2022 , 217, 106397	5.2	3
127	Surface molecularly imprinted polymers fabricated by differential UV-vis spectra and reverse prediction method for the enrichment and determination of sterigmatocystin. <i>Food Chemistry</i> , 2022 , 367, 130715	8.5	2
126	Simple and Efficient Detection Approach of Quercetin from Biological Matrix by Novel Surface Imprinted Polymer Based Magnetic Halloysite Nanotubes Prepared by a Sol-Gel Method. <i>Journal of Chromatographic Science</i> , 2021 , 59, 681-695	1.4	0
125	Current review about design's impact on analytical achievements of magnetic graphene oxide nanocomposites. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 137, 116211	14.6	7
124	Visual Recognition and Detection of Clindamycin by Au@Ag Core-Shell Nanoparticles. <i>ACS Omega</i> , 2021 , 6, 14260-14267	3.9	3
123	Nanozyme based on graphene oxide modified with FeO, CuO, and cucurbit[6]uril for colorimetric determination of homocysteine. <i>Mikrochimica Acta</i> , 2021 , 188, 207	5.8	1
122	A structure-dependent ratiometric fluorescence sensor based on metal-organic framework for detection of 2,6-pyridinedicarboxylic acid. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 4227-4236	4.4	4
121	Fluorescence determination of quercetin in food samples using polyhedron-shaped MOF@MOF(NUZ-8) based on NH-UiO-66 and ZIF-8. <i>Mikrochimica Acta</i> , 2021 , 188, 29	5.8	3
120	Active metal single-sites based on metal-organic frameworks: construction and chemical prospects. <i>New Journal of Chemistry</i> , 2021 , 45, 1137-1162	3.6	4
119	ZnO nanorods/FeO-graphene oxide/metal-organic framework nanocomposite: recyclable and robust photocatalyst for degradation of pharmaceutical pollutants. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 21799-21811	5.1	3
118	Study on performance of mimic uricase and its application in enzyme-free analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 6571-6580	4.4	0
117	A boric acid-functionalized lanthanide metal-organic gel: A ratiometric fluorescence probe with rapid and sensitive detection of dopamine. <i>Microchemical Journal</i> , 2021 , 169, 106579	4.8	3
116	A ratiometric fluorescence sensor based on metal-organic frameworks and quantum dots for detection of ascorbic acid. <i>Optical Materials</i> , 2021 , 121, 111622	3.3	1
115	Host-guest interaction between cucurbit[6]uril and chain amino acids. <i>Chemical Physics Letters</i> , 2021 , 783, 139039	2.5	0
114	A mini review on molecularly imprinted polymer based halloysite nanotubes composites: innovative materials for analytical and environmental applications. <i>Reviews in Environmental Science and Biotechnology</i> , 2020 , 19, 241-258	13.9	14

113	Delayed Thiol-Epoxy Photopolymerization: A General and Effective Strategy to Prepare Thick Composites. <i>ACS Omega</i> , 2020 , 5, 15192-15201	3.9	7
112	Pharmacokinetics of T0901317 in mouse serum and tissues using a validated UFLC-IT-TOF/MS method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 189, 113420	3.5	2
111	Selective photodegradation of tetracycline by molecularly imprinted ZnO@NH ₂ -UiO-66 composites. <i>Chemical Engineering Journal</i> , 2020 , 390, 124614	14.7	54
110	Selective recognition and enrichment of sterigmatocystin in wheat by thermo-responsive imprinted polymer based on magnetic halloysite nanotubes. <i>Journal of Chromatography A</i> , 2020 , 1619, 460952	4.5	10
109	Progress of gold nanomaterials for colorimetric sensing based on different strategies. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 127, 115880	14.6	35
108	Ratiometric fluorescence sensing of metal-organic frameworks: Tactics and perspectives. <i>Coordination Chemistry Reviews</i> , 2020 , 404, 213113	23.2	107
107	Magnetic hyperbranched molecularly imprinted polymers for selective enrichment and determination of zearalenone in wheat proceeded by HPLC-DAD analysis. <i>Talanta</i> , 2020 , 209, 120555	6.2	24
106	Establishment of extraction design space for ursolic acid from <i>Paulownia</i> Flos based on the concept of quality by design. <i>Phytochemical Analysis</i> , 2020 , 31, 535-544	3.4	1
105	Cucurbiturils regulating FeO-Au nanoparticles as a multi-functional platform for Cd sensing and nitrocompound catalysis. <i>Chemical Communications</i> , 2020 , 56, 13197-13200	5.8	1
104	Nanozymes based on metal-organic frameworks: Construction and prospects. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 133, 116080	14.6	21
103	Fluorescent probes based on macrocyclic hosts: Construction, mechanism and analytical applications. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 133, 116086	14.6	10
102	Solid phase extraction-based magnetic carbon nitride/metal organic framework composite with high performance liquid chromatography for the determination of tyrosine kinase inhibitors in urine samples. <i>Analytical Methods</i> , 2020 , 12, 4798-4805	3.2	4
101	Selective recognition and enrichment of carbamazepine in biological samples by magnetic imprinted polymer based on reversible addition-fragmentation chain transfer polymerization. <i>Journal of Chromatography A</i> , 2019 , 1591, 62-70	4.5	26
100	One-step fabrication of a boric acid-functionalized lanthanide metal-organic framework as a ratiometric fluorescence sensor for the selective recognition of dopamine. <i>New Journal of Chemistry</i> , 2019 , 43, 1291-1298	3.6	25
99	Magnetite nanoparticles modified β -cyclodextrin Polymer Coupled with KMnO ₄ oxidation for adsorption and degradation of acetaminophen. <i>Carbohydrate Polymers</i> , 2019 , 222, 114972	10.3	16
98	Preparation of novel molecularly imprinted magnetic graphene oxide and their application for quercetin determination. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1124, 273-283	3.2	24
97	Time Series Characteristics of Serum Branched-Chain Amino Acids for Early Diagnosis of Chronic Heart Failure. <i>Journal of Proteome Research</i> , 2019 , 18, 2121-2128	5.6	12
96	Novel molecularly imprinted polymers on metal-organic frameworks as sensors for the highly selective detection of zearalenone in wheat. <i>New Journal of Chemistry</i> , 2019 , 43, 7044-7050	3.6	17

95	A method of detecting two tumor markers (p-hydroxybenzoic acid and p-cresol) in human urine using a porous magnetic -cyclodextrine polymer as solid phase extractant, an alternative for early gastric cancer diagnosis. <i>Talanta</i> , 2019 , 191, 133-140	6.2	14
94	MIP-coated Eu(BTC) for the fluorometric determination of lincomycin in eggs. <i>Analytical Methods</i> , 2019 , 11, 4501-4510	3.2	3
93	Visual and spectrophotometric detection of metformin based on the host-guest molecular recognition of cucurbit[6]uril-modified silver nanoparticles. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 7293-7301	4.4	10
92	Near-infrared light induced cationic polymerization based on upconversion and ferrocenium photochemistry. <i>Polymer Chemistry</i> , 2019 , 10, 5574-5577	4.9	22
91	Surface-imprinted β -cyclodextrin-functionalized carbon nitride nanosheets for fluorometric determination of sterigmatomycin. <i>Mikrochimica Acta</i> , 2019 , 186, 808	5.8	8
90	Calcium-doped fluorescent carbon nanoparticles: Spontaneous thermal synthesis, pH-sensitive fluorescence off-on, and mechanism. <i>Sensors and Actuators B: Chemical</i> , 2018 , 266, 594-602	8.5	7
89	QbD approach by computer aided design and response surface methodology for molecularly imprinted polymer based on magnetic halloysite nanotubes for extraction of norfloxacin from real samples. <i>Talanta</i> , 2018 , 184, 266-276	6.2	32
88	Review: Metal-organic framework based crystalline sponge method for structure analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2018 , 102, 290-310	14.6	27
87	Colorimetric sensor for cimetidine detection in human urine based on d-xylose protected gold nanoparticles. <i>Analyst, The</i> , 2018 , 143, 2369-2376	5	4
86	One-pot sustainable synthesis of magnetic MIL-100(Fe) with novel FeO morphology and its application in heterogeneous degradation. <i>Dalton Transactions</i> , 2018 , 47, 3417-3424	4.3	28
85	A regenerable sorbent composed of a zeolite imidazolate framework (ZIF-8), FeO and graphene oxide for enrichment of atorvastatin and simvastatin prior to their determination by HPLC. <i>Mikrochimica Acta</i> , 2018 , 185, 141	5.8	18
84	Phosphorylation of P27 by AKT is required for inhibition of cell cycle progression in cholangiocarcinoma. <i>Digestive and Liver Disease</i> , 2018 , 50, 501-506	3.3	6
83	Multifunctional carbon nanomaterials for camptothecin low-water soluble anticancer drug delivery. <i>New Journal of Chemistry</i> , 2018 , 42, 1326-1336	3.6	6
82	Pregnancy outcomes of PCOS overweight/obese patients after controlled ovarian stimulation with the GnRH antagonist protocol and frozen embryo transfer. <i>Reproductive Biology and Endocrinology</i> , 2018 , 16, 36	5	12
81	Multifunctional core-shell silica microspheres and their performance in self-carrier decomposition, sustained drug release and fluorescent bioimaging. <i>Journal of Solid State Chemistry</i> , 2018 , 263, 148-156	3.3	4
80	Mixed hemimicelle solid-phase extraction based on magnetic halloysite nanotubes and ionic liquids for the determination and extraction of azo dyes in environmental water samples. <i>Journal of Chromatography A</i> , 2018 , 1551, 10-20	4.5	18
79	Preparation and performance study of MgFe ₂ O ₄ /metal-organic framework composite for rapid removal of organic dyes from water. <i>Journal of Solid State Chemistry</i> , 2018 , 257, 40-48	3.3	36
78	Halloysite nanotubes in analytical sciences and in drug delivery: A review. <i>Mikrochimica Acta</i> , 2018 , 185, 389	5.8	49

77	Bifunctional monomer molecularly imprinted sol-gel polymers based on the surface of magnetic halloysite nanotubes as an effective extraction approach for norfloxacin. <i>Applied Clay Science</i> , 2018 , 162, 409-417	5.2	30
76	Label-Free Silver Nanoparticles for the Determination of Gentamicin. <i>Journal of Nanoscience and Nanotechnology</i> , 2018 , 18, 4501-4506	1.3	2
75	Novel mixed hemimicelles based on nonionic surfactant-imidazolium ionic liquid and magnetic halloysite nanotubes as efficient approach for analytical determination. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 7357-7371	4.4	6
74	Turn-on fluorescent detection of captopril in urine samples based on hydrophilic hydroxypropyl β -cyclodextrin polymer. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 7373-7384	4.4	10
73	Silver nanoparticles for the visual detection of lomefloxacin in the presence of cystine. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018 , 205, 72-78	4.4	6
72	Folic acid-conjugated chitosan oligosaccharide-magnetic halloysite nanotubes as a delivery system for camptothecin. <i>Carbohydrate Polymers</i> , 2018 , 197, 117-127	10.3	57
71	Colorimetric chiral recognition of D/L-phenylalanine based on triangular silver nanoplates. <i>Amino Acids</i> , 2018 , 50, 1269-1278	3.5	7
70	Preparation of multifunctional PEG-graft-Halloysite Nanotubes for Controlled Drug Release, Tumor Cell Targeting, and Bio-imaging. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 170, 322-329	6	31
69	A simple extraction method for norfloxacin from pharmaceutical wastewater with a magnetic core-shell molecularly imprinted polymer with the aid of computer simulation. <i>New Journal of Chemistry</i> , 2017 , 41, 2614-2624	3.6	18
68	Heterogeneous Photo-Fenton Degradation of Norfloxacin with Fe ₃ O ₄ -Multiwalled Carbon Nanotubes in Aqueous Solution. <i>Catalysis Letters</i> , 2017 , 147, 1598-1607	2.8	19
67	A turn-on FRET sensor based on dichlorofluorescein and AuNPs for rapid and ultrasensitive detection of ambroxol hydrochloride in urine. <i>New Journal of Chemistry</i> , 2017 , 41, 4441-4447	3.6	1
66	Molecularly imprinted polymers based stir bar sorptive extraction for determination of cefaclor and cefalexin in environmental water. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 4157-4166	4.4	22
65	Rational design, preparation and adsorption study of a magnetic molecularly imprinted polymer using a dummy template and a bifunctional monomer. <i>New Journal of Chemistry</i> , 2017 , 41, 7092-7101	3.6	11
64	Polymer grafted-magnetic halloysite nanotube for controlled and sustained release of cationic drug. <i>Journal of Colloid and Interface Science</i> , 2017 , 505, 476-488	9.3	43
63	Determination of quinolones in wastewater by porous β -cyclodextrin polymer based solid-phase extraction coupled with HPLC. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1068-1069, 24-32	3.2	25
62	Solid phase extraction based on porous magnetic graphene oxide/ β -cyclodextrine composite coupled with high performance liquid chromatography for determination of antiepileptic drugs in plasma samples. <i>Journal of Chromatography A</i> , 2017 , 1524, 49-56	4.5	25
61	A Promising Approach to Integrally Evaluate the Disease Outcome of Cerebral Ischemic Rats Based on Multiple-Biomarker Crosstalk. <i>Disease Markers</i> , 2017 , 2017, 9506527	3.2	
60	Microstructure and wear resistance of laser cladding particulate reinforced Fe-based composite coating on railway steel. <i>Journal of Laser Applications</i> , 2017 , 29, 022503	2.1	12

59	Efficient removal and trace determination of chlorophenols from water using mixed hemi-/ad-micelle ionic liquid-coated magnetic graphene oxide and the adsorption mechanism. <i>Analytical Methods</i> , 2017 , 9, 4581-4591	3.2	14
58	Neck circumference might predict gestational diabetes mellitus in Han Chinese women: A nested case-control study. <i>Journal of Diabetes Investigation</i> , 2017 , 8, 168-173	3.9	16
57	One-step hydrothermal synthesis of photoluminescent carbon nitride dots derived from ionic liquids. <i>New Journal of Chemistry</i> , 2016 , 40, 320-324	3.6	21
56	Core-shell nanoparticles coated with molecularly imprinted polymers: a review. <i>Mikrochimica Acta</i> , 2016 , 183, 2677-2695	5.8	127
55	Mechanistic study on the facet etching effect of silver nanoprisms in the presence of halide ions and their application in the colorimetric sensing of metformin hydrochloride. <i>New Journal of Chemistry</i> , 2016 , 40, 7557-7563	3.6	9
54	Colorimetric recognition of pazufloxacin mesilate based on the aggregation of gold nanoparticles. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2016 , 157, 244-250	4.4	11
53	A review on syntheses, properties, characterization and bioanalytical applications of fluorescent carbon dots. <i>Mikrochimica Acta</i> , 2016 , 183, 519-542	5.8	386
52	Superparamagnetic Fe ₃ O ₄ nanoparticles: synthesis by a solvothermal process and functionalization for a magnetic targeted curcumin delivery system. <i>New Journal of Chemistry</i> , 2016 , 40, 4480-4491	3.6	47
51	Preparation of Fe ₃ O ₄ @PPy magnetic nanoparticles as solid-phase extraction sorbents for preconcentration and separation of phthalic acid esters in water by gas chromatography-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1011, 33-44	3.2	41
50	A sol-gel based molecular imprint incorporating carbon dots for fluorometric determination of nicotinic acid. <i>Mikrochimica Acta</i> , 2016 , 183, 329-336	5.8	24
49	Molecularly imprinted polymeric stir bar: Preparation and application for the determination of naftopidil in plasma and urine samples. <i>Journal of Separation Science</i> , 2016 , 39, 383-90	3.4	5
48	Platform construction and extraction mechanism study of magnetic mixed hemimicelles solid-phase extraction. <i>Scientific Reports</i> , 2016 , 6, 38106	4.9	13
47	Mixed hemimicelles solid-phase extraction of cephalosporins in biological samples with ionic liquid-coated magnetic graphene oxide nanoparticles coupled with high-performance liquid chromatographic analysis. <i>Journal of Chromatography A</i> , 2016 , 1454, 1-8	4.5	54
46	Computational-aided design of magnetic ultra-thin dummy molecularly imprinted polymer for selective extraction and determination of morphine from urine by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2016 , 1473, 1-9	4.5	35
45	Adsorptive removal of trace sulfonamide antibiotics by water-dispersible magnetic reduced graphene oxide-ferrite hybrids from wastewater. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1029-1030, 106-112	3.2	32
44	Applications of magnetic surface imprinted materials for solid phase extraction of levofloxacin in serum samples. <i>Journal of Molecular Recognition</i> , 2015 , 28, 277-84	2.6	21
43	A nanocomposite consisting of graphene oxide and Fe ₃ O ₄ magnetic nanoparticles for the extraction of flavonoids from tea, wine and urine samples. <i>Mikrochimica Acta</i> , 2015 , 182, 2299-2306	5.8	46
42	Adsorption behavior of a computer-aid designed magnetic molecularly imprinted polymer via response surface methodology. <i>RSC Advances</i> , 2015 , 5, 61161-61169	3.7	12

41	One-step spontaneous synthesis of fluorescent carbon nanoparticles with thermosensitivity from polyethylene glycol. <i>New Journal of Chemistry</i> , 2015 , 39, 7033-7039	3.6	15
40	Porous carbon quantum dots: one step green synthesis via L-cysteine and applications in metal ion detection. <i>RSC Advances</i> , 2015 , 5, 2039-2046	3.7	36
39	Synthesis and analytical applications of molecularly imprinted polymers on the surface of carbon nanotubes: a review. <i>Mikrochimica Acta</i> , 2015 , 182, 893-908	5.8	78
38	Colorimetric determination of o-phenylenediamine in water samples based on the formation of silver nanoparticles as a colorimetric probe. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015 , 140, 328-33	4.4	27
37	Microwave-assisted synthesis of BSA-modified silver nanoparticles as a selective fluorescent probe for detection and cellular imaging of cadmium(II). <i>Mikrochimica Acta</i> , 2015 , 182, 1255-1261	5.8	11
36	Adsorption performance of carboxylated multi-wall carbon nanotube-Fe ₃ O ₄ magnetic hybrids for Cu(II) in water. <i>New Carbon Materials</i> , 2014 , 29, 15-25	4.4	27
35	Preparation of a core-shell magnetic ion-imprinted polymer via a sol-gel process for selective extraction of Cu(II) from herbal medicines. <i>Analyst, The</i> , 2014 , 139, 2459-66	5	55
34	Single-step preparation of fluorescent carbon nanoparticles, and their application as a fluorometric probe for quercetin. <i>Mikrochimica Acta</i> , 2014 , 181, 1309-1316	5.8	24
33	Mixed hemimicelle solid-phase extraction based on magnetic carbon nanotubes and ionic liquids for the determination of flavonoids. <i>Carbon</i> , 2014 , 72, 274-286	10.4	40
32	Simultaneous extraction of anthracyclines from urine using water-compatible magnetic nanoparticles with a dummy template coupled with high performance liquid chromatography. <i>Analytical Methods</i> , 2014 , 6, 4421-4429	3.2	5
31	Label-free silver nanoparticles for visual colorimetric detection of etimicin. <i>Analytical Methods</i> , 2014 , 6, 7906-7911	3.2	12
30	A sensitive LC-MS/MS method for simultaneous determination of amygdalin and paeoniflorin in human plasma and its application. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 92, 160-4	3.5	11
29	Label-free silver nanoparticles for the naked eye detection of entecavir. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014 , 126, 178-83	4.4	20
28	Magnetic solid-phase extraction based on Fe ₃ O ₄ nanoparticle retrieval of chitosan for the determination of flavonoids in biological samples coupled with high performance liquid chromatography. <i>RSC Advances</i> , 2014 , 4, 64843-64854	3.7	29
27	Mixed hemimicelles solid-phase extraction based on ionic liquid-coated Fe ₃ O ₄ /SiO ₂ nanoparticles for the determination of flavonoids in bio-matrix samples coupled with high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2014 , 1324, 78-85	4.5	70
26	Interaction of amidated single-walled carbon nanotubes with protein by multiple spectroscopic methods. <i>Journal of Luminescence</i> , 2014 , 145, 125-131	3.8	18
25	Effect of glycerol on the preparation of phosphogypsum-based CaSO ₄ ·0.5H ₂ O whiskers. <i>Journal of Materials Science</i> , 2014 , 49, 1957-1963	4.3	24
24	Anticancer loading and controlled release of novel water-compatible magnetic nanomaterials as drug delivery agents, coupled to a computational modeling approach. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 4099-4109	7.3	27

23	Development of novel molecularly imprinted magnetic solid-phase extraction materials based on magnetic carbon nanotubes and their application for the determination of gatifloxacin in serum samples coupled with high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2013 , 1274, 44-53	4.5	108
22	A novel metabolic balance model for describing the metabolic disruption of and interactions between cardiovascular-related markers during acute myocardial infarction. <i>Metabolism: Clinical and Experimental</i> , 2013 , 62, 1357-66	12.7	6
21	Development of novel amphiphilic magnetic molecularly imprinted polymers compatible with biological fluids for solid phase extraction and physicochemical behavior study. <i>Journal of Chromatography A</i> , 2013 , 1317, 110-20	4.5	28
20	Adsorption behavior and adsorption mechanism of Cu(II) ions on amino-functionalized magnetic nanoparticles. <i>Transactions of Nonferrous Metals Society of China</i> , 2013 , 23, 2657-2665	3.3	57
19	Interaction of carboxylated single-walled carbon nanotubes with bovine serum albumin. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2013 , 105, 45-51	4.4	47
18	Microwave assisted one-step green synthesis of fluorescent carbon nanoparticles from ionic liquids and their application as novel fluorescence probe for quercetin determination. <i>Journal of Luminescence</i> , 2013 , 140, 120-125	3.8	57
17	Preparation of molecularly imprinted polymers on the surface of magnetic carbon nanotubes with a pseudo template for rapid simultaneous extraction of four fluoroquinolones in egg samples. <i>Analyst, The</i> , 2013 , 138, 3287-96	5	83
16	Microwave-assisted one-step green synthesis of amino-functionalized fluorescent carbon nitride dots from chitosan. <i>Luminescence</i> , 2013 , 28, 612-5	2.5	55
15	Carbon nanotubes: applications in pharmacy and medicine. <i>BioMed Research International</i> , 2013 , 2013, 578290	3	216
14	Loading behavior of gatifloxacin in urine and lake water on a novel magnetic molecularly imprinted polymer used as extraction sorbent with spectrophotometric analysis. <i>Journal of Separation Science</i> , 2013 , 36, 898-906	3.4	21
13	Chiral Separation of Ketoprofen on a Chirobiotic T Column and Its Chiral Recognition Mechanisms. <i>Chromatographia</i> , 2012 , 75, 1355-1363	2.1	12
12	Adsorption behavior of pazufloxacin mesilate on amino-functionalized carbon nanotubes. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 7271-9	1.3	18
11	Magnetic carbon nanotubes: synthesis by a simple solvothermal process and application in magnetic targeted drug delivery system. <i>Journal of Nanoparticle Research</i> , 2012 , 14, 1	2.3	55
10	Molecularly imprinted stationary phase prepared by reverse micro-emulsion polymerization for selective recognition of gatifloxacin in aqueous media. <i>Journal of Chromatographic Science</i> , 2012 , 50, 499-508	1.4	25
9	Study on the interaction between ketoprofen and bovine serum albumin by molecular simulation and spectroscopic methods. <i>Spectroscopy</i> , 2011 , 26, 337-348		4
8	Adsorption behavior of epirubicin hydrochloride on carboxylated carbon nanotubes. <i>International Journal of Pharmaceutics</i> , 2011 , 405, 153-61	6.5	87
7	Free radicals, antioxidants in disease and health. <i>International Journal of Biomedical Science</i> , 2008 , 4, 89-96		601
6	Chiral drugs: an overview. <i>International Journal of Biomedical Science</i> , 2006 , 2, 85-100		149

5	A simultaneous electrochemical impedance and quartz crystal microbalance study on antihuman immunoglobulin G adsorption and human immunoglobulin G reaction. <i>Journal of Proteomics</i> , 2005 , 62, 191-205		27
4	Solid-phase extraction of methadone enantiomers and benzodiazepines in biological fluids by two polymeric cartridges for liquid chromatographic analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 814, 385-91	3-2	41
3	An electrochemical quartz crystal impedance study on anti-human immunoglobulin G immobilization in the polymer grown during dopamine oxidation at an Au electrode. <i>Journal of Colloid and Interface Science</i> , 2005 , 289, 446-54	9-3	42
2	Effect of temperature on enantiomer separation of oxzepam and lorazepam by high-performance liquid chromatography on a beta-cyclodextrin derivatized bonded chiral stationary phase. <i>Journal of Chromatographic Science</i> , 2004 , 42, 62-6	1-4	20
1	Colorimetric Detection of Benzoyl Peroxide in the Flour Samples Based on the Morphological Transition of Silver Nanoprisms. <i>Food Analytical Methods</i> , 1		3-4