

Jin-Rong Xu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/478230/jin-rong-xu-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

11,820
citations

57
h-index

107
g-index

160
ext. papers

14,615
ext. citations

6.5
avg, IF

6.11
L-index

#	Paper	IF	Citations
154	The genome sequence of the rice blast fungus <i>Magnaporthe grisea</i> . <i>Nature</i> , 2005 , 434, 980-6	50.4	1202
153	Comparative genomics reveals mobile pathogenicity chromosomes in <i>Fusarium</i> . <i>Nature</i> , 2010 , 464, 367-73	50.4	1085
152	The <i>Fusarium graminearum</i> genome reveals a link between localized polymorphism and pathogen specialization. <i>Science</i> , 2007 , 317, 1400-2	33.3	668
151	Map kinases in fungal pathogens. <i>Fungal Genetics and Biology</i> , 2000 , 31, 137-52	3.9	343
150	A mitogen-activated protein kinase gene (MGV1) in <i>Fusarium graminearum</i> is required for female fertility, heterokaryon formation, and plant infection. <i>Molecular Plant-Microbe Interactions</i> , 2002 , 15, 1119-27	3.6	342
149	Comparative analysis of fungal genomes reveals different plant cell wall degrading capacity in fungi. <i>BMC Genomics</i> , 2013 , 14, 274	4.5	288
148	Independent signaling pathways regulate cellular turgor during hyperosmotic stress and appressorium-mediated plant infection by <i>Magnaporthe grisea</i> . <i>Plant Cell</i> , 1999 , 11, 2045-58	11.6	280
147	Mitogen-activated protein kinase pathways and fungal pathogenesis. <i>Eukaryotic Cell</i> , 2007 , 6, 1701-14		270
146	The CPKA Gene of <i>Magnaporthe grisea</i> Is Essential for Appressorial Penetration. <i>Molecular Plant-Microbe Interactions</i> , 1997 , 10, 187-194	3.6	212
145	Cellular localization and role of kinase activity of PMK1 in <i>Magnaporthe grisea</i> . <i>Eukaryotic Cell</i> , 2004 , 3, 1525-32		204
144	A mitogen-activated protein kinase cascade regulating infection-related morphogenesis in <i>Magnaporthe grisea</i> . <i>Plant Cell</i> , 2005 , 17, 1317-29	11.6	203
143	Functional analysis of the kinome of the wheat scab fungus <i>Fusarium graminearum</i> . <i>PLoS Pathogens</i> , 2011 , 7, e1002460	7.6	202
142	Osmoregulation and fungicide resistance: the <i>Neurospora crassa</i> <i>os-2</i> gene encodes a HOG1 mitogen-activated protein kinase homologue. <i>Applied and Environmental Microbiology</i> , 2002 , 68, 532-8	4.8	193
141	Global gene regulation by <i>Fusarium</i> transcription factors Tri6 and Tri10 reveals adaptations for toxin biosynthesis. <i>Molecular Microbiology</i> , 2009 , 72, 354-67	4.1	191
140	The BMP1 gene is essential for pathogenicity in the gray mold fungus <i>Botrytis cinerea</i> . <i>Molecular Plant-Microbe Interactions</i> , 2000 , 13, 724-32	3.6	181
139	MST12 regulates infectious growth but not appressorium formation in the rice blast fungus <i>Magnaporthe grisea</i> . <i>Molecular Plant-Microbe Interactions</i> , 2002 , 15, 183-92	3.6	164
138	Multiple plant surface signals are sensed by different mechanisms in the rice blast fungus for appressorium formation. <i>PLoS Pathogens</i> , 2011 , 7, e1001261	7.6	156

137	One fungus, one name: defining the genus <i>Fusarium</i> in a scientifically robust way that preserves longstanding use. <i>Phytopathology</i> , 2013 , 103, 400-8	3.8	155
136	Development of a <i>Fusarium graminearum</i> Affymetrix GeneChip for profiling fungal gene expression in vitro and in planta. <i>Fungal Genetics and Biology</i> , 2006 , 43, 316-25	3.9	150
135	Two novel fungal virulence genes specifically expressed in appressoria of the rice blast fungus. <i>Plant Cell</i> , 2002 , 14, 2107-19	11.6	143
134	Conidial germination in the filamentous fungus <i>Fusarium graminearum</i> . <i>Fungal Genetics and Biology</i> , 2008 , 45, 389-99	3.9	136
133	Independent genetic mechanisms mediate turgor generation and penetration peg formation during plant infection in the rice blast fungus. <i>Molecular Microbiology</i> , 2004 , 53, 1695-707	4.1	130
132	Different chitin synthase genes are required for various developmental and plant infection processes in the rice blast fungus <i>Magnaporthe oryzae</i> . <i>PLoS Pathogens</i> , 2012 , 8, e1002526	7.6	128
131	Comparative analysis of the genomes of two field isolates of the rice blast fungus <i>Magnaporthe oryzae</i> . <i>PLoS Genetics</i> , 2012 , 8, e1002869	6	125
130	Random Insertional Mutagenesis Identifies Genes Associated with Virulence in the Wheat Scab Fungus <i>Fusarium graminearum</i> . <i>Phytopathology</i> , 2005 , 95, 744-50	3.8	124
129	The G-beta subunit MGB1 is involved in regulating multiple steps of infection-related morphogenesis in <i>Magnaporthe grisea</i> . <i>Molecular Microbiology</i> , 2003 , 50, 231-43	4.1	123
128	Specific adaptation of <i>Ustilagoidea virens</i> in occupying host florets revealed by comparative and functional genomics. <i>Nature Communications</i> , 2014 , 5, 3849	17.4	122
127	Genetic control of infection-related development in <i>Magnaporthe oryzae</i> . <i>Current Opinion in Microbiology</i> , 2012 , 15, 678-84	7.9	122
126	Multiple upstream signals converge on the adaptor protein Mst50 in <i>Magnaporthe grisea</i> . <i>Plant Cell</i> , 2006 , 18, 2822-35	11.6	121
125	Two mitogen-activated protein kinase signalling cascades mediate basal resistance to antifungal plant defensins in <i>Fusarium graminearum</i> . <i>Cellular Microbiology</i> , 2007 , 9, 1491-506	3.9	112
124	Analysis of expressed sequence tags from <i>Gibberella zeae</i> (anamorph <i>Fusarium graminearum</i>). <i>Fungal Genetics and Biology</i> , 2003 , 38, 187-97	3.9	111
123	The <i>tig1</i> histone deacetylase complex regulates infectious growth in the rice blast fungus <i>Magnaporthe oryzae</i> . <i>Plant Cell</i> , 2010 , 22, 2495-508	11.6	98
122	The FgHOG1 pathway regulates hyphal growth, stress responses, and plant infection in <i>Fusarium graminearum</i> . <i>PLoS ONE</i> , 2012 , 7, e49495	3.7	97
121	N-glycosylation of effector proteins by an α 1,3-mannosyltransferase is required for the rice blast fungus to evade host innate immunity. <i>Plant Cell</i> , 2014 , 26, 1360-76	11.6	94
120	Efficient approaches for generating GFP fusion and epitope-tagging constructs in filamentous fungi. <i>Methods in Molecular Biology</i> , 2011 , 722, 199-212	1.4	89

119	Mitogen-activated protein kinase signaling in plant pathogenic fungi. <i>PLoS Pathogens</i> , 2018 , 14, e10068756	87
118	A novel protein Com1 is required for normal conidium morphology and full virulence in <i>Magnaporthe oryzae</i> . <i>Molecular Plant-Microbe Interactions</i> , 2010 , 23, 112-23	3.6 87
117	The dawn of fungal pathogen genomics. <i>Annual Review of Phytopathology</i> , 2006 , 44, 337-66	10.8 86
116	The TOR signaling pathway regulates vegetative development and virulence in <i>Fusarium graminearum</i> . <i>New Phytologist</i> , 2014 , 203, 219-32	9.8 85
115	Two PAK kinase genes, CHM1 and MST20, have distinct functions in <i>Magnaporthe grisea</i> . <i>Molecular Plant-Microbe Interactions</i> , 2004 , 17, 547-56	3.6 81
114	A highly conserved MAPK-docking site in Mst7 is essential for Pmk1 activation in <i>Magnaporthe grisea</i> . <i>Molecular Microbiology</i> , 2007 , 63, 881-94	4.1 80
113	Effectors and effector delivery in <i>Magnaporthe oryzae</i> . <i>PLoS Pathogens</i> , 2014 , 10, e1003826	7.6 76
112	Genome-wide A-to-I RNA editing in fungi independent of ADAR enzymes. <i>Genome Research</i> , 2016 , 26, 499-509	9.7 74
111	Genome sequence of <i>Valsa</i> canker pathogens uncovers a potential adaptation of colonization of woody bark. <i>New Phytologist</i> , 2015 , 208, 1202-16	9.8 74
110	A MADS-box transcription factor MoMcm1 is required for male fertility, microconidium production and virulence in <i>Magnaporthe oryzae</i> . <i>Molecular Microbiology</i> , 2011 , 80, 33-53	4.1 74
109	Transducin beta-like gene FTL1 is essential for pathogenesis in <i>Fusarium graminearum</i> . <i>Eukaryotic Cell</i> , 2009 , 8, 867-76	72
108	The Cyclase-associated protein Cap1 is important for proper regulation of infection-related morphogenesis in <i>Magnaporthe oryzae</i> . <i>PLoS Pathogens</i> , 2012 , 8, e1002911	7.6 72
107	MADS-box transcription factor mig1 is required for infectious growth in <i>Magnaporthe grisea</i> . <i>Eukaryotic Cell</i> , 2008 , 7, 791-9	72
106	Generic names in <i>Magnaporthales</i> . <i>IMA Fungus</i> , 2016 , 7, 155-9	6.8 66
105	Development of a high throughput transformation system for insertional mutagenesis in <i>Magnaporthe oryzae</i> . <i>Fungal Genetics and Biology</i> , 2007 , 44, 1035-49	3.9 66
104	A homeobox gene is essential for conidiogenesis of the rice blast fungus <i>Magnaporthe oryzae</i> . <i>Molecular Plant-Microbe Interactions</i> , 2010 , 23, 366-75	3.6 65
103	Functional analysis of the <i>Fusarium graminearum</i> phosphatome. <i>New Phytologist</i> , 2015 , 207, 119-134	9.8 63
102	The cAMP signaling pathway in <i>Fusarium verticillioides</i> is important for conidiation, plant infection, and stress responses but not fumonisin production. <i>Molecular Plant-Microbe Interactions</i> , 2010 , 23, 522-336	63

101	The HDF1 histone deacetylase gene is important for conidiation, sexual reproduction, and pathogenesis in <i>Fusarium graminearum</i> . <i>Molecular Plant-Microbe Interactions</i> , 2011 , 24, 487-96	3.6	62
100	The CID1 cyclin C-like gene is important for plant infection in <i>Fusarium graminearum</i> . <i>Fungal Genetics and Biology</i> , 2010 , 47, 143-51	3.9	60
99	TRI6 and TRI10 play different roles in the regulation of deoxynivalenol (DON) production by cAMP signalling in <i>Fusarium graminearum</i> . <i>Environmental Microbiology</i> , 2016 , 18, 3689-3701	5.2	58
98	The cAMP-PKA pathway regulates growth, sexual and asexual differentiation, and pathogenesis in <i>Fusarium graminearum</i> . <i>Molecular Plant-Microbe Interactions</i> , 2014 , 27, 557-66	3.6	57
97	The fungal myosin I is essential for <i>Fusarium</i> toxosome formation. <i>PLoS Pathogens</i> , 2018 , 14, e1006827	7.6	54
96	Differences between appressoria formed by germ tubes and appressorium-like structures developed by hyphal tips in <i>Magnaporthe oryzae</i> . <i>Fungal Genetics and Biology</i> , 2013 , 56, 33-41	3.9	54
95	A systematic analysis of T-DNA insertion events in <i>Magnaporthe oryzae</i> . <i>Fungal Genetics and Biology</i> , 2007 , 44, 1050-64	3.9	52
94	Targeted Deletion of the and Genes Efficiently in With the CRISPR-Cas9 System. <i>Frontiers in Plant Science</i> , 2018 , 9, 699	6.2	49
93	A novel transcriptional factor important for pathogenesis and ascosporeogenesis in <i>Fusarium graminearum</i> . <i>Molecular Plant-Microbe Interactions</i> , 2011 , 24, 118-28	3.6	49
92	The AreA transcription factor mediates the regulation of deoxynivalenol (DON) synthesis by ammonium and cyclic adenosine monophosphate (cAMP) signalling in <i>Fusarium graminearum</i> . <i>Molecular Plant Pathology</i> , 2015 , 16, 987-99	5.7	48
91	The MAT locus genes play different roles in sexual reproduction and pathogenesis in <i>Fusarium graminearum</i> . <i>PLoS ONE</i> , 2013 , 8, e66980	3.7	48
90	Molecular evolution and functional divergence of tubulin superfamily in the fungal tree of life. <i>Scientific Reports</i> , 2014 , 4, 6746	4.9	47
89	From genes to genomes: a new paradigm for studying fungal pathogenesis in <i>Magnaporthe oryzae</i> . <i>Advances in Genetics</i> , 2007 , 57, 175-218	3.3	45
88	Genomic analysis of host-pathogen interaction between <i>Fusarium graminearum</i> and wheat during early stages of disease development. <i>Microbiology (United Kingdom)</i> , 2006 , 152, 1877-1890	2.9	44
87	FgSKN7 and FgATF1 have overlapping functions in ascosporeogenesis, pathogenesis and stress responses in <i>Fusarium graminearum</i> . <i>Environmental Microbiology</i> , 2015 , 17, 1245-60	5.2	42
86	The FvMK1 mitogen-activated protein kinase gene regulates conidiation, pathogenesis, and fumonisin production in <i>Fusarium verticillioides</i> . <i>Fungal Genetics and Biology</i> , 2011 , 48, 71-9	3.9	42
85	A-to-I RNA editing is developmentally regulated and generally adaptive for sexual reproduction in. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E7756-E7765	11.5	41
84	A Genetic Map of <i>Gibberella fujikuroi</i> Mating Population A (<i>Fusarium moniliforme</i>). <i>Genetics</i> , 1996 , 143, 175-189	4	40

83	MoSfl1 is important for virulence and heat tolerance in Magnaporthe oryzae. <i>PLoS ONE</i> , 2011 , 6, e199513;7	37
82	UvHOG1 is important for hyphal growth and stress responses in the rice false smut fungus <i>Ustilaginoidea virens</i> . <i>Scientific Reports</i> , 2016 , 6, 24824	4.9 37
81	PKA activity is essential for relieving the suppression of hyphal growth and appressorium formation by MoSfl1 in Magnaporthe oryzae. <i>PLoS Genetics</i> , 2017 , 13, e1006954	6 35
80	Cryptic promoter activity in the coding region of the HMG-CoA reductase gene in <i>Fusarium graminearum</i> . <i>Fungal Genetics and Biology</i> , 2006 , 43, 34-41	3.9 34
79	FgKin1 kinase localizes to the septal pore and plays a role in hyphal growth, ascospore germination, pathogenesis, and localization of Tub1 beta-tubulins in <i>Fusarium graminearum</i> . <i>New Phytologist</i> , 2014 , 204, 943-54	9.8 33
78	Germination and infectivity of microconidia in the rice blast fungus Magnaporthe oryzae. <i>Nature Communications</i> , 2014 , 5, 4518	17.4 33
77	Characterization of the Two-Speed Subgenomes of Reveals the Fast-Speed Subgenome Specialized for Adaption and Infection. <i>Frontiers in Plant Science</i> , 2017 , 8, 140	6.2 32
76	Fgk3 glycogen synthase kinase is important for development, pathogenesis, and stress responses in <i>Fusarium graminearum</i> . <i>Scientific Reports</i> , 2015 , 5, 8504	4.9 30
75	Two Cdc2 Kinase Genes with Distinct Functions in Vegetative and Infectious Hyphae in <i>Fusarium graminearum</i> . <i>PLoS Pathogens</i> , 2015 , 11, e1004913	7.6 30
74	The AMT1 arginine methyltransferase gene is important for plant infection and normal hyphal growth in <i>Fusarium graminearum</i> . <i>PLoS ONE</i> , 2012 , 7, e38324	3.7 30
73	Bypassing both surface attachment and surface recognition requirements for appressorium formation by overactive ras signaling in Magnaporthe oryzae. <i>Molecular Plant-Microbe Interactions</i> , 2014 , 27, 996-1004	3.6 29
72	Molecular characterization of a Fus3/Kss1 type MAPK from <i>Puccinia striiformis</i> f. sp. tritici, PsMAPK1. <i>PLoS ONE</i> , 2011 , 6, e21895	3.7 29
71	MST50 is involved in multiple MAP kinase signaling pathways in Magnaporthe oryzae. <i>Environmental Microbiology</i> , 2017 , 19, 1959-1974	5.2 28
70	Sensitivity of Field Strains of <i>Gibberella fujikuroi</i> (<i>Fusarium</i> Section <i>Liseola</i>) to Benomyl and Hygromycin B. <i>Mycologia</i> , 1993 , 85, 206-213	2.4 28
69	Compartmentalized gene regulatory network of the pathogenic fungus <i>Fusarium graminearum</i> . <i>New Phytologist</i> , 2016 , 211, 527-41	9.8 27
68	FgCDC14 regulates cytokinesis, morphogenesis, and pathogenesis in <i>Fusarium graminearum</i> . <i>Molecular Microbiology</i> , 2015 , 98, 770-86	4.1 27
67	TaDAD2, a negative regulator of programmed cell death, is important for the interaction between wheat and the stripe rust fungus. <i>Molecular Plant-Microbe Interactions</i> , 2011 , 24, 79-90	3.6 27
66	Histological and molecular studies of the non-host interaction between wheat and <i>Uromyces fabae</i> . <i>Planta</i> , 2011 , 234, 979-91	4.7 26

65	An expanded subfamily of G-protein-coupled receptor genes in <i>Fusarium graminearum</i> required for wheat infection. <i>Nature Microbiology</i> , 2019 , 4, 1582-1591	26.6	25
64	Activation of the signalling mucin MoMsb2 and its functional relationship with Cbp1 in <i>Magnaporthe oryzae</i> . <i>Environmental Microbiology</i> , 2015 , 17, 2969-81	5.2	25
63	A Pmk1-interacting gene is involved in appressorium differentiation and plant infection in <i>Magnaporthe oryzae</i> . <i>Eukaryotic Cell</i> , 2011 , 10, 1062-70		25
62	MGOS: A resource for studying <i>Magnaporthe grisea</i> and <i>Oryza sativa</i> interactions. <i>Molecular Plant-Microbe Interactions</i> , 2006 , 19, 1055-61	3.6	24
61	The MADS-box transcription factor FgMcm1 regulates cell identity and fungal development in <i>Fusarium graminearum</i> . <i>Environmental Microbiology</i> , 2015 , 17, 2762-76	5.2	23
60	Functional characterization of CgCTR2, a putative vacuole copper transporter that is involved in germination and pathogenicity in <i>Colletotrichum gloeosporioides</i> . <i>Eukaryotic Cell</i> , 2008 , 7, 1098-108		23
59	Mirl is highly upregulated and localized to nuclei during infectious hyphal growth in the rice blast fungus. <i>Molecular Plant-Microbe Interactions</i> , 2007 , 20, 448-58	3.6	23
58	The Sch9 kinase regulates conidium size, stress responses, and pathogenesis in <i>Fusarium graminearum</i> . <i>PLoS ONE</i> , 2014 , 9, e105811	3.7	23
57	Thioredoxins are involved in the activation of the PMK1 MAP kinase pathway during appressorium penetration and invasive growth in <i>Magnaporthe oryzae</i> . <i>Environmental Microbiology</i> , 2016 , 18, 3768-3784	5.2	22
56	The cyclase-associated protein FgCap1 has both protein kinase A-dependent and -independent functions during deoxynivalenol production and plant infection in <i>Fusarium graminearum</i> . <i>Molecular Plant Pathology</i> , 2018 , 19, 552-563	5.7	21
55	FgPrp4 Kinase Is Important for Spliceosome B-Complex Activation and Splicing Efficiency in <i>Fusarium graminearum</i> . <i>PLoS Genetics</i> , 2016 , 12, e1005973	6	20
54	Conservation and divergence of the cyclic adenosine monophosphate-protein kinase A (cAMP-PKA) pathway in two plant-pathogenic fungi: <i>Fusarium graminearum</i> and <i>F. verticillioides</i> . <i>Molecular Plant Pathology</i> , 2016 , 17, 196-209	5.7	19
53	A Ligation-PCR Approach for Generating Gene Replacement Constructs in <i>Magnaporthe grisea</i> . <i>Fungal Genetics Reports</i> , 2004 , 51, 17-18	0	18
52	An orphan protein of <i>Fusarium graminearum</i> modulates host immunity by mediating proteasomal degradation of TaSnRK1. <i>Nature Communications</i> , 2020 , 11, 4382	17.4	18
51	A-to-I RNA editing independent of ADARs in filamentous fungi. <i>RNA Biology</i> , 2016 , 13, 940-945	4.8	17
50	The FgSRP1 SR-protein gene is important for plant infection and pre-mRNA processing in <i>Fusarium graminearum</i> . <i>Environmental Microbiology</i> , 2017 , 19, 4065-4079	5.2	17
49	Expression of HopAI interferes with MAP kinase signalling in <i>Magnaporthe oryzae</i> . <i>Environmental Microbiology</i> , 2017 , 19, 4190-4204	5.2	16
48	A-to-I mRNA editing in fungi: occurrence, function, and evolution. <i>Cellular and Molecular Life Sciences</i> , 2019 , 76, 329-340	10.3	16

47	Activation of Mst11 and Feedback Inhibition of Germ Tube Growth in <i>Magnaporthe oryzae</i> . <i>Molecular Plant-Microbe Interactions</i> , 2015 , 28, 881-91	3.6	15
46	RNA editing of the AMD1 gene is important for ascus maturation and ascospore discharge in <i>Fusarium graminearum</i> . <i>Scientific Reports</i> , 2017 , 7, 4617	4.9	15
45	MoCDC14 is important for septation during conidiation and appressorium formation in <i>Magnaporthe oryzae</i> . <i>Molecular Plant Pathology</i> , 2018 , 19, 328-340	5.7	14
44	<i>Peltaster fructicola</i> genome reveals evolution from an invasive phytopathogen to an ectophytic parasite. <i>Scientific Reports</i> , 2016 , 6, 22926	4.9	13
43	Identification of a fungi-specific lineage of protein kinases closely related to tyrosine kinases. <i>PLoS ONE</i> , 2014 , 9, e89813	3.7	13
42	FgSsn3 kinase, a component of the mediator complex, is important for sexual reproduction and pathogenesis in <i>Fusarium graminearum</i> . <i>Scientific Reports</i> , 2016 , 6, 22333	4.9	13
41	Evolution and Functional Insights of Different Ancestral Orthologous Clades of Chitin Synthase Genes in the Fungal Tree of Life. <i>Frontiers in Plant Science</i> , 2016 , 7, 37	6.2	11
40	Determination of the absolute configurations of the stereogenic centers of ustilaginoidins by studying the biosynthetic monomers from a gene knockout mutant of <i>Villosiclava virens</i> . <i>Scientific Reports</i> , 2019 , 9, 1855	4.9	10
39	The PKR regulatory subunit of protein kinase A (PKA) is involved in the regulation of growth, sexual and asexual development, and pathogenesis in <i>Fusarium graminearum</i> . <i>Molecular Plant Pathology</i> , 2018 , 19, 909-921	5.7	10
38	Time for a blast: genomics of <i>Magnaporthe grisea</i> . <i>Molecular Plant Pathology</i> , 2002 , 3, 173-6	5.7	10
37	MFS Transporters and GABA Metabolism Are Involved in the Self-Defense Against DON in. <i>Frontiers in Plant Science</i> , 2018 , 9, 438	6.2	9
36	Srk1 kinase, a SR protein-specific kinase, is important for sexual reproduction, plant infection and pre-mRNA processing in <i>Fusarium graminearum</i> . <i>Environmental Microbiology</i> , 2018 , 20, 3261-3277	5.2	9
35	Opposing functions of Fng1 and the Rpd3 HDAC complex in H4 acetylation in <i>Fusarium graminearum</i> . <i>PLoS Genetics</i> , 2020 , 16, e1009185	6	9
34	Extensive chromosomal rearrangements and rapid evolution of novel effector superfamilies contribute to host adaptation and speciation in the basal ascomycetous fungi. <i>Molecular Plant Pathology</i> , 2020 , 21, 330-348	5.7	9
33	Coregulation of dimorphism and symbiosis by cyclic AMP signaling in the lichenized fungus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 23847-23858 ^{11.5}		9
32	Penetration Peg Formation and Invasive Hyphae Development Require Stage-Specific Activation of MoGT1 in <i>Magnaporthe oryzae</i> . <i>Molecular Plant-Microbe Interactions</i> , 2016 , 29, 36-45	3.6	9
31	Phosphorylation by Prp4 kinase releases the self-inhibition of FgPrp31 in <i>Fusarium graminearum</i> . <i>Current Genetics</i> , 2018 , 64, 1261-1274	2.9	8
30	Stage-specific functional relationships between Tub1 and Tub2 beta-tubulins in the wheat scab fungus <i>Fusarium graminearum</i> . <i>Fungal Genetics and Biology</i> , 2019 , 132, 103251	3.9	8

29	Deletion of Is Suppressive to the Mutant by Stimulating Gpmk1 Activation and Avoiding Intracellular Turgor Elevation in. <i>Frontiers in Microbiology</i> , 2019 , 10, 1073	5.7	7
28	The cAMP Signaling and MAP Kinase Pathways in Plant Pathogenic Fungi 2009 , 157-172		7
27	Post-translational regulation of autophagy is involved in intra-microbiome suppression of fungal pathogens. <i>Microbiome</i> , 2021 , 9, 131	16.6	7
26	Assays for MAP Kinase Activation in Magnaporthe oryzae and Other Plant Pathogenic Fungi. <i>Methods in Molecular Biology</i> , 2018 , 1848, 93-101	1.4	7
25	Regulation of biotic interactions and responses to abiotic stresses by MAP kinase pathways in plant pathogenic fungi. <i>Stress Biology</i> , 2021 , 1, 1		7
24	Distinct cell cycle regulation during saprophytic and pathogenic growth in fungal pathogens. <i>Current Genetics</i> , 2016 , 62, 185-9	2.9	6
23	Identification of wheat proteins with altered expression levels in leaves infected by the stripe rust pathogen. <i>Acta Physiologiae Plantarum</i> , 2011 , 33, 2423-2435	2.6	6
22	Independent losses and duplications of autophagy-related genes in fungal tree of life. <i>Environmental Microbiology</i> , 2019 , 21, 226-243	5.2	6
21	Shuffling effector genes through mini-chromosomes. <i>PLoS Genetics</i> , 2019 , 15, e1008345	6	5
20	The meiosis-specific APC activator FgAMA1 is dispensable for meiosis but important for ascosporeogenesis in Fusarium graminearum. <i>Molecular Microbiology</i> , 2019 , 111, 1245-1262	4.1	5
19	The tri-snRNP specific protein FgSnu66 is functionally related to FgPrp4 kinase in Fusarium graminearum. <i>Molecular Microbiology</i> , 2018 , 109, 494-508	4.1	4
18	Spontaneous mutations in FgSAD1 suppress the growth defect of the Fgprp4 mutant by affecting tri-snRNP stability and its docking in Fusarium graminearum. <i>Environmental Microbiology</i> , 2019 , 21, 4488-4503	5.2	4
17	Sexual specific functions of Tub1 beta-tubulins require stage-specific RNA processing and expression in Fusarium graminearum. <i>Environmental Microbiology</i> , 2018 , 20, 4009-4021	5.2	4
16	The SR-protein FgSrp2 regulates vegetative growth, sexual reproduction and pre-mRNA processing by interacting with FgSrp1 in Fusarium graminearum. <i>Current Genetics</i> , 2020 , 66, 607-619	2.9	3
15	The PMK1 MAP Kinase Pathway and Infection-Related Morphogenesis 2009 , 13-21		3
14	A Gin4-Like Protein Kinase GIL1 Involvement in Hyphal Growth, Asexual Development, and Pathogenesis in Fusarium graminearum. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	2
13	FgPal1 regulates morphogenesis and pathogenesis in Fusarium graminearum. <i>Environmental Microbiology</i> , 2020 , 22, 5373-5386	5.2	2
12	Fusarium Genetics and Pathogenicity 2014 , 607-621		1

11	Protein Chips and Chromatin Immunoprecipitation [Emerging Technologies to Study Macromolecule Interactions in <i>M. grisea</i> 2009 , 73-82		1
10	Deletion of all three MAP kinase genes results in severe defects in stress responses and pathogenesis in <i>Fusarium graminearum</i> . <i>Stress Biology</i> , 2022 , 2, 1		1
9	Elucidation of ustilaginoidin biosynthesis reveals a previously unrecognised class of ene-reductases. <i>Chemical Science</i> , 2021 , 12, 14883-14892	9.4	1
8	FgBUD14 is important for ascosporeogenesis and involves both stage-specific alternative splicing and RNA editing during sexual reproduction. <i>Environmental Microbiology</i> , 2021 , 23, 5052-5068	5.2	1
7	Comparative transcriptome analysis reveals distinct gene expression profiles in <i>Brachypodium distachyon</i> infected by two fungal pathogens. <i>BMC Plant Biology</i> , 2021 , 21, 304	5.3	1
6	Fng1 is involved in crosstalk between histone acetylation and methylation. <i>Current Genetics</i> , 2021 , 67, 535-538	2.9	1
5	Stage-specific regulation of purine metabolism during infectious growth and sexual reproduction in <i>Fusarium graminearum</i> . <i>New Phytologist</i> , 2021 , 230, 757-773	9.8	1
4	Fungal Pathogenesis in the Rice Blast Fungus <i>Magnaporthe Grisea</i> 2018 , 138-165		1
3	High-Quality Genome Resource of Strain CanS41 by Oxford Nanopore Long-Read Sequencing. <i>Plant Disease</i> , 2021 , 105, 2231-2234	1.5	1
2	Discovering RNA Editing Events in Fungi. <i>Methods in Molecular Biology</i> , 2021 , 2181, 35-50	1.4	0
1	Mutations in FgPrp6 suppressive to the Fgprp4 mutant in <i>Fusarium graminearum</i> . <i>Journal of Integrative Agriculture</i> , 2022 , 21, 1375-1388	3.2	