

# Giovanni Di Bernardo

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4782305/giovanni-di-bernardo-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61  
papers

1,314  
citations

21  
h-index

33  
g-index

65  
ext. papers

1,588  
ext. citations

5.5  
avg. IF

4.25  
L-index

#	Paper	IF	Citations
61	Proteomic and Biological Analysis of the Effects of Metformin Senomorphics on the Mesenchymal Stromal Cells. <i>Frontiers in Bioengineering and Biotechnology</i> , <b>2021</b> , 9, 730813	5.8	3
60	Different Stages of Quiescence, Senescence, and Cell Stress Identified by Molecular Algorithm Based on the Expression of Ki67, RPS6, and Beta-Galactosidase Activity. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	8
59	Timely Supplementation of Hydrogels Containing Sulfated or Unsulfated Chondroitin and Hyaluronic Acid Affects Mesenchymal Stromal Cells Commitment Toward Chondrogenic Differentiation. <i>Frontiers in Cell and Developmental Biology</i> , <b>2021</b> , 9, 641529	5.7	3
58	Evaluation of Browning Agents on the White Adipogenesis of Bone Marrow Mesenchymal Stromal Cells: A Contribution to Fighting Obesity. <i>Cells</i> , <b>2021</b> , 10,	7.9	2
57	Why Do Muse Stem Cells Present an Enduring Stress Capacity? Hints from a Comparative Proteome Analysis. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	2
56	Clinical Trials Based on Mesenchymal Stromal Cells are Exponentially Increasing: Where are We in Recent Years?. <i>Stem Cell Reviews and Reports</i> , <b>2021</b> , 1	7.3	12
55	Obesity is associated with senescence of mesenchymal stromal cells derived from bone marrow, subcutaneous and visceral fat of young mice. <i>Aging</i> , <b>2020</b> , 12, 12609-12621	5.6	9
54	Obesity induced by high-fat diet is associated with critical changes in biological and molecular functions of mesenchymal stromal cells present in visceral adipose tissue. <i>Aging</i> , <b>2020</b> , 12, 24894-24913	5.6	2
53	Increase of circulating IGFBP-4 following genotoxic stress and its implication for senescence. <i>ELife</i> , <b>2020</b> , 9,	8.9	10
52	Long non-coding RNAs in regulation of adipogenesis and adipose tissue function. <i>ELife</i> , <b>2020</b> , 9,	8.9	19
51	A comparative study on normal and obese mice indicates that the secretome of mesenchymal stromal cells is influenced by tissue environment and physiopathological conditions. <i>Cell Communication and Signaling</i> , <b>2020</b> , 18, 118	7.5	6
50	Senescence Phenomena and Metabolic Alteration in Mesenchymal Stromal Cells from a Mouse Model of Rett Syndrome. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	9
49	A rapid, safe, and quantitative in vitro assay for measurement of uracil-DNA glycosylase activity. <i>Journal of Molecular Medicine</i> , <b>2019</b> , 97, 991-1001	5.5	2
48	The senescence-associated secretory phenotype (SASP) from mesenchymal stromal cells impairs growth of immortalized prostate cells but has no effect on metastatic prostatic cancer cells. <i>Aging</i> , <b>2019</b> , 11, 5817-5828	5.6	17
47	Circulating factors present in the sera of naturally skinny people may influence cell commitment and adipocyte differentiation of mesenchymal stromal cells. <i>World Journal of Stem Cells</i> , <b>2019</b> , 11, 180-195	5.6	8
46	Neural stem cells from a mouse model of Rett syndrome are prone to senescence, show reduced capacity to cope with genotoxic stress, and are impaired in the differentiation process. <i>Experimental and Molecular Medicine</i> , <b>2018</b> , 50, 1	12.8	13
45	Hybrid complexes of high and low molecular weight hyaluronan delay in vitro replicative senescence of mesenchymal stromal cells: a pilot study for future therapeutic application. <i>Aging</i> , <b>2018</b> , 10, 1575-1585	5.6	16

44	Stem Cells and DNA Repair Capacity: Muse Stem Cells Are Among the Best Performers. <i>Advances in Experimental Medicine and Biology</i> , <b>2018</b> , 1103, 103-113	3.6	7
43	Stress and stem cells: adult Muse cells tolerate extensive genotoxic stimuli better than mesenchymal stromal cells. <i>Oncotarget</i> , <b>2018</b> , 9, 19328-19341	3.3	35
42	Mesenchymal stromal cells having inactivated RB1 survive following low irradiation and accumulate damaged DNA: Hints for side effects following radiotherapy. <i>Cell Cycle</i> , <b>2017</b> , 16, 251-258	4.7	18
41	Misidentified Human Gene Functions with Mouse Models: The Case of the Retinoblastoma Gene Family in Senescence. <i>Neoplasia</i> , <b>2017</b> , 19, 781-790	6.4	24
40	G-CSF contributes at the healing of tunica media of arteriotomy-injured rat carotids by promoting differentiation of vascular smooth muscle cells. <i>Journal of Cellular Physiology</i> , <b>2016</b> , 231, 215-23	7	4
39	Exercise increases the level of plasma orexin A in humans. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , <b>2016</b> , 27, 611-616	1.6	36
38	De-regulated expression of the BRG1 chromatin remodeling factor in bone marrow mesenchymal stromal cells induces senescence associated with the silencing of NANOG and changes in the levels of chromatin proteins. <i>Cell Cycle</i> , <b>2015</b> , 14, 1315-26	4.7	20
37	The gene expression profiling of hepatocellular carcinoma by a network analysis approach shows a dominance of intrinsically disordered proteins (IDPs) between hub nodes. <i>Molecular BioSystems</i> , <b>2015</b> , 11, 2933-45		4
36	Evaluation of the selenotranscriptome expression in two hepatocellular carcinoma cell lines. <i>Analytical Cellular Pathology</i> , <b>2015</b> , 2015, 419561	3.4	23
35	Low dose radiation induced senescence of human mesenchymal stromal cells and impaired the autophagy process. <i>Oncotarget</i> , <b>2015</b> , 6, 8155-66	3.3	87
34	Changes in autophagy, proteasome activity and metabolism to determine a specific signature for acute and chronic senescent mesenchymal stromal cells. <i>Oncotarget</i> , <b>2015</b> , 6, 39457-68	3.3	78
33	Sera of overweight people promote in vitro adipocyte differentiation of bone marrow stromal cells. <i>Stem Cell Research and Therapy</i> , <b>2014</b> , 5, 4	8.3	30
32	Silencing of RB1 and RB2/P130 during adipogenesis of bone marrow stromal cells results in dysregulated differentiation. <i>Cell Cycle</i> , <b>2014</b> , 13, 482-90	4.7	18
31	Structure-function relationship and evolutionary history of the human selenoprotein M (SelM) found over-expressed in hepatocellular carcinoma. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , <b>2014</b> , 1844, 447-56	4	13
30	Evaluation of selenite effects on selenoproteins and cytokinome in human hepatoma cell lines. <i>Molecules</i> , <b>2013</b> , 18, 2549-62	4.8	28
29	Gene expression signature of human HepG2 cell line. <i>Gene</i> , <b>2013</b> , 518, 335-45	3.8	66
28	Efficient cultivation of neural stem cells with controlled delivery of FGF-2. <i>Stem Cell Research</i> , <b>2013</b> , 10, 85-94	1.6	16
27	Preamplification procedure for the analysis of ancient DNA samples. <i>Scientific World Journal, The</i> , <b>2013</b> , 2013, 734676	2.2	8

26	Low concentrations of isothiocyanates protect mesenchymal stem cells from oxidative injuries, while high concentrations exacerbate DNA damage. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , <b>2012</b> , 17, 964-74	5.4	46
25	Verification of Real-Time PCR Methods for Qualitative and Quantitative Testing of Genetically Modified Organisms. <i>Journal of Food Quality</i> , <b>2012</b> , 35, 442-447	2.7	7
24	A new SCAR marker potentially useful to distinguish Italian cattle breeds. <i>Food Chemistry</i> , <b>2012</b> , 130, 172-176	8.5	3
23	Chromatin modification and senescence. <i>Current Pharmaceutical Design</i> , <b>2012</b> , 18, 1686-93	3.3	9
22	Intra-brain microinjection of human mesenchymal stem cells decreases allodynia in neuropathic mice. <i>Cellular and Molecular Life Sciences</i> , <b>2010</b> , 67, 655-69	10.3	77
21	A preamplification approach to GMO detection in processed foods. <i>Analytical and Bioanalytical Chemistry</i> , <b>2010</b> , 396, 2135-42	4.4	7
20	Dual role of parathyroid hormone in endothelial progenitor cells and marrow stromal mesenchymal stem cells. <i>Journal of Cellular Physiology</i> , <b>2010</b> , 222, 474-80	7	21
19	Impact of histone deacetylase inhibitors SAHA and MS-275 on DNA repair pathways in human mesenchymal stem cells. <i>Journal of Cellular Physiology</i> , <b>2010</b> , 225, 537-44	7	25
18	Histone deacetylase inhibitors promote apoptosis and senescence in human mesenchymal stem cells. <i>Stem Cells and Development</i> , <b>2009</b> , 18, 573-81	4.4	55
17	Molecular characterization of Italian rice cultivars. <i>European Food Research and Technology</i> , <b>2009</b> , 228, 875-881	3.4	10
16	Ancient DNA and family relationships in a Pompeian house. <i>Annals of Human Genetics</i> , <b>2009</b> , 73, 429-37	2.2	6
15	Comparative evaluation of different DNA extraction procedures from food samples. <i>Biotechnology Progress</i> , <b>2007</b> , 23, 297-301	2.8	57
14	Methods to improve the yield and quality of DNA from dried and processed figs. <i>Biotechnology Progress</i> , <b>2005</b> , 21, 546-9	2.8	11
13	Ancient DNA as a multidisciplinary experience. <i>Journal of Cellular Physiology</i> , <b>2005</b> , 202, 315-22	7	12
12	Genetic characterization of Pompeii and Herculaneum Equidae buried by Vesuvius in 79 AD. <i>Journal of Cellular Physiology</i> , <b>2004</b> , 199, 200-5	7	14
11	2000 Year-old ancient equids: an ancient-DNA lesson from pompeii remains. <i>The Journal of Experimental Zoology</i> , <b>2004</b> , 302, 550-6		8
10	Enzymatic repair of selected cross-linked homoduplex molecules enhances nuclear gene rescue from Pompeii and Herculaneum remains. <i>Nucleic Acids Research</i> , <b>2002</b> , 30, e16	20.1	25
9	Apoptotic genes expression in the lumbar dorsal horn in a model neuropathic pain in rat. <i>NeuroReport</i> , <b>2002</b> , 13, 101-6	1.7	46

8	pRb2/p130 gene overexpression induces astrocyte differentiation. <i>Molecular and Cellular Neurosciences</i> , <b>2001</b> , 17, 415-25	4.8	17
7	In vivo effects of partial phosphorothioated AT1 receptor antisense oligonucleotides in spontaneously hypertensive and normotensive rats. <i>Life Sciences</i> , <b>2000</b> , 66, 2091-9	6.8	3
6	Identification of hazelnut ( <i>Corylus avellana</i> ) cultivars by RAPD analysis. <i>Plant Cell Reports</i> , <b>1999</b> , 18, 652-655	6.55	24
5	Differentiation and apoptosis of neuroblastoma cells: role of N-myc gene product. <i>Journal of Cellular Biochemistry</i> , <b>1999</b> , 73, 97-105	4.7	63
4	Antisense inhibitory effect: A comparison between 3'-partial and full phosphorothioate antisense oligonucleotides <b>1999</b> , 74, 31-37		23
3	Induction of apoptosis and differentiation in neuroblastoma and astrocytoma cells by the overexpression of Bin1, a novel myc interacting protein <b>1999</b> , 74, 313-322		34
2	Ancient DNA in human bone remains from Pompeii archaeological site. <i>Biochemical and Biophysical Research Communications</i> , <b>1998</b> , 247, 901-4	3.4	34
1	Myotonic dystrophy: antisense oligonucleotide inhibition of DMPK gene expression in vitro. <i>Biochemical and Biophysical Research Communications</i> , <b>1996</b> , 221, 750-4	3.4	17