

Ruth Knächel-Clarke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4783406/publications.pdf>

Version: 2024-02-01

62
papers

2,177
citations

304743

22
h-index

243625

44
g-index

65
all docs

65
docs citations

65
times ranked

4112
citing authors

#	ARTICLE	IF	CITATIONS
1	ITIH5-Derived Polypeptides Covering the VIT Domain Suppress the Growth of Human Cancer Cells In Vitro. <i>Cancers</i> , 2022, 14, 488.	3.7	4
2	First report from the German COVID-19 autopsy registry. <i>Lancet Regional Health - Europe</i> , The, 2022, 15, 100330.	5.6	33
3	Heterogenous NECTIN4 expression in urothelial high-risk non-muscle-invasive bladder cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 481, 83-92.	2.8	3
4	Effective Radiosensitization of Bladder Cancer Cells by Pharmacological Inhibition of DNA-PK and ATR. <i>Biomedicines</i> , 2022, 10, 1277.	3.2	3
5	The Impact of Fluorescence in situ Hybridization on the Staging of Upper Tract Urothelial Carcinoma. <i>Urologia Internationalis</i> , 2021, 105, 631-636.	1.3	3
6	Cooperative approach of pathology and neuropathology in the COVID-19 pandemic. <i>Der Pathologe</i> , 2021, 42, 69-75.	1.6	4
7	Intratumoral heterogeneity of surrogate molecular subtypes in urothelial carcinoma in situ of the urinary bladder: implications for prognostic stratification of high-risk non-muscle-invasive bladder cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 325-335.	2.8	11
8	The ECM Modulator ITIH5 Affects Cell Adhesion, Motility and Chemotherapeutic Response of Basal/Squamous-Like (BASQ) Bladder Cancer Cells. <i>Cells</i> , 2021, 10, 1038.	4.1	11
9	SARS-CoV-2 RNA screening in routine pathology specimens. <i>Microbial Biotechnology</i> , 2021, 14, 1627-1641.	4.2	9
10	Molecular Characterization of Mullerian Tumors of the Urinary Tract. <i>Genes</i> , 2021, 12, 880.	2.4	5
11	Multisystemic Cellular Tropism of SARS-CoV-2 in Autopsies of COVID-19 Patients. <i>Cells</i> , 2021, 10, 1900.	4.1	50
12	Automated PD-L1 Scoring Using Artificial Intelligence in Head and Neck Squamous Cell Carcinoma. <i>Cancers</i> , 2021, 13, 4409.	3.7	18
13	Iron metabolism: pathophysiology and pharmacology. <i>Trends in Pharmacological Sciences</i> , 2021, 42, 640-656.	8.7	87
14	MSI testing. <i>Der Pathologe</i> , 2021, 42, 110-118.	1.6	9
15	Evaluation of Therapeutic Targets in Histological Subtypes of Bladder Cancer. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11547.	4.1	16
16	Next-Generation Sequencing Reveals Potential Predictive Biomarkers and Targets of Therapy for Urothelial Carcinoma in Situ of the Urinary Bladder. <i>American Journal of Pathology</i> , 2020, 190, 323-332.	3.8	20
17	Bladder Cancer Stage Development, 2004-2014 in Europe Compared With the United States: Analysis of European Population-based Cancer Registries, the United States SEER Database, and a Large Tertiary Institutional Cohort. <i>Clinical Genitourinary Cancer</i> , 2020, 18, 162-170.e4.	1.9	12
18	SWI/SNF Alterations in Squamous Bladder Cancers. <i>Genes</i> , 2020, 11, 1368.	2.4	3

#	ARTICLE	IF	CITATIONS
19	Impact of Angiogenesis- and Hypoxia-Associated Polymorphisms on Tumor Recurrence in Patients with Hepatocellular Carcinoma Undergoing Surgical Resection. <i>Cancers</i> , 2020, 12, 3826.	3.7	11
20	Editorial for: Bertoni et al. ex vivo fluorescence confocal microscopy: prostatic and periprostatic tissues atlas and evaluation of the learning curve. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 476, 487-488.	2.8	0
21	Multicentric Analytical and Inter-observer Comparability of Four Clinically Developed Programmed Death-ligand 1 Immunohistochemistry Assays in Advanced Clear-cell Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2020, 18, e629-e642.	1.9	8
22	Therapeutic implications of PD-L1 expression in bladder cancer with squamous differentiation. <i>BMC Cancer</i> , 2020, 20, 230.	2.6	24
23	Autopsy registry can facilitate COVID-19 research. <i>EMBO Molecular Medicine</i> , 2020, 12, e12885.	6.9	20
24	Interference with ERK-dimerization at the nucleocytosolic interface targets pathological ERK1/2 signaling without cardiotoxic side-effects. <i>Nature Communications</i> , 2020, 11, 1733.	12.8	38
25	Pure high-grade papillary urothelial bladder cancer: a luminal-like subgroup with potential for targeted therapy. <i>Cellular Oncology (Dordrecht)</i> , 2020, 43, 807-819.	4.4	12
26	ITIH5 and ECRG4 DNA Methylation Biomarker Test (EI-BLA) for Urine-Based Non-Invasive Detection of Bladder Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1117.	4.1	18
27	An unusual case of aortic metastasis from lung cancer. <i>Discoveries</i> , 2020, 8, e106.	2.3	4
28	Multicentric analytical comparability study of programmed death-ligand 1 expression on tumor-infiltrating immune cells and tumor cells in urothelial bladder cancer using four clinically developed immunohistochemistry assays. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 599-608.	2.8	45
29	Iron oxide nanoparticles: Diagnostic, therapeutic and theranostic applications. <i>Advanced Drug Delivery Reviews</i> , 2019, 138, 302-325.	13.7	731
30	SNiPER: a novel hypermethylation biomarker panel for liquid biopsy based early breast cancer detection. <i>Oncotarget</i> , 2019, 10, 6494-6508.	1.8	19
31	Progression of urothelial carcinoma in situ of the urinary bladder: a switch from luminal to basal phenotype and related therapeutic implications. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 749-758.	2.8	43
32	Pathogenic and targetable genetic alterations in 70 urachal adenocarcinomas. <i>International Journal of Cancer</i> , 2018, 143, 1764-1773.	5.1	44
33	The impact of complete embedding of remaining tissue in gynecological lymph node dissection specimen in surgical pathology on lymph node yield: is it clinically relevant?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 183-188.	2.8	3
34	Development of a Rapid Analysis Method for Bone Resection Margins for Oral Squamous Cell Carcinoma by Immunoblotting. <i>Head and Neck Pathology</i> , 2018, 12, 210-220.	2.6	1
35	ITIH5 induces a shift in TGF β superfamily signaling involving Endoglin and reduces risk for breast cancer metastasis and tumor death. <i>Molecular Carcinogenesis</i> , 2018, 57, 167-181.	2.7	21
36	Promoter methylation of DNA damage repair (DDR) genes in human tumor entities: RBBP8/CtIP is almost exclusively methylated in bladder cancer. <i>Clinical Epigenetics</i> , 2018, 10, 15.	4.1	32

#	ARTICLE	IF	CITATIONS
37	ARID1A-deficiency in urothelial bladder cancer: No predictive biomarker for EZH2-inhibitor treatment response?. <i>PLoS ONE</i> , 2018, 13, e0202965.	2.5	25
38	ITIH5 mediates epigenetic reprogramming of breast cancer cells. <i>Molecular Cancer</i> , 2017, 16, 44.	19.2	29
39	<i>In vivo&/i> quantification of amyloid burden in TTR-related cardiac amyloidosis. <i>Intractable and Rare Diseases Research</i> , 2017, 6, 291-294.	0.9	1
40	Liquid biopsy in colon cancer: comparison of different circulating DNA extraction systems following absolute quantification of <i>KRAS</i> mutations using Intplex allele-specific PCR. <i>Oncotarget</i> , 2017, 8, 86253-86263.	1.8	64
41	Contrast-enhanced CT imaging in patients with chronic kidney disease. <i>Angiogenesis</i> , 2016, 19, 525-535.	7.2	22
42	Risk of biochemical recurrence and timing of radiotherapy in pT3aNO prostate cancer with positive surgical margin. <i>Strahlentherapie Und Onkologie</i> , 2016, 192, 440-448.	2.0	6
43	An engineered multicomponent bone marrow niche for the recapitulation of hematopoiesis at ectopic transplantation sites. <i>Journal of Hematology and Oncology</i> , 2016, 9, 4.	17.0	35
44	Rps14 haploinsufficiency causes a block in erythroid differentiation mediated by S100A8 and S100A9. <i>Nature Medicine</i> , 2016, 22, 288-297.	30.7	191
45	Gleason Score 6 - Prostate Cancer or Benign Variant?. <i>Oncology Research and Treatment</i> , 2015, 38, 629-632.	1.2	7
46	Inter<i>±</i> trypsin inhibitor heavy chain 5 (<sc>ITIH</sc>5) is overexpressed in inflammatory skin diseases and affects epidermal morphology in constitutive knockout mice and murine 3D skin models. <i>Experimental Dermatology</i> , 2015, 24, 663-668.	2.9	20
47	Identification and Validation of Potential New Biomarkers for Prostate Cancer Diagnosis and Prognosis Using 2D-DIGE and MS. <i>BioMed Research International</i> , 2015, 2015, 1-23.	1.9	44
48	Risk and timing of biochemical recurrence in pT3aNO/Nx prostate cancer with positive surgical margin â€“ A multicenter study. <i>Radiotherapy and Oncology</i> , 2015, 116, 119-124.	0.6	16
49	Response letter to â€œWhat can be more prognostic than the pTNM category assessed in radical cystectomy samples?â€•by S<i>4&/i>sd F, Ivanyi B and Pajor L. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 467, 483-484.	2.8	0
50	Low expression of ITIH5 in adenocarcinoma of the lung is associated with unfavorable patients' outcome. <i>Epigenetics</i> , 2015, 10, 903-912.	2.7	30
51	Towards sustainable data management in professional biobanking. <i>Studies in Health Technology and Informatics</i> , 2015, 212, 94-102.	0.3	2
52	The Use of Contrast-Enhanced Post Mortem CT in the Detection of Cardiovascular Deaths. <i>PLoS ONE</i> , 2014, 9, e93101.	2.5	15
53	Epigenetic inactivation of the novel candidate tumor suppressor gene <i>ITIH5</i> in colon cancer predicts unfavorable overall survival in the CpG island methylator phenotype. <i>Epigenetics</i> , 2014, 9, 1290-1301.	2.7	29
54	Activated fibronectin-secretory phenotype of mesenchymal stromal cells in pre-fibrotic myeloproliferative neoplasms. <i>Journal of Hematology and Oncology</i> , 2014, 7, 92.	17.0	29

#	ARTICLE	IF	CITATIONS
55	Molecular markers for urothelial bladder cancer prognosis: Toward implementation in clinical practice. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 1078-1087.	1.6	42
56	Epigenetic inactivation of ITIH5 promotes bladder cancer progression and predicts early relapse of pT1 high-grade urothelial tumours. <i>Carcinogenesis</i> , 2014, 35, 727-736.	2.8	38
57	Optical Tomography of MMP Activity Allows a Sensitive Noninvasive Characterization of the Invasiveness and Angiogenesis of SCC Xenografts. <i>Neoplasia</i> , 2014, 16, 235-246.e1.	5.3	12
58	Contrast-enhanced postmortem computed tomography in clinical pathology: enhanced value of 20 clinical autopsies. <i>Human Pathology</i> , 2014, 45, 1813-1823.	2.0	26
59	Proteomic profiling in Lipocalin 2 deficient mice under normal and inflammatory conditions. <i>Journal of Proteomics</i> , 2013, 78, 188-196.	2.4	30
60	Genetic instability after radiotherapy in prostate cancer: TMRSS2-ERG fusion in salvage radical prostatectomies.. <i>Journal of Clinical Oncology</i> , 2013, 31, 182-182.	1.6	0
61	Virtual CT autopsy in clinical pathology: feasibility in clinical autopsies. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 461, 211-219.	2.8	63
62	Interactions Between Bladder Tumor Cells as Tumor Spheroids from the Cell Line J82 and Human Endothelial Cells in Vitro. <i>Journal of Urology</i> , 1988, 139, 640-645.	0.4	21