List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4783970/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A Novel Defocus-Degree-Based Phase Unwrapping and Fusion Algorithm for High-Speed and Large-Depth-Range 3D Measurement. IEEE Transactions on Industrial Electronics, 2023, 70, 4278-4288.	7.9	2
2	Integration of efficient microwave absorption and shielding in a multistage composite foam with progressive conductivity modular design. Materials Horizons, 2022, 9, 708-719.	12.2	76
3	Metallized Skeleton of Polymer Foam Based on Metal–Organic Decomposition for High-Performance EMI Shielding. ACS Applied Materials & Interfaces, 2022, 14, 3302-3314.	8.0	42
4	Ambient-air in situ fabrication of high-surface-area, superhydrophilic, and microporous few-layer activated graphene films by ultrafast ultraviolet laser for enhanced energy storage. Nano Energy, 2022, 94, 106902.	16.0	23
5	One-Step Ultraviolet Laser-Induced Fluorine-Doped Graphene Achieving Superhydrophobic Properties and Its Application in Deicing. ACS Applied Materials & Interfaces, 2022, 14, 4647-4655.	8.0	53
6	High energy density of BaTiO3@TiO2 nanosheet/polymer composites via ping-pong-like electron area scattering and interface engineering. NPG Asia Materials, 2022, 14, .	7.9	23
7	Assembly of flower-like VS2/N-doped porous carbon with expanded (001) plane on rGO for superior Na-ion and K-ion storage. Nano Research, 2022, 15, 4108-4116.	10.4	23
8	Laser-induced graphene coated hollow-core fiber for humidity sensing. Sensors and Actuators B: Chemical, 2022, 359, 131530.	7.8	7
9	Tailorable, Lightweight and Superelastic Liquid Metal Monoliths for Multifunctional Electromagnetic Interference Shielding. Nano-Micro Letters, 2022, 14, 29.	27.0	49
10	Difluorobenzylamine Treatment of Organolead Halide Perovskite Boosts the High Efficiency and Stability of Photovoltaic Cells. ACS Applied Materials & Interfaces, 2022, 14, 11388-11397.	8.0	11
11	Crosstalkâ€Free, Highâ€Resolution Pressure Sensor Arrays Enabled by Highâ€Throughput Laser Manufacturing. Advanced Materials, 2022, 34, e2200517.	21.0	27
12	Pressure-Enhanced Vertical Orientation and Compositional Control of Ruddlesden–Popper Perovskites for Efficient and Stable Solar Cells and Self-Powered Photodetectors. ACS Applied Materials & Interfaces, 2022, 14, 1526-1536.	8.0	13
13	Anisotropic Charge Transport Enabling Highâ€Throughput and Highâ€Aspectâ€Ratio Wet Etching of Silicon Carbide. Small Methods, 2022, 6, .	8.6	27
14	Large-scale production of boron nitride nanosheets-based epoxy nanocomposites with ultrahigh through-plane thermal conductivity for electronic encapsulation. , 2022, , .		2
15	Epoxy Resin with Metal Complex Additives for Improved Reliability of Epoxy-Copper Joint. , 2022, , .		0
16	Laser Processing of Flexible In-Plane Micro-supercapacitors: Progresses in Advanced Manufacturing of Nanostructured Electrodes. ACS Nano, 2022, 16, 10088-10129.	14.6	31
17	A VCM Active Actuation Method for Bonding Time Reduction in Chip Packaging Process. IEEE Transactions on Industrial Electronics, 2021, 68, 7252-7262.	7.9	8
18	Comparison of two high temperature treatment methods on preparing electrically conductive polysulfide/Ag composites for aerospace sealant applications. Journal of Applied Polymer Science, 2021, 138, 50121.	2.6	3

#	Article	IF	CITATIONS
19	Atomic Modulation of 3D Conductive Frameworks Boost Performance of MnO2 for Coaxial Fiber-Shaped Supercapacitors. Nano-Micro Letters, 2021, 13, 4.	27.0	20
20	Laser-induced nitrogen-self-doped graphite nanofibers from cyanate ester for on-chip micro-supercapacitors. Chemical Engineering Journal, 2021, 404, 126375.	12.7	33
21	Fluorinated graphene/polyimide nanocomposites for advanced electronic packaging applications. Journal of Applied Polymer Science, 2021, 138, 49801.	2.6	15
22	Realizing an Allâ€Round Hydrogel Electrolyte toward Environmentally Adaptive Dendriteâ€Free Aqueous Zn–MnO ₂ Batteries. Advanced Materials, 2021, 33, e2007559.	21.0	250
23	Intensity Modulated Gas RI Sensor Based on Inornate Antiresonant Hollow-Core Fiber With Ultrahigh Sensitivity. IEEE Access, 2021, 9, 45270-45276.	4.2	6
24	Ultrahigh-Aspect-Ratio Boron Nitride Nanosheets Leading to Superhigh In-Plane Thermal Conductivity of Foldable Heat Spreader. ACS Nano, 2021, 15, 6489-6498.	14.6	191
25	Laminar Metal Foam: A Soft and Highly Thermally Conductive Thermal Interface Material with a Reliable Joint for Semiconductor Packaging. ACS Applied Materials & Interfaces, 2021, 13, 15791-15801.	8.0	7
26	Melt Processable Novolac Cyanate Ester/Biphenyl Epoxy Copolymer Series with Ultrahigh Glass-Transition Temperature. ACS Applied Materials & Interfaces, 2021, 13, 15551-15562.	8.0	23
27	Numerical homogenization of thermal conductivity of particle-filled thermal interface material by fast Fourier transform method. Nanotechnology, 2021, 32, 265708.	2.6	13
28	Achieving a sub-10 nm nanopore array in silicon by metal-assisted chemical etching and machine learning. International Journal of Extreme Manufacturing, 2021, 3, 035104.	12.7	27
29	Facile and Scalable Fabrication of High-Performance Microsupercapacitors Based on Laser-Scribed <i>In Situ</i> Heteroatom-Doped Porous Graphene. ACS Applied Materials & Interfaces, 2021, 13, 22426-22437.	8.0	35
30	The in vivo dissolution of tricalcium silicate bone cement. Journal of Biomedical Materials Research - Part A, 2021, 109, 2527-2535.	4.0	3
31	Large-scale and low-cost production of graphene nanosheets-based epoxy nanocomposites with latent catalyst to enhance thermal conductivity for electronic encapsulation. , 2021, , .		1
32	Alternately Intercalated Heterostructures of Carbon and MoS ₂ Monolayers as Saturable Absorber for Ultrashort Femtosecond Mode‣ocked Lasers. Advanced Optical Materials, 2021, 9, 2100699.	7.3	5
33	Interfacial Laserâ€Induced Graphene Enabling Highâ€Performance Liquidâ^'Solid Triboelectric Nanogenerator. Advanced Materials, 2021, 33, e2104290.	21.0	120
34	Synergistic size and shape effect of dendritic silver nanostructures for low-temperature sintering of paste as die attach materials. Journal of Materials Science: Materials in Electronics, 2021, 32, 323-336.	2.2	8
35	The Effect of Thermal-Induced Warpage and Degeneration of Thermal Interface Materials on the Thermal Performance of a Flip-Chip Package. , 2021, , .		1
36	Sequential Analysis of Drop Impact and Thermal Cycling of Electronic Packaging Structures. , 2021, , .		0

#	Article	IF	CITATIONS
37	Comparison between two numerical methods for the computation of thermal conductivities of particulate composites: FEM and GeoDict. , 2021, , .		0
38	Orthogonal Experiment for Analyzing the Impact of Thermal Stress on the Reliability of an EMC Package. , 2021, , .		0
39	Fabrication of SiC Nano-pore arrays Structure by Metal-assisted Photochemical Etching. , 2021, , .		0
40	Characterization and Verification of Viscoelastic Constitutive Parameters of Underfill Material. , 2021, , .		5
41	Viscoelastic Characterization and Simulation of Thermal Interface Materials. , 2021, , .		3
42	Numerical analysis on the effect of microstructures on the thermal and mechanical properties of carbon fiber / Al2O3 thermal pad. , 2021, , .		0
43	Electromagnetic interference shielding materials: recent progress, structure design, and future perspective. Journal of Materials Chemistry C, 2021, 10, 44-72.	5.5	101
44	A newly designed paraffin@VO2 phase change material with the combination of high latent heat and large thermal conductivity. Journal of Colloid and Interface Science, 2020, 559, 226-235.	9.4	45
45	A highly stretchable and conductive composite based on an emulsion-templated silver nanowire aerogel. Journal of Materials Chemistry A, 2020, 8, 1724-1730.	10.3	32
46	Achieving Significant Thermal Conductivity Enhancement via an Ice-Templated and Sintered BN-SiC Skeleton. ACS Applied Materials & Interfaces, 2020, 12, 2892-2902.	8.0	118
47	Role of Excess FAI in Formation of Highâ€Efficiency FAPbI ₃ â€Based Lightâ€Emitting Diodes. Advanced Functional Materials, 2020, 30, 1906875.	14.9	44
48	A magnetized microneedle-array based flexible triboelectric-electromagnetic hybrid generator for human motion monitoring. Nano Energy, 2020, 69, 104415.	16.0	37
49	Thermally Self-Healable Titanium Dioxide/Polyurethane Nanocomposites with Recoverable Mechanical and Dielectric Properties. Macromolecular Research, 2020, 28, 373-381.	2.4	9
50	Ultrathin Densified Carbon Nanotube Film with "Metal-like―Conductivity, Superior Mechanical Strength, and Ultrahigh Electromagnetic Interference Shielding Effectiveness. ACS Nano, 2020, 14, 14134-14145.	14.6	162
51	Laser-oxidized Fe3O4 nanoparticles anchored on 3D macroporous graphene flexible electrodes for ultrahigh-energy in-plane hybrid micro-supercapacitors. Nano Energy, 2020, 77, 105058.	16.0	72
52	Greatly enhanced power conversion efficiency of hole-transport-layer-free perovskite solar cell via coherent interfaces of perovskite and carbon layers. Nano Energy, 2020, 77, 105110.	16.0	31
53	Versatile Biomass Carbon Foams for Fast Oil–Water Separation, Flexible Pressure-Strain Sensors, and Electromagnetic Interference Shielding. Industrial & Engineering Chemistry Research, 2020, 59, 20740-20748.	3.7	25
54	Microfabricated SERF Atomic Magnetometers for Measurement of Weak Magnetic Field. , 2020, , .		2

4

#	Article	IF	CITATIONS
55	MAPbI3 Quasi-Single-Crystal Films Composed of Large-Sized Grains with Deep Boundary Fusion for Sensitive Vis–NIR Photodetectors. ACS Applied Materials & Interfaces, 2020, 12, 38314-38324.	8.0	12
56	Backside ultraviolet illumination enhanced metal-assisted chemical etching for high-aspect-ratio silicon microstructures. , 2020, , .		0
57	Defect control in epoxy dry film with improved electric performances. , 2020, , .		1
58	Ladderlike Conical Micropillars Facilitating Underwater Gas-Bubble Manipulation in an Aqueous Environment. ACS Applied Materials & Interfaces, 2020, 12, 42437-42445.	8.0	15
59	Synthesis of Boron Nitride Coated Silica Filler for Preparing Thermally Conductive Epoxy Composites. , 2020, , .		0
60	Highly Sensitive and Stretchable Strain Sensor Based on a Synergistic Hybrid Conductive Network. ACS Applied Materials & Interfaces, 2020, 12, 42420-42429.	8.0	46
61	Water-soluble boron carbon oxynitride dots with excellent solid-state fluorescence and ultralong room-temperature phosphorescence. Nano Research, 2020, 13, 3261-3267.	10.4	34
62	Enhanced dielectric constant and energy density in a BaTiO3/polymer-matrix composite sponge. Communications Materials, 2020, 1, .	6.9	18
63	Rationally Designing the Trace of Wire Bonder Head for Large-Span-Ratio Wire Bonding in 3D Stacked Packaging. IEEE Access, 2020, 8, 206571-206580.	4.2	4
64	Self-healable and mechanically reinforced polyurethane/titanium dioxide dielectric nanocomposites by exchangeable disulfide links. , 2020, , .		0
65	Flexible and Highly Sensitive Pressure Sensors with Surface Discrete Microdomes Made from Selfâ€Assembled Polymer Microspheres Array. Macromolecular Chemistry and Physics, 2020, 221, 2000073.	2.2	30
66	Flexible and electrically conductive composites based on 3D hierarchical silver dendrites. Soft Matter, 2020, 16, 6765-6772.	2.7	12
67	A novel environmentally friendly boron nitride/lignosulfonate/natural rubber composite with improved thermal conductivity. Journal of Materials Chemistry C, 2020, 8, 4801-4809.	5.5	27
68	Anti-freezing flexible aqueous Zn–MnO ₂ batteries working at â^'35 °C enabled by a borax-crosslinked polyvinyl alcohol/glycerol gel electrolyte. Journal of Materials Chemistry A, 2020, 8, 6828-6841.	10.3	196
69	Simultaneous improvement of thermal conductivity and mechanical properties for mechanically mixed ABS/hâ€BN composites by using small amounts of hyperbranched polymer additives. Journal of Applied Polymer Science, 2020, 137, 49186.	2.6	12
70	Hydrothermal synthesis of BaTiO3 nanowires for high energy density nanocomposite capacitors. Journal of Materials Science, 2020, 55, 6903-6914.	3.7	19
71	Laser-induced and KOH-activated 3D graphene: A flexible activated electrode fabricated via direct laser writing for in-plane micro-supercapacitors. Chemical Engineering Journal, 2020, 393, 124672.	12.7	93
72	lce-Templated MXene/Ag–Epoxy Nanocomposites as High-Performance Thermal Management Materials. ACS Applied Materials & Interfaces, 2020, 12, 24298-24307.	8.0	117

#	Article	IF	CITATIONS
73	A triboelectric nanogenerator design for harvesting environmental mechanical energy from water mist. Nano Energy, 2020, 73, 104765.	16.0	31
74	An environmentally adaptive quasi-solid-state zinc-ion battery based on magnesium vanadate hydrate with commercial-level mass loading and anti-freezing gel electrolyte. Journal of Materials Chemistry A, 2020, 8, 8397-8409.	10.3	98
75	Laser Direct Structuring of Bioinspired Spine with Backward Microbarbs and Hierarchical Microchannels for Ultrafast Water Transport and Efficient Fog Harvesting. ACS Applied Materials & Interfaces, 2020, 12, 21080-21087.	8.0	77
76	Facile and Efficient Welding of Silver Nanowires Based on UVAâ€Induced Nanoscale Photothermal Process for Rollâ€toâ€Roll Manufacturing of Highâ€Performance Transparent Conducting Films. Advanced Materials Interfaces, 2019, 6, 1801635.	3.7	30
77	A Highly Sensitive and Costâ€Effective Flexible Pressure Sensor with Micropillar Arrays Fabricated by Novel Metalâ€Assisted Chemical Etching for Wearable Electronics. Advanced Materials Technologies, 2019, 4, 1900367.	5.8	34
78	Cationic Polyelectrolyte Bridged Boron Nitride Microplatelet Based Poly(vinyl alcohol) Composite: A Novel Method toward High Thermal Conductivity. Advanced Materials Interfaces, 2019, 6, 1900787.	3.7	24
79	Vertically Aligned WS ₂ Layers for Highâ€Performing Memristors and Artificial Synapses. Advanced Electronic Materials, 2019, 5, 1900467.	5.1	68
80	Enhancement in Performance of Transparent pâ€NiO/nâ€ZnO Heterojunction Ultrafast Selfâ€Powered Photodetector via Pyroâ€Phototronic Effect. Advanced Electronic Materials, 2019, 5, 1900438.	5.1	73
81	Epoxy/ Triazine Copolymer Resin System for High Temperature Encapsulant Applications. , 2019, , .		4
82	Simultaneously Enhanced Permittivity and Electric Breakdown Strength of Polyacrylonitrile Composites by Introducing Ultralow Content BaSrTiO ₃ Nanofibers. Advanced Engineering Materials, 2019, 21, 1900817.	3.5	20
83	Lowâ€Dielectric Constant and Lowâ€Temperature Curable Polyimide/POSS Nanocomposites. Macromolecular Materials and Engineering, 2019, 304, 1900505.	3.6	45
84	Silver Nanoparticle-Enzyme Composite Films for Hydrogen Peroxide Detection. ACS Applied Nano Materials, 2019, 2, 5910-5921.	5.0	29
85	Bioadhesive hydrocaffeic acid modified chitosan colloidal particles using as particulate emulsifiers. Journal of Dispersion Science and Technology, 2019, 40, 1559-1566.	2.4	6
86	Halidesâ€Assisted Lowâ€Temperature Synthesis of Hexagonal Boron Nitride Nanosheets. Particle and Particle Systems Characterization, 2019, 36, 1900278.	2.3	2
87	Pd Nanoparticle-Interspersed Hierarchical Copper Hydroxide@Nickel Cobalt Hydroxide Carbonate Tubular Arrays as Efficient Electrocatalysts for Oxygen Evolution Reaction. ACS Sustainable Chemistry and Engineering, 2019, 7, 16459-16466.	6.7	21
88	In-Situ Redox Nanowelding of Copper Nanowires with Surficial Oxide Layer as Solder for Flexible Transparent Electromagnetic Interference Shielding. , 2019, , .		2
89	Room-Temperature Welding of Silver Telluride Nanowires for High-Performance Thermoelectric Film. ACS Applied Materials & Interfaces, 2019, 11, 37892-37900.	8.0	35
90	Formation of cerium oxide hollow spheres and investigation of hollowing mechanism. SN Applied Sciences, 2019, 1, 1.	2.9	5

#	Article	IF	CITATIONS
91	Composite Glass-Silicon Substrates Embedded With Microcomponents for MEMS System Integration. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2019, 9, 201-208.	2.5	9
92	Hybrid Anodic and Metalâ€Assisted Chemical Etching Method Enabling Fabrication of Silicon Carbide Nanowires. Small, 2019, 15, e1803898.	10.0	31
93	Alumina-Coated Cu@Reduced Graphene Oxide Microspheres as Enhanced Antioxidative and Electrically Insulating Fillers for Thermal Interface Materials with High Thermal Conductivity. ACS Applied Electronic Materials, 2019, 1, 1330-1335.	4.3	17
94	Porous-hollow nanorods constructed from alternate intercalation of carbon and MoS2 monolayers for lithium and sodium storage. Nano Research, 2019, 12, 1912-1920.	10.4	39
95	Selfâ€Healable Polyelectrolytes with Mechanical Enhancement for Flexible and Durable Supercapacitors. Chemistry - A European Journal, 2019, 25, 11715-11724.	3.3	23
96	A Facile, Low-Cost Plasma Etching Method for Achieving Size Controlled Non-Close-Packed Monolayer Arrays of Polystyrene Nano-Spheres. Nanomaterials, 2019, 9, 605.	4.1	22
97	Enhanced electrocaloric effect for refrigeration in lead-free polymer composite films with an optimal filler loading. Applied Physics Letters, 2019, 114, .	3.3	20
98	Highly Compressive Boron Nitride Nanotube Aerogels Reinforced with Reduced Graphene Oxide. ACS Nano, 2019, 13, 7402-7409.	14.6	115
99	UV Laserâ€Induced Polyimideâ€toâ€Graphene Conversion: Modeling, Fabrication, and Application. Small Methods, 2019, 3, 1900208.	8.6	76
100	Highly Ordered 3D Porous Graphene Sponge for Wearable Piezoresistive Pressure Sensor Applications. Chemistry - A European Journal, 2019, 25, 6378-6384.	3.3	39
101	Metal–Organic Framework-Derived Co _{<i>x</i>} Fe _{1–<i>x</i>} P Nanoparticles Encapsulated in N-Doped Carbon as Efficient Bifunctional Electrocatalysts for Overall Water Splitting. ACS Applied Energy Materials, 2019, 2, 2734-2742.	5.1	50
102	Triangular Model Registration Algorithm Through Differential Topological Singularity Points by Helmholtz-Hodge Decomposition. IEEE Access, 2019, 7, 34776-34790.	4.2	2
103	Facile one-step fabrication of glucose oxidase loaded polymeric nanoparticles decorating MWCNTs for constructing glucose biosensing platform: Structure matters. Biosensors and Bioelectronics, 2019, 135, 153-159.	10.1	37
104	Dynamic Modeling, Simulation, and Experimental Verification of a Wafer Handling SCARA Robot With Decoupling Servo Control. IEEE Access, 2019, 7, 47143-47153.	4.2	14
105	Octahedral Cu ₂ O@Co(OH) ₂ Nanocages with Hierarchical Flake‣ike Walls and Yolkâ€5hell Structures for Enhanced Electrocatalytic Activity. ChemCatChem, 2019, 11, 2520-2525.	3.7	15
106	Enhanced micro-supercapacitors in aqueous electrolyte based on Si nanowires coated with TiO2. Journal of Materials Science: Materials in Electronics, 2019, 30, 8763-8770.	2.2	5
107	A Paper-Like Inorganic Thermal Interface Material Composed of Hierarchically Structured Graphene/Silicon Carbide Nanorods. ACS Nano, 2019, 13, 1547-1554.	14.6	131
			-

108 Development of low temperature curing polyimides with quinoline. , 2019, , .

3

#	Article	IF	CITATIONS
109	Oriented electrospun carbon nanofibers for improved through-plane thermal conductivity. , 2019, , .		0
110	Intrinsic low dielectric constant and low dielectric loss polyimides: the effect of molecular structure. , 2019, , .		2
111	Lightweight carbon-based foams made from bacterial cellulose for electromagnetic interference (EMI) shielding. , 2019, , .		1
112	The paraffin wax microcapsule PCM with VO2 shell for the thermal management. , 2019, , .		0
113	High-performance flexible and self-healable quasi-solid-state zinc-ion hybrid supercapacitor based on borax-crosslinked polyvinyl alcohol/nanocellulose hydrogel electrolyte. Journal of Materials Chemistry A, 2019, 7, 26524-26532.	10.3	183
114	Massively Engineering the Wettability of Titanium by Tuning Nanostructures and Roughness via Laser Ablation. Journal of Physical Chemistry C, 2019, 123, 30382-30388.	3.1	9
115	Rod-like anhydrous V ₂ O ₅ assembled by tiny nanosheets as a high-performance cathode material for aqueous zinc-ion batteries. RSC Advances, 2019, 9, 30556-30564.	3.6	46
116	Highly sensitive strain sensors based on hollow packaged silver nanoparticle-decorated three-dimensional graphene foams for wearable electronics. RSC Advances, 2019, 9, 39958-39964.	3.6	6
117	Uniform Metal-Assisted Chemical Etching for Ultra-High-Aspect-Ratio Microstructures on Silicon. Journal of Microelectromechanical Systems, 2019, 28, 143-153.	2.5	18
118	Silver Telluride Nanowire Assembly for Highâ€Performance Flexible Thermoelectric Film and Its Application in Selfâ€Powered Temperature Sensor. Advanced Electronic Materials, 2019, 5, 1800612.	5.1	58
119	Hierarchical NiCo hydroxide nanosheets deposited on 3D porous Ni arrays for cost-effective high-performance supercapacitors. Journal of Materials Science: Materials in Electronics, 2019, 30, 2552-2562.	2.2	13
120	Tailoring Highly Thermal Conductive Properties of Te/MoS ₂ /Ag Heterostructure Nanocomposites Using a Bottomâ€Up Approach. Advanced Electronic Materials, 2019, 5, 1800548.	5.1	25
121	Significantly Enhanced Electrostatic Energy Storage Performance of Flexible Polymer Composites by Introducing Highly Insulatingâ€Ferroelectric Microhybrids as Fillers. Advanced Energy Materials, 2019, 9, 1803204.	19.5	250
122	Nanostructured Siliconâ€Based Heterojunction Solar Cells with Double Holeâ€Transporting Layers. Advanced Electronic Materials, 2019, 5, 1800070.	5.1	12
123	All-Solid-State Fiber-Shaped Asymmetric Supercapacitors with Ultrahigh Energy Density Based on Porous Vanadium Nitride Nanowires and Ultrathin Ni(OH) ₂ Nanosheet Wrapped NiCo ₂ O ₄ Nanowires Arrays Electrode. Journal of Physical Chemistry C, 2019, 123, 985-993	3.1	31
124	Integrated Sensing-/Model-Based Online Estimation of Jet Dispensing. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2018, 8, 300-309.	2.5	7
125	High-aspect-ratio microstructures with versatile slanting angles on silicon by uniform metal-assisted chemical etching. Journal of Micromechanics and Microengineering, 2018, 28, 055006.	2.6	5
126	Solvent-Assisted Thermal-Pressure Strategy for Constructing High-Quality CH ₃ NH ₃ Pbl _{3–<i>x</i>} Cl _{<i>x</i>} Films as High-Performance Perovskite Photodetectors. ACS Applied Materials & amp; Interfaces, 2018, 10, 8393-8398.	8.0	16

#	Article	IF	CITATIONS
127	Heatâ€triggered poly(siloxaneâ€urethane)s based on disulfide bonds for selfâ€healing application. Journal of Applied Polymer Science, 2018, 135, 46532.	2.6	77
128	Controlled synthesis and evaluation of cyanate ester/epoxy copolymer system for high temperature molding compounds. Journal of Polymer Science Part A, 2018, 56, 1337-1345.	2.3	19
129	PdCu Alloy Flower-like Nanocages with High Electrocatalytic Performance for Methanol Oxidation. Journal of Physical Chemistry C, 2018, 122, 8976-8983.	3.1	79
130	Three-Dimensional Graphene Structure for Healable Flexible Electronics Based on Diels–Alder Chemistry. ACS Applied Materials & Interfaces, 2018, 10, 9727-9735.	8.0	44
131	Amorphous NiFe Nanotube Arrays Bifunctional Electrocatalysts for Efficient Electrochemical Overall Water Splitting. ACS Applied Energy Materials, 2018, 1, 1210-1217.	5.1	84
132	Ironâ€Doped Nickel Phosphide Nanosheets Inâ€Situ Grown on Nickel Submicrowires as Efficient Electrocatalysts for Oxygen Evolution Reaction. ChemCatChem, 2018, 10, 2248-2253.	3.7	24
133	Sn-Doped Rutile TiO ₂ Hollow Nanocrystals with Enhanced Lithium-Ion Batteries Performance. ACS Omega, 2018, 3, 1329-1337.	3.5	28
134	Influence of Buffer-Gas Pressure Inside Micro Alkali Vapor Cells on the Performance of Chip-Scale SERF Magnetometers. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2018, 8, 621-625.	2.5	7
135	High-Quality CH ₃ NH ₃ PbI ₃ Films Obtained via a Pressure-Assisted Space-Confined Solvent-Engineering Strategy for Ultrasensitive Photodetectors. Nano Letters, 2018, 18, 1213-1220.	9.1	35
136	High performance, environmentally benign and integratable Zn//MnO ₂ microbatteries. Journal of Materials Chemistry A, 2018, 6, 3933-3940.	10.3	53
137	Rational Design of Nickel Hydroxideâ€Based Nanocrystals on Graphene for Ultrafast Energy Storage. Advanced Energy Materials, 2018, 8, 1702247.	19.5	211
138	Design and fabrication of inverted tapered micro-pillars for spontaneously transporting liquid upward. Microfluidics and Nanofluidics, 2018, 22, 1.	2.2	7
139	NiCo ₂ O ₄ nanoframes with a nanosheet surface as efficient electrocatalysts for the oxygen evolution reaction. Materials Chemistry Frontiers, 2018, 2, 1155-1164.	5.9	54
140	Sn-Nanorod-Supported Ag Nanoparticles as Efficient Catalysts for Electroless Deposition of Cu Conductive Tracks. ACS Applied Nano Materials, 2018, 1, 1531-1540.	5.0	17
141	Hollow PdCo alloy nanospheres with mesoporous shells as high-performance catalysts for methanol oxidation. Journal of Colloid and Interface Science, 2018, 522, 264-271.	9.4	61
142	Facile synthesis of hierarchical porous manganese nickel cobalt sulfide nanotube arrays with enhanced electrochemical performance for ultrahigh energy density fiber-shaped asymmetric supercapacitors. Journal of Materials Chemistry A, 2018, 6, 8030-8038.	10.3	62
143	Tuning dielectric properties and energy density of poly(vinylidene fluoride) nanocomposites by quasi core–shell structured BaTiO3@graphene oxide hybrids. Journal of Materials Science: Materials in Electronics, 2018, 29, 1082-1092.	2.2	22
144	A low-cost, printable, and stretchable strain sensor based on highly conductive elastic composites with tunable sensitivity for human motion monitoring. Nano Research, 2018, 11, 1938-1955.	10.4	99

#	Article	IF	CITATIONS
145	Facile synthesis of low temperature sintering Ag nanopaticles for printed flexible electronics. Journal of Materials Science: Materials in Electronics, 2018, 29, 4432-4440.	2.2	28
146	Smith-ADRC Based Z Axis Impact Force Control for High Speed Wire Bonding Machine. , 2018, , .		3
147	Dielectric and energy storage behavior of PVDF composite film filled with graphene quantum dots decorated BaTiO <inf>3</inf> . , 2018, , .		0
148	Improved Thermal Conductive Property of Pine Needle Derived Carbon for Thermal Management Applications. , 2018, , .		1
149	Silicon Nanowires Passivated by TiO <inf>2</inf> Layer for Supercapacitors in Aqueous Electrolyte. , 2018, , .		0
150	Facile Preparation of Silver Nanoparticles Decorated Boron Nitride Nanotube Hybrids. , 2018, , .		1
151	A novel organic coating assisted laser drilling method for TSV fabrication. , 2018, , .		0
152	Metal-Organic Frameworks Derived PdCu/C As an Efficient Catalyst for Electroless Copper Deposition. , 2018, , .		0
153	Synthesis and characterization of 3D CoMoO <inf>4</inf> /rGO aerogel for supercapacitor electrodes. , 2018, , .		1
154	A highly sensitive and flexible capacitive pressure sensor based on a micro-arrayed polydimethylsiloxane dielectric layer. Journal of Materials Chemistry C, 2018, 6, 13232-13240.	5.5	160
155	A novel graphene oxide millispheres / epoxy resin composite with improved thermal conductivity. , 2018, , .		0
156	Effect of ZnS size on the dielectric and energy storage properties of ZnS/polymer composites. , 2018, , .		0
157	Polyimide incorporated cyanate ester/epoxy copolymers for highâ€ŧemperature molding compounds. Journal of Polymer Science Part A, 2018, 56, 2412-2421.	2.3	11
158	Fabricating 3D BT-BN/epoxy Composites with High Dielectric Performance. , 2018, , .		1
159	Research on Motion Simulation of Wafer Handling Robot Based on SCARA. , 2018, , .		3
160	FE Modeling and Analysis on Thermosonic Flip Chip Bonding Process for Cu/low-k Wafer. , 2018, , .		1
161	Research On Position&Force Control Based on Voice Coil Motor. , 2018, , .		4
162	Selfâ€Healable and Mechanically Reinforced Multidimensional arbon/Polyurethane Dielectric Nanocomposite Incorporates Various Functionalities for Capacitive Strain Sensor Applications. Macromolecular Chemistry and Physics, 2018, 219, 1800369.	2.2	17

#	Article	IF	CITATIONS
163	Synthesis of size-controlled pure copper nanoparticles for packaging interconnect. , 2018, , .		1
164	Ladderlike Tapered Pillars Enabling Spontaneous and Consecutive Liquid Transport. ACS Applied Materials & Interfaces, 2018, 10, 34735-34743.	8.0	17
165	Improvement of Sensitivity by Using Microfabricated Spherical Alkali Vapor Cells for Chip-Scale Atomic Magnetometers. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2018, 8, 1715-1722.	2.5	12
166	High energy density polymer nanocomposites with Yâ€doped barium strontium titanate nanoparticles as fillers. IET Nanodielectrics, 2018, 1, 137-142.	4.1	22
167	Advancements in Copper Nanowires: Synthesis, Purification, Assemblies, Surface Modification, and Applications. Small, 2018, 14, e1800047.	10.0	83
168	An Omniâ€Healable and Highly Sensitive Capacitive Pressure Sensor with Microarray Structure. Chemistry - A European Journal, 2018, 24, 16823-16832.	3.3	49
169	Predicting height and determining mass of foaming agents for glass shell resonators. , 2018, , .		2
170	Anticorrosive, Ultralight, and Flexible Carbonâ€Wrapped Metallic Nanowire Hybrid Sponges for Highly Efficient Electromagnetic Interference Shielding. Small, 2018, 14, e1800534.	10.0	310
171	Electrospun Nâ€Doped Hierarchical Porous Carbon Nanofiber with Improved Degree of Graphitization for Highâ€Performance Lithium Ion Capacitor. Chemistry - A European Journal, 2018, 24, 10460-10467.	3.3	55
172	An ultrosensitive biosensor based on electroactive nanoparticles self-assembled from 3-thiophenecarboxylic acid-modified starch. Colloid and Polymer Science, 2018, 296, 1365-1372.	2.1	4
173	Wood Derived Composites for High Sensitivity and Wide Linearâ€Range Pressure Sensing. Small, 2018, 14, e1801520.	10.0	79
174	A thermal interface material based on foam-templated three-dimensional hierarchical porous boron nitride. Journal of Materials Chemistry A, 2018, 6, 17540-17547.	10.3	94
175	A high-performance TiO2 nanotube supercapacitor by tuning heating rate during H2 thermal annealing. Journal of Materials Science: Materials in Electronics, 2018, 29, 15130-15137.	2.2	3
176	Fabrication of a flexible and stretchable three-dimensional conductor based on Au–Ni@graphene coated polyurethane sponge by electroless plating. Journal of Materials Chemistry C, 2018, 6, 8135-8143.	5.5	21
177	Compositionâ€Tuned Wide Bandgap Perovskites: From Grain Engineering to Stability and Performance Improvement. Advanced Functional Materials, 2018, 28, 1803130.	14.9	121
178	Hierarchical nickel nanowire@NiCo ₂ S ₄ nanowhisker composite arrays with a test-tube-brush-like structure for high-performance supercapacitors. Journal of Materials Chemistry A, 2018, 6, 15284-15293.	10.3	77
179	Adhesionâ€Enhanced Flexible Conductive Metal Patterns on Polyimide Substrate Through Direct Writing Catalysts with Novel Surfaceâ€Modification Electroless Deposition. ChemistrySelect, 2018, 3, 7612-7618.	1.5	7
180	Interstitial Occupancy by Extrinsic Alkali Cations in Perovskites and Its Impact on Ion Migration. Advanced Materials, 2018, 30, e1707350.	21.0	233

#	Article	IF	CITATIONS
181	Study on an Improved Wafer Level Fabrication Process to Achieve Size Uniformity for Micro Glass Shell Resonators. , 2018, , .		0
182	Integration of the SERF Magnetometer and the Mz Magnetometer Using Micro-Fabricated Alkali Vapor Cell. , 2018, , .		1
183	NaCl-templated synthesis of hierarchical porous carbon with extremely large specific surface area and improved graphitization degree for high energy density lithium ion capacitors. Journal of Materials Chemistry A, 2018, 6, 17057-17066.	10.3	149
184	Controlling Kink Geometry in Nanowires Fabricated by Alternating Metal-Assisted Chemical Etching. Nano Letters, 2017, 17, 1014-1019.	9.1	50
185	Ultrafast Molecular Stitching of Graphene Films at the Ethanol/Water Interface for High Volumetric Capacitance. Nano Letters, 2017, 17, 1365-1370.	9.1	42
186	A review of gassing behavior in Li ₄ Ti ₅ O ₁₂ -based lithium ion batteries. Journal of Materials Chemistry A, 2017, 5, 6368-6381.	10.3	157
187	Recent Advancements in Flexible and Stretchable Electrodes for Electromechanical Sensors: Strategies, Materials, and Features. ACS Applied Materials & Interfaces, 2017, 9, 12147-12164.	8.0	359
188	Self-Patterning of Silica/Epoxy Nanocomposite Underfill by Tailored Hydrophilic-Superhydrophobic Surfaces for 3D Integrated Circuit (IC) Stacking. ACS Applied Materials & Interfaces, 2017, 9, 8437-8442.	8.0	13
189	Controlled synthesis of three-phase NixSy/rGO nanoflake electrodes for hybrid supercapacitors with highÂenergy and power density. Nano Energy, 2017, 33, 522-531.	16.0	211
190	A reduced graphene oxide/mixed-valence manganese oxide composite electrode for tailorable and surface mountable supercapacitors with high capacitance and super-long life. Energy and Environmental Science, 2017, 10, 941-949.	30.8	253
191	Fabrication of highly reinforced and compressible graphene/carbon nanotube hybrid foams via a facile self-assembly process for application as strain sensors and beyond. Journal of Materials Chemistry C, 2017, 5, 2723-2730.	5.5	42
192	Low-temperature solution-processed NiO _x films for air-stable perovskite solar cells. Journal of Materials Chemistry A, 2017, 5, 11071-11077.	10.3	113
193	Precisely quantified catalyst based on in situ growth of Cu 2 O nanoparticles on a graphene 3D network for highly sensitive glucose sensor. Sensors and Actuators B: Chemical, 2017, 250, 333-341.	7.8	39
194	Flexible BaTiO3nf-Ag/PVDF nanocomposite films with high dielectric constant and energy density. IEEE Transactions on Dielectrics and Electrical Insulation, 2017, 24, 757-763.	2.9	31
195	Fabricating and Controlling Silicon Zigzag Nanowires by Diffusion-Controlled Metal-Assisted Chemical Etching Method. Nano Letters, 2017, 17, 4304-4310.	9.1	48
196	Enhanced oxidation resistance and electrical conductivity copper nanowires–graphene hybrid films for flexible strain sensors. New Journal of Chemistry, 2017, 41, 4950-4958.	2.8	25
197	Binary Synergistic Sensitivity Strengthening of Bioinspired Hierarchical Architectures based on Fragmentized Reduced Graphene Oxide Sponge and Silver Nanoparticles for Strain Sensors and Beyond. Small, 2017, 13, 1700944.	10.0	97
198	Mechanical strengthened alginate/polyacrylamide hydrogel crosslinked by barium and ferric dual ions. Journal of Materials Science, 2017, 52, 8538-8545.	3.7	36

#	Article	IF	CITATIONS
199	Effects of Defects on the Mechanical Properties of Kinked Silicon Nanowires. Nanoscale Research Letters, 2017, 12, 185.	5.7	11
200	An all-solid-state, lightweight, and flexible asymmetric supercapacitor based on cabbage-like ZnCo ₂ O ₄ and porous VN nanowires electrode materials. Journal of Materials Chemistry A, 2017, 5, 6928-6936.	10.3	81
201	Geometric model reconstruction through a surface extension algorithm for remanufacturing of twist blades. Rapid Prototyping Journal, 2017, 23, 382-390.	3.2	13
202	A covalently cross-linked reduced functionalized graphene oxide/polyurethane composite based on Diels–Alder chemistry and its potential application in healable flexible electronics. Journal of Materials Chemistry C, 2017, 5, 220-228.	5.5	72
203	A Rapid Vibration Reduction Method for Macro–Micro Composite Precision Positioning Stage. IEEE Transactions on Industrial Electronics, 2017, 64, 401-411.	7.9	20
204	Improved permittivity and breakdown strength of PVDF composites filled with TiO <inf>2</inf> -SrTiO <inf>3</inf> hybrids. , 2017, , .		0
205	Controllable Synthesis and Study on Morphology of Copper Nanowires. Journal of the Chinese Chemical Society, 2017, 64, 1354-1359.	1.4	3
206	Enhanced breakdown strength of polymer composites by low filler loading and its mechanisms. Applied Physics Letters, 2017, 111, .	3.3	47
207	Hybridizing Fe ₃ O ₄ nanocrystals with nitrogen-doped carbon nanowires for high-performance supercapacitors. RSC Advances, 2017, 7, 48039-48046.	3.6	17
208	Copper Hydroxide Porous Nanotube Arrays Grown on Copper Foils as High-Performance Integrated Electrodes for Supercapacitors. ChemistrySelect, 2017, 2, 9570-9576.	1.5	12
209	Highly thermally conductive graphene-based electrodes for supercapacitors with excellent heat dissipation ability. Sustainable Energy and Fuels, 2017, 1, 2145-2154.	4.9	11
210	Benzylamineâ€Treated Wideâ€Bandgap Perovskite with High Thermalâ€Photostability and Photovoltaic Performance. Advanced Energy Materials, 2017, 7, 1701048.	19.5	188
211	Design of Miura Folding-Based Micro-Supercapacitors as Foldable and Miniaturized Energy Storage Devices. , 2017, , .		4
212	Effect of Zn content on interfacial reactions of Ni/Sn–xZn/Ni joints under temperature gradient. Journal of Materials Research, 2017, 32, 3555-3563.	2.6	4
213	Highly Sensitive Flexible Pressure Sensor Based on Silver Nanowires-Embedded Polydimethylsiloxane Electrode with Microarray Structure. ACS Applied Materials & Interfaces, 2017, 9, 26314-26324.	8.0	234
214	Bioleaching combined brine leaching of heavy metals from lead-zinc mine tailings: Transformations during the leaching process. Chemosphere, 2017, 168, 1115-1125.	8.2	73
215	Thermally Reversible and Crosslinked Polyurethane Based on Diels-Alder Chemistry for Ultrathin Wafer Temporary Bonding at Low-Temperature. , 2017, ,		3
216	Modeling study of the dynamics of silicone-phosphor in jet dispensing process for LED packaging. , 2017, , .		0

#	Article	IF	CITATIONS
217	A direct-drive SCARA robot for wafer&ceramic-substrate handling based on visual servoing. , 2017, , .		3
218	A printable and flexible conductive polymer composite with sandwich structure for stretchable conductor and strain sensor applications. , 2017, , .		2
219	Experimental study on the viscoelastic property of silicone. , 2017, , .		0
220	Fine tuning development software for high precision and Multi-Axis Motion Control System. , 2017, , .		1
221	Formation of preferred orientation of Cu <inf>6</inf> Sn <inf>5</inf> grains in Cu/Sn/Cu interconnects by soldering under temperature gradient. , 2017, , .		1
222	Electro-deposition of Co-Ni sulfide nanosheet arrays on nickel foam and investigation of the pseudocapacitive performance. , 2017, , .		1
223	Boron nitride microsphere/epoxy composites with enhanced thermal conductivity. High Voltage, 2017, 2, 147-153.	4.7	43
224	An Ultralong, Highly Oriented Nickelâ€Nanowireâ€Array Electrode Scaffold for Highâ€Performance Compressible Pseudocapacitors. Advanced Materials, 2016, 28, 4105-4110.	21.0	171
225	Structure light telecentric stereoscopic vision 3D measurement system based on Scheimpflug condition. Optics and Lasers in Engineering, 2016, 86, 83-91.	3.8	33
226	A novel, facile, layer-by-layer substrate surface modification for the fabrication of all-inkjet-printed flexible electronic devices on Kapton. Journal of Materials Chemistry C, 2016, 4, 7052-7060.	5.5	23
227	Synthesis of mesoporous TiO ₂ @C@MnO ₂ multi-shelled hollow nanospheres with high rate capability and stability for lithium-ion batteries. RSC Advances, 2016, 6, 65243-65251.	3.6	14
228	Surfaceâ€modified barium titanate by MEEAA for highâ€energy storage application of polymer composites. High Voltage, 2016, 1, 175-180.	4.7	24
229	Growth of Large-Size SnS Thin Crystals Driven by Oriented Attachment and Applications to Gas Sensors and Photodetectors. ACS Applied Materials & Interfaces, 2016, 8, 9545-9551.	8.0	94
230	Enhancement of dielectric performance upto GHz of the composites with polymer encapsulated hybrid BaTiO ₃ –Cu as fillers: multiple interfacial polarizations playing a key role. RSC Advances, 2016, 6, 36450-36458.	3.6	29
231	Pressure-Induced Synthesis and Evolution of Ceria Mesoporous Nanostructures with Enhanced Catalytic Performance. Crystal Growth and Design, 2016, 16, 2466-2471.	3.0	5
232	An ultrafast, high capacity and superior longevity Ni/Zn battery constructed on nickel nanowire array film. Nano Energy, 2016, 30, 900-908.	16.0	188
233	Fuzzy PID control for impact force of high speed wire bonding process. , 2016, , .		3
234	Tailoring Size and Coverage Density of Silver Nanoparticles on Monodispersed Polymer Spheres as Highly Sensitive SERS Substrates. Chemistry - an Asian Journal, 2016, 11, 2428-2435.	3.3	17

#	Article	IF	CITATIONS
235	Vertically Aligned and Interconnected Graphene Networks for High Thermal Conductivity of Epoxy Composites with Ultralow Loading. Chemistry of Materials, 2016, 28, 6096-6104.	6.7	325
236	A facile and low-cost route to high-aspect-ratio microstructures on silicon via a judicious combination of flow-enabled self-assembly and metal-assisted chemical etching. Journal of Materials Chemistry C, 2016, 4, 8953-8961.	5.5	9
237	Molecular Level Study of Graphene Networks Functionalized with Phenylenediamine Monomers for Supercapacitor Electrodes. Chemistry of Materials, 2016, 28, 9110-9121.	6.7	98
238	Distribution of bromine in mixed iodide–bromide organolead perovskites and its impact on photovoltaic performance. Journal of Materials Chemistry A, 2016, 4, 16191-16197.	10.3	29
239	Recent Developments in Design and Fabrication of Graphene-Based Interdigital Micro-Supercapacitors for Miniaturized Energy Storage Devices. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2016, 6, 1752-1765.	2.5	21
240	Deep Learning-Based Model Reduction for Distributed Parameter Systems. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2016, 46, 1664-1674.	9.3	71
241	Highly Stretchable and Sensitive Strain Sensor Based on Facilely Prepared Three-Dimensional Graphene Foam Composite. ACS Applied Materials & Interfaces, 2016, 8, 18954-18961.	8.0	176
242	Water-dispersible graphene paste for flexible conductive patterns and films. , 2016, , .		0
243	Enhanced dielectric property and energy density of polydopamine encapsuled BaTiO <inf>3</inf> nanofibers/PVDF nanocomposites. , 2016, , .		0
244	The nonlinear voltage-current characteristics of three-phase SiC/CNTs/epoxy composite. , 2016, , .		0
245	Solution-casting dielectric composite toward high energy storage density utilizing molybdenum disulfide sheets. , 2016, , .		1
246	Fibrous Epoxy Substrate with High Thermal Conductivity and Low Dielectric Property for Flexible Electronics. Advanced Electronic Materials, 2016, 2, 1500485.	5.1	63
247	Thin Film Electrochemical Capacitors Based on Organolead Triiodide Perovskite. Advanced Electronic Materials, 2016, 2, 1600114.	5.1	37
248	Printable and stretchable elastic composites with highly electrical conductivity based on core-shell fillers. , 2016, , .		1
249	Tuneable cellular-structured 3D graphene aerogel and its effect on electromagnetic interference shielding performance and mechanical properties of epoxy composites. RSC Advances, 2016, 6, 56589-56598.	3.6	56
250	Flexible dielectric papers based on biodegradable cellulose nanofibers and carbon nanotubes for dielectric energy storage. Journal of Materials Chemistry C, 2016, 4, 6037-6044.	5.5	88
251	Porous PbI ₂ films for the fabrication of efficient, stable perovskite solar cells via sequential deposition. Journal of Materials Chemistry A, 2016, 4, 10223-10230.	10.3	56
252	Low cost and highly conductive elastic composites for flexible and printable electronics. Journal of Materials Chemistry C, 2016, 4, 5839-5848.	5.5	64

#	Article	IF	CITATIONS
253	Percolation threshold-inspired design of hierarchical multiscale hybrid architectures based on carbon nanotubes and silver nanoparticles for stretchable and printable electronics. Journal of Materials Chemistry C, 2016, 4, 6666-6674.	5.5	58
254	Synthesis of Few-Atomic-Layer BN Hollow Nanospheres and Their Applications as Nanocontainers and Catalyst Support Materials. ACS Applied Materials & Interfaces, 2016, 8, 1578-1582.	8.0	33
255	Hybridization of graphene nanosheets and carbon-coated hollow Fe ₃ O ₄ nanoparticles as a high-performance anode material for lithium-ion batteries. Journal of Materials Chemistry A, 2016, 4, 2453-2460.	10.3	128
256	Molecular engineering of aromatic amine spacers for high-performance graphene-based supercapacitors. Nano Energy, 2016, 21, 276-294.	16.0	61
257	Flexible Asymmetrical Solid-State Supercapacitors Based on Laboratory Filter Paper. ACS Nano, 2016, 10, 1273-1282.	14.6	215
258	Pressure-Induced Oriented Attachment Growth of Large-Size Crystals for Constructing 3D Ordered Superstructures. ACS Nano, 2016, 10, 405-412.	14.6	31
259	Ultrasound aided smooth dispensing for high viscoelastic epoxy in microelectronic packaging. Ultrasonics Sonochemistry, 2016, 28, 15-20.	8.2	15
260	UVAâ€ s hielding silicone/zinc oxide nanocomposite coating for automobile windows. Polymer Composites, 2016, 37, 2053-2057.	4.6	7
261	Vapor-Phase Polymerized Poly(3,4-Ethylenedioxythiophene) on a Nickel Nanowire Array Film: Aqueous Symmetrical Pseudocapacitors with Superior Performance. PLoS ONE, 2016, 11, e0166529.	2.5	14
262	Comparison of the break-up behaviors of newton and shear thinning non-newton fluid in jet dispensing for LED packaging. , 2015, , .		1
263	Alternating current line-filter based on electrochemical capacitor utilizing template-patterned graphene. Scientific Reports, 2015, 5, 10983.	3.3	53
264	Finite element analysis for the wire bonding process and impact force variation. , 2015, , .		4
265	Double-Sided Transferred Carbon Nanotube Arrays for Improved Thermal Interface Materials. Journal of Electronic Packaging, Transactions of the ASME, 2015, 137, .	1.8	10
266	A novel chipless RFID-based stretchable and wearable hand gesture sensor. , 2015, , .		9
267	Preparation of large micron-sized monodisperse polystyrene/silver core–shell microspheres with compact shell structure and their electrical conductive and catalytic properties. RSC Advances, 2015, 5, 58-67.	3.6	37
268	Comparison of Fundamental Frequency and Sweep Resistance of Different Wire Loops Using Finite Element Model. International Journal of Structural Stability and Dynamics, 2015, 15, 1450032.	2.4	3
269	Experimental and Modeling Study of Breakup Behavior in Silicone Jet Dispensing for Light-Emitting Diode Packaging. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2015, 5, 1019-1026.	2.5	16
270	In situ synthesis of silver nanostructures on magnetic Fe ₃ O ₄ @organosilicon microparticles for rapid hydrogenation catalysis. RSC Advances, 2015, 5, 56974-56981.	3.6	10

#	Article	IF	CITATIONS
271	Facile and scalable fabrication of three-dimensional Cu(OH) ₂ nanoporous nanorods for solid-state supercapacitors. Journal of Materials Chemistry A, 2015, 3, 17385-17391.	10.3	100
272	A facile method to prepare highly compressible three-dimensional graphene-only sponge. Journal of Materials Chemistry A, 2015, 3, 15482-15488.	10.3	54
273	Water-dispersible graphene/polyaniline composites for flexible micro-supercapacitors with high energy densities. Nano Energy, 2015, 16, 470-478.	16.0	151
274	Enhanced Performance of Lithiumâ€lon Batteries with Copper Oxide Microspheres @ Graphene Oxide Micro/Nanocomposite Electrodes. Energy Technology, 2015, 3, 488-495.	3.8	17
275	In situ assembly of dispersed Ag nanoparticles on hierarchically porous organosilica microspheres for controllable reduction of 4-nitrophenol. Journal of Materials Science, 2015, 50, 3399-3408.	3.7	20
276	Shape-Tailorable Graphene-Based Ultra-High-Rate Supercapacitor for Wearable Electronics. ACS Nano, 2015, 9, 5636-5645.	14.6	127
277	Layer-by-Layer Assembly of Multifunctional Porous N-Doped Carbon Nanotube Hybrid Architectures for Flexible Conductors and Beyond. ACS Applied Materials & Interfaces, 2015, 7, 6716-6723.	8.0	21
278	Development of an Ultralong Ultralow n-Loop for Wire Bonding. IEEE Transactions on Semiconductor Manufacturing, 2015, 28, 50-54.	1.7	3
279	P(St-AA)/Ag nano-composite particles as electrical conductive filler for conductive ink in printed electronics. , 2015, , .		0
280	Capacitance enhancement by electrochemically active benzene derivatives for graphene-based supercapacitors. RSC Advances, 2015, 5, 84113-84118.	3.6	8
281	A novel strain sensor based on 3D printing technology and 3D antenna design. , 2015, , .		34
282	Formation of Through Silicon Vias for Silicon Interposer in Wafer Level by Metal-Assisted Chemical Etching. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2015, 5, 1039-1049.	2,5	32
283	A novel solid-to-solid electrocatalysis of graphene oxide reduction on copper electrode. RSC Advances, 2015, 5, 87987-87992.	3.6	7
284	Dielectric properties of CVD graphene/BaTiO3/polyvinylidene fluoride nanocomposites fabricated through powder metallurgy. , 2015, , .		4
285	Triethanolamine functionalized graphene-based composites for high performance supercapacitors. Journal of Materials Chemistry A, 2015, 3, 21789-21796.	10.3	112
286	Fractal dendrite-based electrically conductive composites for laser-scribed flexible circuits. Nature Communications, 2015, 6, 8150.	12.8	73
287	Large-Scale Synthesis of Few-Layer F-BN Nanocages with Zigzag-Edge Triangular Antidot Defects and Investigation of the Advanced Ferromagnetism. Nano Letters, 2015, 15, 8122-8128.	9.1	30
288	Experimental and modeling study of high-viscosity silicone jet dispensing process for LED packaging. , 2014, , .		2

#	Article	IF	CITATIONS
289	Preparation of a Micro Rubidium vapor cell and its integration in a chip-scale atomic magnetometer. , 2014, , .		5
290	Capacitive deionization of water coolant using hybrid carbon electrodes for high power electronic applications. , 2014, , .		0
291	Investigation of Complex Looping Process for Thermosonic Wire Bonding. IEEE Transactions on Semiconductor Manufacturing, 2014, 27, 238-245.	1.7	1
292	Wet etching of deep trenches on silicon with three-dimensional (3D) controllability. , 2014, , .		4
293	Modeling and Experimental Study of the Kink Formation Process in Wire Bonding. IEEE Transactions on Semiconductor Manufacturing, 2014, 27, 51-59.	1.7	17
294	Comparative study of LiMnPO ₄ cathode materials synthesized by solvothermal methods using different manganese salts. CrystEngComm, 2014, 16, 766-774.	2.6	37
295	Modeling of laminar fluid flow in jet dispensing process. , 2014, , .		6
296	High-speed wet etching of through silicon vias (TSVs) in micro- and nanoscale. , 2014, , .		3
297	Hierarchical architectures of monodisperse porous Cu microspheres: synthesis, growth mechanism, high-efficiency and recyclable catalytic performance. Journal of Materials Chemistry A, 2014, 2, 11966.	10.3	112
298	High-Quality Vertically Aligned Carbon Nanotubes for Applications as Thermal Interface Materials. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2014, 4, 232-239.	2.5	30
299	Facile synthesis of flexible graphene–silver composite papers with promising electrical and thermal conductivity performances. RSC Advances, 2014, 4, 34156-34160.	3.6	18
300	High Refractive Index and Transparent Nanocomposites as Encapsulant for High Brightness LED Packaging. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2014, 4, 1125-1130.	2.5	17
301	Deep Etching of Single- and Polycrystalline Silicon with High Speed, High Aspect Ratio, High Uniformity, and 3D Complexity by Electric Bias-Attenuated Metal-Assisted Chemical Etching (EMaCE). ACS Applied Materials & Interfaces, 2014, 6, 16782-16791.	8.0	51
302	The use of polyimide-modified aluminum nitride fillers in AlN@PI/Epoxy composites with enhanced thermal conductivity for electronic encapsulation. Scientific Reports, 2014, 4, 4779.	3.3	78
303	Modeling of laminar fluid flow in jet dispensing process. , 2014, , .		0
304	Quality Control of Vertically Aligned Carbon Nanotubes Grown by Chemical Vapor Deposition. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2013, 3, 1804-1810.	2.5	6
305	Modeling of Deep Cavity Looping Process on 3-D Stacked Die Package. IEEE Transactions on Semiconductor Manufacturing, 2013, 26, 169-175.	1.7	6
306	High oncentration Aqueous Dispersions of MoS ₂ . Advanced Functional Materials, 2013, 23, 3577-3583.	14.9	271

#	Article	IF	CITATIONS
307	Solid-state, flexible, high strength paper-based supercapacitors. Journal of Materials Chemistry A, 2013, 1, 5835.	10.3	71
308	Preparation of Water-Based Carbon Nanotube Inks and Application in the Inkjet Printing of Carbon Nanotube Gas Sensors. Journal of Electronic Packaging, Transactions of the ASME, 2013, 135, .	1.8	20
309	Experimental and Modeling Studies of Looping Process for Wire Bonding. Journal of Electronic Packaging, Transactions of the ASME, 2013, 135, .	1.8	6
310	Inkjet Printing of Radio Frequency Electronics: Design Methodologies and Application of Novel Nanotechnologies. Journal of Electronic Packaging, Transactions of the ASME, 2013, 135, .	1.8	6
311	Water Vapor Treatment for Decreasing the Adhesion between Vertically Aligned Carbon Nanotubes and the Growth Substrate. Chemical Vapor Deposition, 2013, 19, 224-227.	1.3	2
312	Integration of on-chip glass microfluidic system by a chemical foaming process (CFP). , 2012, , .		2
313	A novel graphene-based inkjet-printed WISP-enabled wireless gas sensor. , 2012, , .		12
314	Effect of Capillary Trace on Dynamic Loop Profile Evolution in Thermosonic Wire Bonding. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2012, 2, 1550-1557.	2.5	15
315	Large-scale production of two-dimensional nanosheets. Journal of Materials Chemistry, 2012, 22, 13494.	6.7	351
316	Facile Synthesis of Nitrogenâ€Doped Graphene via Pyrolysis of Graphene Oxide and Urea, and its Electrocatalytic Activity toward the Oxygenâ€Reduction Reaction. Advanced Energy Materials, 2012, 2, 884-888.	19.5	840
317	Experiment study of dynamic looping process for thermosonic wire bonding. Microelectronics Reliability, 2012, 52, 1105-1111.	1.7	16
318	Ultrasonic Vibration at Thermosonic Flip-Chip Bonding Interface. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2011, 1, 852-858.	2.5	29
319	Applications on MEMS packaging and micro-reactors using wafer-level glass cavities by a low-cost glass blowing method. , 2011, , .		7
320	Nano materials for microelectronic and photonic packaging. Frontiers of Optoelectronics in China, 2010, 3, 139-142.	0.2	2
321	Surfaceâ€Induced Polymer Crystallization in High Volume Fraction Aligned Carbon Nanotube–Polymer Composites. Macromolecular Chemistry and Physics, 2010, 211, 1003-1011.	2.2	41
322	γâ€Form Transcrystals of Poly(propylene) Induced by Individual Carbon Nanotubes. Macromolecular Chemistry and Physics, 2010, 211, 1348-1354.	2.2	16
323	Solid-state spun fibers and yarns from 1-mm long carbon nanotube forests synthesized by water-assisted chemical vapor deposition. Journal of Materials Science, 2008, 43, 4356-4362.	3.7	96
324	Porphyrin Functionalized Laser-Induced Graphene and Porous WO3 Assembled Effective Z-Scheme Photocatalyst for Promoted Visible-Light-Driven Degradation of Ciprofloxacin. Catalysis Letters, 0, , 1.	2.6	2

#	Article	IF	CITATIONS
325	Uniaxial-oriented FAxMA1-xPbI3 films with low intragrain and structural defects for self-powered photodetectors. Journal of Materials Chemistry C, 0, , .	5.5	0