

Israel Liberzon

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4784750/israel-liberzon-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

315
papers

25,182
citations

78
h-index

153
g-index

381
ext. papers

28,675
ext. citations

5.1
avg, IF

7.18
L-index

#	Paper	IF	Citations
315	Remodeling of the Cortical Structural Connectome in Posttraumatic Stress Disorder: Results from the ENIGMA-PGC PTSD Consortium.. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022 ,	3.4	1
314	Cortical volume abnormalities in posttraumatic stress disorder: an ENIGMA-psychiatric genomics consortium PTSD workgroup mega-analysis. <i>Molecular Psychiatry</i> , 2021 , 26, 4331-4343	15.1	8
313	Interdependent self-construal predicts increased gray matter volume of scene processing regions in the brain. <i>Biological Psychology</i> , 2021 , 161, 108050	3.2	0
312	Reward Processing and Circuit Dysregulation in Posttraumatic Stress Disorder. <i>Frontiers in Psychiatry</i> , 2021 , 12, 559401	5	2
311	Systematic Review and Methodological Considerations for the Use of Single Prolonged Stress and Fear Extinction Retention in Rodents. <i>Frontiers in Behavioral Neuroscience</i> , 2021 , 15, 652636	3.5	5
310	Functional deficit in hippocampal activity during fear extinction recall in the single prolonged-stress model of PTSD in male rats. <i>Behavioural Brain Research</i> , 2021 , 396, 112902	3.4	2
309	Health care utilization by women sexual assault survivors after emergency care: Results of a multisite prospective study. <i>Depression and Anxiety</i> , 2021 , 38, 67-78	8.4	3
308	Post-traumatic stress symptoms of children and adolescents exposed to the 2008 Wenchuan Earthquake: A longitudinal study of 5-HTTLPR genotype main effects and gene-environment interactions. <i>International Journal of Psychology</i> , 2021 , 56, 22-29	1.9	3
307	Childhood socioeconomic status is prospectively associated with surface morphometry in adulthood. <i>Developmental Psychobiology</i> , 2021 , 63, 1589-1596	3	3
306	"I still feel so lost": experiences of women receiving SANE care during the year after sexual assault. <i>Journal of the American College of Emergency Physicians Open</i> , 2021 , 2, e12464	1.6	2
305	Posttraumatic Stress Disorder and Cardiovascular Disease: State of the Science, Knowledge Gaps, and Research Opportunities. <i>JAMA Cardiology</i> , 2021 , 6, 1207-1216	16.2	9
304	Neural correlates of posttraumatic anhedonia symptoms: Decreased functional connectivity between ventral pallidum and default mode network regions. <i>Journal of Psychiatric Research</i> , 2021 , 140, 30-34	5.2	2
303	A Machine Learning Approach to Predicting New-onset Depression in a Military Population. <i>Psychiatric Research and Clinical Practice</i> , 2021 , 3, 115-122	2.7	1
302	Cohort profile: the Ohio Army National Guard Mental Health Initiative (OHARNG-MHI). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 2107-2116	4.5	
301	Neural Responsivity to Reward Versus Punishment Shortly After Trauma Predicts Long-Term Development of Posttraumatic Stress Symptoms. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 ,	3.4	4
300	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2021 ,	7.9	3
299	Deep learning model of fMRI connectivity predicts PTSD symptom trajectories in recent trauma survivors. <i>NeuroImage</i> , 2021 , 238, 118242	7.9	6

298	Maternal Separation Induces Sex-Specific Differences in Sensitivity to Traumatic Stress.. <i>Frontiers in Behavioral Neuroscience</i> , 2021 , 15, 766505	3.5	1
297	Cortisol awakening response in PTSD treatment: Predictor or mechanism of change. <i>Psychoneuroendocrinology</i> , 2020 , 118, 104714	5	5
296	Neuroendocrine biomarkers of prolonged exposure treatment response in military-related PTSD. <i>Psychoneuroendocrinology</i> , 2020 , 119, 104749	5	1
295	Prospective associations, longitudinal patterns of childhood socioeconomic status, and white matter organization in adulthood. <i>Human Brain Mapping</i> , 2020 , 41, 3580-3593	5.9	7
294	Genomic influences on self-reported childhood maltreatment. <i>Translational Psychiatry</i> , 2020 , 10, 38	8.6	20
293	Altered resting-state functional connectivity in adolescents is associated with PTSD symptoms and trauma exposure. <i>NeuroImage: Clinical</i> , 2020 , 26, 102215	5.3	9
292	Neural correlates of emotional reactivity and regulation associated with treatment response in a randomized clinical trial for posttraumatic stress disorder. <i>Psychiatry Research - Neuroimaging</i> , 2020 , 299, 111062	2.9	7
291	Neural function during emotion processing and modulation associated with treatment response in a randomized clinical trial for posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2020 , 37, 670-681	8.4	7
290	Low Dose Ketamine Infusion for Comorbid Posttraumatic Stress Disorder and Chronic Pain: A Randomized Double-Blind Clinical Trial. <i>Chronic Stress</i> , 2020 , 4, 2470547020981670	3	6
289	MicroRNA-19b predicts widespread pain and posttraumatic stress symptom risk in a sex-dependent manner following trauma exposure. <i>Pain</i> , 2020 , 161, 47-60	8	11
288	Molecular genetic overlap between posttraumatic stress disorder and sleep phenotypes. <i>Sleep</i> , 2020 , 43,	1.1	9
287	Neuroanatomical Risk Factors for Posttraumatic Stress Disorder in Recent Trauma Survivors. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020 , 5, 311-319	3.4	3
286	Associations between resting-state functional connectivity and treatment response in a randomized clinical trial for posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2020 , 37, 1037-1046	8.4	10
285	Multi-domain potential biomarkers for post-traumatic stress disorder (PTSD) severity in recent trauma survivors. <i>Translational Psychiatry</i> , 2020 , 10, 208	8.6	9
284	DRD4 polymorphisms modulate reward positivity and P3a in a gambling task: Exploring a genetic basis for cultural learning. <i>Psychophysiology</i> , 2020 , 57, e13623	4.1	2
283	Anxiety Sensitivity Prospectively Predicts Increased Acute Posttraumatic Stress and Related Symptoms After Sexual Assault. <i>Journal of Traumatic Stress</i> , 2020 , 33, 1111-1120	3.8	1
282	Analysis of Genetically Regulated Gene Expression Identifies a Prefrontal PTSD Gene, SNRNP35, Specific to Military Cohorts. <i>Cell Reports</i> , 2020 , 31, 107716	10.6	21
281	Repeated stress exposure in mid-adolescence attenuates behavioral, noradrenergic, and epigenetic effects of trauma-like stress in early adult male rats. <i>Scientific Reports</i> , 2020 , 10, 17935	4.9	6

280	A review of hippocampal activation in post-traumatic stress disorder. <i>Psychophysiology</i> , 2020 , 57, e133574.1	4.1	13
279	Neural Mechanisms of Spatial Attention Deficits in Trauma. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020 , 5, 991-1001	3.4	3
278	The gray matter volume of the temporoparietal junction varies across cultures: a moderating role of the dopamine D4 receptor gene (DRD4). <i>Social Cognitive and Affective Neuroscience</i> , 2020 , 15, 193-202	4	5
277	The Neurocircuitry Underlying Additive Effects of Safety Instruction on Extinction Learning. <i>Frontiers in Behavioral Neuroscience</i> , 2020 , 14, 576247	3.5	1
276	Common pathways and communication between the brain and heart: connecting post-traumatic stress disorder and heart failure. <i>Stress</i> , 2019 , 22, 530-547	3	11
275	Cognitive Flexibility Training Improves Extinction Retention Memory and Enhances Cortical Dopamine With and Without Traumatic Stress Exposure. <i>Frontiers in Behavioral Neuroscience</i> , 2019 , 13, 24	3.5	7
274	Prevalence and covariates of problematic gambling among a US military cohort. <i>Addictive Behaviors</i> , 2019 , 95, 166-171	4.2	7
273	Examining the Relationship Between PTSD Symptomatology and Cigarette Smoking Among Ohio Army National Guard Soldiers. <i>Military Behavioral Health</i> , 2019 , 7, 46-56	0.6	3
272	Diminished Value Discrimination in Obsessive-Compulsive Disorder: A Prospect Theory Model of Decision-Making Under Risk. <i>Frontiers in Psychiatry</i> , 2019 , 10, 469	5	0
271	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019 , 10, 4558	17.4	151
270	Protocol for the first large-scale emergency care-based longitudinal cohort study of recovery after sexual assault: the Women's Health Study. <i>BMJ Open</i> , 2019 , 9, e031087	3	8
269	Neurobehavioral moderators of post-traumatic stress disorder (PTSD) trajectories: study protocol of a prospective MRI study of recent trauma survivors. <i>Högskoleutbildning</i> , 2019 , 10, 1683941	5	11
268	PTSD as a Mediator in the Relationship Between Post-Concussive Symptoms and Pain Among OEF/OIF/OND Veterans. <i>Military Medicine</i> , 2019 , 184, e118-e123	1.3	6
267	Concordance of genetic variation that increases risk for anxiety disorders and posttraumatic stress disorders and that influences their underlying neurocircuitry. <i>Journal of Affective Disorders</i> , 2019 , 245, 885-896	6.6	14
266	Cultural variation in the gray matter volume of the prefrontal cortex is moderated by the dopamine D4 receptor gene (DRD4). <i>Cerebral Cortex</i> , 2019 , 29, 3922-3931	5.1	32
265	Efficacy of Prolonged Exposure Therapy, Sertraline Hydrochloride, and Their Combination Among Combat Veterans With Posttraumatic Stress Disorder: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019 , 76, 117-126	14.5	52
264	The preliminary investigation of orexigenic hormone gene polymorphisms on posttraumatic stress disorder symptoms. <i>Psychoneuroendocrinology</i> , 2019 , 100, 131-136	5	10
263	Relationship of Hippocampal Volumes and Posttraumatic Stress Disorder Symptoms Over Early Posttrauma Periods. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018 , 3, 968-975	3.4	9

262	Insula activation is modulated by attention shifting in social anxiety disorder. <i>Journal of Anxiety Disorders</i> , 2018 , 56, 56-62	10.9	9
261	D-Cycloserine Facilitates Reversal in an Animal Model of Post-traumatic Stress Disorder. <i>Behavioural Brain Research</i> , 2018 , 347, 332-338	3.4	7
260	Postconcussive symptoms (PCS) following combat-related traumatic brain injury (TBI) in Veterans with posttraumatic stress disorder (PTSD): Influence of TBI, PTSD, and depression on symptoms measured by the Neurobehavioral Symptom Inventory (NSI). <i>Journal of Psychiatric Research</i> , 2018 , 102, 8-13	5.2	24
259	Largest GWAS of PTSD (N=20 070) yields genetic overlap with schizophrenia and sex differences in heritability. <i>Molecular Psychiatry</i> , 2018 , 23, 666-673	15.1	248
258	Searching for Intermediate Phenotypes in Posttraumatic Stress Disorder. <i>Biological Psychiatry</i> , 2018 , 83, 797-799	7.9	9
257	Integrating biological treatment mechanisms into randomized clinical trials: Design of PROGrESS (PROLonGed ExpoSure and Sertraline Trial). <i>Contemporary Clinical Trials</i> , 2018 , 64, 128-138	2.3	20
256	Smaller Hippocampal Volume in Posttraumatic Stress Disorder: A Multisite ENIGMA-PGC Study: Subcortical Volumetry Results From Posttraumatic Stress Disorder Consortia. <i>Biological Psychiatry</i> , 2018 , 83, 244-253	7.9	192
255	A - Interaction, Consisting of Functional Variants, Confers Risk of Post-traumatic Stress Disorder in Traumatized Chinese. <i>Frontiers in Psychiatry</i> , 2018 , 9, 170	5	15
254	Single-Prolonged Stress: A Review of Two Decades of Progress in a Rodent Model of Post-traumatic Stress Disorder. <i>Frontiers in Psychiatry</i> , 2018 , 9, 196	5	86
253	Gene by Culture Effects on Emotional Processing of Social Cues among East Asians and European Americans. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2018 , 8,	2.3	3
252	The dopamine D4 receptor gene (DRD4) modulates cultural variation in emotional experience. <i>Culture and Brain</i> , 2018 , 6, 118-129	1.1	31
251	Subthreshold PTSD and PTSD in a prospective-longitudinal cohort of military personnel: Potential targets for preventive interventions. <i>Depression and Anxiety</i> , 2018 , 35, 1048-1055	8.4	18
250	Brain Structural Abnormalities in Posttraumatic Stress Disorder and Relations with Sleeping Problems 2018 , 145-167		2
249	Gestational and Postnatal Cortisol Profiles of Women With Posttraumatic Stress Disorder and the Dissociative Subtype. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2018 , 47, 12-22	1.2	13
248	Effects of Trauma in Adulthood and Adolescence on Fear Extinction and Extinction Retention: Advancing Animal Models of Posttraumatic Stress Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2018 , 12, 247	3.5	13
247	Cognitive Flexibility Predicts PTSD Symptoms: Observational and Interventional Studies. <i>Frontiers in Psychiatry</i> , 2018 , 9, 477	5	37
246	Instructed fear learning, extinction, and recall: additive effects of cognitive information on emotional learning of fear. <i>Cognition and Emotion</i> , 2017 , 31, 980-987	2.3	11
245	Early Changes in Cortical Emotion Processing Circuits after Mild Traumatic Brain Injury from Motor Vehicle Collision. <i>Journal of Neurotrauma</i> , 2017 , 34, 273-280	5.4	6

244	General distress is more important than PTSD's cognition and mood alterations factor in accounting for PTSD and depression's comorbidity. <i>Journal of Affective Disorders</i> , 2017 , 211, 118-123	6.6	24
243	Behavioral and neural correlates of disrupted orienting attention in posttraumatic stress disorder. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2017 , 17, 422-436	3.5	24
242	Neural circuitry of emotion regulation: Effects of appraisal, attention, and cortisol administration. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2017 , 17, 437-451	3.5	23
241	The effects of stress in early life and adolescence on posttraumatic stress disorder, depression, and anxiety symptomatology in adulthood. <i>Current Opinion in Behavioral Sciences</i> , 2017 , 14, 86-93	4	11
240	The psychology of HPA axis activation: Examining subjective emotional distress and control in a phobic fear exposure model. <i>Psychoneuroendocrinology</i> , 2017 , 82, 189-198	5	12
239	Deployment and Alcohol Use in a Military Cohort: Use of Combined Methods to Account for Exposure-Related Covariates and Heterogeneous Response to Exposure. <i>American Journal of Epidemiology</i> , 2017 , 186, 411-419	3.8	1
238	Post-Traumatic Stress Disorder. <i>New England Journal of Medicine</i> , 2017 , 376, 2459-2469	59.2	308
237	Coincident alcohol dependence and depression increases risk of suicidal ideation among Army National Guard soldiers. <i>Annals of Epidemiology</i> , 2017 , 27, 157-163.e1	6.4	13
236	A putative causal relationship between genetically determined female body shape and posttraumatic stress disorder. <i>Genome Medicine</i> , 2017 , 9, 99	14.4	23
235	Stress-related psychological symptoms contribute to axial pain persistence after motor vehicle collision: path analysis results from a prospective longitudinal study. <i>Pain</i> , 2017 , 158, 682-690	8	14
234	Circuit dysregulation and circuit-based treatments in posttraumatic stress disorder. <i>Neuroscience Letters</i> , 2017 , 649, 133-138	3.3	49
233	Individual differences in cognitive reappraisal use and emotion regulatory brain function in combat-exposed veterans with and without PTSD. <i>Depression and Anxiety</i> , 2017 , 34, 79-88	8.4	28
232	Childhood poverty is associated with altered hippocampal function and visuospatial memory in adulthood. <i>Developmental Cognitive Neuroscience</i> , 2017 , 23, 39-44	5.5	18
231	Changes in Salivary Cortisol During Psychotherapy for Posttraumatic Stress Disorder: A Pilot Study in 30 Veterans. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 599-603	4.6	13
230	Stress and Anxiety Disorders 2017 , 251-274		4
229	Neuroimaging of Fear-Associated Learning. <i>Neuropsychopharmacology</i> , 2016 , 41, 320-34	8.7	74
228	Emotion Regulatory Brain Function and SSRI Treatment in PTSD: Neural Correlates and Predictors of Change. <i>Neuropsychopharmacology</i> , 2016 , 41, 611-8	8.7	57
227	Timing matters: Endogenous cortisol mediates benefits from early-day psychotherapy. <i>Psychoneuroendocrinology</i> , 2016 , 74, 197-202	5	18

226	Association of Spirituality With Mental Health Conditions in Ohio National Guard Soldiers. <i>Journal of Nervous and Mental Disease</i> , 2016 , 204, 524-9	1.8	7
225	Latent dimensions of posttraumatic stress disorder and their relations with alcohol use disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 421-9	4.5	9
224	PTSD SYMPTOMS ACROSS PREGNANCY AND EARLY POSTPARTUM AMONG WOMEN WITH LIFETIME PTSD DIAGNOSIS. <i>Depression and Anxiety</i> , 2016 , 33, 584-91	8.4	47
223	Dopamine-System Genes and Cultural Acquisition: The Norm Sensitivity Hypothesis. <i>Current Opinion in Psychology</i> , 2016 , 8, 167-174	6.2	50
222	Severe, multimodal stress exposure induces PTSD-like characteristics in a mouse model of single prolonged stress. <i>Behavioural Brain Research</i> , 2016 , 303, 228-37	3.4	53
221	Onset of Alcohol Use Disorders and Comorbid Psychiatric Disorders in a Military Cohort: Are there Critical Periods for Prevention of Alcohol Use Disorders?. <i>Prevention Science</i> , 2016 , 17, 347-56	4	13
220	Brain Mechanisms of Social Threat Effects on Working Memory. <i>Cerebral Cortex</i> , 2016 , 26, 544-556	5.1	31
219	Preliminary Study of Acute Changes in Emotion Processing in Trauma Survivors with PTSD Symptoms. <i>PLoS ONE</i> , 2016 , 11, e0159065	3.7	17
218	Dopamine Receptor Gene DRD4 7-Repeat Allele X Maternal Sensitivity Interaction on Child Externalizing Behavior Problems: Independent Replication of Effects at 18 Months. <i>PLoS ONE</i> , 2016 , 11, e0160473	3.7	14
217	Incidence and Risk for Mood and Anxiety Disorders in a Representative Sample of Ohio Army National Guard Members, 2008-2012. <i>Public Health Reports</i> , 2016 , 131, 614-22	2.5	4
216	Sex-Specific Effects of Childhood Poverty on Neurocircuitry of Processing of Emotional Cues: A Neuroimaging Study. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2016 , 6,	2.3	23
215	A Pilot Study of Mindfulness-Based Exposure Therapy in OEF/OIF Combat Veterans with PTSD: Altered Medial Frontal Cortex and Amygdala Responses in Social-Emotional Processing. <i>Frontiers in Psychiatry</i> , 2016 , 7, 154	5	30
214	ALTERED DEFAULT MODE NETWORK (DMN) RESTING STATE FUNCTIONAL CONNECTIVITY FOLLOWING A MINDFULNESS-BASED EXPOSURE THERAPY FOR POSTTRAUMATIC STRESS DISORDER (PTSD) IN COMBAT VETERANS OF AFGHANISTAN AND IRAQ. <i>Depression and Anxiety</i> , 2016 , 33, 289-99	8.4	114
213	Retrospective age-of-onset and projected lifetime prevalence of psychiatric disorders among U.S. Army National Guard soldiers. <i>Journal of Affective Disorders</i> , 2016 , 202, 171-7	6.6	17
212	Attentional processes in posttraumatic stress disorder and the associated changes in neural functioning. <i>Experimental Neurology</i> , 2016 , 284, 153-167	5.7	29
211	Psychological Mechanisms of PTSD and Its Treatment. <i>Current Psychiatry Reports</i> , 2016 , 18, 99	9.1	53
210	Context Processing and the Neurobiology of Post-Traumatic Stress Disorder. <i>Neuron</i> , 2016 , 92, 14-30	13.9	199
209	Childhood Cumulative Risk Exposure and Adult Amygdala Volume and Function. <i>Journal of Neuroscience Research</i> , 2016 , 94, 535-43	4.4	47

208	Baseline prevalence of Axis I diagnosis in the Ohio Army National Guard. <i>Psychiatry Research</i> , 2015 , 226, 142-8	9.9	6
207	Structural relations between DSM-5 PTSD and major depression symptoms in military soldiers. <i>Journal of Affective Disorders</i> , 2015 , 175, 373-8	6.6	51
206	Alterations in cognitive flexibility in a rat model of post-traumatic stress disorder. <i>Behavioural Brain Research</i> , 2015 , 286, 256-64	3.4	37
205	Posttraumatic stress disorder's dysphoria dimension and relations with generalized anxiety disorder symptoms. <i>Psychiatry Research</i> , 2015 , 228, 150-5	9.9	16
204	Neural circuits in anxiety and stress disorders: a focused review. <i>Therapeutics and Clinical Risk Management</i> , 2015 , 11, 115-26	2.9	141
203	Childhood poverty and recruitment of adult emotion regulatory neurocircuitry. <i>Social Cognitive and Affective Neuroscience</i> , 2015 , 10, 1596-606	4	48
202	The prevalence and correlates of risky driving behavior among National Guard soldiers. <i>Traffic Injury Prevention</i> , 2015 , 16, 17-23	1.8	13
201	High cortisol awakening response and cortisol levels moderate exposure-based psychotherapy success. <i>Psychoneuroendocrinology</i> , 2015 , 51, 331-40	5	28
200	Early cortical thickness change after mild traumatic brain injury following motor vehicle collision. <i>Journal of Neurotrauma</i> , 2015 , 32, 455-63	5.4	41
199	The effect of chronic phenytoin administration on single prolonged stress induced extinction retention deficits and glucocorticoid upregulation in the rat medial prefrontal cortex. <i>Psychopharmacology</i> , 2015 , 232, 47-56	4.7	31
198	Memory reconsolidation and psychotherapeutic process. <i>Behavioral and Brain Sciences</i> , 2015 , 38, e12	0.9	1
197	Childhood social inequalities influences neural processes in young adult caregiving. <i>Developmental Psychobiology</i> , 2015 , 57, 948-60	3	34
196	Presurgical Psychological and Neuroendocrine Predictors of Psychiatric Morbidity After Major Vascular Surgery: A Prospective Longitudinal Study. <i>Psychosomatic Medicine</i> , 2015 , 77, 993-1005	3.7	8
195	Mental Health Over Time in a Military Sample: The Impact of Alcohol Use Disorder on Trajectories of Psychopathology After Deployment. <i>Journal of Traumatic Stress</i> , 2015 , 28, 547-55	3.8	23
194	Childhood Poverty Predicts Adult Amygdala and Frontal Activity and Connectivity in Response to Emotional Faces. <i>Frontiers in Behavioral Neuroscience</i> , 2015 , 9, 154	3.5	83
193	Adverse Childhood Events and the Risk for New-Onset Depression and Post-Traumatic Stress Disorder Among U.S. National Guard Soldiers. <i>Military Medicine</i> , 2015 , 180, 972-8	1.3	8
192	Latent profile analyses of posttraumatic stress disorder, depression and generalized anxiety disorder symptoms in trauma-exposed soldiers. <i>Journal of Psychiatric Research</i> , 2015 , 68, 19-26	5.2	55
191	Biological and symptom changes in posttraumatic stress disorder treatment: a randomized clinical trial. <i>Depression and Anxiety</i> , 2015 , 32, 204-12	8.4	62

190	Sleep alterations following exposure to stress predict fear-associated memory impairments in a rodent model of PTSD. <i>Experimental Brain Research</i> , 2015 , 233, 2335-46	2.3	47
189	The Psychiatric Genomics Consortium Posttraumatic Stress Disorder Workgroup: Posttraumatic Stress Disorder Enters the Age of Large-Scale Genomic Collaboration. <i>Neuropsychopharmacology</i> , 2015 , 40, 2287-97	8.7	94
188	Lifetime and 12-month use of psychiatric services among U.S. Army National Guard soldiers in Ohio. <i>Psychiatric Services</i> , 2015 , 66, 514-20	3.3	10
187	Haplotype-based study of the association of alcohol and acetaldehyde-metabolising genes with alcohol dependence (with or without comorbid anxiety symptoms) in a Cape Mixed Ancestry population. <i>Metabolic Brain Disease</i> , 2014 , 29, 333-40	3.9	3
186	Preliminary study on the relationship between visitation in the emergency department and posttraumatic mental health. <i>Social Work in Mental Health</i> , 2014 , 12, 69-80	0.8	3
185	Unit support protects against sexual harassment and assault among national guard soldiers. <i>Women's Health Issues</i> , 2014 , 24, 600-4	2.6	11
184	Civilian stressors associated with alcohol use disorders in the National Guard. <i>American Journal of Preventive Medicine</i> , 2014 , 47, 461-6	6.1	13
183	Childhood poverty and stress reactivity are associated with aberrant functional connectivity in default mode network. <i>Neuropsychopharmacology</i> , 2014 , 39, 2244-51	8.7	104
182	Translational implications of oxytocin-mediated social buffering following immobilization stress in female prairie voles. <i>Biological Psychiatry</i> , 2014 , 76, 268-9	7.9	7
181	Potentially modifiable deployment characteristics and new-onset alcohol abuse or dependence in the US National Guard. <i>Drug and Alcohol Dependence</i> , 2014 , 142, 325-32	4.9	7
180	Trauma exposure and sleep: using a rodent model to understand sleep function in PTSD. <i>Experimental Brain Research</i> , 2014 , 232, 1575-84	2.3	33
179	Advancing consumer neuroscience. <i>Marketing Letters</i> , 2014 , 25, 257-267	2.3	86
178	The dopamine D4 receptor gene (DRD4) moderates cultural difference in independent versus interdependent social orientation. <i>Psychological Science</i> , 2014 , 25, 1169-77	7.9	140
177	Cannabinoid modulation of prefrontal-limbic activation during fear extinction learning and recall in humans. <i>Neurobiology of Learning and Memory</i> , 2014 , 113, 125-34	3.1	87
176	Brief cognitive intervention can modulate neuroendocrine stress responses to the Trier Social Stress Test: buffering effects of a compassionate goal orientation. <i>Psychoneuroendocrinology</i> , 2014 , 44, 60-70	5	58
175	Incidence and predictors of acute psychological distress and dissociation after motor vehicle collision: a cross-sectional study. <i>Journal of Trauma and Dissociation</i> , 2014 , 15, 527-47	2.8	17
174	Genetic association analysis of 300 genes identifies a risk haplotype in SLC18A2 for post-traumatic stress disorder in two independent samples. <i>Neuropsychopharmacology</i> , 2014 , 39, 1872-9	8.7	42
173	Mental health service use in a representative sample of National Guard soldiers. <i>Psychiatric Services</i> , 2014 , 65, 1347-53	3.3	7

172	Validation of lay-administered mental health assessments in a large Army National Guard cohort. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 109-19	4.3	20
171	Focal and aberrant prefrontal engagement during emotion regulation in veterans with posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2014 , 31, 851-61	8.4	67
170	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2014 , 13, 265-74	14.4	144
169	The neurosteroids allopregnanolone and dehydroepiandrosterone modulate resting-state amygdala connectivity. <i>Human Brain Mapping</i> , 2014 , 35, 3249-61	5.9	43
168	Interaction of the ADRB2 gene polymorphism with childhood trauma in predicting adult symptoms of posttraumatic stress disorder. <i>JAMA Psychiatry</i> , 2014 , 71, 1174-82	14.5	71
167	Impaired contextual modulation of memories in PTSD: an fMRI and psychophysiological study of extinction retention and fear renewal. <i>Journal of Neuroscience</i> , 2014 , 34, 13435-43	6.6	215
166	Volitional regulation of emotions produces distributed alterations in connectivity between visual, attention control, and default networks. <i>NeuroImage</i> , 2014 , 89, 110-21	7.9	82
165	Changes in trauma-potentiated startle with treatment of posttraumatic stress disorder in combat Veterans. <i>Journal of Anxiety Disorders</i> , 2014 , 28, 358-62	10.9	25
164	Single prolonged stress enhances hippocampal glucocorticoid receptor and phosphorylated protein kinase B levels. <i>Neuroscience Research</i> , 2013 , 75, 130-7	2.9	50
163	Anterior cingulate cortex involvement in subclinical social anxiety. <i>Psychiatry Research - Neuroimaging</i> , 2013 , 214, 459-61	2.9	6
162	Effects of childhood poverty and chronic stress on emotion regulatory brain function in adulthood. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 18442-7	11.5	360
161	Corticolimbic brain reactivity to social signals of threat before and after sertraline treatment in generalized social phobia. <i>Biological Psychiatry</i> , 2013 , 73, 329-36	7.9	90
160	Early handling attenuates enhancement of glucocorticoid receptors in the prefrontal cortex in an animal model of post-traumatic stress disorder. <i>Biology of Mood & Anxiety Disorders</i> , 2013 , 3, 22		23
159	Exogenous glucocorticoids decrease subgenual cingulate activity evoked by sadness. <i>Neuropsychopharmacology</i> , 2013 , 38, 826-45	8.7	22
158	Cigarette smoking and subsequent risk of suicidal ideation among National Guard Soldiers. <i>Journal of Affective Disorders</i> , 2013 , 145, 111-4	6.6	16
157	Validation of the telephone-administered PHQ-9 against the in-person administered SCID-I major depression module. <i>Journal of Affective Disorders</i> , 2013 , 150, 1001-7	6.6	29
156	Smoking is a predictor of depression onset among National Guard soldiers. <i>Psychiatry Research</i> , 2013 , 206, 321-3	9.9	8
155	Relations between the underlying dimensions of PTSD and major depression using an epidemiological survey of deployed Ohio National Guard soldiers. <i>Journal of Affective Disorders</i> , 2013 , 144, 106-11	6.6	37

154	Allopregnanolone elevations following pregnenolone administration are associated with enhanced activation of emotion regulation neurocircuits. <i>Biological Psychiatry</i> , 2013 , 73, 1045-53	7.9	68
153	From candidate genes to genome-wide association: the challenges and promise of posttraumatic stress disorder genetic studies. <i>Biological Psychiatry</i> , 2013 , 74, 634-6	7.9	65
152	A pilot study of group mindfulness-based cognitive therapy (MBCT) for combat veterans with posttraumatic stress disorder (PTSD). <i>Depression and Anxiety</i> , 2013 , 30, 638-45	8.4	164
151	DHEA enhances emotion regulation neurocircuits and modulates memory for emotional stimuli. <i>Neuropsychopharmacology</i> , 2013 , 38, 1798-807	8.7	56
150	The contextual brain: implications for fear conditioning, extinction and psychopathology. <i>Nature Reviews Neuroscience</i> , 2013 , 14, 417-28	13.5	955
149	Distributed effects of methylphenidate on the network structure of the resting brain: a connectomic pattern classification analysis. <i>NeuroImage</i> , 2013 , 81, 213-221	7.9	32
148	Cannabinoid facilitation of fear extinction memory recall in humans. <i>Neuropharmacology</i> , 2013 , 64, 396-402	8.2	118
147	Exploring dissociation and oxytocin as pathways between trauma exposure and trauma-related hyperemesis gravidarum: a test-of-concept pilot. <i>Journal of Trauma and Dissociation</i> , 2013 , 14, 40-55	2.8	22
146	Aberrant reward center response to partner reputation during a social exchange game in generalized social phobia. <i>Depression and Anxiety</i> , 2013 , 30, 353-61	8.4	27
145	Altered locus coeruleus-norepinephrine function following single prolonged stress. <i>European Journal of Neuroscience</i> , 2013 , 37, 901-9	3.5	84
144	Childhood abuse history, posttraumatic stress disorder, postpartum mental health, and bonding: a prospective cohort study. <i>Journal of Midwifery and Women's Health</i> , 2013 , 58, 57-68	2.2	113
143	Posttraumatic stress disorder, depression, and HIV risk behavior among Ohio Army National Guard Soldiers. <i>Journal of Traumatic Stress</i> , 2013 , 26, 64-70	3.8	16
142	Avoidant symptoms in PTSD predict fear circuit activation during multimodal fear extinction. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 672	3.3	45
141	Glucocorticoid receptors and extinction retention deficits in the single prolonged stress model. <i>Neuroscience</i> , 2012 , 223, 163-73	3.9	78
140	Biological studies of post-traumatic stress disorder. <i>Nature Reviews Neuroscience</i> , 2012 , 13, 769-87	13.5	917
139	The factor structure of major depression symptoms: a test of four competing models using the Patient Health Questionnaire-9. <i>Psychiatry Research</i> , 2012 , 199, 169-73	9.9	69
138	Unconditioned freezing is enhanced in an appetitive context: implications for the contextual dependency of unconditioned fear. <i>Neurobiology of Learning and Memory</i> , 2012 , 97, 386-92	3.1	9
137	Potentially modifiable pre-, peri-, and postdeployment characteristics associated with deployment-related posttraumatic stress disorder among ohio army national guard soldiers. <i>Annals of Epidemiology</i> , 2012 , 22, 71-8	6.4	40

136	Acute severe pain is a common consequence of sexual assault. <i>Journal of Pain</i> , 2012 , 13, 736-41	5.2	19
135	Coincident posttraumatic stress disorder and depression predict alcohol abuse during and after deployment among Army National Guard soldiers. <i>Drug and Alcohol Dependence</i> , 2012 , 124, 193-9	4.9	45
134	Neurocircuits underlying cognition-emotion interaction in a social decision making context. <i>NeuroImage</i> , 2012 , 63, 843-57	7.9	80
133	Decision neuroscience and consumer decision making. <i>Marketing Letters</i> , 2012 , 23, 473-485	2.3	67
132	Post-traumatic stress disorder and birthweight: methodological challenges. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 111-111	3.7	1
131	Altered resting-state amygdala functional connectivity in men with posttraumatic stress disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2012 , 37, 241-9	4.5	236
130	Mood dysregulation and stabilization: perspectives from emotional cognitive neuroscience. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 681-94	5.8	9
129	Expanding our understanding of neurobiological mechanisms of resilience by using animal models. <i>Neuropsychopharmacology</i> , 2012 , 37, 317-8	8.7	45
128	Single prolonged stress disrupts retention of extinguished fear in rats. <i>Learning and Memory</i> , 2012 , 19, 43-9	2.8	139
127	Neural dysregulation in posttraumatic stress disorder: evidence for disrupted equilibrium between salience and default mode brain networks. <i>Psychosomatic Medicine</i> , 2012 , 74, 904-11	3.7	272
126	Inactivation of the prelimbic cortex enhances freezing induced by trimethylthiazoline, a component of fox feces. <i>Behavioural Brain Research</i> , 2011 , 221, 320-3	3.4	18
125	Catechol O-methyltransferase haplotype predicts immediate musculoskeletal neck pain and psychological symptoms after motor vehicle collision. <i>Journal of Pain</i> , 2011 , 12, 101-7	5.2	72
124	The Neurocircuitry of Fear, Stress, and Anxiety Disorders. <i>Focus (American Psychiatric Publishing)</i> , 2011 , 9, 311-334	1.1	7
123	Arousal modulation of memory and amygdala-parahippocampal connectivity: a PET-psychophysiology study in specific phobia. <i>Psychophysiology</i> , 2011 , 48, 1463-1469	4.1	11
122	Post-traumatic stress disorder, child abuse history, birthweight and gestational age: a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011 , 118, 1329-39	3.7	113
121	Neural activation to emotional faces in adolescents with autism spectrum disorders. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2011 , 52, 296-305	7.9	83
120	Self-related neural response to tailored smoking-cessation messages predicts quitting. <i>Nature Neuroscience</i> , 2011 , 14, 426-7	25.5	188
119	Social appraisal in chronic psychosis: role of medial frontal and occipital networks. <i>Journal of Psychiatric Research</i> , 2011 , 45, 526-38	5.2	29

118	Event-related potential studies of post-traumatic stress disorder: a critical review and synthesis. <i>Biology of Mood & Anxiety Disorders</i> , 2011 , 1, 5		52
117	The neural correlates of intertemporal decision-making: contributions of subjective value, stimulus type, and trait impulsivity. <i>Human Brain Mapping</i> , 2011 , 32, 1637-48	5.9	77
116	Trait anxiety modulates anterior cingulate activation to threat interference. <i>Depression and Anxiety</i> , 2011 , 28, 194-201	8.4	44
115	Stress modulation of cognitive and affective processes. <i>Stress</i> , 2011 , 14, 503-19	3	32
114	PTSD comorbidity and suicidal ideation associated with PTSD within the Ohio Army National Guard. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1072-8	4.6	75
113	Does neuroimaging research examining the pathophysiology of posttraumatic stress disorder require medication-free patients?. <i>Journal of Psychiatry and Neuroscience</i> , 2010 , 35, 80-9	4.5	32
112	Do I like this person? A network analysis of midline cortex during a social preference task. <i>NeuroImage</i> , 2010 , 51, 930-9	7.9	28
111	The neurocircuitry of fear, stress, and anxiety disorders. <i>Neuropsychopharmacology</i> , 2010 , 35, 169-91	8.7	1372
110	Single prolonged stress decreases glutamate, glutamine, and creatine concentrations in the rat medial prefrontal cortex. <i>Neuroscience Letters</i> , 2010 , 480, 16-20	3.3	87
109	The impact of panic disorder on interoception and dyspnea reports in chronic obstructive pulmonary disease. <i>Biological Psychology</i> , 2010 , 84, 142-6	3.2	55
108	Anxiety is associated with diminished exercise performance and quality of life in severe emphysema: a cross-sectional study. <i>Respiratory Research</i> , 2010 , 11, 29	7.3	60
107	A multiple-plane approach to measure the structural properties of functionally active regions in the human cortex. <i>NeuroImage</i> , 2010 , 49, 3075-85	7.9	7
106	Exploring posttraumatic stress disorder symptom profile among pregnant women. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2010 , 31, 176-87	3.6	66
105	SSRI-enhanced locus coeruleus activity and adolescent suicide: lessons from animal models. <i>Neuropsychopharmacology</i> , 2010 , 35, 1619-20	8.7	3
104	Cognitive modulation of endocrine responses to CRH stimulation in healthy subjects. <i>Psychoneuroendocrinology</i> , 2010 , 35, 451-9	5	40
103	Relationship between anxiety, depression, and health satisfaction among veterans with PTSD. <i>Journal of Affective Disorders</i> , 2010 , 121, 165-8	6.6	22
102	Exposure to extreme stress impairs contextual odour discrimination in an animal model of PTSD. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 291-303	5.8	34
101	Assessment of post-traumatic stress disorder in veterans by videoconferencing and by face-to-face methods. <i>Journal of Telemedicine and Telecare</i> , 2009 , 15, 89-94	6.8	21

100	Single prolonged stress: toward an animal model of posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2009 , 26, 1110-7	8.4	215
99	Prolonged exposure for PTSD in a Veterans Health Administration PTSD clinic. <i>Journal of Traumatic Stress</i> , 2009 , 22, 60-4	3.8	115
98	Stress and Anxiety Disorders 2009 , 2875-2899		
97	Neural correlates of message tailoring and self-relatedness in smoking cessation programming. <i>Biological Psychiatry</i> , 2009 , 65, 165-8	7.9	74
96	Preliminary evidence of white matter abnormality in the uncinate fasciculus in generalized social anxiety disorder. <i>Biological Psychiatry</i> , 2009 , 66, 691-4	7.9	204
95	Assessing the neuroendocrine stress response in the functional neuroimaging context. <i>NeuroImage</i> , 2009 , 47, 1116-24	7.9	19
94	Medial prefrontal cortex and right insula activity predict plasma ACTH response to trauma recall. <i>NeuroImage</i> , 2009 , 47, 872-80	7.9	36
93	Decision-related loss: regret and disappointment. <i>NeuroImage</i> , 2009 , 47, 2031-40	7.9	101
92	Functional neuroimaging of mentalizing during the trust game in social anxiety disorder. <i>NeuroReport</i> , 2009 , 20, 984-9	1.7	95
91	Prevalence, trauma history, and risk for posttraumatic stress disorder among nulliparous women in maternity care. <i>Obstetrics and Gynecology</i> , 2009 , 114, 839-847	4.9	155
90	Early stress response: a vulnerability framework for functional impairment following mild traumatic brain injury. <i>Research and Theory for Nursing Practice</i> , 2009 , 23, 42-61	0.8	16
89	Neural responses to elements of a web-based smoking cessation program. <i>Studies in Health Technology and Informatics</i> , 2009 , 144, 174-8	0.5	10
88	Neurobiology of PTSD: A Review of Neuroimaging Findings. <i>Psychiatric Annals</i> , 2009 , 39,	0.5	70
87	Functional Neuroimaging in Post-Traumatic Stress Disorder 2009 , 297-317		5
86	Pilot study of response inhibition and error processing in the posterior medial prefrontal cortex in healthy youth. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2008 , 49, 986-94	7.9	13
85	Naturalistic stress and cortisol response to awakening: adaptation to seafaring. <i>Psychoneuroendocrinology</i> , 2008 , 33, 1023-6	5	11
84	It is time to take a stand for medical research and against terrorism targeting medical scientists. <i>Biological Psychiatry</i> , 2008 , 63, 725-7	7.9	7
83	Effects of perceived control and cognitive coping on endocrine stress responses to pharmacological activation. <i>Biological Psychiatry</i> , 2008 , 64, 701-707	7.9	47

82	Ecological salivary cortisol analysis-- part 2: relative impact of trauma history, posttraumatic stress, comorbidity, chronic stress, and known confounds on hormone levels. <i>Journal of the American Psychiatric Nurses Association</i> , 2008 , 14, 285-96	1.8	6
81	Chapter 5.5 Stress hormones and anxiety disorders. <i>Handbook of Behavioral Neuroscience</i> , 2008 , 17, 455-473	4.73	3
80	Neuroendocrinology of Anxiety Disorders 2008 ,		1
79	Distinct processing of facial emotion of own-race versus other-race. <i>NeuroReport</i> , 2008 , 19, 1021-5	1.7	23
78	The functional neuroanatomy of PTSD: a critical review. <i>Progress in Brain Research</i> , 2008 , 167, 151-69	2.9	404
77	Service use data analysis of pre-pregnancy psychiatric and somatic diagnoses in women with hyperemesis gravidarum. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2007 , 28, 209-17	3.6	30
76	Altered central micro-opioid receptor binding after psychological trauma. <i>Biological Psychiatry</i> , 2007 , 61, 1030-8	7.9	93
75	Medial frontal hyperactivity in reality distortion. <i>Biological Psychiatry</i> , 2007 , 61, 1171-8	7.9	52
74	HPA axis activity in patients with panic disorder: review and synthesis of four studies. <i>Depression and Anxiety</i> , 2007 , 24, 66-76	8.4	158
73	Neuroticism associated with neural activation patterns to positive stimuli. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 156, 263-7	2.9	18
72	Paralimbic and medial prefrontal cortical involvement in neuroendocrine responses to traumatic stimuli. <i>American Journal of Psychiatry</i> , 2007 , 164, 1250-8	11.9	84
71	Neural correlates of emotion regulation in psychopathology. <i>Trends in Cognitive Sciences</i> , 2007 , 11, 413-84	8.4	127
70	Medial frontal cortex activity and loss-related responses to errors. <i>Journal of Neuroscience</i> , 2006 , 26, 4063-70	6.6	134
69	Cerebrospinal fluid corticotropin-releasing factor concentration is associated with pain but not fatigue symptoms in patients with fibromyalgia. <i>Neuropsychopharmacology</i> , 2006 , 31, 2776-82	8.7	73
68	Neural correlates of social and nonsocial emotions: An fMRI study. <i>NeuroImage</i> , 2006 , 31, 397-409	7.9	206
67	Facial expressions and complex IAPS pictures: common and differential networks. <i>NeuroImage</i> , 2006 , 31, 906-19	7.9	300
66	Increased psychiatric morbidity after abdominal aortic surgery: risk factors for stress-related disorders. <i>Journal of Vascular Surgery</i> , 2006 , 43, 929-34	3.5	32
65	Differential subjective and psychophysiological responses to socially and nonsocially generated emotional stimuli. <i>Emotion</i> , 2006 , 6, 150-5	4.1	41

64	Corticolimbic blood flow during nontraumatic emotional processing in posttraumatic stress disorder. <i>Archives of General Psychiatry</i> , 2006 , 63, 184-92		133
63	Neuroimaging studies of emotional responses in PTSD. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1071, 87-109	6.5	139
62	Functional Neuroimaging Research in Posttraumatic Stress Disorder 2006 , 211-233		1
61	Error-related hyperactivity of the anterior cingulate cortex in obsessive-compulsive disorder. <i>Biological Psychiatry</i> , 2005 , 57, 287-94	7.9	309
60	Corticolimbic blood flow in posttraumatic stress disorder during script-driven imagery. <i>Biological Psychiatry</i> , 2005 , 57, 832-40	7.9	226
59	Animal models of posttraumatic stress disorder. <i>Handbook of Behavioral Neuroscience</i> , 2005 , 231-250		2
58	The development of persistent pain and psychological morbidity after motor vehicle collision: integrating the potential role of stress response systems into a biopsychosocial model. <i>Psychosomatic Medicine</i> , 2005 , 67, 783-90	3.7	193
57	Cognitive modulation of the endocrine stress response to a pharmacological challenge in normal and panic disorder subjects. <i>Archives of General Psychiatry</i> , 2005 , 62, 668-75		58
56	Cortisol level and perinatal outcome in pregnant women with posttraumatic stress disorder: a pilot study. <i>Journal of Midwifery and Women's Health</i> , 2005 , 50, 392-8	2.2	30
55	Neural response to emotional salience in schizophrenia. <i>Neuropsychopharmacology</i> , 2005 , 30, 984-95	8.7	122
54	Effects of propranolol on symptom and endocrine responses to pentagastrin. <i>Psychoneuroendocrinology</i> , 2004 , 29, 1163-71	5	18
53	Topiramate attenuates exaggerated acoustic startle in an animal model of PTSD. <i>Psychopharmacology</i> , 2004 , 172, 225-9	4.7	155
52	Effect of repeat exposure on neuroendocrine and symptom responses to pentagastrin. <i>Psychiatry Research</i> , 2004 , 126, 189-95	9.9	8
51	Neural correlates of individual ratings of emotional salience: a trial-related fMRI study. <i>NeuroImage</i> , 2004 , 21, 768-80	7.9	375
50	Nonstationary cluster-size inference with random field and permutation methods. <i>NeuroImage</i> , 2004 , 22, 676-87	7.9	582
49	Functional neuroimaging studies of human emotions. <i>CNS Spectrums</i> , 2004 , 9, 258-66	1.8	352
48	Extended amygdala and emotional salience: a PET activation study of positive and negative affect. <i>Neuropsychopharmacology</i> , 2003 , 28, 726-33	8.7	148
47	Habituation of rostral anterior cingulate cortex to repeated emotionally salient pictures. <i>Neuropsychopharmacology</i> , 2003 , 28, 1344-50	8.7	94

46	Neural correlates of traumatic recall in posttraumatic stress disorder. <i>Stress</i> , 2003 , 6, 151-6	3	70
45	Brain-imaging studies of posttraumatic stress disorder. <i>CNS Spectrums</i> , 2003 , 8, 641-50	1.8	74
44	Activation of the medial prefrontal cortex and extended amygdala by individual ratings of emotional arousal: a fMRI study. <i>Biological Psychiatry</i> , 2003 , 53, 211-5	7.9	166
43	Valence, gender, and lateralization of functional brain anatomy in emotion: a meta-analysis of findings from neuroimaging. <i>NeuroImage</i> , 2003 , 19, 513-31	7.9	937
42	Subjective rating of emotionally salient stimuli modulates neural activity. <i>NeuroImage</i> , 2003 , 18, 650-9	7.9	308
41	Role of the GABAA Receptor in Anxiety: Evidence from animal models, molecular and clinical psychopharmacology, and brain imaging studies. <i>Current Neuropharmacology</i> , 2003 , 1, 267-283	7.6	9
40	Psychopharmacological treatment in PTSD: a critical review. <i>Journal of Psychiatric Research</i> , 2002 , 36, 355-67	5.2	75
39	mu-Opioid receptors and limbic responses to aversive emotional stimuli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 7084-9	11.5	73
38	A functional anatomic study of emotion in schizophrenia. <i>Schizophrenia Research</i> , 2002 , 58, 159-72	3.6	154
37	Functional neuroanatomy of emotion: a meta-analysis of emotion activation studies in PET and fMRI. <i>NeuroImage</i> , 2002 , 16, 331-48	7.9	2718
36	Stress and Anxiety Disorders 2002 , 443-465		5
35	The structure of posttraumatic stress disorder symptoms in combat veterans: a confirmatory factor analysis of the impact of event scale. <i>Journal of Anxiety Disorders</i> , 2001 , 15, 345-57	10.9	39
34	Posttraumatic stress disorder and pregnancy complications. <i>Obstetrics and Gynecology</i> , 2001 , 97, 17-22	4.9	92
33	Posttraumatic Stress Disorder and Pregnancy Complications. <i>Obstetrics and Gynecology</i> , 2001 , 97, 17-22	4.9	81
32	Limbic activation and psychophysiologic responses to aversive visual stimuli. Interaction with cognitive task. <i>Neuropsychopharmacology</i> , 2000 , 23, 508-16	8.7	110
31	The effect of graded aversive stimuli on limbic and visual activation. <i>Neuropsychologia</i> , 2000 , 38, 1415-25	5.2	144
30	Emotional processing in combat-related posttraumatic stress disorder: a comparison with traumatized and normal controls. <i>Journal of Anxiety Disorders</i> , 2000 , 14, 219-38	10.9	40
29	A Cultural Sensitivity Training Workshop for Psychiatry Residents. <i>Academic Psychiatry</i> , 2000 , 24, 77-84	1.1	10

28 Brain Imaging Studies of PTSD **2000**, 285-297

27	Neurology training in psychiatry residency : self-assessment and standardized scores. <i>Academic Psychiatry</i> , 1999 , 23, 77-81	1.1	2
26	Differential regulation of hippocampal glucocorticoid receptors mRNA and fast feedback: relevance to post-traumatic stress disorder. <i>Journal of Neuroendocrinology</i> , 1999 , 11, 11-7	3.8	248
25	Medial frontal cortex involvement in PTSD symptoms: a SPECT study. <i>Journal of Psychiatric Research</i> , 1999 , 33, 259-64	5.2	117
24	Dose response of adrenocorticotropin and cortisol to the CCK-B agonist pentagastrin. <i>Neuropsychopharmacology</i> , 1999 , 21, 485-94	8.7	30
23	Neuroendocrine and psychophysiologic responses in PTSD: a symptom provocation study. <i>Neuropsychopharmacology</i> , 1999 , 21, 40-50	8.7	197
22	Serotonin 1A receptor messenger RNA regulation in the hippocampus after acute stress. <i>Biological Psychiatry</i> , 1999 , 45, 934-7	7.9	70
21	Brain activation in PTSD in response to trauma-related stimuli. <i>Biological Psychiatry</i> , 1999 , 45, 817-26	7.9	499
20	Rorschach patterns of response in Vietnam veterans with posttraumatic stress disorder versus combat and normal controls. <i>Depression and Anxiety</i> , 1998 , 8, 104-11	8.4	13
19	Psychophysiologic responses to the Rorschach in PTSD patients, noncombat and combat controls. <i>Depression and Anxiety</i> , 1998 , 8, 112-20	8.4	11
18	Psychophysiologic responsivity in posttraumatic stress disorder: generalized hyperresponsiveness versus trauma specificity. <i>Biological Psychiatry</i> , 1998 , 44, 1037-44	7.9	49
17	The effect of emotional content on visual recognition memory: a PET activation study. <i>NeuroImage</i> , 1998 , 8, 188-97	7.9	155
16	Stress-restress: effects on ACTH and fast feedback. <i>Psychoneuroendocrinology</i> , 1997 , 22, 443-53	5	393
15	Effects of stress and glucocorticoids on CNS oxytocin receptor binding. <i>Psychoneuroendocrinology</i> , 1997 , 22, 411-22	5	96
14	Motivational properties of oxytocin in the conditioned place preference paradigm. <i>Neuropsychopharmacology</i> , 1997 , 17, 353-9	8.7	62
13	Longitudinal patterns of care for patients with posttraumatic stress disorder. <i>Journal of Traumatic Stress</i> , 1996 , 9, 763-781	3.8	25
12	Alteration of corticothalamic perfusion ratios during a PTSD flashback. <i>Depression and Anxiety</i> , 1996 , 4, 146-50	8.4	38
11	Longitudinal patterns of care for patients with posttraumatic stress disorder. <i>Journal of Traumatic Stress</i> , 1996 , 9, 763-81	3.8	4

10	Glucocorticoid regulation of hippocampal oxytocin receptor binding. <i>Brain Research</i> , 1994 , 650, 317-22	3-7	32
9	Measurement of depression and negative symptoms in schizophrenia. <i>Psychopathology</i> , 1992 , 25, 49-56	3-4	45
8	Very brief psychotherapy in the psychiatric consultation setting. <i>International Journal of Psychiatry in Medicine</i> , 1992 , 22, 65-75	1	3
7	Stability of positive and negative symptom constructs during neuroleptic treatment in schizophrenia. <i>Psychopathology</i> , 1991 , 24, 247-52	3-4	19
6	Post-ECT Dyskinesia. <i>Convulsive Therapy</i> , 1991 , 7, 40-44		2
5	Largest genome-wide association study for PTSD identifies genetic risk loci in European and African ancestries and implicates novel biological pathways		6
4	Analysis of Genetically Regulated Gene Expression identifies a trauma type specific PTSD gene, SNRNP35		1
3	Potential Neurocognitive Biomarkers for Post Traumatic Stress Disorder (PTSD) Severity in Recent Trauma Survivors		1
2	Neuroanatomical Risk Factors for Post Traumatic Stress Disorder (PTSD) in Recent Trauma Survivors		2
1	Differential Roles of Positive and Negative Valence Systems in the Development of Post-Traumatic Stress Psychopathology		1