
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4787238/publications.pdf Version: 2024-02-01



| #  | Article  | IF       | CITATIONS |
|----|--|----------|-----------|
| 1  | Efficient oil-water separation with amphipathic magnetic nanoparticles of<br>Fe <sub>3</sub> O <sub>4</sub> @TiO <sub>2</sub> . Journal of Dispersion Science and Technology, 2023,<br>44, 1965-1971.                      | 2.4      | 0         |
| 2  | Simultaneous outline shape and size optimization for stiffeners in practical engineering structures.<br>Acta Astronautica, 2022, 191, 216-226.   | 3.2      | 3         |
| 3  | A structural discrete size and topology optimization method with extended approximation concepts.<br>Structural and Multidisciplinary Optimization, 2022, 65, 1.   | 3.5      | 1         |
| 4  | Large-Scale Truss Topology and Sizing Optimization by an Improved Genetic Algorithm with Multipoint<br>Approximation. Applied Sciences (Switzerland), 2022, 12, 407.   | 2.5      | 4         |
| 5  | Coordinative coupled attitude and orbit control for satellite formation with multiple uncertainties and actuator saturation. Acta Astronautica, 2021, 181, 325-335.  | 3.2      | 17        |
| 6  | Effect of Seepage Force on the Wellbore Breakdown of a Vertical Wellbore. Geofluids, 2021, 2021, 1-12.   | 0.7      | 7         |
| 7  | Comparison of Gonadal Transcriptomes Uncovers Reproduction-Related Genes with Sexually<br>Dimorphic Expression Patterns in Diodon hystrix. Animals, 2021, 11, 1042.  | 2.3      | 9         |
| 8  | Exploring the pathogenic function of Pantoea ananatis endogenous plasmid by an efficient and simple plasmid elimination strategy. Microbiological Research, 2021, 246, 126710.   | 5.3      | 5         |
| 9  | De Novo Transcriptomic Characterization Enables Novel Microsatellite Identification and Marker<br>Development in Betta splendens. Life, 2021, 11, 803.   | 2.4      | 3         |
| 10 | Transverse Error of ICP Piezoelectric Accelerometers and Its Correction Method in 6D Micro-vibration Excitation System. , 2021, , .  |          | 0         |
| 11 | Robust fault-tolerant attitude control for satellite with multiple uncertainties and actuator faults.<br>Chinese Journal of Aeronautics, 2020, 33, 3380-3394.  | 5.3      | 19        |
| 12 | A topology and sizing optimization method for frame structures combined with an<br>orthogonal-maximin Latin hypercube design(LHD) method. Journal of Physics: Conference Series, 2020,<br>1509, 012001.                    | 0.4      | 0         |
| 13 | pH and temperature-responsive POSS-based poly(2-(dimethylamino)ethyl methacrylate) for highly<br>efficient Cr(VI) adsorption. Colloid and Polymer Science, 2020, 298, 1515-1521.   | 2.1      | 5         |
| 14 | Improved genetic algorithm with two-level multipoint approximation for complex frame structural optimization. Journal of Physics: Conference Series, 2020, 1509, 012017.   | 0.4      | 0         |
| 15 | Oneâ€Pot Templateâ€Free Crossâ€Linking Synthesis of SiO <sub><i>x</i></sub> –SnO <sub>2</sub> @C Hollov<br>Spheres as a High Volumetric Capacity Anode for Lithiumâ€Ion Batteries. Energy Technology, 2020, 8,<br>2000314. | N<br>3.8 | 18        |
| 16 | Distinct Characteristics of Bacterial Community in the Soil of Nanshazhou Island, South China Sea.<br>Current Microbiology, 2020, 77, 1292-1300.   | 2.2      | 3         |
| 17 | A multi-frequency MIMO control method for the 6DOF micro-vibration exciting system. Acta<br>Astronautica, 2020, 170, 552-569.  | 3.2      | 14        |
| 18 | Robust attitude control for a rigid-flexible-rigid microsatellite with multiple uncertainties and input saturations. Aerospace Science and Technology, 2019, 95, 105443.   | 4.8      | 17        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Performance enhancement of disturbance-free payload with a novel design of architecture and control. Acta Astronautica, 2019, 159, 238-249.  | 3.2 | 13        |
| 20 | An engineering method for complex structural optimization involving both size and topology design variables. International Journal for Numerical Methods in Engineering, 2019, 117, 291-315.   | 2.8 | 21        |
| 21 | Multi-objective optimal design of hybrid composite laminates for minimum cost and maximum fundamental frequency and frequency gaps. Composite Structures, 2019, 209, 268-276.  | 5.8 | 35        |
| 22 | Maximization of fundamental frequency and buckling load for the optimal stacking sequence design<br>of laminated composite structures. Proceedings of the Institution of Mechanical Engineers, Part L:<br>Journal of Materials: Design and Applications, 2019, 233, 1485-1499. | 1.1 | 2         |
| 23 | Optimal design of the stacking sequences of a corrugated central cylinder in a satellite. Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications, 2019, 233, 239-253.   | 1.1 | 1         |
| 24 | Multi-objective optimization of a composite stiffened panel for hybrid design of stiffener layout and laminate stacking sequence. Structural and Multidisciplinary Optimization, 2018, 57, 1411-1426.  | 3.5 | 26        |
| 25 | Truss topology optimization considering local buckling constraints and restrictions on intersection and overlap of bar members. Structural and Multidisciplinary Optimization, 2018, 58, 575-594.  | 3.5 | 13        |
| 26 | Vibration isolation and dual-stage actuation pointing system for space precision payloads. Acta<br>Astronautica, 2018, 143, 183-192.   | 3.2 | 36        |
| 27 | An Intelligent Human Behavior-Based Reasoning Model for Service Prediction in Smart Home. IEEE<br>Access, 2018, 6, 68535-68544.  | 4.2 | 5         |
| 28 | Topology and Sizing Optimization for Frame Structures with a Two-Level Approximation Method. AIAA<br>Journal, 2017, 55, 1044-1057.   | 2.6 | 14        |
| 29 | Study on the criterion to determine the bottom deployment modes of a coilable mast. Acta<br>Astronautica, 2017, 141, 89-97.  | 3.2 | 3         |
| 30 | FvSet2 regulates fungal growth, pathogenicity, and secondary metabolism in Fusarium verticillioides.<br>Fungal Genetics and Biology, 2017, 107, 24-30.   | 2.1 | 17        |
| 31 | Improved genetic algorithm with two-level approximation using shape sensitivities for truss layout optimization. Structural and Multidisciplinary Optimization, 2017, 55, 1365-1382.   | 3.5 | 14        |
| 32 | Histone H3 lysine 9 methyltransferase FvDim5 regulates fungal development, pathogenicity and osmotic stress responses in Fusarium verticillioides. FEMS Microbiology Letters, 2017, 364, .   | 1.8 | 28        |
| 33 | Involvement of FvSet1 in Fumonisin B1 Biosynthesis, Vegetative Growth, Fungal Virulence, and<br>Environmental Stress Responses in Fusarium verticillioides. Toxins, 2017, 9, 43.   | 3.4 | 31        |
| 34 | Inverted antenna subset transmission technique for secure millimeter-wave wireless communication. , 2017, , .  |     | 2         |
| 35 | Improved cyclostationary feature detection based on correlation between the signal and noise. , 2016, , .  |     | 5         |
| 36 | Structural optimization for multiple structure cases and multiple payload cases with a two-level multipoint approximation method. Chinese Journal of Aeronautics, 2016, 29, 1273-1284.   | 5.3 | 8         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | DropConnect Regularization Method with Sparsity Constraint for Neural Networks. Chinese Journal of Electronics, 2016, 25, 152-158.   | 1.5 | 24        |
| 38 | Optimal design of composite sandwich structures by considering multiple structure cases. Composite<br>Structures, 2016, 152, 676-686.  | 5.8 | 18        |
| 39 | Actuator placement optimization for adaptive trusses using a two-level multipoint approximation method. Structural and Multidisciplinary Optimization, 2016, 53, 29-48.  | 3.5 | 20        |
| 40 | An effective MIMO detection scheme for future wireless HetNet based on MU-MIMO. , 2015, , .  |     | 0         |
| 41 | Improved Genetic Algorithm with Two-Level Approximation Method for Laminate Stacking Sequence<br>Optimization by Considering Engineering Requirements. Mathematical Problems in Engineering, 2015,<br>2015, 1-13.            | 1.1 | 8         |
| 42 | Multiple-degree-of-freedom sinusoidal vibration generation based on a hexapod platform. Proceedings<br>of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 2015,<br>229, 139-148. | 1.0 | 4         |
| 43 | Simultaneous optimization of stacking sequences and sizing with two-level approximations and a genetic algorithm. Composite Structures, 2015, 123, 180-189.  | 5.8 | 21        |
| 44 | Laminate stacking sequence optimization with strength constraints using two-level approximations and adaptive genetic algorithm. Structural and Multidisciplinary Optimization, 2015, 51, 903-918.                           | 3.5 | 37        |
| 45 | Trajectory classification in circular restricted three-body problem using support vector machine.<br>Advances in Space Research, 2015, 56, 273-280.  | 2.6 | 11        |
| 46 | Topology optimization of continuum structure with dynamic constraints using mode identification.<br>Journal of Mechanical Science and Technology, 2015, 29, 1407-1412.   | 1.5 | 12        |
| 47 | An improved channel estimation based on generalized DFT for OFDM system. , 2014, , .   |     | 0         |
| 48 | A novel network based on TD-LTE for counter-terrorism emergency communication in urban area. , 2014, , .   |     | 0         |
| 49 | Sparse channel estimation in OFDM systems using improved smooth L0 algorithm. , 2014, , .  |     | 3         |
| 50 | An improved adaptive user classification algorithm for FFR scheme. , 2014, , .   |     | 0         |
| 51 | Compressive sensing based decryption method for covert CDD-OFDM transmission. , 2014, , .  |     | 0         |
| 52 | Improved genetic algorithm with two-level approximation for truss topology optimization.<br>Structural and Multidisciplinary Optimization, 2014, 49, 795-814.  | 3.5 | 18        |
| 53 | An approach for constituting double/multi wall BLE by single wall BLE of spacecraft shield.<br>International Journal of Impact Engineering, 2014, 69, 114-121.   | 5.0 | 4         |
| 54 | Design and experiments of an active isolator for satellite micro-vibration. Chinese Journal of<br>Aeronautics, 2014, 27, 1461-1468.  | 5.3 | 23        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | A fast numerical approach for Whipple shield ballistic limit analysis. Acta Astronautica, 2014, 93,<br>112-120.  | 3.2  | 10        |
| 56 | Stacking sequence optimization with genetic algorithm using a two-level approximation. Structural and Multidisciplinary Optimization, 2013, 48, 795-805.             | 3.5  | 30        |
| 57 | Acid and multivalent ion resistance of thin film nanocomposite RO membranes loaded with silicalite-1 nanozeolites. Journal of Materials Chemistry A, 2013, 1, 11343. | 10.3 | 108       |
| 58 | Role of NaA zeolites in the interfacial polymerization process towards a polyamide nanocomposite reverse osmosis membrane. RSC Advances, 2013, 3, 8203.              | 3.6  | 141       |
| 59 | An improved reconstruction method for compressive sensing based OFDM channel estimation. , 2013, , .   |      | 4         |
| 60 | Finite element reconstruction approach for on-orbit spacecraft breakup dynamics simulation and fragment analysis. Advances in Space Research, 2013, 51, 423-433.     | 2.6  | 10        |
| 61 | Optimum Design of a Space Frame and its Application in Satellite Structure. Journal of Spacecraft and Rockets, 2010, 47, 1063-1066.                                  | 1.9  | 12        |
| 62 | Analysis of PCE-based wavelength assignment schemes in wavelength switched optical networks. ,<br>2010, , .  |      | 2         |
| 63 | Research and analysis of distributed signaling schemes in PCE-based Wavelength Switching Optical Network. , 2009, , .  |      | 0         |
| 64 | A Precise Identification and Control Method for the 6D Micro-Vibration Exciting System. Journal of Vibration Engineering and Technologies, 0, , 1.                   | 2.2  | 2         |
| 65 | Effect of In-Situ TiB2 Particles on the Creep Properties of 3 Wt.% TiB2/Al-Cu-Mg-Ag Composite, Iom. 0  | 1.9  | 3         |