

# Meilin Wang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4787773/meilin-wang-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

176  
papers

4,127  
citations

36  
h-index

56  
g-index

182  
ext. papers

4,983  
ext. citations

7.3  
avg, IF

5.24  
L-index

#	Paper	IF	Citations
176	Genetic variants in splicing factor genes and susceptibility to bladder cancer. <i>Gene</i> , <b>2022</b> , 809, 146022	3.8	
175	Association of genetic variants in autophagy-lysosome pathway genes with susceptibility and survival to prostate cancer. <i>Gene</i> , <b>2022</b> , 808, 145953	3.8	2
174	Exosomal circLPAR1 functions in colorectal cancer diagnosis and tumorigenesis through suppressing BRD4 via METTL3-eIF3h interaction.. <i>Molecular Cancer</i> , <b>2022</b> , 21, 49	42.1	6
173	Evaluation of genetic variants in nucleosome remodeling and deacetylase (NuRD) complex subunits encoding genes and gastric cancer susceptibility.. <i>Archives of Toxicology</i> , <b>2022</b> , 1	5.8	0
172	Association between circulating vitamin E and ten common cancers: evidence from large-scale Mendelian randomization analysis and a longitudinal cohort study.. <i>BMC Medicine</i> , <b>2022</b> , 20, 168	11.4	2
171	Genetic variants in the Hedgehog signaling pathway genes are associated with gastric cancer risk in a Chinese Han population.. <i>Journal of Biomedical Research</i> , <b>2021</b> , 36, 22-31	1.5	
170	Fine Particulate Matter Induces Childhood Asthma Attacks via Extracellular Vesicle-Packaged Let-7i-5p-Mediated Modulation of the MAPK Signaling Pathway. <i>Advanced Science</i> , <b>2021</b> , e2102460	13.6	2
169	Global internet search trends related to gastrointestinal symptoms predict regional COVID-19 outbreaks. <i>Journal of Infection</i> , <b>2021</b> ,	18.9	2
168	Long-term risk of colorectal cancer after removal of adenomas during screening colonoscopies in a large community-based population in China. <i>International Journal of Cancer</i> , <b>2021</b> , 150, 594	7.5	0
167	Genetic variations in the CTLA-4 immune checkpoint pathway are associated with colon cancer risk, prognosis, and immune infiltration via regulation of IQCB1 expression. <i>Archives of Toxicology</i> , <b>2021</b> , 95, 2053-2063	5.8	0
166	Effect of PM exposure on circulating fibrinogen and IL-6 levels: A systematic review and meta-analysis. <i>Chemosphere</i> , <b>2021</b> , 271, 129565	8.4	11
165	Evaluation of common genetic variants in vitamin E-related pathway genes and colorectal cancer susceptibility. <i>Archives of Toxicology</i> , <b>2021</b> , 95, 2523-2532	5.8	1
164	Integrative omics provide biological and clinical insights into acute respiratory distress syndrome. <i>Intensive Care Medicine</i> , <b>2021</b> , 47, 761-771	14.5	2
163	The biogenesis and biological function of PIWI-interacting RNA in cancer. <i>Journal of Hematology and Oncology</i> , <b>2021</b> , 14, 93	22.4	3
162	Genetic variants in Hippo signalling pathway-related genes affect the risk of colorectal cancer. <i>Archives of Toxicology</i> , <b>2021</b> , 95, 271-281	5.8	2
161	Metabolomics identifying biomarkers of PM exposure for vulnerable population: based on a prospective cohort study. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 14586-14596	5.1	5
160	Systematic evaluation of the effects of genetic variants on PIWI-interacting RNA expression across 33 cancer types. <i>Nucleic Acids Research</i> , <b>2021</b> , 49, 90-97	20.1	8

159	A prospective study of the associations among fine particulate matter, genetic variants, and the risk of colorectal cancer. <i>Environment International</i> , <b>2021</b> , 147, 106309	12.9	4
158	Genetic variants in N6-methyladenosine are associated with bladder cancer risk in the Chinese population. <i>Archives of Toxicology</i> , <b>2021</b> , 95, 299-309	5.8	5
157	Circular RNAs in body fluids as cancer biomarkers: the new frontier of liquid biopsies. <i>Molecular Cancer</i> , <b>2021</b> , 20, 13	42.1	64
156	Identification of low-frequency variants of UGT1A3 associated with bladder cancer risk by next-generation sequencing. <i>Oncogene</i> , <b>2021</b> , 40, 2382-2394	9.2	3
155	Identification of common genetic variants associated with serum concentrations of p, pSDDE in non-occupational populations in eastern China. <i>Environment International</i> , <b>2021</b> , 152, 106507	12.9	0
154	METTL3 regulates PM-induced cell injury by targeting OSGIN1 in human airway epithelial cells. <i>Journal of Hazardous Materials</i> , <b>2021</b> , 415, 125573	12.8	7
153	Cohort profile: The National Colorectal Cancer Cohort (NCRCC) study in China.. <i>BMJ Open</i> , <b>2021</b> , 11, e051397	13.97	0
152	Genetic variants in m6A modification genes are associated with colorectal cancer risk. <i>Carcinogenesis</i> , <b>2020</b> , 41, 8-17	4.6	30
151	Remote modulation of lncRNA by risk variant at 16p13 underlying genetic susceptibility to gastric cancer. <i>Science Advances</i> , <b>2020</b> , 6, eaay5525	14.3	10
150	Genetic variants in Ras/Raf/MEK/ERK pathway are associated with gastric cancer risk in Chinese Han population. <i>Archives of Toxicology</i> , <b>2020</b> , 94, 2683-2690	5.8	2
149	Genetic Variant in Long Non-Coding RNA Modulates Its Expression and Predicts Renal Cell Carcinoma Susceptibility and Mortality. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 785	5.3	3
148	MUC1 is associated with TFF2 methylation in gastric cancer. <i>Clinical Epigenetics</i> , <b>2020</b> , 12, 37	7.7	3
147	The Rare Variant rs35356162 in Increases Bladder Cancer Risk in Han Chinese Population. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 134	5.3	5
146	Genetic variations in Hippo pathway genes influence bladder cancer risk in a Chinese population. <i>Archives of Toxicology</i> , <b>2020</b> , 94, 785-794	5.8	8
145	A transcriptomic study for identifying cardia- and non-cardia-specific gastric cancer prognostic factors using genetic algorithm-based methods. <i>Journal of Cellular and Molecular Medicine</i> , <b>2020</b> , 24, 9457-9465	5.6	2
144	Sex hormones and genetic variants in hormone metabolic pathways associated with the risk of colorectal cancer. <i>Environment International</i> , <b>2020</b> , 137, 105543	12.9	7
143	Novel CpG-SNPs in the gastric acid secretion pathway GNAI3 and susceptibility to gastric cancer. <i>Gene</i> , <b>2020</b> , 736, 144447	3.8	3
142	Multomics Evaluation of Gastrointestinal and Other Clinical Characteristics of COVID-19. <i>Gastroenterology</i> , <b>2020</b> , 158, 2298-2301.e7	13.3	83

141	Alternative splicing related genetic variants contribute to bladder cancer risk. <i>Molecular Carcinogenesis</i> , <b>2020</b> , 59, 923-929	5	10
140	Genetic variants in circTUBB interacting with smoking can enhance colorectal cancer risk. <i>Archives of Toxicology</i> , <b>2020</b> , 94, 325-333	5.8	2
139	Association study between genetic variants in retinol metabolism pathway genes and prostate cancer risk. <i>Cancer Medicine</i> , <b>2020</b> , 9, 9462-9470	4.8	7
138	Explaining the Genetic Causality for Complex Phenotype via Deep Association Kernel Learning. <i>Patterns</i> , <b>2020</b> , 1, 100057	5.1	3
137	Identification of novel susceptibility loci for non-syndromic cleft lip with or without cleft palate. <i>Journal of Cellular and Molecular Medicine</i> , <b>2020</b> , 24, 13669-13678	5.6	1
136	Genetic variants in the Folic acid Metabolic Pathway Genes predict outcomes of metastatic Colorectal Cancer patients receiving first-line Chemotherapy. <i>Journal of Cancer</i> , <b>2020</b> , 11, 6507-6515	4.5	
135	Meta-analysis of genome-wide association studies and functional assays decipher susceptibility genes for gastric cancer in Chinese populations. <i>Gut</i> , <b>2020</b> , 69, 641-651	19.2	18
134	Long non-coding RNA FLJ22763 is involved in the progression and prognosis of gastric cancer. <i>Gene</i> , <b>2019</b> , 693, 84-91	3.8	8
133	Genetic variants in RPA1 associated with the response to oxaliplatin-based chemotherapy in colorectal cancer. <i>Journal of Gastroenterology</i> , <b>2019</b> , 54, 939-949	6.9	8
132	Combinations of single nucleotide polymorphisms identified in genome-wide association studies determine risk for colorectal cancer. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 2661-2669	7.5	12
131	A genetic variation in the CpG island of pseudogene GBAP1 promoter is associated with gastric cancer susceptibility. <i>Cancer</i> , <b>2019</b> , 125, 2465-2473	6.4	11
130	The effects of particulate matters on allergic rhinitis in Nanjing, China. <i>Environmental Science and Pollution Research</i> , <b>2019</b> , 26, 11452-11457	5.1	11
129	A genetic variant located in the miR-532-5p-binding site of TGFBR1 is associated with the colorectal cancer risk. <i>Journal of Gastroenterology</i> , <b>2019</b> , 54, 141-148	6.9	9
128	Vitamin B intake reduces the risk for colorectal cancer: a dose-response analysis. <i>European Journal of Nutrition</i> , <b>2019</b> , 58, 1591-1602	5.2	5
127	Rs2262251 in lncRNA RP11-462G12.2 is associated with nonsyndromic cleft lip with/without cleft palate. <i>Human Mutation</i> , <b>2019</b> , 40, 2057-2067	4.7	5
126	Genome-wide long non-coding RNAs identified a panel of novel plasma biomarkers for gastric cancer diagnosis. <i>Gastric Cancer</i> , <b>2019</b> , 22, 731-741	7.6	19
125	Genetic variant in miR-21 binding sites is associated with colorectal cancer risk. <i>Journal of Cellular and Molecular Medicine</i> , <b>2019</b> , 23, 2012-2019	5.6	6
124	Polymorphism rs4787951 in IL-4R contributes to the increased risk of renal cell carcinoma in a Chinese population. <i>Gene</i> , <b>2019</b> , 685, 242-247	3.8	2

123	Association between obesity and bladder cancer recurrence: A meta-analysis. <i>Clinica Chimica Acta</i> , <b>2018</b> , 480, 41-46	6.2	16
122	Tagging SNPs in the HOTAIR gene are associated with bladder cancer risk in a Chinese population. <i>Gene</i> , <b>2018</b> , 664, 22-26	3.8	8
121	Evaluation of vulnerable PM-exposure individuals: a repeated-measure study in an elderly population. <i>Environmental Science and Pollution Research</i> , <b>2018</b> , 25, 11833-11840	5.1	6
120	Hypermethylation of EIF4E promoter is associated with early onset of gastric cancer. <i>Carcinogenesis</i> , <b>2018</b> , 39, 66-71	4.6	12
119	Polymorphism rs2682818 in miR-618 is associated with colorectal cancer susceptibility in a Han Chinese population. <i>Cancer Medicine</i> , <b>2018</b> , 7, 1194-1200	4.8	13
118	Genetic variants in XDH are associated with prognosis for gastric cancer in a Chinese population. <i>Gene</i> , <b>2018</b> , 663, 196-202	3.8	1
117	Probabilistic natural mapping of gene-level tests for genome-wide association studies. <i>Briefings in Bioinformatics</i> , <b>2018</b> , 19, 545-553	13.4	5
116	LncRNA and its genetic variant rs1902432 are associated with prostate cancer risk. <i>Journal of Cancer</i> , <b>2018</b> , 9, 1414-1420	4.5	22
115	Genome-wide Association Study (GWAS) of Germline Copy Number Variations (CNVs) Reveal Genetic Risks of Prostate Cancer in Chinese population. <i>Journal of Cancer</i> , <b>2018</b> , 9, 923-928	4.5	10
114	Evaluation of GWAS-Identified Genetic Variants for Gastric Cancer Survival. <i>EBioMedicine</i> , <b>2018</b> , 33, 82-88	8.8	5
113	LncRNA MT1JP functions as a ceRNA in regulating FBXW7 through competitively binding to miR-92a-3p in gastric cancer. <i>Molecular Cancer</i> , <b>2018</b> , 17, 87	42.1	166
112	Meta-analysis on the effectiveness of team-based learning on medical education in China. <i>BMC Medical Education</i> , <b>2018</b> , 18, 77	3.3	35
111	Germline mutations in DNA repair genes are associated with bladder cancer risk and unfavourable prognosis. <i>BJU International</i> , <b>2018</b> , 122, 808-813	5.6	12
110	Association of Antioxidative Enzymes Polymorphisms with Efficacy of Platin and Fluorouracil-Based Adjuvant Therapy in Gastric Cancer. <i>Cellular Physiology and Biochemistry</i> , <b>2018</b> , 48, 2247-2257	3.9	6
109	Body mass index (BMI) trajectories and risk of colorectal cancer in the PLCO cohort. <i>British Journal of Cancer</i> , <b>2018</b> , 119, 130-132	8.7	15
108	Evaluating the effect of multiple genetic risk score models on colorectal cancer risk prediction. <i>Gene</i> , <b>2018</b> , 673, 174-180	3.8	9
107	Validation of the novel susceptibility loci for prostate cancer in a Chinese population. <i>Oncology Letters</i> , <b>2018</b> , 15, 2567-2573	2.6	3
106	Genetic Variations in the 3'Untranslated Regions of Genes Involved in the Cell Cycle and Apoptosis Pathways Affect Bladder Cancer Risk. <i>Cancer Genomics and Proteomics</i> , <b>2018</b> , 15, 67-72	3.3	5

105	Exosome-transmitted long non-coding RNA PTENP1 suppresses bladder cancer progression. <i>Molecular Cancer</i> , <b>2018</b> , 17, 143	42.1	134
104	Genetic variants in PI3K/Akt/mTOR pathway genes contribute to gastric cancer risk. <i>Gene</i> , <b>2018</b> , 670, 130-135	3.8	12
103	Association study of genetic variants in estrogen metabolic pathway genes and colorectal cancer risk and survival. <i>Archives of Toxicology</i> , <b>2018</b> , 92, 1991-1999	5.8	12
102	Circadian clock pathway genes associated with colorectal cancer risk and prognosis. <i>Archives of Toxicology</i> , <b>2018</b> , 92, 2681-2689	5.8	24
101	Identification of new susceptibility loci for gastric non-cardia adenocarcinoma: pooled results from two Chinese genome-wide association studies. <i>Gut</i> , <b>2017</b> , 66, 581-587	19.2	51
100	Environmental factors, seven GWAS-identified susceptibility loci, and risk of gastric cancer and its precursors in a Chinese population. <i>Cancer Medicine</i> , <b>2017</b> , 6, 708-720	4.8	28
99	Genetic variants, PM exposure level and global DNA methylation level: A multi-center population-based study in Chinese. <i>Toxicology Letters</i> , <b>2017</b> , 269, 77-82	4.4	10
98	Exome Array Analysis Identifies Variants in SPOCD1 and BTN3A2 That Affect Risk for Gastric Cancer. <i>Gastroenterology</i> , <b>2017</b> , 152, 2011-2021	13.3	32
97	KCNMA1 cooperating with PTK2 is a novel tumor suppressor in gastric cancer and is associated with disease outcome. <i>Molecular Cancer</i> , <b>2017</b> , 16, 46	42.1	24
96	The association of rs710886 in lncRNA PCAT1 with bladder cancer risk in a Chinese population. <i>Gene</i> , <b>2017</b> , 627, 226-232	3.8	22
95	Evaluation of genome-wide genotyping concordance between tumor tissues and peripheral blood. <i>Genomics</i> , <b>2017</b> , 109, 108-112	4.3	6
94	Short-term effects of ambient air pollution and childhood lower respiratory diseases. <i>Scientific Reports</i> , <b>2017</b> , 7, 4414	4.9	24
93	Expression and prognostic value of microRNA-26a and microRNA-148a in gastric cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2017</b> , 32, 819-827	4	29
92	Information transduction capacity reduces the uncertainties in annotation-free isoform discovery and quantification. <i>Nucleic Acids Research</i> , <b>2017</b> , 45, e143	20.1	6
91	Plasma Mesothelin as a Novel Diagnostic and Prognostic Biomarker in Colorectal Cancer. <i>Journal of Cancer</i> , <b>2017</b> , 8, 1355-1361	4.5	10
90	The HOTAIR, PRNCR1 and POLR2E polymorphisms are associated with cancer risk: a meta-analysis. <i>Oncotarget</i> , <b>2017</b> , 8, 43271-43283	3.3	29
89	An inverse association between tea consumption and colorectal cancer risk. <i>Oncotarget</i> , <b>2017</b> , 8, 37367-37376	3.0	30
88	miR-107 regulates tumor progression by targeting NF1 in gastric cancer. <i>Scientific Reports</i> , <b>2016</b> , 6, 36534	4.9	40

87	The influence of genetic variants of sorafenib on clinical outcomes and toxic effects in patients with advanced renal cell carcinoma. <i>Scientific Reports</i> , <b>2016</b> , 6, 20089	4.9	14
86	PSCA rs2294008 polymorphism contributes to the decreased risk for cervical cancer in a Chinese population. <i>Scientific Reports</i> , <b>2016</b> , 6, 23465	4.9	13
85	The classic EDCs, phthalate esters and organochlorines, in relation to abnormal sperm quality: a systematic review with meta-analysis. <i>Scientific Reports</i> , <b>2016</b> , 6, 19982	4.9	44
84	Rare variants in BRCA2 and CHEK2 are associated with the risk of urinary tract cancers. <i>Scientific Reports</i> , <b>2016</b> , 6, 33542	4.9	16
83	FAS rs2234767 and rs1800682 polymorphisms jointly contributed to risk of colorectal cancer by affecting SP1/STAT1 complex recruitment to chromatin. <i>Scientific Reports</i> , <b>2016</b> , 6, 19229	4.9	19
82	A functional variant in TP63 at 3q28 associated with bladder cancer risk by creating an miR-140-5p binding site. <i>International Journal of Cancer</i> , <b>2016</b> , 139, 65-74	7.5	19
81	A functional variant in miR-143 promoter contributes to prostate cancer risk. <i>Archives of Toxicology</i> , <b>2016</b> , 90, 403-14	5.8	30
80	Genetic variants in multisynthetase complex genes are associated with DNA damage levels in Chinese populations. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>2016</b> , 786, 8-13	3.3	6
79	Functional annotation of colorectal cancer susceptibility loci identifies MLH1 rs1800734 associated with MSI patients. <i>Gut</i> , <b>2016</b> , 65, 1227-8	19.2	11
78	Pri-miR-34b/c rs4938723 polymorphism contributes to acute lymphoblastic leukemia susceptibility in Chinese children. <i>Leukemia and Lymphoma</i> , <b>2016</b> , 57, 1436-41	1.9	23
77	Association Between MIF-AS rs755622 and Nephrolithiasis Risk in a Chinese Population. <i>Medical Science Monitor</i> , <b>2016</b> , 22, 563-8	3.2	2
76	A genetic study and meta-analysis of the genetic predisposition of prostate cancer in a Chinese population. <i>Oncotarget</i> , <b>2016</b> , 7, 21393-403	3.3	17
75	Association of genetic variants in lncRNA H19 with risk of colorectal cancer in a Chinese population. <i>Oncotarget</i> , <b>2016</b> , 7, 25470-7	3.3	68
74	The association analysis of hOGG1 genetic variants and gastric cancer risk in a Chinese population. <i>Oncotarget</i> , <b>2016</b> , 7, 66061-66068	3.3	7
73	Circulating MicroRNA-26a in Plasma and Its Potential Diagnostic Value in Gastric Cancer. <i>PLoS ONE</i> , <b>2016</b> , 11, e0151345	3.7	30
72	Environmental exposure to BDE47 is associated with increased diabetes prevalence: Evidence from community-based case-control studies and an animal experiment. <i>Scientific Reports</i> , <b>2016</b> , 6, 27854	4.9	22
71	Genetic variation in IGF1 predicts renal cell carcinoma susceptibility and prognosis in Chinese population. <i>Scientific Reports</i> , <b>2016</b> , 6, 39014	4.9	5
70	Common genetic variation in ETV6 is associated with colorectal cancer susceptibility. <i>Nature Communications</i> , <b>2016</b> , 7, 11478	17.4	45



69	Genome-Wide Association Study of Bladder Cancer in a Chinese Cohort Reveals a New Susceptibility Locus at 5q12.3. <i>Cancer Research</i> , <b>2016</b> , 76, 3277-84	10.1	29
68	Genetic variants in lncRNA H19 are associated with the risk of bladder cancer in a Chinese population. <i>Mutagenesis</i> , <b>2016</b> , 31, 531-8	2.8	60
67	Identification of a novel susceptibility locus at 16q23.1 associated with childhood acute lymphoblastic leukemia in Han Chinese. <i>Human Molecular Genetics</i> , <b>2016</b> , 25, 2873-2880	5.6	6
66	Genetic variants in noncoding PIWI-interacting RNA and colorectal cancer risk. <i>Cancer</i> , <b>2015</b> , 121, 2044-50	5.4	43
65	Genetic variants of H2AX gene were associated with PM2.5-modulated DNA damage levels in Chinese Han populations. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>2015</b> , 778, 41-5	3.3	3
64	Personal exposure to PM2.5, genetic variants and DNA damage: a multi-center population-based study in Chinese. <i>Toxicology Letters</i> , <b>2015</b> , 235, 172-8	4.4	26
63	Large-scale association analysis in Asians identifies new susceptibility loci for prostate cancer. <i>Nature Communications</i> , <b>2015</b> , 6, 8469	17.4	37
62	Genome-wide analysis of long noncoding RNA signature in human colorectal cancer. <i>Gene</i> , <b>2015</b> , 556, 227-34	3.8	53
61	Genetic variants in lncRNA HOTAIR are associated with risk of colorectal cancer. <i>Mutagenesis</i> , <b>2015</b> , 30, 303-10	2.8	112
60	A miR-29c binding site genetic variant in the 3' untranslated region of LAMTOR3 gene is associated with gastric cancer risk. <i>Biomedicine and Pharmacotherapy</i> , <b>2015</b> , 69, 70-5	7.5	9
59	Identification of novel piRNAs in bladder cancer. <i>Cancer Letters</i> , <b>2015</b> , 356, 561-7	9.9	91
58	Folic acid supplements and colorectal cancer risk: meta-analysis of randomized controlled trials. <i>Scientific Reports</i> , <b>2015</b> , 5, 12044	4.9	39
57	Functional POR A503V is associated with the risk of bladder cancer in a Chinese population. <i>Scientific Reports</i> , <b>2015</b> , 5, 11751	4.9	13
56	A novel antisense long noncoding RNA regulates the expression of MDC1 in bladder cancer. <i>Oncotarget</i> , <b>2015</b> , 6, 484-93	3.3	50
55	The association analysis of lncRNA HOTAIR genetic variants and gastric cancer risk in a Chinese population. <i>Oncotarget</i> , <b>2015</b> , 6, 31255-62	3.3	91
54	Genome-wide association study identifies a new susceptibility locus for cleft lip with or without a cleft palate. <i>Nature Communications</i> , <b>2015</b> , 6, 6414	17.4	124
53	The prognostic significance of HOTAIR for predicting clinical outcome in patients with digestive system tumors. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2015</b> , 141, 2139-45	4.9	29
52	Circulating miR-497 and miR-663b in plasma are potential novel biomarkers for bladder cancer. <i>Scientific Reports</i> , <b>2015</b> , 5, 10437	4.9	87



51	Genetic variation in C12orf51 is associated with prognosis of intestinal-type gastric cancer in a Chinese population. <i>Biomedicine and Pharmacotherapy</i> , <b>2015</b> , 69, 133-8	7.5	7
50	SOD2 rs4880 CT/CC genotype to predict poor survival for Chinese gastric cancer patients received platinum and fluorouracil based adjuvant chemotherapy.. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 11037-11037	7.3	0
49	A genetic variant of miR-148a binding site in the SCRN1 3SUTR is associated with susceptibility and prognosis of gastric cancer. <i>Scientific Reports</i> , <b>2014</b> , 4, 7080	4.9	15
48	MDM2 SNP309 polymorphism is associated with colorectal cancer risk. <i>Scientific Reports</i> , <b>2014</b> , 4, 4851	4.9	12
47	Hsa-miR-196a2 polymorphism increases the risk of acute lymphoblastic leukemia in Chinese children. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>2014</b> , 759, 16-21	3.3	28
46	Global gene expression profiling of human bronchial epithelial cells exposed to airborne fine particulate matter collected from Wuhan, China. <i>Toxicology Letters</i> , <b>2014</b> , 228, 25-33	4.4	48
45	Cumulative effect of genome-wide association study-identified genetic variants for bladder cancer. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 2653-60	7.5	24
44	Genetic variation rs10484761 on 6p21.1 derived from a genome-wide association study is associated with gastric cancer survival in a Chinese population. <i>Gene</i> , <b>2014</b> , 536, 59-64	3.8	14
43	Clinical potential role of circulating microRNAs in early diagnosis of colorectal cancer patients. <i>Carcinogenesis</i> , <b>2014</b> , 35, 2723-30	4.6	51
42	Functional polymorphisms in apoptosis pathway genes and survival in patients with gastric cancer. <i>Environmental and Molecular Mutagenesis</i> , <b>2014</b> , 55, 421-7	3.2	8
41	A common genetic variation in the promoter of miR-107 is associated with gastric adenocarcinoma susceptibility and survival. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>2014</b> , 769, 35-41	3.3	25
40	Genome-wide association analysis of Vogt-Koyanagi-Harada syndrome identifies two new susceptibility loci at 1p31.2 and 10q21.3. <i>Nature Genetics</i> , <b>2014</b> , 46, 1007-11	36.3	65
39	Genetic variants in SMARCA4 genes are associated with DNA damage levels in Chinese population. <i>Toxicology Letters</i> , <b>2014</b> , 229, 327-32	4.4	5
38	Effects of TSP-1-696 C/T polymorphism on bladder cancer susceptibility and clinicopathologic features. <i>Cancer Genetics</i> , <b>2014</b> , 207, 247-52	2.3	5
37	Assessing the effectiveness of problem-based learning of preventive medicine education in China. <i>Scientific Reports</i> , <b>2014</b> , 4, 5126	4.9	13
36	Association study between XPG Asp1104His polymorphism and colorectal cancer risk in a Chinese population. <i>Scientific Reports</i> , <b>2014</b> , 4, 6700	4.9	20
35	Clinical significance of POU5F1P1 rs10505477 polymorphism in Chinese gastric cancer patients receiving cisplatin-based chemotherapy after surgical resection. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , 15, 12764-77	6.3	15
34	Associations of NR5A2 gene polymorphisms with the clinicopathological characteristics and survival of gastric cancer. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , 15, 22902-17	6.3	8

33	Variants in angiogenesis-related genes and the risk of clear cell renal cell carcinoma. <i>Mutagenesis</i> , <b>2014</b> , 29, 419-25	2.8	13
32	Genetic variations in microRNAs and the risk and survival of renal cell cancer. <i>Carcinogenesis</i> , <b>2014</b> , 35, 1629-35	4.6	41
31	Genetic polymorphisms in IGF-I and IGFBP-3 are associated with prostate cancer in the Chinese population. <i>PLoS ONE</i> , <b>2014</b> , 9, e85609	3.7	15
30	A MAP3k1 SNP predicts survival of gastric cancer in a Chinese population. <i>PLoS ONE</i> , <b>2014</b> , 9, e96083	3.7	6
29	Genetic variants in RKIP are associated with clear cell renal cell carcinoma risk in a Chinese population. <i>PLoS ONE</i> , <b>2014</b> , 9, e109285	3.7	10
28	Single nucleotide polymorphism of SOD2 to predict survival for Chinese gastric cancer patients received platinum/fluorouracil-based adjuvant chemotherapy.. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, e15035-e15035	2.2	
27	Radiofrequency ablation versus partial nephrectomy for the treatment of clinical stage 1 renal masses: a systematic review and meta-analysis. <i>Chinese Medical Journal</i> , <b>2014</b> , 127, 2497-503	2.9	8
26	A genetic variant in miR-146a modifies colorectal cancer susceptibility in a Chinese population. <i>Archives of Toxicology</i> , <b>2013</b> , 87, 825-33	5.8	55
25	Association of three polymorphisms in ARID5B, IKZF1 and CEBPE with the risk of childhood acute lymphoblastic leukemia in a Chinese population. <i>Gene</i> , <b>2013</b> , 524, 203-7	3.8	38
24	A genetic variant in ERCC2 is associated with gastric cancer prognosis in a Chinese population. <i>Mutagenesis</i> , <b>2013</b> , 28, 441-6	2.8	15
23	TSP-1-1223 A/G Polymorphism as a Potential Predictor of the Recurrence Risk of Bladder Cancer in a Chinese Population. <i>International Journal of Genomics</i> , <b>2013</b> , 2013, 473242	2.5	3
22	Molecular epidemiology of DNA repair gene polymorphisms and head and neck cancer. <i>Journal of Biomedical Research</i> , <b>2013</b> , 27, 179-92	1.5	24
21	Genetic variant rs7758229 in 6q26-q27 is not associated with colorectal cancer risk in a Chinese population. <i>PLoS ONE</i> , <b>2013</b> , 8, e59256	3.7	9
20	A polymorphism (rs2295080) in mTOR promoter region and its association with gastric cancer in a Chinese population. <i>PLoS ONE</i> , <b>2013</b> , 8, e60080	3.7	24
19	Comprehensive genetic mutation analysis of human gastric adenocarcinomas.. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 4106-4106	2.2	
18	Three polymorphisms in IRF6 and 8q24 are associated with nonsyndromic cleft lip with or without cleft palate: evidence from 20 studies. <i>American Journal of Medical Genetics, Part A</i> , <b>2012</b> , 158A, 3080-6	2.5	22
17	A functional polymorphism in miRNA-196a2 is associated with colorectal cancer risk in a Chinese population. <i>DNA and Cell Biology</i> , <b>2012</b> , 31, 350-4	3.6	56
16	Genetic variants in miRNAs predict bladder cancer risk and recurrence. <i>Cancer Research</i> , <b>2012</b> , 72, 6173-82.1	3.2	67

15	A functional polymorphism in Pre-miR-146a is associated with susceptibility to gastric cancer in a Chinese population. <i>DNA and Cell Biology</i> , <b>2012</b> , 31, 1290-5	3.6	56
14	Association between MLH1 -93G>a polymorphism and risk of colorectal cancer. <i>PLoS ONE</i> , <b>2012</b> , 7, e50449	4.7	9
13	Clinical significance of SOD2 and GSTP1 gene polymorphisms in Chinese patients with gastric cancer. <i>Cancer</i> , <b>2012</b> , 118, 5489-96	6.4	40
12	Replication and cumulative effects of GWAS-identified genetic variations for prostate cancer in Asians: a case-control study in the ChinaPCa consortium. <i>Carcinogenesis</i> , <b>2012</b> , 33, 356-60	4.6	33
11	A genome-wide association study identifies new susceptibility loci for non-cardia gastric cancer at 3q13.31 and 5p13.1. <i>Nature Genetics</i> , <b>2011</b> , 43, 1215-8	36.3	215
10	Polymorphism of the pre-miR-146a is associated with risk of cervical cancer in a Chinese population. <i>Gynecologic Oncology</i> , <b>2011</b> , 122, 33-7	4.9	82
9	VEGF 936C>T polymorphism and breast cancer risk: evidence from 5,729 cases and 5,868 controls. <i>Breast Cancer Research and Treatment</i> , <b>2011</b> , 125, 489-93	4.4	20
8	Genetic variant in PSCA predicts survival of diffuse-type gastric cancer in a Chinese population. <i>International Journal of Cancer</i> , <b>2011</b> , 129, 1207-13	7.5	49
7	Chromosome 4p16.3 variant modify bladder cancer risk in a Chinese population. <i>Carcinogenesis</i> , <b>2011</b> , 32, 872-5	4.6	20
6	Associations of IL-4, IL-4R, and IL-13 gene polymorphisms in coal workersSpneumoconiosis in China: a case-control study. <i>PLoS ONE</i> , <b>2011</b> , 6, e22624	3.7	26
5	Common genetic variants in pre-microRNAs are associated with risk of coal workersSpneumoconiosis. <i>Journal of Human Genetics</i> , <b>2010</b> , 55, 13-7	4.3	37
4	A functional polymorphism in MSMB gene promoter is associated with prostate cancer risk and serum MSMB expression. <i>Prostate</i> , <b>2010</b> , 70, 1146-52	4.2	98
3	Polymorphisms of methylenetetrahydrofolate reductase and methionine synthase genes and bladder cancer risk: a case-control study with meta-analysis. <i>Clinical and Experimental Medicine</i> , <b>2009</b> , 9, 9-19	4.9	21
2	FAS and FAS ligand polymorphisms in the promoter regions and risk of gastric cancer in Southern China. <i>Biochemical Genetics</i> , <b>2009</b> , 47, 559-68	2.4	26
1	A novel functional polymorphism C1797G in the MDM2 promoter is associated with risk of bladder cancer in a Chinese population. <i>Clinical Cancer Research</i> , <b>2008</b> , 14, 3633-40	12.9	38