

Philippe P Juin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4787968/publications.pdf>

Version: 2024-02-01

83

papers

9,886

citations

94433

37

h-index

56724

83

g-index

92

all docs

92

docs citations

92

times ranked

14531

citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular mechanisms of cell death: recommendations of the Nomenclature Committee on Cell Death 2018. <i>Cell Death and Differentiation</i> , 2018, 25, 486-541.	11.2	4,036
2	Functional and physical interaction between Bcl-XL and a BH3-like domain in Beclin-1. <i>EMBO Journal</i> , 2007, 26, 2527-2539.	7.8	1,003
3	The coordinate release of cytochrome c during apoptosis is rapid, complete and kinetically invariant. <i>Nature Cell Biology</i> , 2000, 2, 156-162.	10.3	973
4	c-Myc-induced sensitization to apoptosis is mediated through cytochrome c release. <i>Genes and Development</i> , 1999, 13, 1367-1381.	5.9	294
5	Bax activation and mitochondrial insertion during apoptosis. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2007, 12, 887-896.	4.9	278
6	The First α Helix of Bax Plays a Necessary Role in Its Ligand-Induced Activation by the BH3-Only Proteins Bid and PUMA. <i>Molecular Cell</i> , 2004, 16, 807-818.	9.7	235
7	Mitochondria as the target of the pro-apoptotic protein Bax. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2006, 1757, 1301-1311.	1.0	210
8	Decoding and unlocking the BCL-2 dependency of cancer cells. <i>Nature Reviews Cancer</i> , 2013, 13, 455-465.	28.4	194
9	TOM22, a core component of the mitochondria outer membrane protein translocation pore, is a mitochondrial receptor for the proapoptotic protein Bax. <i>Cell Death and Differentiation</i> , 2007, 14, 785-794.	11.2	142
10	Bax activation by the BH3-only protein Puma promotes cell dependence on antiapoptotic Bcl-2 family members. <i>Journal of Cell Biology</i> , 2009, 185, 279-290.	5.2	132
11	c-Myc Functionally Cooperates with Bax To Induce Apoptosis. <i>Molecular and Cellular Biology</i> , 2002, 22, 6158-6169.	2.3	128
12	The Small Organic Compound HA14-1 Prevents Bcl-2 Interaction with Bax to Sensitize Malignant Glioma Cells to Induction of Cell Death. <i>Cancer Research</i> , 2006, 66, 2757-2764.	0.9	127
13	Induction of a Caspase-3-like Activity by Calcium in Normal Cytosolic Extracts Triggers Nuclear Apoptosis in a Cell-free System. <i>Journal of Biological Chemistry</i> , 1998, 273, 17559-17564.	3.4	106
14	Nonredundant Role of Bax and Bak in Bid-Mediated Apoptosis. <i>Molecular and Cellular Biology</i> , 2003, 23, 4701-4712.	2.3	102
15	The Isolated Complex of the Translocase of the Outer Membrane of Mitochondria. <i>Journal of Biological Chemistry</i> , 1998, 273, 31032-31039.	3.4	97
16	miR-491-5p-induced apoptosis in ovarian carcinoma depends on the direct inhibition of both BCL-XL and EGFR leading to BIM activation. <i>Cell Death and Disease</i> , 2014, 5, e1445-e1445.	6.3	91
17	bc-GenExMiner 4.5: new mining module computes breast cancer differential gene expression analyses. <i>Database: the Journal of Biological Databases and Curation</i> , 2021, 2021, .	3.0	81
18	Minimal BH3 Peptides Promote Cell Death by Antagonizing Anti-apoptotic Proteins. <i>Journal of Biological Chemistry</i> , 2003, 278, 19426-19435.	3.4	80

#	ARTICLE	IF	CITATIONS
19	Noxa controls Mcl-1 ubiquitination through the regulation of the Mcl-1/USP9X interaction. <i>Biochemical and Biophysical Research Communications</i> , 2011, 413, 460-464.	2.1	71
20	STING-dependent paracrine shapes apoptotic priming of breast tumors in response to anti-mitotic treatment. <i>Nature Communications</i> , 2020, 11, 259.	12.8	65
21	Serum-Nutrient Starvation Induces Cell Death Mediated by Bax and Puma That Is Counteracted by p21 and Unmasked by Bcl-xL Inhibition. <i>PLoS ONE</i> , 2011, 6, e23577.	2.5	60
22	Shooting at survivors: Bcl-2 family members as drug targets for cancer. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2004, 1644, 251-260.	4.1	54
23	Bcl-xL controls a switch between cell death modes during mitotic arrest. <i>Cell Death and Disease</i> , 2014, 5, e1291-e1291.	6.3	52
24	The C-Terminus of bax Is Not a Membrane Addressing/Anchoring Signal. <i>Biochemical and Biophysical Research Communications</i> , 1999, 260, 582-591.	2.1	48
25	Survivin contributes to DNA repair by homologous recombination in breast cancer cells. <i>Breast Cancer Research and Treatment</i> , 2016, 155, 53-63.	2.5	48
26	Sensitization of osteosarcoma cells to apoptosis by oncostatin M depends on STAT5 and p53. <i>Oncogene</i> , 2007, 26, 6653-6664.	5.9	45
27	The synthesis of new, selected analogues of the pro-apoptotic and anticancer molecule HA 14-1. <i>Tetrahedron Letters</i> , 2008, 49, 3276-3278.	1.4	44
28	Escape from p21-mediated Oncogene-induced Senescence Leads to Cell Dedifferentiation and Dependence on Anti-apoptotic Bcl-xL and MCL1 Proteins. <i>Journal of Biological Chemistry</i> , 2011, 286, 12825-12838.	3.4	44
29	Tight Sequestration of BH3 Proteins by BCL-xL at Subcellular Membranes Contributes to Apoptotic Resistance. <i>Cell Reports</i> , 2016, 17, 3347-3358.	6.4	44
30	BCL-XL directly modulates RAS signalling to favour cancer cell stemness. <i>Nature Communications</i> , 2017, 8, 1123.	12.8	43
31	YM155 potently triggers cell death in breast cancer cells through an autophagy-NF- κ B network. <i>Oncotarget</i> , 2015, 6, 13476-13486.	1.8	43
32	Irinotecan treatment and senescence failure promote the emergence of more transformed and invasive cells that depend on anti-apoptotic Mcl-1. <i>Oncotarget</i> , 2015, 6, 409-426.	1.8	42
33	Interactions between cancer-associated fibroblasts and tumor cells promote MCL-1 dependency in estrogen receptor-positive breast cancers. <i>Oncogene</i> , 2019, 38, 3261-3273.	5.9	41
34	First Evidence That Oligopyridines, β -Helix Foldamers, Inhibit Mcl-1 and Sensitize Ovarian Carcinoma Cells to Bcl-xL-Targeting Strategies. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 1644-1668.	6.4	40
35	TCTP contains a BH3-like domain, which instead of inhibiting, activates Bcl-xL. <i>Scientific Reports</i> , 2016, 6, 19725.	3.3	39
36	Regulation of cancer cell survival by BCL2 family members upon prolonged mitotic arrest: opportunities for anticancer therapy. <i>Anticancer Research</i> , 2012, 32, 4225-33.	1.1	39

#	ARTICLE	IF	CITATIONS
37	The p18 Truncated Form of Bax Behaves Like a Bcl-2 Homology Domain 3-only Protein. <i>Journal of Biological Chemistry</i> , 2004, 279, 11503-11512.	3.4	38
38	c-Myc dependent expression of pro-apoptotic Bim renders HER2-overexpressing breast cancer cells dependent on anti-apoptotic Mcl-1. <i>Molecular Cancer</i> , 2011, 10, 110.	19.2	38
39	Î³-Secretase inhibition promotes cell death, Noxa upregulation, and sensitization to BH3 mimetic ABT-737 in human breast cancer cells. <i>Breast Cancer Research</i> , 2012, 14, R96.	5.0	37
40	Relationship between the Peptide-sensitive Channel and the Mitochondrial Outer Membrane Protein Translocation Machinery. <i>Journal of Biological Chemistry</i> , 1997, 272, 6044-6050.	3.4	36
41	Differentiation-dependent Sensitivity to Apoptogenic Factors in PC12 Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 30983-30993.	3.4	36
42	Constitutive p53 heightens mitochondrial apoptotic priming and favors cell death induction by BH3 mimetic inhibitors of BCL-xL. <i>Cell Death and Disease</i> , 2016, 7, e2083-e2083.	6.3	34
43	HA14-1, a small molecule inhibitor of Bcl-2, bypasses chemoresistance in leukaemia cells. <i>Leukemia Research</i> , 2007, 31, 859-863.	0.8	33
44	Bax Activation by Engagement with, Then Release from, the BH3 Binding Site of Bcl-x _L . <i>Molecular and Cellular Biology</i> , 2011, 31, 832-844.	2.3	32
45	Mitochondrial targeting by use of lipid nanocapsules loaded with SV30, an analogue of the small-molecule Bcl-2 inhibitor HA14-1. <i>Journal of Controlled Release</i> , 2011, 151, 74-82.	9.9	31
46	Characterization and function of the mitochondrial outer membrane peptide-sensitive channel. <i>Journal of Bioenergetics and Biomembranes</i> , 1996, 28, 101-108.	2.3	29
47	Impact of proapoptotic proteins Bax and Bak in tumor progression and response to treatment. <i>Expert Review of Anticancer Therapy</i> , 2003, 3, 563-570.	2.4	28
48	DNA methylation signal has a major role in the response of human breast cancer cells to the microenvironment. <i>Oncogenesis</i> , 2017, 6, e390-e390.	4.9	27
49	Protect and serve: Bcl-2 proteins as guardians and rulers of cancer cell survival. <i>Cell Cycle</i> , 2013, 12, 2937-2947.	2.6	25
50	Resistance to HER2 inhibitors: Is addition better than substitution? Rationale for the hypothetical concept of drug sedimentation. <i>Critical Reviews in Oncology/Hematology</i> , 2011, 78, 195-205.	4.4	22
51	Random forest of perfect trees: concept, performance, applications and perspectives. <i>Bioinformatics</i> , 2021, 37, 2165-2174.	4.1	20
52	P53 and PTEN expression contribute to the inhibition of EGFR downstream signaling pathway by cetuximab. <i>Cancer Gene Therapy</i> , 2009, 16, 498-507.	4.6	19
53	pRb/E2F-1-mediated caspase-dependent induction of Noxa amplifies the apoptotic effects of the Bcl-2/Bcl-xL inhibitor ABT-737. <i>Cell Death and Differentiation</i> , 2013, 20, 755-764.	11.2	19
54	Novel 1,6-naphthyridin-2(1H)-ones as potential anticancer agents targeting Hsp90. <i>European Journal of Medicinal Chemistry</i> , 2016, 119, 17-33.	5.5	18

#	ARTICLE	IF	CITATIONS
55	Caspase 8: The killer you can't live without. <i>Nature Medicine</i> , 2000, 6, 498-500.	30.7	16
56	Mitochondria at Center of Exchanges between Cancer Cells and Cancer-Associated Fibroblasts during Tumor Progression. <i>Cancers</i> , 2020, 12, 3017.	3.7	16
57	An EMTâ€“primary ciliumâ€“GLIS2 signaling axis regulates mammosgenesis and claudin-low breast tumorigenesis. <i>Science Advances</i> , 2021, 7, eabf6063.	10.3	14
58	Involvement of the Peptide-Sensitive Channel in the Translocation of Basic Peptides into Mitochondria. <i>Biochemical and Biophysical Research Communications</i> , 1995, 211, 92-99.	2.1	13
59	Activation of Bax by BH3 Domains during Apoptosis:The unfolding of a Deadly Plot. <i>Cell Cycle</i> , 2005, 4, 637-642.	2.6	12
60	Structureâ€“activity relationship of selected polyphenol derivatives as inhibitors of Bax/Bcl-xL interaction. <i>European Journal of Medicinal Chemistry</i> , 2012, 51, 286-293.	5.5	12
61	Structure-guided design of pyridoclast derivatives based on Noxa / Mcl-1 interaction mode. <i>European Journal of Medicinal Chemistry</i> , 2018, 159, 357-380.	5.5	12
62	Hemisyntesis of Selected Embelin Analogs and Investigation of their Proapoptotic Activity Against Cancer Cells. <i>Medicinal Chemistry</i> , 2013, 9, 1028-1034.	1.5	10
63	Potential of Apoptosis by Mitochondria in a Cell-Free System. <i>Biochemical and Biophysical Research Communications</i> , 1998, 253, 185-191.	2.1	9
64	ABT-737 and/or folate reverse the PDGF-induced alterations in the mitochondrial apoptotic pathway in low-grade glioma patients. <i>Clinical Epigenetics</i> , 2011, 2, 369-381.	4.1	8
65	The oncogenic tyrosine kinase Lyn impairs the pro-apoptotic function of Bim. <i>Oncogene</i> , 2018, 37, 2122-2136.	5.9	8
66	Development of an absolute assignment predictor for triple-negative breast cancer subtyping using machine learning approaches. <i>Computers in Biology and Medicine</i> , 2021, 129, 104171.	7.0	8
67	E2F1 interacts with <sc>BCL</sc> â€“<sc>xL</sc> and regulates its subcellular localization dynamics to trigger cell death. <i>EMBO Reports</i> , 2018, 19, 234-243.	4.5	7
68	A combination of in silico and SAR studies to identify binding hot spots of Bcl-xL inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 1747-1757.	3.0	6
69	Design, synthesis and biological evaluation of new inhibitors of Bax/Bcl-xL interaction in cancer cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 1758-1761.	2.2	5
70	Synthesis of new mixed phenol/heterocyclic derivatives and studies of their activity as inhibitors of Bax/Bcl-xL interaction. <i>Tetrahedron</i> , 2014, 70, 301-311.	1.9	5
71	Synthesis and cytotoxicity studies of newly designed benzyl-hydroquinone derivatives. <i>Medicinal Chemistry Research</i> , 2018, 27, 1050-1065.	2.4	4
72	Targeting of BCL-2 Family Members during Anticancer Treatment: A Necessary Compromise between Individual Cell and Ecosystemic Responses?. <i>Biomolecules</i> , 2020, 10, 1109.	4.0	4

#	ARTICLE	IF	CITATIONS
73	Preliminary Studies on the Activity of Mixed Polyphenol-Heterocyclic Systems Against B16-F10 Melanoma Cancer Cells. Medicinal Chemistry, 2016, 12, 419-425.	1.5	4
74	Targeting PUMA/Bcl-xL interaction by new specific compounds to unleash apoptotic process in cancer cells. European Journal of Medicinal Chemistry, 2019, 162, 334-347.	5.5	3
75	Synthesis and biological studies of new piperidino-1,2,3-triazole hybrids with 3-aryl isoxazole side chains. Bioorganic and Medicinal Chemistry Letters, 2021, 52, 128390.	2.2	3
76	Keeping Cell Death Alive: An Introduction into the French Cell Death Research Network. Biomolecules, 2022, 12, 901.	4.0	2
77	RE: Immune Checkpoint Profiles in Luminal B Breast Cancer (Alliance). Journal of the National Cancer Institute, 2020, 112, 863-864.	6.3	1
78	Mitotic stress-induced secretome primes cancer cells to apoptosis and maximizes paclitaxel response in breast tumors when combined with BCL-xL-targeting BH3 mimetics. Molecular and Cellular Oncology, 2020, 7, 1735912.	0.7	1
79	Abstract 3996: Pyridoclast and its derivatives from oligopyridine family directly inhibit Mcl-1 and exert potent antitumor effects on ovarian cancer in vitro and in vivo. , 2018, , .		1
80	Modifications de la perméabilité membranaire mitochondriale au cours de l'apoptose : ouverture ou rupture ?. Medecine/Sciences, 2000, 16, 261.	0.2	1
81	Petites molécules antagonistes de Bcl-2 : des grains de sable pour enrayer la carcinogenèse ?. Medecine/Sciences, 2001, 17, 655.	0.2	0
82	Bax activation by the BH3-only protein Puma promotes cell dependence on antiapoptotic Bcl-2 family members. Journal of Experimental Medicine, 2009, 206, i8-i8.	8.5	0
83	Abstract P4-06-11: High immune response identified as a good prognostic factor by proteomic SWATH-MS approach in 157 ER+/HER2- early breast cancer. , 2020, , .		0