# Taichi Shimazu

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/478959/publications.pdf

Version: 2024-02-01

| 287 | 9,368 | 43973 | 64668 |
|---|---|---|---|
| papers | citations | 48 h-index | 79 g-index |

| 296 | 296 | 296 | 12344 |
|---|---|---|---|
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | Long-term Response of <i>Helicobacter pylori</i> Antibody Titer After Eradication Treatment in Middle-aged Japanese: JPHC-NEXT Study. Journal of Epidemiology, 2023, 33, 1-7. | 1.1 | 3 |
| 2 | Association Between Birth Weight and Risk of Pregnancy-Induced Hypertension and Gestational Diabetes in Japanese Women: JPHC-NEXT Study. Journal of Epidemiology, 2022, 32, 168-173. | 1.1 | 6 |
| 3 | Circulating Inflammation Markers and Pancreatic Cancer Risk: A Prospective Case-Cohort Study in Japan. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 236-241. | 1.1 | 2 |
| 4 | Alcohol intake and stomach cancer risk in Japan: A pooled analysis of six cohort studies. Cancer Science, 2022, 113, 261-276. | 1.7 | 3 |
| 5 | Oncology care providersâ€™ awareness and practice related to physical activity promotion for breast cancer survivors and barriers and facilitators to such promotion: a nationwide cross-sectional web-based survey. Supportive Care in Cancer, 2022, 30, 3105-3118. | 1.0 | 2 |
| 6 | Barriers and facilitative factors in the implementation of workplace health promotion activities in small and medium-sized enterprises: a qualitative study. Implementation Science Communications, 2022, 3, 23. | 0.8 | 13 |
| 7 | A nationally representative crossâ€sectional survey on health information access for consumers in Japan: A protocol for the INFORM Study. World Medical and Health Policy, 2022, 14, 225-275. | 0.9 | 11 |
| 8 | Japanese Diet and Mortality, Disability, and Dementia: Evidence from the Ohsaki Cohort Study. Nutrients, 2022, 14, 2034. | 1.7 | 8 |
| 9 | Sleep duration and risk of cancer incidence and mortality: A pooled analysis of six populationâ€based cohorts in Japan. International Journal of Cancer, 2022, 151, 1068-1080. | 2.3 | 10 |
| 10 | Patientsâ€™ acceptability and implementation outcomes of a case management approach to encourage participation in colorectal cancer screening for people with schizophrenia: a qualitative secondary analysis of a mixed-method randomised clinical trial. BMJ Open, 2022, 12, e060621. | 0.8 | 3 |
| 11 | Factors affecting the implementation of guideline-based prophylactic antiemetic therapy for chemotherapy-induced nausea and vomiting in Japan: a protocol for a hospital-based qualitative study. BMJ Open, 2022, 12, e055473. | 0.8 | 2 |
| 12 | The Association Between Habitual Sleep Duration and Mortality According to Sex and Age: The Japan Public Health Center-based Prospective Study. Journal of Epidemiology, 2021, 31, 109-118. | 1.1 | 9 |
| 13 | Comparison between the impact of fermented and unfermented soy intake on the risk of liver cancer: the JPHC Study. European Journal of Nutrition, 2021, 60, 1389-1401. | 1.8 | 10 |
| 14 | Dietary fiber intake and risk of gastric cancer: The <scp>Japan Public Health Center</scp>â€based prospective study. International Journal of Cancer, 2021, 148, 2664-2673. | 2.3 | 8 |
| 15 | Fermented soy products intake and risk of cardiovascular disease and total cancer incidence: The Japan Public Health Center-based Prospective study. European Journal of Clinical Nutrition, 2021, 75, 954-968. | 1.3 | 19 |
| 16 | Smoking and colorectal cancer: A pooled analysis of 10 populationâ€based cohort studies in Japan. International Journal of Cancer, 2021, 148, 654-664. | 2.3 | 21 |
| 17 | OUP accepted manuscript. International Journal of Epidemiology, 2021, , . | 0.9 | 6 |
| 18 | Working cancer survivorsâ€™ physical and mental characteristics compared to cancer-free workers in Japan: a nationwide general population-based study. Journal of Cancer Survivorship, 2021, 15, 912-921. | 1.5 | 9 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | Alcohol consumption and breast cancer risk in Japan: A pooled analysis of eight populationâ€based cohort studies. International Journal of Cancer, 2021, 148, 2736-2747. | 2.3 | 12 |
| 20 | Risk of stroke in cancer survivors using a propensity score-matched cohort analysis. Scientific Reports, 2021, 11, 5599. | 1.6 | 2 |
| 21 | Impact of reproductive factors on breast cancer incidence: Pooled analysis of nine cohort studies in Japan. Cancer Medicine, 2021, 10, 2153-2163. | 1.3 | 2 |
| 22 | Effectiveness of a Cancer Risk Prediction Tool on Lifestyle Habits: A Randomized Controlled Trial. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1063-1071. | 1.1 | 2 |
| 23 | Longâ€term antihypertensive drug use and risk of cancer: The Japan Public Health Centerâ€based prospective study. Cancer Science, 2021, 112, 1997-2005. | 1.7 | 9 |
| 24 | Effects ofHelicobacter pylorieradication on gastric cancer incidence in the Japanese population: a systematic evidence review. Japanese Journal of Clinical Oncology, 2021, 51, 1158-1170. | 0.6 | 14 |
| 25 | Apolipoprotein A2 Isoforms in Relation to the Risk of Myocardial Infarction: A Nested Case-Control Analysis in the JPHC Study. Journal of Atherosclerosis and Thrombosis, 2021, 28, 483-490. | 0.9 | 3 |
| 26 | Barriers and facilitators of geriatric assessment implementation in daily oncology practice: A qualitative study applying a theoretical implementation framework.. Journal of Clinical Oncology, 2021, 39, 12012-12012. | 0.8 | 3 |
| 27 | ID: 3521872 LONG-TERM OUTCOMES OF JAPANESE MULTICENTER PROSPECTIVE COHORT STUDY OF ENDOSCOPIC RESECTION FOR EARLY GASTRIC CANCER USING WEB REGISTRY (J-WEB/EGC). Gastrointestinal Endoscopy, 2021, 93, AB22-AB23. | 0.5 | 0 |
| 28 | Body Mass Index, Height, Weight Change, and Subsequent Lung Cancer Risk: The Japan Public Health Centerâ€“Based Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1708-1716. | 1.1 | 4 |
| 29 | Validity of dietary isothiocyanate intake estimates from a food frequency questionnaire using 24â€‰h urinary isothiocyanate excretion as an objective biomarker: the JPHC-NEXT protocol area. European Journal of Clinical Nutrition, 2021, , . | 1.3 | 1 |
| 30 | Dietary glycemic index, glycemic load, and endometrial cancer risk: The Japan Public Health Centerâ€based Prospective Study. Cancer Science, 2021, 112, 3682-3690. | 1.7 | 5 |
| 31 | Relationship between unhealthy sleep status and dry eye symptoms in a Japanese population: The JPHC-NEXT study. Ocular Surface, 2021, 21, 306-312. | 2.2 | 14 |
| 32 | Relation Between Body Mass Index and Dry Eye Disease: The Japan Public Health Centerâ€“Based Prospective Study for the Next Generation. Eye and Contact Lens, 2021, 47, 449-455. | 0.8 | 8 |
| 33 | Cancer care for people with mental disorders: A qualitative survey among cancer care and psychiatric care professionals in Japan. Psycho-Oncology, 2021, 30, 2060-2066. | 1.0 | 5 |
| 34 | Prediagnostic circulating inflammation-related biomarkers and gastric cancer: A case-cohort study in Japan. Cytokine, 2021, 144, 155558. | 1.4 | 6 |
| 35 | Encouraging participation in colorectal cancer screening for people with schizophrenia: A randomized controlled trial. Acta Psychiatrica Scandinavica, 2021, 144, 318-328. | 2.2 | 14 |
| 36 | Association of dietary intakes of vitamin B12, vitamin B6, folate, and methionine with the risk of esophageal cancer: the Japan Public Health Center-based (JPHC) prospective study. BMC Cancer, 2021, 21, 982. | 1.1 | 8 |

| # | Article | IF | Citations |
|---|---|---|---|
| 37 | Fermented and nonfermented soy foods and the risk of breast cancer in a Japanese populationâ€based cohort study. Cancer Medicine, 2021, 10, 757-771. | 1.3 | 14 |
| 38 | Implementation Outcome Scales for Digital Mental Health (iOSDMH): Scale Development and Cross-sectional Study. JMIR Formative Research, 2021, 5, e24332. | 0.7 | 15 |
| 39 | COT-6 Body mass index and height in relation to brain tumor risk in a Japanese population. Neuro-Oncology Advances, 2021, 3, vi29-vi29. | 0.4 | 0 |
| 40 | The Japan Public Health Center-based Prospective Study for the Next Generation (JPHC-NEXT): Study Design and Participants. Journal of Epidemiology, 2020, 30, 46-54. | 1.1 | 30 |
| 41 | Diabetes and cancer risk: A Mendelian randomization study. International Journal of Cancer, 2020, 146, 712-719. | 2.3 | 52 |
| 42 | Association of dietary diversity with total mortality and major causes of mortality in the Japanese population: JPHC study. European Journal of Clinical Nutrition, 2020, 74, 54-66. | 1.3 | 29 |
| 43 | Family history of cancer and subsequent risk of cancer: A largeâ€scale populationâ€based prospective study in Japan. International Journal of Cancer, 2020, 147, 331-337. | 2.3 | 6 |
| 44 | Physical inactivity, prolonged sedentary behaviors, and use of visual display terminals as potential risk factors for dry eye disease: JPHC-NEXT study. Ocular Surface, 2020, 18, 56-63. | 2.2 | 42 |
| 45 | Cross-Sectional Association Between Employment Status and Self-Rated Health Among Middle-Aged Japanese Women: The Influence of Socioeconomic Conditions and Work-Life Conflict. Journal of Epidemiology, 2020, 30, 396-403. | 1.1 | 11 |
| 46 | Alcohol Drinking and Bladder Cancer Risk From a Pooled Analysis of Ten Cohort Studies in Japan. Journal of Epidemiology, 2020, 30, 309-313. | 1.1 | 2 |
| 47 | Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. Genomics, 2020, 112, 1223-1232. | 1.3 | 15 |
| 48 | Prediagnostic circulating inflammation biomarkers and esophageal squamous cell carcinoma: A caseâ€“cohort study in Japan. International Journal of Cancer, 2020, 147, 686-691. | 2.3 | 19 |
| 49 | Relationship between Meat/Fish Consumption and Biliary Tract Cancer: The Japan Public Health Centerâ€“Based Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 95-102. | 1.1 | 4 |
| 50 | The Uâ€shaped association between body mass index and gastric cancer risk in the Helicobacter pylori Biomarker Cohort Consortium: A nested caseâ€“control study from eight East Asian cohort studies. International Journal of Cancer, 2020, 147, 777-784. | 2.3 | 14 |
| 51 | High-Negative Antiâ€“Helicobacter pylori IgG Antibody Titers and Long-Term Risk of Gastric Cancer: Results from a Large-Scale Population-Based Cohort Study in Japan. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 420-426. | 1.1 | 19 |
| 52 | Developing the structure of Japanâ€™s cancer survivorship guidelines using an expert panel and modified Delphi method. Journal of Cancer Survivorship, 2020, 14, 273-283. | 1.5 | 9 |
| 53 | Soy and isoflavone consumption and subsequent risk of prostate cancer mortality: the Japan Public Health Center-based Prospective Study. International Journal of Epidemiology, 2020, 49, 1553-1561. | 0.9 | 6 |
| 54 | Epidemiology of nonmelanoma skin cancer in Japan: Occupational type, lifestyle, and family history of cancer. Cancer Science, 2020, 111, 4257-4265. | 1.7 | 14 |

| # | Article | IF | Citations |
|---|---|---|---|
| 55 | Soy Intake and Colorectal Cancer Risk: Results from a Pooled Analysis of Prospective Cohort Studies Conducted in China and Japan. Journal of Nutrition, 2020, 150, 2442-2450. | 1.3 | 5 |
| 56 | Study protocol for a nationwide questionnaire survey of physical activity among breast cancer survivors in Japan. BMJ Open, 2020, 10, e032871. | 0.8 | 4 |
| 57 | Validity of Self-Reported Periodontitis in Japanese Adults: The Japan Public Health Centerâ€“Based Prospective Study for the Next-Generation Oral Health Study. Asia-Pacific Journal of Public Health, 2020, 32, 346-353. | 0.4 | 7 |
| 58 | Inclusion of a geneâ€•environment interaction between alcohol consumption and the aldehyde dehydrogenase 2 genotype in a risk prediction model for upper aerodigestive tract cancer in Japanese men. Cancer Science, 2020, 111, 3835-3844. | 1.7 | 8 |
| 59 | Body mass index and height in relation to brain tumor risk in a Japanese population. Annals of Epidemiology, 2020, 51, 1-6. | 0.9 | 1 |
| 60 | Metabolic Syndrome, Physical Activity, and Inflammation: A Cross-Sectional Analysis of 110 Circulating Biomarkers in Japanese Adults. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1639-1646. | 1.1 | 6 |
| 61 | Estimation of the performance of a risk prediction model for gastric cancer occurrence in Japan: Evidence from a small external population. Cancer Epidemiology, 2020, 67, 101766. | 0.8 | 5 |
| 62 | Soy Food Intake and Pancreatic Cancer Risk: The Japan Public Health Centerâ€“based Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1214-1221. | 1.1 | 4 |
| 63 | Occupational sitting time and subsequent risk of cancer: The Japan Public Health Centerâ€based Prospective Study. Cancer Science, 2020, 111, 974-984. | 1.7 | 11 |
| 64 | Impact of alcohol drinking on cancer risk with consideration of flushing response: The Japan Public Health Center-based Prospective Study Cohort (JPHC study). Preventive Medicine, 2020, 133, 106026. | 1.6 | 3 |
| 65 | Variations in the estimated intake of acrylamide from food in the Japanese population. Nutrition Journal, 2020, 19, 17. | 1.5 | 14 |
| 66 | Fat mass and obesity-associated gene polymorphisms, pre-diagnostic plasma adipokine levels and the risk of colorectal cancer: The Japan Public Health Center-based Prospective Study. PLoS ONE, 2020, 15, e0229005. | 1.1 | 11 |
| 67 | Association between meat and saturated fatty acid intake and lung cancer risk: The Japan Public Health Centerâ€based prospective study. International Journal of Cancer, 2020, 147, 3019-3028. | 2.3 | 10 |
| 68 | Association between meat intake and mortality due to all-cause and major causes of death in a Japanese population. PLoS ONE, 2020, 15, e0244007. | 1.1 | 10 |
| 69 | Abstract OT3-12-01: Effect of home-based high-intensity interval training and behavioral modification using information and communication technology on cardiorespiratory fitness and exercise habits among sedentary breast cancer survivors: The habit-B randomized controlled trial in progress. , 2020, , . | | 0 |
| 70 | Abstract P6-11-21: Oncology care providersâ€™ attitudes, practices, barriers and facilitators of physical activity promotion in breast cancer survivors: A nation-wide cross sectional web-based survey. , 2020, , . | | 0 |
| 71 | Title is missing!. , 2020, 15, e0244007. | | 0 |
| 72 | Title is missing!. , 2020, 15, e0244007. | | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 73 | Title is missing!. , 2020, 15, e0244007. | | 0 |
| 74 | Title is missing!. , 2020, 15, e0244007. | | 0 |
| 75 | Shortâ€term outcomes of multicenter prospective cohort study of gastric endoscopic resection: â€˜Realâ€world evidenceâ€™ in Japan. Digestive Endoscopy, 2019, 31, 30-39. | 1.3 | 109 |
| 76 | Changes in Smoking Status and Mortality From All Causes and Lung Cancer: A Longitudinal Analysis of a Population-based Study in Japan. Journal of Epidemiology, 2019, 29, 11-17. | 1.1 | 11 |
| 77 | Smoking, Alcohol Consumption, and Risks for Biliary Tract Cancer and Intrahepatic Bile Duct Cancer. Journal of Epidemiology, 2019, 29, 180-186. | 1.1 | 18 |
| 78 | Fish intake and risk of mortality due to aortic dissection and aneurysm: A pooled analysis of the Japan cohort consortium. Clinical Nutrition, 2019, 38, 1678-1683. | 2.3 | 10 |
| 79 | Green tea consumption and mortality in Japanese men and women: a pooled analysis of eight population-based cohort studies in Japan. European Journal of Epidemiology, 2019, 34, 917-926. | 2.5 | 31 |
| 80 | Coffee, green tea and liver cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. Japanese Journal of Clinical Oncology, 2019, 49, 972-984. | 0.6 | 18 |
| 81 | Revisit of an unanswered question by pooled analysis of eight cohort studies in Japan: Does cigarette smoking and alcohol drinking have interaction for the risk of esophageal cancer?. Cancer Medicine, 2019, 8, 6414-6425. | 1.3 | 22 |
| 82 | Effect of body-mass index on the risk of gastric cancer: A population-based cohort study in A Japanese population. Cancer Epidemiology, 2019, 63, 101622. | 0.8 | 17 |
| 83 | Meat subtypes and colorectal cancer risk: A pooled analysis of 6 cohort studies in Japan. Cancer Science, 2019, 110, 3603-3614. | 1.7 | 9 |
| 84 | Su1261 â€“ Smoking, Helicobacter Pylori Serology, and Gastric Cancer Risk in a Consortium of Prospective Studies from China, Japan, and Korea. Gastroenterology, 2019, 156, S-523. | 0.6 | 0 |
| 85 | Female reproductive factors and risk of external causes of death among women: The Japan Public Health Center-based Prospective Study (JPHC Study). Scientific Reports, 2019, 9, 14329. | 1.6 | 3 |
| 86 | Lack of social support and social trust as potential risk factors for dry eye disease: JPHC-NEXT study. Ocular Surface, 2019, 17, 278-284. | 2.2 | 3 |
| 87 | Circulating sex hormone levels and colorectal cancer risk in Japanese postmenopausal women: The JPHC nested caseâ€“control study. International Journal of Cancer, 2019, 145, 1238-1244. | 2.3 | 24 |
| 88 | Smoking and Pancreatic Cancer Incidence: A Pooled Analysis of 10 Population-Based Cohort Studies in Japan. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1370-1378. | 1.1 | 19 |
| 89 | Helicobacter pylori infection, atrophic gastritis, and risk of pancreatic cancer: A population-based cohort study in a large Japanese population: the JPHC Study. Scientific Reports, 2019, 9, 6099. | 1.6 | 21 |
| 90 | Female reproductive factors and risk of lymphoid neoplasm: The Japan Public Health Centerâ€based Prospective Study. Cancer Science, 2019, 110, 1442-1452. | 1.7 | 5 |

| # | Article | IF | Citations |
|---|---|---|---|
| 91 | Circulating Inflammation Markers and Risk of Gastric and Esophageal Cancers: A Caseâ€“Cohort Study Within the Japan Public Health Centerâ€“Based Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 829-832. | 1.1 | 8 |
| 92 | Coffee consumption and mortality in Japanese men and women: A pooled analysis of eight population-based cohort studies in Japan (Japan Cohort Consortium). Preventive Medicine, 2019, 123, 270-277. | 1.6 | 16 |
| 93 | Physical activity and subsequent risk of kidney, bladder and upper urinary tract cancer in the Japanese population: the Japan Public Health Centre-based Prospective Study. British Journal of Cancer, 2019, 120, 571-574. | 2.9 | 6 |
| 94 | Smoking, Helicobacter Pylori Serology, and Gastric Cancer Risk in Prospective Studies from China, Japan, and Korea. Cancer Prevention Research, 2019, 12, 667-674. | 0.7 | 33 |
| 95 | Effect of home-based high-intensity interval training and behavioural modification using information and communication technology on cardiorespiratory fitness and exercise habits among sedentary breast cancer survivors: habit-B study protocol for a randomised controlled trial. BMJ Open, 2019, 9, e030911. | 0.8 | 10 |
| 96 | A randomised controlled trial of a case management approach to encourage participation in colorectal cancer screening for people with schizophrenia in psychiatric outpatient clinics: study protocol for the J-SUPPORT 1901 (ACCESS) study. BMJ Open, 2019, 9, e032955. | 0.8 | 4 |
| 97 | Cruciferous vegetable intake and colorectal cancer risk: Japan public health center-based prospective study. European Journal of Cancer Prevention, 2019, 28, 420-427. | 0.6 | 6 |
| 98 | Plasma Câ€peptide and glycated albumin and subsequent risk of cancer: From a large prospective caseâ€cohort study in Japan. International Journal of Cancer, 2019, 144, 718-729. | 2.3 | 5 |
| 99 | Association between serum liver enzymes and allâ€cause mortality: The Japan Public Health Centerâ€based Prospective Study. Liver International, 2019, 39, 1566-1576. | 1.9 | 14 |
| 100 | Cigarette smoking and cervical cancer risk: an evaluation based on a systematic review and meta-analysis among Japanese women. Japanese Journal of Clinical Oncology, 2019, 49, 77-86. | 0.6 | 51 |
| 101 | Fruit and vegetable intake and pancreatic cancer risk in a populationâ€based cohort study in Japan. International Journal of Cancer, 2019, 144, 1858-1866. | 2.3 | 11 |
| 102 | Association of BMI and height with the risk of endometrial cancer, overall and by histological subtype: a population-based prospective cohort study in Japan. European Journal of Cancer Prevention, 2019, 28, 196-202. | 0.6 | 16 |
| 103 | Cruciferous vegetable intake and mortality in middle-aged adults: A prospective cohort study. Clinical Nutrition, 2019, 38, 631-643. | 2.3 | 18 |
| 104 | Food frequency questionnaire reproducibility for middle-aged and elderly Japanese. Asia Pacific Journal of Clinical Nutrition, 2019, 28, 362-370. | 0.3 | 6 |
| 105 | Development of a risk prediction model for lung cancer: The Japan Public Health Centerâ€based Prospective Study. Cancer Science, 2018, 109, 854-862. | 1.7 | 15 |
| 106 | Evidence-based cancer prevention recommendations for Japanese. Japanese Journal of Clinical Oncology, 2018, 48, 576-586. | 0.6 | 25 |
| 107 | Risk of thyroid cancer in relation to height, weight, and body mass index in Japanese individuals: a population-based cohort study. Cancer Medicine, 2018, 7, 2200-2210. | 1.3 | 13 |
| 108 | Coffee drinking and colorectal cancer and its subsites: A pooled analysis of 8 cohort studies in <scp>J</scp>apan. International Journal of Cancer, 2018, 143, 307-316. | 2.3 | 23 |

| # | Article | IF | Citations |
|---|---|---|---|
| 109 | Dietary consumption of antioxidant vitamins and subsequent lung cancer risk: The <scp>J</scp>apan <scp>P</scp>ublic <scp>H</scp>ealth <scp>C</scp>enterâ€based prospective study. International Journal of Cancer, 2018, 142, 2441-2460. | 2.3 | 28 |
| 110 | Validity of selfâ€reported tooth counts and masticatory status study of a Japanese adult population. Journal of Oral Rehabilitation, 2018, 45, 393-398. | 1.3 | 32 |
| 111 | Novel epigenetic markers for gastric cancer risk stratification in individuals after Helicobacter pylori eradication. Gastric Cancer, 2018, 21, 745-755. | 2.7 | 37 |
| 112 | Genetic and epigenetic alterations in normal tissues have differential impacts on cancer risk among tissues. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 1328-1333. | 3.3 | 71 |
| 113 | Plasma 25-hydroxyvitamin D concentration and subsequent risk of total and site specific cancers in Japanese population: large case-cohort study within Japan Public Health Center-based Prospective Study cohort. BMJ: British Medical Journal, 2018, 360, k671. | 2.4 | 61 |
| 114 | Metabolome analysis for pancreatic cancer risk in nested caseâ€control study: Japan Public Health Centerâ€based prospective Study. Cancer Science, 2018, 109, 1672-1681. | 1.7 | 9 |
| 115 | Dietary patterns and prostate cancer risk in Japanese: the Japan Public Health Center-based Prospective Study (JPHC Study). Cancer Causes and Control, 2018, 29, 589-600. | 0.8 | 23 |
| 116 | Impact of Alcohol Intake and Drinking Patterns on Mortality From All Causes and Major Causes of Death in a Japanese Population. Journal of Epidemiology, 2018, 28, 140-148. | 1.1 | 39 |
| 117 | Menstrual and reproductive factors in the risk of thyroid cancer in Japanese women: the Japan Public Health Center-Based Prospective Study. European Journal of Cancer Prevention, 2018, 27, 361-369. | 0.6 | 11 |
| 118 | Dietary patterns and colorectal cancer risk in middle-aged adults: AÂlarge population-based prospective cohort study. Clinical Nutrition, 2018, 37, 1019-1026. | 2.3 | 20 |
| 119 | Automated histological classification of whole-slide images of gastric biopsy specimens. Gastric Cancer, 2018, 21, 249-257. | 2.7 | 80 |
| 120 | Smoking and subsequent risk of acute myeloid leukaemia: A pooled analysis of 9 cohort studies in Japan. Hematological Oncology, 2018, 36, 262-268. | 0.8 | 10 |
| 121 | Coffee and green tea consumption and subsequent risk of acute myeloid leukemia and myelodysplastic syndromes in Japan. International Journal of Cancer, 2018, 142, 1130-1138. | 2.3 | 14 |
| 122 | The association between plasma C-peptide concentration and the risk of prostate cancer: a nested caseâ€“control study within a Japanese population-based prospective study. European Journal of Cancer Prevention, 2018, 27, 461-467. | 0.6 | 3 |
| 123 | Coffee Consumption and Lung Cancer Risk: The Japan Public Health Center-Based Prospective Study. Journal of Epidemiology, 2018, 28, 207-213. | 1.1 | 10 |
| 124 | Increased Levels of Branched-Chain Amino Acid Associated With Increased Risk of Pancreatic Cancer in a Prospective Caseâ€“Control Study of a Large Cohort. Gastroenterology, 2018, 155, 1474-1482.e1. | 0.6 | 59 |
| 125 | Validation of a Blood Biomarker for Identification of Individuals at High Risk for Gastric Cancer. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 1472-1479. | 1.1 | 15 |
| 126 | Circulating inflammatory markers and colorectal cancer risk: A prospective caseâ€cohort study in Japan. International Journal of Cancer, 2018, 143, 2767-2776. | 2.3 | 26 |

| # | Article | IF | Citations |
|---|---|---|---|
| 127 | Epsteinâ€“Barr Virus Antibody Titers Are Not Associated with Gastric Cancer Risk in East Asia. Digestive Diseases and Sciences, 2018, 63, 2765-2772. | 1.1 | 11 |
| 128 | Female reproductive factors and risk of all-cause and cause-specific mortality among women: The Japan Public Health Centerâ€“based Prospective Study (JPHC study). Annals of Epidemiology, 2018, 28, 597-604.e6. | 0.9 | 16 |
| 129 | Cigarette smoking, alcohol drinking, and oral cavity and pharyngeal cancer in the Japanese: a population-based cohort study in Japan. European Journal of Cancer Prevention, 2018, 27, 171-179. | 0.6 | 19 |
| 130 | Reproductive factors and gallbladder/bile duct cancer: a population-based cohort study in Japan. European Journal of Cancer Prevention, 2017, 26, 292-300. | 0.6 | 10 |
| 131 | High impact of methylation accumulation on metachronous gastric cancer: 5-year follow-up of a multicentre prospective cohort study. Gut, 2017, 66, 1721-1723. | 6.1 | 54 |
| 132 | Cruciferous Vegetable Intake Is Inversely Associated with Lung Cancer Risk among Current Nonsmoking Men in the Japan Public Health Center (JPHC) Study. Journal of Nutrition, 2017, 147, 841-849. | 1.3 | 34 |
| 133 | Smoking and subsequent risk of leukemia in Japan: The Japan Public Health Center-based Prospective Study. Journal of Epidemiology, 2017, 27, 305-310. | 1.1 | 12 |
| 134 | Comparison of weighed food record procedures for the reference methods in two validation studies of food frequency questionnaires. Journal of Epidemiology, 2017, 27, 331-337. | 1.1 | 7 |
| 135 | Dietary fiber intake and risk of breast cancer defined by estrogen and progesterone receptor status: the Japan Public Health Center-based Prospective Study. Cancer Causes and Control, 2017, 28, 569-578. | 0.8 | 18 |
| 136 | Body mass index change during adulthood and risk of oesophageal squamous-cell carcinoma in a Japanese population: the Japan Public Health (JPHC)-based prospective study. British Journal of Cancer, 2017, 117, 1715-1722. | 2.9 | 14 |
| 137 | Perceived stress level and risk of cancer incidence in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. Scientific Reports, 2017, 7, 12964. | 1.6 | 34 |
| 138 | Alcohol consumption and bladder cancer risk with or without the flushing response: The Japan Public Health Centerâ€based Prospective Study. International Journal of Cancer, 2017, 141, 2480-2488. | 2.3 | 14 |
| 139 | Smoking and alcohol and subsequent risk of myelodysplastic syndromes in Japan: the Japan Public Health Centreâ€based Prospective Study. British Journal of Haematology, 2017, 178, 747-755. | 1.2 | 13 |
| 140 | Inclusion of a Genetic Risk Score into a Validated Risk Prediction Model for Colorectal Cancer in Japanese Men Improves Performance. Cancer Prevention Research, 2017, 10, 535-541. | 0.7 | 21 |
| 141 | A novel method to quantify base substitution mutations at the 10 âˆ’6 per bp level in DNA samples. Cancer Letters, 2017, 403, 152-158. | 3.2 | 8 |
| 142 | Fermented Soy Product Intake Is Inversely Associated with the Development of High Blood Pressure: The Japan Public Health Center-Based Prospective Study. Journal of Nutrition, 2017, 147, 1749-1756. | 1.3 | 51 |
| 143 | Coffee and Green Tea Consumption and Subsequent Risk of Malignant Lymphoma and Multiple Myeloma in Japan: The Japan Public Health Center-based Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 1352-1356. | 1.1 | 5 |
| 144 | Female reproductive factors, exogenous hormone use, and pancreatic cancer risk: the Japan Public Health Center-based prospective study. European Journal of Cancer Prevention, 2017, 26, 378-384. | 0.6 | 6 |

| # | Article | IF | Citations |
|---|---|---|---|
| 145 | The relationship between vegetable/fruit consumption and gallbladder/bile duct cancer: A populationâ€based cohort study in <scp>J</scp>apan. International Journal of Cancer, 2017, 140, 1009-1019. | 2.3 | 21 |
| 146 | Plasma 25-hydroxy vitamin D and subsequent prostate cancer risk in a nested Case-Control study in Japan: The JPHC study. European Journal of Clinical Nutrition, 2017, 71, 132-136. | 1.3 | 14 |
| 147 | Automated histological classification of whole slide images of colorectal biopsy specimens. Oncotarget, 2017, 8, 90719-90729. | 0.8 | 32 |
| 148 | Dietary patterns and all-cause, cancer, and cardiovascular disease mortality in Japanese men and women: The Japan public health center-based prospective study. PLoS ONE, 2017, 12, e0174848. | 1.1 | 96 |
| 149 | Abstract 2282: Smoking and alcohol and the risk of myelodysplastic syndrome: The JPHC study. , 2017, , . | | 0 |
| 150 | Abstract LB-092: High impact of methylation accumulation on cancer risk: 5-year follow-up of a multicenter prospective cohort study. , 2017, , . | | 0 |
| 151 | Vitamin D Receptor Gene Polymorphism and the Risk of Colorectal Cancer: A Nested Case-Control Study. PLoS ONE, 2016, 11, e0164648. | 1.1 | 21 |
| 152 | Prediction of the 10â€year probability of gastric cancer occurrence in the <scp>J</scp>apanese population: the <scp>JPHC</scp> study cohort <scp>II</scp>. International Journal of Cancer, 2016, 138, 320-331. | 2.3 | 78 |
| 153 | CYP1A1, GSTM1 and GSTT1 genetic polymorphisms and gastric cancer risk among Japanese: A nested caseâ€“control study within a largeâ€scale populationâ€based prospective study. International Journal of Cancer, 2016, 139, 759-768. | 2.3 | 20 |
| 154 | Cigarette smoking and the risk of head and neck cancer in the Japanese population: a systematic review and meta-analysis. Japanese Journal of Clinical Oncology, 2016, 46, 580-595. | 0.6 | 28 |
| 155 | Association between GWAS-identified lung adenocarcinoma susceptibility loci andEGFRmutations in never-smoking Asian women, and comparison with findings from Western populations. Human Molecular Genetics, 2016, 26, ddw414. | 1.4 | 50 |
| 156 | 393 Short-Term Outcomes of Japanese Multicenter Prospective Cohort Study of Endoscopic Resection for Early Gastric Cancer Using Web Registry (J-Web/EGC). Gastrointestinal Endoscopy, 2016, 83, AB143. | 0.5 | 0 |
| 157 | Coping strategies and cancer incidence and mortality: The Japan Public Health Center-based prospective study. Cancer Epidemiology, 2016, 40, 126-133. | 0.8 | 18 |
| 158 | High hemoglobin A1c levels within the nonâ€diabetic range are associated with the risk of all cancers. International Journal of Cancer, 2016, 138, 1741-1753. | 2.3 | 39 |
| 159 | Association between green tea/coffee consumption and biliary tract cancer: A populationâ€based cohort study in Japan. Cancer Science, 2016, 107, 76-83. | 1.7 | 31 |
| 160 | Coffee and green tea consumption in relation to brain tumor risk in a Japanese population. International Journal of Cancer, 2016, 139, 2714-2721. | 2.3 | 22 |
| 161 | Alcohol consumption, genetic variants in the alcohol- and folate metabolic pathways and colorectal cancer risk: the JPHC Study. Scientific Reports, 2016, 6, 36607. | 1.6 | 14 |
| 162 | Dietary pattern and breast cancer risk in Japanese women: the Japan Public Health Center-based Prospective Study (JPHC Study). British Journal of Nutrition, 2016, 115, 1769-1779. | 1.2 | 34 |

| # | Article | IF | Citations |
|---|---|---|---|
| 163 | Incidence of and risk factors for metachronous gastric cancer after endoscopic resection and successful Helicobacter pylori eradication: results of a large-scale, multicenter cohort study in Japan. Gastric Cancer, 2016, 19, 911-918. | 2.7 | 86 |
| 164 | Meta-analysis of genome-wide association studies identifies multiple lung cancer susceptibility loci in never-smoking Asian women. Human Molecular Genetics, 2016, 25, 620-629. | 1.4 | 50 |
| 165 | Glycemic index and glycemic load and risk of colorectal cancer: a population-based cohort study (JPHC Study). Cancer Causes and Control, 2016, 27, 583-593. | 0.8 | 12 |
| 166 | Hepatitis B and C Virus Infection and Risk of Pancreatic Cancer: A Population-Based Cohort Study (JPHC) Tj ETQq0 0 0 rgBT /Overlock 10 | 1.1 | 32 |
| 167 | Coping strategies and risk of cardiovascular disease incidence and mortality: the Japan Public Health Center-based prospective Study. European Heart Journal, 2016, 37, 890-899. | 1.0 | 45 |
| 168 | Abstract 4460: Precision cancer risk diagnosis by accumulation of epigenetic alterations. , 2016, , . | | 0 |
| 169 | Risk of lung cancer and consumption of vegetables and fruit in Japanese: A pooled analysis of cohort studies in Japan. Cancer Science, 2015, 106, 1057-1065. | 1.7 | 13 |
| 170 | Fish, nâ€‰â^'â€‰3 polyunsaturated fatty acids and nâ€‰â^'â€‰6 polyunsaturated fatty acids intake and breast cancer risk: The <scp>J</scp>apan <scp>P</scp>ublic <scp>H</scp>ealth <scp>C</scp>enterâ€based prospective study. International Journal of Cancer, 2015, 137, 2915-2926. | 2.3 | 48 |
| 171 | Total Fruit and Vegetable, Cruciferous Vegetable Intake and Breast Cancer Risk Defined by Estrogen and Progesterone Receptor Status: DThe Japan Public Health Center-based Prospective Study.. International Journal of Epidemiology, 2015, 44, i8-i9. | 0.9 | 0 |
| 172 | Plasma insulin, <scp>C</scp>â€peptide and blood glucose and the risk of gastric cancer: The <scp>J</scp>apan <scp>P</scp>ublic <scp>H</scp>ealth <scp>C</scp>enterâ€based prospective study. International Journal of Cancer, 2015, 136, 1402-1410. | 2.3 | 44 |
| 173 | The association between complete and partial non-response to psychosocial questions and suicide: the JPHC Study. European Journal of Public Health, 2015, 25, 424-430. | 0.1 | 14 |
| 174 | Fish, nâ€“3 PUFA consumption, and pancreatic cancer risk in Japanese: a large, population-based, prospective cohort study. American Journal of Clinical Nutrition, 2015, 102, 1490-1497. | 2.2 | 39 |
| 175 | Association of gastric cancer risk factors with DNA methylation levels in gastric mucosa of healthy Japanese: a cross-sectional study. Carcinogenesis, 2015, 36, 1291-1298. | 1.3 | 32 |
| 176 | Trends in cancer prognosis in a population-based cohort survey: Can recent advances in cancer therapy affect the prognosis?. Cancer Epidemiology, 2015, 39, 97-103. | 0.8 | 8 |
| 177 | Soy food and isoflavone intake and endometrial cancer risk: the <scp>J</scp>apan Public Health Centerâ€based prospective study. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 304-311. | 1.1 | 22 |
| 178 | Plasma Isoflavones and Risk of Primary Liver Cancer in Japanese Women and Men with Hepatitis Virus Infection: A Nested Caseâ€“Control Study. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 532-537. | 1.1 | 17 |
| 179 | Hepatitis B and C virus infection and risk of lymphoid malignancies: A population-based cohort study (JPHC Study). Cancer Epidemiology, 2015, 39, 562-566. | 0.8 | 33 |
| 180 | 276 Incidence and Risk Factors of Metachronous Gastric Cancer After Endoscopic Resection and Successful Helicobacter pylori Eradication: Results From a Large-Scale, Multicenter Cohort Study in Japan. Gastrointestinal Endoscopy, 2015, 81, AB133. | 0.5 | 2 |

| # | Article | IF | Citations |
|---|---|---|---|
| 181 | Reactive oxygen species and gastric cancer risk: a large nested caseâ€“control study in Japan. European Journal of Epidemiology, 2015, 30, 589-594. | 2.5 | 2 |
| 182 | Association of coffee intake with total and cause-specific mortality in a Japanese population: the Japan Public Health Centerâ€“based Prospective Study. American Journal of Clinical Nutrition, 2015, 101, 1029-1037. | 2.2 | 58 |
| 183 | Association of green tea consumption with mortality due to all causes and major causes of death in a Japanese population: the Japan Public Health Center-based Prospective Study (JPHC Study). Annals of Epidemiology, 2015, 25, 512-518.e3. | 0.9 | 66 |
| 184 | Demonstration of the usefulness of epigenetic cancer risk prediction by a multicentre prospective cohort study. Gut, 2015, 64, 388-396. | 6.1 | 115 |
| 185 | Genetic polymorphisms of ADH1B, ADH1C and ALDH2, alcohol consumption, and the risk of gastric cancer: the Japan Public Health Center-based prospective study. Carcinogenesis, 2015, 36, 223-231. | 1.3 | 69 |
| 186 | Fiber intake and risk of subsequent prostate cancer in Japanese men. American Journal of Clinical Nutrition, 2015, 101, 118-125. | 2.2 | 24 |
| 187 | Abstract LB-157: Demonstration of the usefulness of an epigenetic cancer risk marker by a multicenter prospective cohort study. , 2015, , . | | 0 |
| 188 | Neighborhood Deprivation and Risk of Cancer Incidence, Mortality and Survival: Results from a Population-Based Cohort Study in Japan. PLoS ONE, 2014, 9, e106729. | 1.1 | 19 |
| 189 | Diabetes Mellitus and Liver Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence among the Japanese Population. Japanese Journal of Clinical Oncology, 2014, 44, 986-999. | 0.6 | 28 |
| 190 | Endometrial Cancer in Relation to Coffee, Tea, and Caffeine Consumption: A Prospective Cohort Study Among Middle-Aged Women in Sweden. Nutrition and Cancer, 2014, 66, 1132-1143. | 0.9 | 18 |
| 191 | Rice, bread, noodle and cereal intake and colorectal cancer in Japanese men and women: the Japan Public Health Center-based prospective Study (JPHC Study). British Journal of Cancer, 2014, 110, 1316-1321. | 2.9 | 9 |
| 192 | A retrospective analysis of factors associated with selection of end-of-life care and actual place of death for patients with cancer. BMJ Open, 2014, 4, e004352. | 0.8 | 5 |
| 193 | Association of vegetable and fruit intake with gastric cancer risk among Japanese: a pooled analysis of four cohort studies. Annals of Oncology, 2014, 25, 1228-1233. | 0.6 | 47 |
| 194 | Alcohol and smoking and subsequent risk of prostate cancer in Japanese men: The Japan Public Health Centerâ€based prospective study. International Journal of Cancer, 2014, 134, 971-978. | 2.3 | 52 |
| 195 | Soy Intake and Breast Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. Japanese Journal of Clinical Oncology, 2014, 44, 282-295. | 0.6 | 79 |
| 196 | Meat Consumption and Colorectal Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. Japanese Journal of Clinical Oncology, 2014, 44, 641-650. | 0.6 | 60 |
| 197 | Coping behaviors and suicide in the middle-aged and older Japanese general population: the Japan Public Health Center-based Prospective Study. Annals of Epidemiology, 2014, 24, 199-205. | 0.9 | 20 |
| 198 | Impact of five modifiable lifestyle habits on the probability of cancer occurrence in a Japanese population-based cohort: Results from the JPHC study. Preventive Medicine, 2013, 57, 685-689. | 1.6 | 10 |

| # | Article | IF | Citations |
|---|---|---|---|
| 199 | Dietary arsenic intake and subsequent risk of cancer: the Japan Public Health Center-based (JPHC) Prospective Study. Cancer Causes and Control, 2013, 24, 1403-1415. | 0.8 | 39 |
| 200 | Fruit and vegetable intake and breast cancer risk defined by estrogen and progesterone receptor status: the Japan Public Health Center-based Prospective Study. Cancer Causes and Control, 2013, 24, 2117-2128. | 0.8 | 40 |
| 201 | Fish Consumption and Colorectal Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. Japanese Journal of Clinical Oncology, 2013, 43, 935-941. | 0.6 | 19 |
| 202 | Plasma Levels of Adiponectin and Primary Liver Cancer Risk in Middle-Aged Japanese Adults with Hepatitis Virus Infection: A Nested Caseâ€“Control Study. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 2250-2257. | 1.1 | 13 |
| 203 | Plasma Isoflavone Concentrations Are Not Associated with Gastric Cancer Risk among Japanese Men and Women1,2. Journal of Nutrition, 2013, 143, 1293-1298. | 1.3 | 15 |
| 204 | Dietary patterns and type 2 diabetes in Japanese men and women: the Japan Public Health Center-based Prospective Study. European Journal of Clinical Nutrition, 2013, 67, 18-24. | 1.3 | 29 |
| 205 | Attributable causes of cancer in Japan in 2005â€”systematic assessment to estimate current burden of cancer attributable to known preventable risk factors in Japan. Annals of Oncology, 2012, 23, 1362-1369. | 0.6 | 152 |
| 206 | Long-term Dietary Cadmium Intake and Cancer Incidence. Epidemiology, 2012, 23, 368-376. | 1.2 | 58 |
| 207 | Seaweed consumption and the risk of thyroid cancer in women. European Journal of Cancer Prevention, 2012, 21, 254-260. | 0.6 | 64 |
| 208 | Physical Activity and Colorectal Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. Japanese Journal of Clinical Oncology, 2012, 42, 2-13. | 0.6 | 40 |
| 209 | Zinc and heme iron intakes and risk of colorectal cancer: a population-based prospective cohort study in Japan. American Journal of Clinical Nutrition, 2012, 96, 864-873. | 2.2 | 22 |
| 210 | Isoflavone intake and risk of gastric cancer: a population-based prospective cohort study in Japan. American Journal of Clinical Nutrition, 2012, 95, 147-154. | 2.2 | 36 |
| 211 | Obesity and Liver Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. Japanese Journal of Clinical Oncology, 2012, 42, 212-221. | 0.6 | 46 |
| 212 | Cigarette Smoking and Esophageal Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. Japanese Journal of Clinical Oncology, 2012, 42, 63-73. | 0.6 | 53 |
| 213 | Reproducibility and Validity of Dietary Patterns Assessed by a Food Frequency Questionnaire Used in the 5-Year Follow-Up Survey of the Japan Public Health Center-Based Prospective Study. Journal of Epidemiology, 2012, 22, 205-215. | 1.1 | 88 |
| 214 | Design of Japanese multicenter prospective cohort study of endoscopic resection for early gastric cancer using Web registry (J-WEB/EGC). Gastric Cancer, 2012, 15, 451-454. | 2.7 | 18 |
| 215 | Development of a prediction model for 10-year risk of hepatocellular carcinoma in middle-aged Japanese: The Japan Public Health Center-based Prospective Study Cohort II. Preventive Medicine, 2012, 55, 137-143. | 1.6 | 41 |
| 216 | Consumption of n-3 Fatty Acids and Fish Reduces Risk of Hepatocellular Carcinoma. Gastroenterology, 2012, 142, 1468-1475. | 0.6 | 164 |

| # | Article | IF | Citations |
|---|---|---|---|
| 217 | Alcohol drinking and primary liver cancer: A pooled analysis of four Japanese cohort studies. International Journal of Cancer, 2012, 130, 2645-2653. | 2.3 | 39 |
| 218 | Combined impact of five lifestyle factors and subsequent risk of cancer: The Japan Public Health Center Study. Preventive Medicine, 2012, 54, 112-116. | 1.6 | 38 |
| 219 | Risk factors for epithelial ovarian cancer in Japan - results from the Japan Public Health Center-based Prospective Study cohort. International Journal of Oncology, 2011, 40, 21-30. | 1.4 | 39 |
| 220 | Effects of genome architecture and epigenetic factors on susceptibility of promoter CpG islands to aberrant DNA methylation induction. Genomics, 2011, 98, 182-188. | 1.3 | 14 |
| 221 | P1-348 Leisure-time physical activity and breast cancer risk defined by oestrogen and progesterone receptor status: the Japan public health center-based prospective study. Journal of Epidemiology and Community Health, 2011, 65, A163-A163. | 2.0 | 0 |
| 222 | P2-277 Alcohol drinking and primary liver cancer in Japanese: a pooled analysis of four cohort studies. Journal of Epidemiology and Community Health, 2011, 65, A298-A298. | 2.0 | 0 |
| 223 | Randomized controlled trial for an effect of catechin-enriched green tea consumption on adiponectin and cardiovascular disease risk factors. Food and Nutrition Research, 2011, 55, 8326. | 1.2 | 48 |
| 224 | Validity of a Self-Administered Food Frequency Questionnaire for Middle-Aged Urban Cancer Screenees: Comparison With 4-Day Weighed Dietary Records. Journal of Epidemiology, 2011, 21, 447-458. | 1.1 | 46 |
| 225 | Leisure-time physical activity and breast cancer risk defined by estrogen and progesterone receptor statusâ€"The Japan Public Health Center-based Prospective Study. Preventive Medicine, 2011, 52, 227-233. | 1.6 | 37 |
| 226 | Green tea and coffee consumption and its association with thyroid cancer risk: a population-based cohort study in Japan. Cancer Causes and Control, 2011, 22, 985-993. | 0.8 | 22 |
| 227 | Depth-predicting score for differentiated early gastric cancer. Gastric Cancer, 2011, 14, 35-40. | 2.7 | 96 |
| 228 | Use of vitamin supplements and risk of total cancer and cardiovascular disease among the Japanese general population: A population-based survey. BMC Public Health, 2011, 11, 540. | 1.2 | 12 |
| 229 | Body weight at age 20 years, subsequent weight change and breast cancer risk defined by estrogen and progesterone receptor statusâ€"the Japan public health centerâ€based prospective study. International Journal of Cancer, 2011, 129, 1214-1224. | 2.3 | 63 |
| 230 | Intake of nâ€3 and nâ€6 polyunsaturated fatty acids and development of colorectal cancer by subsite: Japan Public Health Centerâ€"based prospective study. International Journal of Cancer, 2011, 129, 1718-1729. | 2.3 | 84 |
| 231 | Validity of self-reported cancer among a Japanese population: Recent results from a population-based prospective study in Japan (JPHC Study). Cancer Epidemiology, 2011, 35, 250-253. | 0.8 | 15 |
| 232 | Plasma Isoflavones and the Risk of Lung Cancer in Women: A Nested Caseâ€"Control Study in Japan. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 419-427. | 1.1 | 49 |
| 233 | Lung Cancer Risk and Consumption of Vegetables and Fruit: An Evaluation Based on a Systematic Review of Epidemiological Evidence from Japan. Japanese Journal of Clinical Oncology, 2011, 41, 693-708. | 0.6 | 27 |
| 234 | Seasonal Variation in Home Blood Pressure Measurements and Relation to Outside Temperature in Japan. Clinical and Experimental Hypertension, 2011, 33, 153-158. | 0.5 | 44 |

| # | Article | IF | Citations |
|---|---|---|---|
| 235 | The Association Between Cancer Risk and Age at Onset of Smoking in Japanese. Journal of Epidemiology, 2010, 20, 128-135. | 1.1 | 11 |
| 236 | The Ohsaki Cohort 2006 Study: Design of Study and Profile of Participants at Baseline. Journal of Epidemiology, 2010, 20, 253-258. | 1.1 | 70 |
| 237 | Plasma tea polyphenol levels and subsequent risk of breast cancer among Japanese women: a nested caseâ€“control study. Breast Cancer Research and Treatment, 2010, 124, 827-834. | 1.1 | 47 |
| 238 | Leisure-time physical activity and breast cancer risk by hormone receptor status: effective life periods and exercise intensity. Cancer Causes and Control, 2010, 21, 1787-1798. | 0.8 | 22 |
| 239 | Alcohol consumptionâ€associated breast cancer incidence and potential effect modifiers: the Japan Public Health Centerâ€based Prospective Study. International Journal of Cancer, 2010, 127, 685-695. | 2.3 | 40 |
| 240 | Fresh and pickled vegetable consumption and gastric cancer in Japanese and Korean populations: A metaâ€analysis of observational studies. Cancer Science, 2010, 101, 508-516. | 1.7 | 73 |
| 241 | Plasma testosterone and sex hormoneâ€binding globulin concentrations and the risk of prostate cancer among Japanese men: A nested caseâ€control study. Cancer Science, 2010, 101, 2652-2657. | 1.7 | 31 |
| 242 | Association of Alcohol Intake with the Risk of Malignant Lymphoma and Plasma Cell Myeloma in Japanese: A Population-Based Cohort Study (Japan Public Health Centerâ€“based Prospective Study). Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 429-434. | 1.1 | 25 |
| 243 | Association of Anthropometric Characteristics with the Risk of Malignant Lymphoma and Plasma Cell Myeloma in a Japanese Population: A Population-Based Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1623-1631. | 1.1 | 20 |
| 244 | Consumption of sodium and salted foods in relation to cancer and cardiovascular disease: the Japan Public Health Centerâ€“based Prospective Study. American Journal of Clinical Nutrition, 2010, 91, 456-464. | 2.2 | 100 |
| 245 | Isoflavone intake and risk of lung cancer: a prospective cohort study in Japan. American Journal of Clinical Nutrition, 2010, 91, 722-728. | 2.2 | 77 |
| 246 | Plasma levels of C-reactive protein and serum amyloid A and gastric cancer in a nested case-control study: Japan Public Health Center-based prospective study. Carcinogenesis, 2010, 31, 712-718. | 1.3 | 36 |
| 247 | Coffee Consumption and Mortality Due to All Causes, Cardiovascular Disease, and Cancer in Japanese Women. Journal of Nutrition, 2010, 140, 1007-1013. | 1.3 | 88 |
| 248 | Plasma Organochlorines and Subsequent Risk of Prostate Cancer in Japanese Men: A Nested Caseâ€“Control Study. Environmental Health Perspectives, 2010, 118, 659-665. | 2.8 | 39 |
| 249 | Body Mass Index and Subsequent Risk of Kidney Cancer: A Prospective Cohort Study in Japan. Annals of Epidemiology, 2010, 20, 466-472. | 0.9 | 28 |
| 250 | Green tea drinking and subsequent risk of breast cancer in a population to based cohort of Japanese women. Breast Cancer Research, 2010, 12, R88. | 2.2 | 52 |
| 251 | Abstract 176: The presence of RNA polymerase II, active or stalled, predicts epigenetic fate of promoter CpG islands. , 2010, , . | | 0 |
| 252 | The presence of RNA polymerase II, active or stalled, predicts epigenetic fate of promoter CpG islands. Genome Research, 2009, 19, 1974-1982. | 2.4 | 121 |

| # | Article | IF | Citations |
|---|---|---|---|
| 253 | Green tea consumption and gastric cancer in Japanese: a pooled analysis of six cohort studies. Gut, 2009, 58, 1323-1332. | 6.1 | 76 |
| 254 | Effect of Coffee and Green Tea Consumption on the Risk of Liver Cancer: Cohort Analysis by Hepatitis Virus Infection Status. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1746-1753. | 1.1 | 98 |
| 255 | Pain and Risk of Completed Suicide in Japanese Men: A Population-Based Cohort Study in Japan (Ohsaki) Tj ETQq1 1 0.784314 rgBT /Ov | 0.6 | 36 |
| 256 | Can Western endoscopists identify the end of the lower esophageal palisade vessels as a landmark of esophagogastric junction?. Journal of Gastroenterology, 2009, 44, 842-846. | 2.3 | 26 |
| 257 | Increase in body mass index category since age 20 years and all-cause mortality: a prospective cohort study (the Ohsaki Study). International Journal of Obesity, 2009, 33, 490-496. | 1.6 | 39 |
| 258 | Personality and Gastric Cancer Screening Attendance: A Cross-Sectional Analysis from the Miyagi Cohort Study. Journal of Epidemiology, 2009, 19, 34-40. | 1.1 | 21 |
| 259 | Factors Associated With Psychological Distress in a Community-Dwelling Japanese Population: The Ohsaki Cohort 2006 Study. Journal of Epidemiology, 2009, 19, 294-302. | 1.1 | 64 |
| 260 | Alcohol and risk of lung cancer among Japanese men: data from a large-scale population-based cohort study, the JPHC study. Cancer Causes and Control, 2008, 19, 1095-1102. | 0.8 | 20 |
| 261 | Fruit and vegetable consumption and squamous cell carcinoma of the esophagus in Japan: The JPHC study. International Journal of Cancer, 2008, 123, 1935-1940. | 2.3 | 83 |
| 262 | Coffee consumption and risk of endometrial cancer: A prospective study in Japan. International Journal of Cancer, 2008, 123, 2406-2410. | 2.3 | 59 |
| 263 | No effect of the Trp64Arg variant of the Î²3-adrenergic receptor gene on weight loss by diet and exercise intervention among Japanese adults. Metabolism: Clinical and Experimental, 2008, 57, 1570-1575. | 1.5 | 12 |
| 264 | Personality and body mass index: A cross-sectional analysis from the Miyagi Cohort Study. Journal of Psychosomatic Research, 2008, 64, 71-80. | 1.2 | 58 |
| 265 | Body mass index and cardiovascular disease mortality in Japan: The Ohsaki Study. Preventive Medicine, 2008, 47, 66-70. | 1.6 | 35 |
| 266 | Alcohol Drinking and Colorectal Cancer in Japanese: A Pooled Analysis of Results from Five Cohort Studies. American Journal of Epidemiology, 2008, 167, 1397-1406. | 1.6 | 107 |
| 267 | Alcohol Drinking and Gastric Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence among the Japanese Population. Japanese Journal of Clinical Oncology, 2008, 38, 8-25. | 0.6 | 37 |
| 268 | Caseâ€“control study of coffee consumption and the risk of endometrial endometrioid adenocarcinoma. European Journal of Cancer Prevention, 2008, 17, 358-363. | 0.6 | 24 |
| 269 | Sense of Life Worth Living (Ikigai) and Mortality in Japan: Ohsaki Study. Psychosomatic Medicine, 2008, 70, 709-715. | 1.3 | 131 |
| 270 | Dietary patterns and cardiovascular disease mortality in Japan: a prospective cohort study. International Journal of Epidemiology, 2007, 36, 600-609. | 0.9 | 282 |

| # | Article | IF | Citations |
|---|---|---|---|
| 271 | The joint impact of cardiovascular risk factors upon medical costs. Preventive Medicine, 2007, 44, 349-355. | 1.6 | 15 |
| 272 | Alcohol consumption is associated with an increased risk of distal colon and rectal cancer in Japanese men: The Miyagi Cohort Study. European Journal of Cancer, 2007, 43, 383-390. | 1.3 | 43 |
| 273 | Coffee consumption and the risk of colorectal cancer: A prospective cohort study in Japan. International Journal of Cancer, 2007, 120, 1542-1547. | 2.3 | 44 |
| 274 | Alcohol consumption and suicide mortality among Japanese men: the Ohsaki Study. Alcohol, 2007, 41, 503-510. | 0.8 | 20 |
| 275 | Obesity and depressive symptoms in elderly Japanese: The Tsurugaya Project. Journal of Psychosomatic Research, 2006, 60, 229-235. | 1.2 | 59 |
| 276 | Impact of Non-dietary Nutrients Intake on Misclassification in the Estimation of Nutrient Intake in Epidemiologic Study. Journal of Epidemiology, 2006, 16, 193-200. | 1.1 | 1 |
| 277 | Dietary long-chain nâ^'3 fatty acids of marine origin and serum C-reactive protein concentrations are associated in a population with a diet rich in marine products. American Journal of Clinical Nutrition, 2006, 84, 223-229. | 2.2 | 84 |
| 278 | Green tea consumption and cognitive function: a cross-sectional study from the Tsurugaya Project. American Journal of Clinical Nutrition, 2006, 83, 355-361. | 2.2 | 383 |
| 279 | Benefit of home blood pressure measurement after a finding of high blood pressure at a community screening. Journal of Hypertension, 2006, 24, 1265-1271. | 0.3 | 12 |
| 280 | Green Tea Consumption and Mortality Due to Cardiovascular Disease, Cancer, and All Causes in Japan. JAMA - Journal of the American Medical Association, 2006, 296, 1255. | 3.8 | 665 |
| 281 | No association between green tea and prostate cancer risk in Japanese men: the Ohsaki Cohort Study. British Journal of Cancer, 2006, 95, 371-373. | 2.9 | 77 |
| 282 | Alcohol consumption and the risk of cancer in Japanese men: the Miyagi cohort study. European Journal of Cancer Prevention, 2005, 14, 169-174. | 0.6 | 25 |
| 283 | Obesity and risk of cancer in Japan. International Journal of Cancer, 2005, 113, 148-157. | 2.3 | 189 |
| 284 | Coffee consumption and the risk of primary liver cancer: Pooled analysis of two prospective studies in Japan. International Journal of Cancer, 2005, 116, 150-154. | 2.3 | 126 |
| 285 | C-Reactive Protein and Peripheral Artery Disease among Japanese Elderly: the Tsurugaya Project. Hypertension Research, 2004, 27, 955-961. | 1.5 | 40 |
| 286 | Half-Life of Blood Carboxyhemoglobin after Short-Term and Long-Term Exposure to Carbon Monoxide. Journal of Trauma, 2000, 49, 126-131. | 2.3 | 36 |
| 287 | Issues of cancer care in people with mental disorders as perceived by cancer care providers: A quantitative questionnaire survey. Psycho-Oncology, 0, , . | 1.0 | 2 |