## Zhi-Cheng Shi

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4789783/zhi-cheng-shi-publications-by-year.pdf

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74 papers 2,695 31 51 g-index

78 and an arrange of the state of the s

#	Paper	IF	Citations
74	All-cellulose-based quasi-solid-state supercapacitor with nitrogen and boron dual-doped carbon electrodes exhibiting high energy density and excellent cyclic stability. <i>Green Energy and Environment</i> , <b>2022</b> ,	5.7	5
73	One-pot synthesis of nanosized MnO incorporated into N-doped carbon nanosheets for high performance lithium storage. <i>Journal of Alloys and Compounds</i> , <b>2022</b> , 902, 163827	5.7	2
7 <del>2</del>	Suppressing the loss and enhancing the breakdown strengths of high-k materials via constructing layered structure. <i>Materials Letters</i> , <b>2022</b> , 312, 131654	3.3	8
71	Oxygen Engineering Enables N-Doped Porous Carbon Nanofibers as Oxygen Reduction/Evolution Reaction Electrocatalysts for Flexible ZincAir Batteries. <i>ACS Catalysis</i> , <b>2022</b> , 12, 4002-4015	13.1	9
70	Largely Improved Breakdown Strength and Discharge Efficiency of Layer-Structured Nanocomposites by Filling with a Small Loading Fraction of 2D Zirconium Phosphate Nanosheets. <i>Advanced Materials Interfaces</i> , <b>2022</b> , 9, 2101646	4.6	6
69	Bi@hollow carbon tube enabled high performance potassium metal batteries. <i>Journal of Alloys and Compounds</i> , <b>2022</b> , 913, 165329	5.7	O
68	Opposite Sensing Response of Heterojunction Gas Sensors Based on SnO-CrO Nanocomposites to H against CO and Its Selectivity Mechanism. <i>Langmuir</i> , <b>2021</b> , 37, 13548-13558	4	9
67	Preparation of CoFe@N-doped C/rGO composites derived from CoFe Prussian blue analogues for efficient microwave absorption <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 610, 395-406	9.3	0
66	Lightweight Fe3C@Fe/C nanocomposites derived from wasted cornstalks with high-efficiency microwave absorption and ultrathin thickness. <i>Advanced Composites and Hybrid Materials</i> , <b>2021</b> , 4, 1226	8.7	93
65	Sulfur-Rich Graphene Nanoboxes with Ultra-High Potassiation Capacity at Fast Charge: Storage Mechanisms and Device Performance. <i>ACS Nano</i> , <b>2021</b> , 15, 1652-1665	16.7	53
64	Improved breakdown strengths and energy storage properties of polyimide composites: The effect of internal interfaces of C/SiO2 hybrid nanoparticles. <i>Polymer Composites</i> , <b>2021</b> , 42, 3000	3	21
63	3D Lattice-Matching Layered Hydroxide Heterostructure with Improved Interfacial Charge Transfer and Ion Diffusion for High Energy Density Supercapacitor. <i>Advanced Materials Interfaces</i> , <b>2021</b> , 8, 21004	. <b>219</b> 6	3
62	Achieving Concurrent High Energy Density and Efficiency in All-Polymer Layered Paraelectric/Ferroelectric Composites via Introducing a Moderate Layer. <i>ACS Applied Materials &amp; Amp; Interfaces</i> , <b>2021</b> , 13, 27522-27532	9.5	40
61	Structures, morphological control, and antibacterial performance of tungsten oxide thin films. <i>Ceramics International</i> , <b>2021</b> , 47, 17153-17160	5.1	40
60	Asymmetric Trilayer All-Polymer Dielectric Composites with Simultaneous High Efficiency and High Energy Density: A Novel Design Targeting Advanced Energy Storage Capacitors. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2100280	15.6	66
59	Metal-organic framework derived hollow CoFe@C composites by the tunable chemical composition for efficient microwave absorption. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 593, 370-379	9.3	31
58	Facile deposition of porous fluorine doped tin oxide by Dr. Blade method for capacitive applications. <i>Ceramics International</i> , <b>2021</b> , 47, 5487-5494	5.1	30

## (2020-2021)

57	Significantly enhanced dielectric permittivity and low loss in epoxy composites incorporating 3d W-WO3/BaTiO3 foams. <i>Journal of Materials Science</i> , <b>2021</b> , 56, 4254-4265	4.3	32
56	Greatly enhanced dielectric charge storage capabilities of layered polymer composites incorporated with low loading fractions of ultrathin amorphous iron phosphate nanosheets. <i>Journal of Materials Chemistry C</i> , <b>2021</b> , 9, 10414-10424	7.1	18
55	High potassium ion storage capacity with long cycling stability of sustainable oxygen-rich carbon nanosheets. <i>Nanoscale</i> , <b>2021</b> , 13, 2389-2398	7.7	14
54	A new strategy for achieving high K storage capacity with fast kinetics: realizing covalent sulfur-rich carbon by phosphorous doping. <i>Nanoscale</i> , <b>2021</b> , 13, 4911-4920	7.7	9
53	Salt-assisted in-situ formation of N-doped porous carbons for boosting K+ storage capacity and cycling stability. <i>New Carbon Materials</i> , <b>2021</b> , 36, 167-178	4.4	2
52	High-rate sodium storage performance enabled using hollow Co3O4 nanoparticles anchored in porous carbon nanofibers anode. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 868, 159262	5.7	4
51	Sensing selectivity of SnO2-Mn3O4 nanocomposite sensors for the detection of H2 and CO gases. <i>Surfaces and Interfaces</i> , <b>2021</b> , 25, 101190	4.1	13
50	Controllable synthesis of NiCo-LDH/Co(OH)2@PPY composite via electrodeposition at high deposition voltages for high-performance supercapacitors. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 875, 160042	5.7	4
49	Significantly enhanced high permittivity and negative permittivity in Ag/Al2O3/3D-BaTiO3/epoxy metacomposites with unique hierarchical heterogeneous microstructures. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2021</b> , 149, 106559	8.4	24
48	Facile preparation of ultralight porous carbon hollow nanoboxes for electromagnetic wave absorption. <i>Ceramics International</i> , <b>2021</b> , 47, 28014-28020	5.1	14
47	Boosting capacitance and energy density by construction NiCoO2/CoS2 nanocomposites arrays as pseudocapacitor. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 881, 160627	5.7	9
46	Tailorable high-k and negative-k percolation behaviors in PPy/P(VDF-HFP) composites. <i>Composites Communications</i> , <b>2021</b> , 28, 100945	6.7	1
45	Cellulose-derived carbon-based electrodes with high capacitance for advanced asymmetric supercapacitors. <i>Journal of Power Sources</i> , <b>2020</b> , 457, 228056	8.9	15
44	Layer-structured BaTiO3/P(VDFHFP) composites with concurrently improved dielectric permittivity and breakdown strength toward capacitive energy-storage applications. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 10257-10265	7.1	67
43	A facile way to grow NiMn-LDH sheets on KCu7S4 nanowires with synergistic effects for applications in hybrid supercapacitors. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 825, 154056	5.7	15
42	Ultrahigh discharge efficiency and improved energy density in rationally designed bilayer polyetherimide <b>B</b> aTiO3/P(VDF-HFP) composites. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 5750-5757	13	129
41	Ion implantation of copper oxide thin films; statistical and experimental results. <i>Surfaces and Interfaces</i> , <b>2020</b> , 18, 100463	4.1	62
40	Achieving excellent dielectric performance in polymer composites with ultralow filler loadings via constructing hollow-structured filler frameworks. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2020</b> , 131, 105814	8.4	80

39	Sulfur-Doped Nickel©obalt Double Hydroxide Electrodes for High-Performance Asymmetric Supercapacitors. <i>ACS Applied Energy Materials</i> , <b>2020</b> , 3, 11082-11090	6.1	14
38	Bilayer carbon nanowires/nickel cobalt hydroxides nanostructures for high-performance supercapacitors. <i>Materials Letters</i> , <b>2020</b> , 263, 127217	3.3	42
37	Electrospun hetero-CoP/FeP embedded in porous carbon nanofibers: enhanced Na kinetics and specific capacity. <i>Nanoscale</i> , <b>2020</b> , 12, 24477-24487	7.7	19
36	Nanostructured tungsten trioxide prepared at various growth temperatures for sensing applications. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 825, 154105	5.7	42
35	Fabrication of core-shell structured Ni@BaTiO3 scaffolds for polymer composites with ultrahigh dielectric constant and low loss. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2019</b> , 125, 1055	2 <sup>8.4</sup>	121
34	Tin dioxide nanoparticles with high sensitivity and selectivity for gas sensors at sub-ppm level of hydrogen gas detection. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2019</b> , 30, 14687-14694	2.1	56
33	Statistical, morphological, and corrosion behavior of PECVD derived cobalt oxide thin films. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2019</b> , 30, 21185-21198	2.1	41
32	An overview of metamaterials and their achievements in wireless power transfer. <i>Journal of Materials Chemistry C</i> , <b>2018</b> , 6, 2925-2943	7.1	135
31	Flexible Polyimide Nanocomposites with dc Bias Induced Excellent Dielectric Tunability and Unique Nonpercolative Negative- k toward Intrinsic Metamaterials. <i>ACS Applied Materials &amp; Company Series</i> , 2018, 10, 26713-26722	9.5	36
30	Achieving highly tunable negative permittivity in titanium nitride/polyimide nanocomposites via controlled DC bias. <i>Materials Letters</i> , <b>2018</b> , 231, 87-90	3.3	12
29	Polymer composites with balanced dielectric constant and loss via constructing trilayer architecture. <i>Journal of Materials Science</i> , <b>2018</b> , 53, 13230-13242	4.3	24
28	Enhancing Dielectric Performance of Poly(vinylidene fluoride) Nanocomposites via Controlled Distribution of Carbon Nanotubes and Barium Titanate Nanoparticles. <i>Engineered Science</i> , <b>2018</b> ,	3.8	26
27	Improved dielectric permittivity and retained low loss in layer-structured films via controlling interfaces. <i>Advanced Composites and Hybrid Materials</i> , <b>2018</b> , 1, 548-557	8.7	24
26	Significantly improved dielectric performances of sandwich-structured polymer composites induced by alternating positive-k and negative-k layers. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 1457	5-1458	2 <sup>91</sup>
25	Bilayer Polymer Metacomposites Containing Negative Permittivity Layer for New High-k Materials. <i>ACS Applied Materials &amp; Distriction (Containing Negative Permittivity Layer for New High-k Materials (Containing Negative Permittivity Layer for New High-k Materials). ACS Applied Materials &amp; Distriction (Containing Negative Permittivity Layer for New High-k Materials).</i>	9.5	83
24	Two-dimensional biomass-derived carbon nanosheets and MnO/carbon electrodes for high-performance Li-ion capacitors. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 15243-15252	13	110
23	Effect of Sm3+ Concentration on the Vibrational and Luminescent Properties of LaPO4. <i>Materials Science Forum</i> , <b>2016</b> , 848, 482-488	0.4	5
22	Ni/Al2O3/epoxy high-k composites with ultralow nickel content towards high-performance dielectric applications. <i>RSC Advances</i> , <b>2016</b> , 6, 43429-43435	3.7	13

## (2011-2015)

21	Tunable Electromagnetic Properties of Yttrium Iron Garnet Ceramics. <i>Materials Science Forum</i> , <b>2015</b> , 816, 113-117	0.4	1
20	Double Negative Property in Co/YIG Prepared by Low Temperature Impregnation Process. <i>Materials Science Forum</i> , <b>2015</b> , 816, 107-112	0.4	1
19	Radio-frequency permeability and permittivity spectra of copper/yttrium iron garnet cermet prepared at low temperatures. <i>Journal of the European Ceramic Society</i> , <b>2015</b> , 35, 1219-1225	6	50
18	Percolative silver/alumina composites with radio frequency dielectric resonance-induced negative permittivity. <i>RSC Advances</i> , <b>2015</b> , 5, 107307-107312	3.7	30
17	Negative permittivity behavior and magnetic performance of perovskite La1\subsetension SrxMnO3 at high-frequency. <i>Journal of Materials Chemistry C</i> , <b>2014</b> , 2, 1028-1033	7.1	81
16	Tunable Electromagnetic Properties in Co/Al2O3 Cermets Prepared by Wet Chemical Method. Journal of the American Ceramic Society, <b>2014</b> , 97, 3223-3229	3.8	63
15	Ultra low percolation threshold and significantly enhanced permittivity in porous metalleramic composites. <i>Journal of Materials Chemistry C</i> , <b>2014</b> , 2, 6752	7.1	35
14	Tunable radio-frequency negative permittivity in nickel-alumina 🛭 atural Imeta-composites. <i>Applied Physics Letters</i> , <b>2014</b> , 104, 252908	3.4	41
13	Preparation of Iron Networks Hosted in Porous Alumina with Tunable Negative Permittivity and Permeability. <i>Advanced Functional Materials</i> , <b>2013</b> , 23, 4123-4132	15.6	141
12	Microstructure and metaldielectric transition behaviour in a percolative Al2O3He composite via selective reduction. <i>RSC Advances</i> , <b>2013</b> , 3, 26110	3.7	13
11	Tunable negative permittivity behavior and conductor[hsulator transition in dual composites prepared by selective reduction reaction. <i>Journal of Materials Chemistry C</i> , <b>2013</b> , 1, 79-85	7.1	35
10	Experimental realization of simultaneous negative permittivity and permeability in Ag/Y3Fe5O12 random composites. <i>Journal of Materials Chemistry C</i> , <b>2013</b> , 1, 1633	7.1	73
9	Preparation and Characterization of E(Fe, Al)2O3 Solid Solutions by SolEel Method. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , <b>2012</b> , 22, 86-89	3.2	
8	Random composites of nickel networks supported by porous alumina toward double negative materials. <i>Advanced Materials</i> , <b>2012</b> , 24, 2349-52	24	210
7	High-Frequency Negative Permittivity from Fe/Al2O3 Composites with High Metal Contents. <i>Journal of the American Ceramic Society</i> , <b>2012</b> , 95, 67-70	3.8	44
6	Magnetic multiresonance behavior of Fe@Al2O3 nanoembedments and microstructural evolution during mechanosynthesis. <i>Journal of Alloys and Compounds</i> , <b>2011</b> , 509, 5600-5603	5.7	3
5	Microwave absorption properties of Fe@Al2O3 nanoembedments prepared by mechanosynthesis. <i>Materials Chemistry and Physics</i> , <b>2011</b> , 130, 615-618	4.4	29
4	Synthesis and Characterization of Iron Particles Hosted in Porous Alumina. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , <b>2011</b> , 21, 836-840	3.2	3

3	Evolution of EdsorptionIhsertionIK+ storage behaviors in flower-like carbons with tunable heteroatom doping and graphitic structures. <i>Sustainable Energy and Fuels</i> ,	5.8	1	
2	Simultaneous Realization of Significantly Enhanced Breakdown Strength and Moderately Enhanced Permittivity in Layered PMMA/P(VDFHFP) Nanocomposites via Inserting an Al2O3/P(VDFHFP) Layer. Journal of Physical Chemistry C,	3.8	3	
1	Recent advances in radio-frequency negative dielectric metamaterials by designing heterogeneous composites. Advanced Composites and Hybrid Materials, 1	8.7	6	