Renzo Corvo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4789926/publications.pdf

Version: 2024-02-01

156 4,040 30 57 papers citations h-index g-index

162 162 162 162 4695

times ranked

citing authors

docs citations

all docs

#	Article	IF	CITATIONS
1	Health-related quality of life 24 months after prostate cancer diagnosis: an update from the Pros-IT CNR prospective observational study. Minerva Urology and Nephrology, 2022, 74, .	1.3	5
2	The waiting time for prostate cancer treatment in Italy: analysis from the PROS-IT CNR Study. Minerva Urology and Nephrology, 2022, 74, .	1.3	1
3	Stereotactic radiotherapy (SRT) for differentiated thyroid cancer (DTC) oligometastases: an AIRO (Italian association of radiotherapy and clinical oncology) systematic review. Radiologia Medica, 2022, , 1.	4.7	6
4	Short fractionation radiotherapy for early prostate cancer in the time of COVID-19: long-term excellent outcomes from a multicenter Italian trial suggest a larger adoption in clinical practice. Radiologia Medica, 2021, 126, 142-146.	4.7	27
5	How radical prostatectomy procedures have changed over the last 10Âyears in Italy: a comparative analysis based on more than 1500 patients participating in the MIRROR-SIU/LUNA and the Pros-IT CNR study. World Journal of Urology, 2021, 39, 1445-1452.	1.2	0
6	COVID-19 safe and fully operational radiotherapy: An AIRO survey depicting the Italian landscape at the dawn of phase 2. Radiotherapy and Oncology, 2021, 155, 120-122.	0.3	5
7	The Italian Association of Radiotherapy and Oncology Recommendation for Breast Tumor Recurrence: Grades of Recommendation, Assessment, Development and Evaluation Criteria. Journal of Breast Cancer, 2021, 24, 241.	0.8	6
8	Ten Daily Fractions for Whole Breast Cancer Irradiation: Long Term Results. In Vivo, 2021, 35, 2875-2880.	0.6	0
9	Loco-regional adjuvant radiation therapy in breast cancer patients with positive axillary lymph-nodes at diagnosis (CN2) undergoing preoperative chemotherapy and with complete pathological lymph-nodes response. Development of GRADE (Grades of recommendation, assessment, Development) Tj ETQq	l b o .784	31 4 rgBT /Ove
10	Oncology (AIRO). Breast, 2021, 55, 119-127. In reply to Fiorino et al.: The central role of the radiation oncologist in the multidisciplinary & Eamp; multiprofessional model of modern radiation therapy. Radiotherapy and Oncology, 2021, 155, e20-e21.	0.3	3
11	The Prognostic Value of the New Combined Hemo-Eosinophil Inflammation Index (HEI Index): A Multicenter Analysis of Anal Cancer Patients Treated with Concurrent Chemo-Radiation. Cancers, 2021, 13, 671.	1.7	7
12	Adjuvant radiotherapy and radioiodine treatment for locally advanced differentiated thyroid cancer: systematic review and meta-analysis. Tumori, 2021, 107, 489-497.	0.6	3
13	Impact of Gastrointestinal Side Effects on Patients' Reported Quality of Life Trajectories after Radiotherapy for Prostate Cancer: Data from the Prospective, Observational Pros-IT CNR Study. Cancers, 2021, 13, 1479.	1.7	5
14	Treatment of muscle-invasive bladder cancer in patients without comorbidities and fit for surgery: Trimodality therapy vs radical cystectomy. Development of GRADE (Grades of Recommendation,) Tj ETQq0 0 0 rg and Clinical Oncology (AIRO). Critical Reviews in Oncology/Hematology, 2021, 159, 103235.	BT_/Overlo	ock 10 Tf 50 2
15	Meta-analysis of chemotherapy in head and neck cancer (MACH-NC): An update on 107 randomized trials and 19,805 patients, on behalf of MACH-NC Group. Radiotherapy and Oncology, 2021, 156, 281-293.	0.3	157
16	Development of Exhaustion and Acquisition of Regulatory Function by Infiltrating CD8+CD28â^' T Lymphocytes Dictate Clinical Outcome in Head and Neck Cancer. Cancers, 2021, 13, 2234.	1.7	8
17	Survival and toxicity of weekly cisplatin chemoradiotherapy versus three-weekly cisplatin chemoradiotherapy for head and neck cancer: A systematic review and meta-analysis endorsed by the Italian Association of Radiotherapy and Clinical Oncology (AIRO). Critical Reviews in Oncology/Hematology, 2021, 162, 103345.	2.0	9
18	Palliative radiotherapy indications during the COVID-19 pandemic and in future complex logistic settings: the NORMALITY model. Radiologia Medica, 2021, 126, 1619-1656.	4.7	33

#	Article	IF	Citations
19	Health-related quality of life 24-month after prostate cancer diagnosis: an update from the Pros-IT CNR prospective observational study. Minerva Urology and Nephrology, 2021, , .	1.3	3
20	How Can Imaging Help the Radiation Oncologist in Multiple Myeloma Treatment. Medicina (Lithuania), 2021, 57, 20.	0.8	3
21	The role of palliative interventional radiotherapy (brachytherapy) in esophageal cancer: An AIRO (Italian Association of Radiotherapy and Clinical Oncology) systematic review focused on dysphagia-free survival. Brachytherapy, 2020, 19, 104-110.	0.2	18
22	To a new normal in radiation oncology: looking back and planning forward. Tumori, 2020, 106, 440-444.	0.6	13
23	INTERACTS (INTErventional Radiotherapy ACtive Teaching School) consensus conference on sarcoma interventional radiotherapy (brachytherapy) endorsed by AIRO (Italian Association of Radiotherapy) Tj ETQq1 1 C).7 84 814 r	-gBT Overloc
24	COVID-19 outbreak and cancer radiotherapy disruption in Italy: Survey endorsed by the Italian Association of Radiotherapy and Clinical Oncology (AIRO). Radiotherapy and Oncology, 2020, 149, 89-93.	0.3	43
25	Cetuximab and Radiation Therapy Versus Cisplatin and Radiation Therapy for Locally Advanced Head and Neck Cancer: Long-Term Survival and Toxicity Outcomes of a Randomized Phase 2 Trial. International Journal of Radiation Oncology Biology Physics, 2020, 107, 469-477.	0.4	17
26	Can brachytherapy be properly considered in the clinical practice? Trilogy project: The vision of the AIRO (Italian Association of Radiotherapy and Clinical Oncology) Interventional Radiotherapy study group. Journal of Contemporary Brachytherapy, 2020, 12, 84-90.	0.4	28
27	Letter from Italy: First practical indications for radiation therapy departments during COVID-19 outbreak. International Journal of Radiation Oncology Biology Physics, 2020, 107, 597-599.	0.4	127
28	Letter to the Editor regarding ESTRO-ASTRO guidelines on lung cancer radiotherapy during COVID-19 pandemic. Radiotherapy and Oncology, 2020, 147, 229-230.	0.3	9
29	Practice Recommendations for Risk-Adapted Head and Neck Cancer Radiation Therapy During the COVID-19 Pandemic: An ASTRO-ESTRO Consensus Statement. International Journal of Radiation Oncology Biology Physics, 2020, 107, 618-627.	0.4	156
30	Overview of potential determinants of radical prostatectomy versus radiation therapy in management of clinically localized prostate cancer: results from an Italian, prospective, observational study (the) Tj ETQq0 0 0 2020, 72, 595-604.	rgBT/Ove	erlock 10 Tf 5
31	Simultaneous Integrated Boost in Once-weekly Hypofractionated Radiotherapy for Breast Cancer in the Elderly: Preliminary Evidence. In Vivo, 2019, 33, 1985-1992.	0.6	3
32	Pain REduction with bone metastases STereotactic radiotherapy (PREST): A phase III randomized multicentric trial. Trials, 2019, 20, 609.	0.7	16
33	Reirradiation of pulmonary artery intimal sarcoma: A case report. Clinical Case Reports (discontinued), 2019, 7, 1342-1346.	0.2	1
34	Applying radiation protection and safety in radiotherapy. Radiologia Medica, 2019, 124, 777-782.	4.7	11
35	Current state of interventional radiotherapy (brachytherapy) education in Italy: results of the INTERACTS survey. Journal of Contemporary Brachytherapy, 2019, 11, 48-53.	0.4	26
36	Individualized treatment of head neck squamous cell carcinoma patients aged 70 or older with radiotherapy alone or associated to cisplatin or cetuximab: impact of weekly radiation dose on loco-regional control. Medical Oncology, 2019, 36, 42.	1.2	6

#	Article	IF	CITATIONS
37	Impact of Surgical Approach on Patient-Reported Outcomes after Radical Prostatectomy: A Propensity Score-Weighted Analysis from a Multicenter, Prospective, Observational Study (The Pros-IT CNR) Tj ETQq1 1 0.784	1301& rgBT	/20verlock
38	HAPPY – Humanity Assurance Protocol in interventional radiotheraPY (brachytherapy) – an AIRO Interventional Radiotherapy Study Group project. Journal of Contemporary Brachytherapy, 2019, 11, 510-515.	0.4	7
39	Combination of novel systemic agents and radiotherapy for solid tumors – Part II: An AIRO (Italian) Tj ETQq1 1 C Reviews in Oncology/Hematology, 2019, 134, 104-119.).784314 r 2.0	gBT /Overlo
40	Non-palliative radiotherapy in ab initio oligometastatic prostate cancer: an Italian national survey. Radiologia Medica, 2019, 124, 211-217.	4.7	5
41	Combination of novel systemic agents and radiotherapy for solid tumors – part I: An AIRO (Italian) Tj ETQq1 1 0. Reviews in Oncology/Hematology, 2019, 134, 87-103.	.784314 r 2.0	gBT /Overlo 7
42	Impact of treatment expertise on the outcome of patients with head and neck cancer treated within 6 randomized trials. Head and Neck, 2018, 40, 2648-2656.	0.9	7
43	Faithful animal modelling of human glioma by using primary initiating cells and its implications for radiosensitization therapy. Scientific Reports, 2018, 8, 14191.	1.6	11
44	Tumor Size-driven Dose of Intraoperative Radiotherapy for Breast Cancer: 18 Gy Versus 21 Gy. Anticancer Research, 2018, 38, 5475-5479.	0.5	2
45	Comparison of Local Recurrence Among Early Breast Cancer Patients Treated With Electron Intraoperative Radiotherapy vs Hypofractionated Photon Radiotherapy an Observational Study. Frontiers in Oncology, 2018, 8, 207.	1.3	8
46	Cardiotoxicity Assessment After Different Adjuvant Hypofractionated Radiotherapy Concurrently Associated with Trastuzumab in Early Breast Cancer. In Vivo, 2018, 32, 879-882.	0.6	8
47	GUROPA survey: genito-urinary radiation oncology prescription attitudes. Radiologia Medica, 2018, 123, 879-884.	4.7	4
48	Disease-specific and general health-related quality of life in newly diagnosed prostate cancer patients: the Pros-IT CNR study. Health and Quality of Life Outcomes, 2018, 16, 122.	1.0	24
49	Activation of immune responses in patients with relapsed-metastatic head and neck cancer (CONFRONT) Tj ETQq cyclophosphamide. Clinical and Translational Radiation Oncology, 2018, 12, 47-52.	1 1 0.7843 0.9	314 rgBT /C 12
50	Moderate hypofractionated radiotherapy after prostatectomy for cancer patients: toxicity and clinical outcome. Cancer Management and Research, 2018, Volume 10, 473-480.	0.9	15
51	Pros-IT CNR: an Italian prostate cancer monitoring project. Aging Clinical and Experimental Research, 2017, 29, 165-172.	1.4	26
52	Neuroendocrine late effects after tailored photon radiotherapy for children with low grade gliomas: Long term correlation with tumour and treatment parameters. Radiotherapy and Oncology, 2017, 125, 241-247.	0.3	3
53	Role of radiotherapy fractionation in head and neck cancers (MARCH): an updated meta-analysis. Lancet Oncology, The, 2017, 18, 1221-1237.	5.1	226
54	The vicious circle of treatment-induced toxicities in locally advanced head and neck cancer and the impact on treatment intensity. Critical Reviews in Oncology/Hematology, 2017, 116, 82-88.	2.0	9

#	Article	IF	CITATIONS
55	Subgroup Analysis According to Human Papillomavirus Status and Tumor Site of a Randomized Phase II Trial Comparing Cetuximab and Cisplatin Combined With Radiation Therapy for Locally Advanced Head and Neck Cancer. International Journal of Radiation Oncology Biology Physics, 2017, 97, 462-472.	0.4	35
56	Quality of Life After Prostate Cancer Diagnosis: Data from the Pros-IT CNR. European Urology Focus, 2017, 3, 321-324.	1.6	15
57	Complete response in a patient with gynecological hidradenocarcinoma treated with exclusive external beam radiotherapy and brachytherapy: a case report. Journal of Contemporary Brachytherapy, 2017, 9, 572-578.	0.4	10
58	Longer intervals after neoadjuvant therapy in locally advanced rectal cancer: a monocentric experience. Annals of Oncology, 2017, 28, vi6.	0.6	0
59	Adjuvant intraoperative radiotherapy for selected breast cancers in previously irradiated women: Evidence for excellent feasibility and favorable outcomes. Reports of Practical Oncology and Radiotherapy, 2017, 22, 277-283.	0.3	14
60	Management of Nasal Septum Chondrosarcoma Occurring in Elderly: A Case Report. Cureus, 2017, 9, e1497.	0.2	5
61	A Successful Therapeutic Challenge: Local Reirradiation of Breast Cancer with a Single Dose of 18 Gy Intraoperative Radiation Therapy (IORT). Cureus, 2017, 9, e1376.	0.2	0
62	Salvage Hypofractionated Radiotherapy in a Progressive Radiation-Induced Angiosarcoma: A Case Report. Cureus, 2017, 9, e1886.	0.2	1
63	Repeated Stereotactic Radiosurgery in Brain Metastases: A Case Report. Cureus, 2017, 9, e2005.	0.2	1
64	Excellent Survival Regardless of Disease Stage in Patients with Advanced Nasopharyngeal Cancer. Tumori, 2016, 102, 381-386.	0.6	4
65	Long-Term Survival in a Patient with Head and Neck Paraganglioma Treated with Tailored Modalities for 20 Years: A Case Report. Tumori, 2016, 102, S9-S11.	0.6	4
66	Patterns of prescription and adherence to European Association of Urology guidelines on androgen deprivation therapy in prostate cancer: an Italian multicentre crossâ€sectional analysis from the Choosing Treatment for Prostate Cancer (CHOICE) study. BJU International, 2016, 117, 867-873.	1.3	23
67	Image-guided radiation therapy (IGRT): practical recommendations of Italian Association of Radiation Oncology (AIRO). Radiologia Medica, 2016, 121, 958-965.	4.7	19
68	Prevalence of Cardiovascular Disease and Osteoporosis During Androgen Deprivation Therapy Prescription Discordant to EAU Guidelines: Results From a Multicenter, Cross-sectional Analysis From the CHOsIng Treatment for Prostate canCEr (CHOICE) Study. Urology, 2016, 96, 165-170.	0.5	21
69	Quality indicators in the intensity modulated/image-guided radiotherapy era. Critical Reviews in Oncology/Hematology, 2016, 108, 52-61.	2.0	8
70	Pediatric Craniospinal Irradiation with Conventional Technique or Helical Tomotherapy: Impact of Age and Body Volume on Integral Dose. Tumori, 2016, 102, 387-392.	0.6	3
71	Radiobiology as a Basic and Clinical Medical Science: What the Physicists have Forgotten. Tumori, 2016, 102, e8-e8.	0.6	2
72	Cetuximab and Radiotherapy Versus Cisplatin and Radiotherapy for Locally Advanced Head and Neck Cancer: A Randomized Phase II Trial. Journal of Clinical Oncology, 2016, 34, 427-435.	0.8	203

#	Article	IF	Citations
73	Marrow damage and hematopoietic recovery following allogeneic bone marrow transplantation for acute leukemias: Effect of radiation dose and conditioning regimen. Radiotherapy and Oncology, 2016, 118, 65-71.	0.3	24
74	Hypofractionated irradiation of infra-supraclavicular lymph nodes after axillary dissection in patients with breast cancer post-conservative surgery: impact on late toxicity. Radiation Oncology, 2015, 10, 177.	1.2	21
75	Management of Oropharyngeal Mycosis in Head and Neck Cancer Occurring during (Chemo) Radiotherapy: An Italian Radio-Oncologist Survey. Tumori, 2015, 101, 312-317.	0.6	2
76	Novel 10-fraction Breast Irradiation in Prone and Supine Position: Technical, Dosimetric and Clinical Evaluation. Tumori, 2015, 101, 154-160.	0.6	4
77	Pharmacokinetics, pharmacodynamics and efficacy on pediatric tumors of the glioma radiosensitizer <scp>KU</scp> 60019. International Journal of Cancer, 2015, 136, 1445-1457.	2.3	45
78	Identifying locally advanced basal cell carcinoma eligible for treatment with vismodegib: an expert panel consensus. Future Oncology, 2015, 11, 703-712.	1.1	35
79	Radiosurgery with Helical Tomotherapy. Technology in Cancer Research and Treatment, 2015, 14, 693-699.	0.8	11
80	Multi-institutional Feasibility Study of a Fast Patient Localization Method in Total Marrow Irradiation With Helical Tomotherapy: A Global Health Initiative by the International Consortium of Total Marrow Irradiation. International Journal of Radiation Oncology Biology Physics, 2015, 91, 30-38.	0.4	14
81	Intensified intensity-modulated radiotherapy in anal cancer with prevalent HPV p16 positivity. World Journal of Gastroenterology, 2015, 21, 10688.	1.4	12
82	Image Guided Hypofractionated Radiotherapy by Helical Tomotherapy for Prostate Carcinoma: Toxicity and Impact on Nadir PSA. BioMed Research International, 2014, 2014, 1-9.	0.9	1
83	Technical guidelines for head and neck cancer IMRT on behalf of the Italian association of radiation oncology - head and neck working group. Radiation Oncology, 2014, 9, 264.	1.2	84
84	Predictability, efficacy and safety of radiosensitization of glioblastoma-initiating cells by the ATM inhibitor KU-60019. International Journal of Cancer, 2014, 135, 479-491.	2.3	52
85	Stereotactic Ablative Radiotherapy for stage I histologically proven non-small cell lung cancer: An Italian multicenter observational study. Lung Cancer, 2014, 84, 248-253.	0.9	73
86	Mono-institutional Italian Experience with a Double-lumen Balloon-brachytherapy Device for Early Breast Cancer: Results at a 5-year Minimum follow-up. Tumori, 2014, 100, 163-168.	0.6	2
87	Prolonged complete remission after induction chemotherapy followed by chemoradiation with tomotherapy in metastatic nasopharyngeal cancer. Anticancer Research, 2014, 34, 5075-8.	0.5	4
88	Mono-institutional Italian experience with a double-lumen balloon-brachytherapy device for early breast cancer: results at a 5-year minimum follow-up. Tumori, 2014, 100, 163-8.	0.6	1
89	Clinical and technical characteristics of intraoperative radiotherapy. Strahlentherapie Und Onkologie, 2013, 189, 729-737.	1.0	36
90	In haematopoietic SCT for acute leukemia TBI impacts on relapse but not survival: results of a multicentre observational study. Bone Marrow Transplantation, 2013, 48, 908-914.	1.3	15

#	Article	IF	CITATIONS
91	Bio-radiation dermatitis: the need of a new grading: in regard to Bernier et al: Ann Oncol 2011; 22(10): 2191–2200. Annals of Oncology, 2013, 24, 2463-2465.	0.6	13
92	Once-weekly stereotactic radiotherapy for patients with oligometastases: compliance and preliminary efficacy. Tumori, 2013, 99, 159-63.	0.6	11
93	Ablative or palliative stereotactic body radiotherapy with helical tomotherapy for primary or metastatic lung tumor. Anticancer Research, 2013, 33, 655-60.	0.5	12
94	Two different hypofractionated breast radiotherapy schedules for 113 patients with ductal carcinoma in situ: preliminary results. Anticancer Research, 2013, 33, 3503-7.	0.5	12
95	The effects on pain and activity of daily living caused by crusted exudation in patients with head and neck cancer treated with cetuximab and radiotherapy. Supportive Care in Cancer, 2012, 20, 2141-2147.	1.0	7
96	On-line optimization of intraoperative electron beam radiotherapy of the breast. Radiotherapy and Oncology, 2012, 103, 188-192.	0.3	15
97	Swallowing dysfunction in head and neck cancer patients treated by radiotherapy: Review and recommendations of the supportive task group of the Italian Association of Radiation Oncology. Cancer Treatment Reviews, 2012, 38, 1033-1049.	3.4	106
98	Advances in the implementation of helical tomotherapyâ€"based total marrow irradiation with a novel field junction technique. Medical Dosimetry, 2012, 37, 314-320.	0.4	28
99	Focus on the actual clinical target volume irradiated with intraoperative radiotherapy for breast cancer. Anticancer Research, 2012, 32, 4945-50.	0.5	3
100	Helical tomotherapy targeting total bone marrow after total body irradiation for patients with relapsed acute leukemia undergoing an allogeneic stem cell transplant. Radiotherapy and Oncology, 2011, 98, 382-386.	0.3	62
101	Preliminary Experience Using Oncoplastic Techniques of Reduction Mammaplasty and Intraoperative Radiotherapy: Report of 2 Cases. Aesthetic Plastic Surgery, 2011, 35, 1180-1183.	0.5	8
102	Cisplatin-based chemoradiation plus cetuximab in locally advanced head and neck cancer: a phase II clinical study. Annals of Oncology, 2011, 22, 712-717.	0.6	67
103	A biologically competitive 21 days hypofractionation scheme with weekly concomitant boost in breast cancer radiotherapy feasibility acute sub-acute and short term late effects. Radiation Oncology, 2010, 5, 111.	1.2	19
104	Chemo-Radiation Association in Head and Neck Squamous Cell Carcinoma: Evidences and Criticisms. Current Drug Therapy, 2010, 5, 164-171.	0.2	0
105	Adjuvant hypofractionated radiotherapy with weekly concomitant boost for women with early breast cancer: the clinical experience at Genoa university. Anticancer Research, 2010, 30, 4749-53.	0.5	23
106	Adoptive immunotherapy mediated by ex vivo expanded natural killer T cells against CD1d-expressing lymphoid neoplasms. Haematologica, 2009, 94, 967-974.	1.7	19
107	Accelerated Partial Breast Irradiation Via the Mammosite \hat{A}^{\otimes} Catheter: Preliminary Reports of a Single-Institution Experience. Breast Journal, 2009, 15, 603-609.	0.4	5
108	Effects of fluconazole in the prophylaxis of oropharyngeal candidiasis in patients undergoing radiotherapy for head and neck tumour: results from a double-blind placebo-controlled trial. European Journal of Cancer Care, 2008, 17, 270-277.	0.7	17

#	Article	IF	CITATIONS
109	Induction chemotherapy followed by alternating chemo-radiotherapy in non-endemic undifferentiated carcinoma of the nasopharynx: Optimal compliance and promising 4-year results. Oral Oncology, 2008, 44, 767-774.	0.8	6
110	A phase II trial of low-dose gemcitabine and radiation alternated to cisplatin and 5-fluorouracil: An active and manageable regimen for stage IV squamous cell carcinoma of the head and neck. Radiotherapy and Oncology, 2008, 89, 44-50.	0.3	7
111	The Susceptibility of Candida albicans to Gamma-Radiations and Ketoconazole Depends on Transitional Filamentation. Open Microbiology Journal, 2008, 2, 66-73.	0.2	2
112	Evidence-based radiation oncology in head and neck squamous cell carcinoma. Radiotherapy and Oncology, 2007, 85, 156-170.	0.3	152
113	Capecitabine in combination with preoperative radiation therapy in locally advanced, resectable, rectal cancer: a multicentric phase II study. Annals of Oncology, 2006, 17, 246-251.	0.6	114
114	Kidney-Sparing Radiotherapy by Multiple-Field Three-Dimensional Technique in the Postoperative Management of Patients with Gastric Cancer: Comparison with Standard Two-Field Conformal Technique. Tumori, 2006, 92, 34-40.	0.6	7
115	Altered Fractionation Radiotherapy in Head and Neck Cancer: Clinical Issues and Pitfalls of â∈∞Evidence-Based Medicine― Tumori, 2005, 91, 30-39.	0.6	4
116	Alternating gemcitabine and cisplatin with gemcitabine and radiation in stage IV squamous cell carcinoma of the head and neck. Annals of Oncology, 2004, 15 , $646-652$.	0.6	25
117	Endothelial cells increase the radiosensitivity of oropharyngeal squamous carcinoma cells in collagen gel. Oral Oncology, 2004, 40, 214-222.	0.8	5
118	Is one Gy equal to one Gy in chemo-radiotherapy or hormono-radiotherapy?. Rays, 2004, 29, 287-9.	0.2	0
119	Retinoic acid modulates the radiosensitivity of head-and-neck squamous carcinoma cells grown in collagen gel. International Journal of Radiation Oncology Biology Physics, 2002, 53, 1319-1327.	0.4	17
120	Low-dose fractionated total body irradiation (TBI) adversely affects prognosis of patients with leukemia receiving an HLA-matched allogeneic bone marrow transplant from an unrelated donor (UD-BMT). Bone Marrow Transplantation, 2002, 30, 717-723.	1.3	20
121	Biological Predictors of Response to Radiotherapy in Head and Neck Cancer: Recent Advances and Emerging Perspectives. Tumori, 2001, 87, 355-363.	0.6	18
122	Gemcitabine, Cisplatin, and Radiation in Advanced, Unresectable Squamous Cell Carcinoma of the Head and Neck. American Journal of Clinical Oncology: Cancer Clinical Trials, 2001, 24, 618-622.	0.6	27
123	Alternating chemoradiotherapy versus partly accelerated radiotherapy in locally advanced squamous cell carcinoma of the head and neck. Cancer, 2001, 92, 2856-2867.	2.0	54
124	New chemoradiotherapy combinations in head and neck cancer. Expert Review of Anticancer Therapy, 2001, 1, 111-115.	1.1	5
125	Co-culture with human fibroblasts increases the radiosensitivity of MCF-7 mammary carcinoma cells in collagen gels., 2000, 85, 667-673.		16
126	The combined effect of total body irradiation (TBI) and cyclosporin A (CyA) on the risk of relapse in patients with acute myeloid leukaemia undergoing allogeneic bone marrow transplantation. British Journal of Haematology, 2000, 108, 99-104.	1.2	46

#	Article	IF	Citations
127	Evidence of cell kinetics as predictive factor of response to radiotherapy alone or chemoradiotherapy in patients with advanced head and neck cancer. International Journal of Radiation Oncology Biology Physics, 2000, 47, 57-63.	0.4	16
128	Induction chemotherapy followed by alternating chemo-radiotherapy in stage IV undifferentiated nasopharyngeal carcinoma. British Journal of Cancer, 2000, 83, 1437-1442.	2.9	11
129	Hamming clustering techniques for the identification of prognostic indices in patients with advanced head and neck cancer treated with radiation therapy. Medical and Biological Engineering and Computing, 2000, 38, 483-486.	1.6	8
130	Cell Kinetics Analysis in Patients Affected by Squamous Cell Carcinoma of the Head and Neck Treated with Primary Surgery and Adjuvant Radiotherapy. Tumori, 2000, 86, 53-58.	0.6	1
131	Laryngeal long-term morbidity after supraglottic laryngectomy and postoperative radiation therapy. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2000, 21, 14-21.	0.6	31
132	Total body irradiation correlates with chronic graft versus host disease and affects prognosis of patients with acute lymphoblastic leukemia receiving an HLA identical allogeneic bone marrow transplant. International Journal of Radiation Oncology Biology Physics, 1999, 43, 497-503.	0.4	25
133	Chemotherapy alternated with radiotherapy in the treatment of advanced head and neck carcinoma: predictive factors of outcome. International Journal of Radiation Oncology Biology Physics, 1999, 44, 139-147.	0.4	9
134	Management of the neck after alternating chemoradiotherapy for advanced head and neck cancer., 1999, 21, 223-228.		41
135	The value of pretreatment cell kinetic parameters as predictors for radiotherapy outcome in head and neck cancer: a multicenter analysis. Radiotherapy and Oncology, 1999, 50, 13-23.	0.3	139
136	Biological and Clinical Implications for Multimodality Treatment in Patients Affected by Squamous Cell Carcinoma of the Head and Neck. Tumori, 1998, 84, 217-222.	0.6	3
137	Treatment with cisplatin and fluorouracil alternating with radiation favourably affects prognosis of inoperable squamous cell carcinoma of the head and neck: Results of a multivariate analysis on 273 patients. Annals of Oncology, 1997, 8, 773-779.	0.6	30
138	Bone marrow transplantation for chronic myeloid leukemia (CML) from unrelated and sibling donors: single center experience. Bone Marrow Transplantation, 1997, 20, 1057-1062.	1.3	34
139	Cell kinetics and tumor regression during radiotherapy in head and neck squamous-cell carcinomas. , 1996, 68, 151-155.		21
140	Postoperative radiotherapy for head and neck squamous cell carcinomas: Feasibility of a biphasic accelerated treatment schedule. International Journal of Radiation Oncology Biology Physics, 1996, 36, 1147-1153.	0.4	15
141	In vivo cell kinetics in head and neck squamous cell carcinomas predicts local control and helps guide radiotherapy regimen Journal of Clinical Oncology, 1995, 13, 1843-1850.	0.8	82
142	Potential doubling time in head and neck tumors treated by primary radiotherapy: Preliminary evidence for a prognostic significance in local control. International Journal of Radiation Oncology Biology Physics, 1993, 27, 1165-1172.	0.4	43
143	Circulating Lymphocyte Subsets after Total Lymphoid Irradiation in Chronic Progressive Multiple Sclerosis. Annals of the New York Academy of Sciences, 1993, 677, 458-461.	1.8	0
144	Treatment of Advanced Squamous-Cell Carcinoma of the Head and Neck with Alternating Chemotherapy and Radiotherapy. New England Journal of Medicine, 1992, 327, 1115-1121.	13.9	285

#	Article	lF	CITATIONS
145	Treatment of orbital non-Hodgkin's lymphomas: Role of radiotherapy. Orbit, 1992, 11, 189-191.	0.5	O
146	Autologous and allogeneic bone marrow transplantation in acute myeloid leukemia in first complete remission: an update of the Genoa experience with 159 patients. Annals of Hematology, 1992, 64, 128-131.	0.8	29
147	Combined chemotherapy and radiation therapy in advanced inoperable squamous cell carcinoma of the head and neck. The final report of a randomized trial. Cancer, 1991, 67, 915-921.	2.0	99
148	Autologous Unpurged Bone Marrow Transplantation for Acute Non Lymphoblastic Leukemia in First Remission. Leukemia and Lymphoma, 1991, 5, 43-47.	0.6	3
149	Integration of chemotherapy in an MFD-radiotherapy plan for advanced inoperable squamous cell carcinoma of the head and neck. Head and Neck, 1990, 12, 60-65.	0.9	6
150	Total body irradiation before allogeneic and autologous bone marrow transplantation: A ten year Genoa experience. Radiotherapy and Oncology, 1990, 18, 135-138.	0.3	4
151	The effect of total body irradiation dose and chronic graft-versus-host disease on leukaemic relapse after allogeneic bone marrow transplantation. British Journal of Haematology, 1989, 73, 211-216.	1.2	28
152	Total body irradiation in acute myeloid leukemia and chronic myelogenous leukemia: influence of dose and dose-rate on leukemia relapse. International Journal of Radiation Oncology Biology Physics, 1989, 17, 547-552.	0.4	41
153	Tissue Air Ratio in Total Body Irradiation an in Vivo Evaluation. Acta Oncológica, 1989, 28, 283-285.	0.8	0
154	Alternating Cisplatin-5-Fluorouracil and Radiotherapy in Head and Neck Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 1988, 11, 538-542.	0.6	32
155	Sequential versus alternating chemotherapy and radiotherapy in stage III-IV squamous cell carcinoma of the head and neck: a phase III study Journal of Clinical Oncology, 1988, 6, 627-632.	0.8	47
156	Bone Marrow Transplantation (BMT) for Acute Nonlymphoid Leukemia (ANLL) in First Remission. Acta Haematologica, 1985, 74, 23-26.	0.7	6