

# Manal F Abdelmalek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4790115/publications.pdf>

Version: 2024-02-01

143  
papers

20,542  
citations

13827

67  
h-index

10708

138  
g-index

145  
all docs

145  
docs citations

145  
times ranked

16665  
citing authors

#	ARTICLE	IF	CITATIONS
1	Farnesoid X nuclear receptor ligand obeticholic acid for non-cirrhotic, non-alcoholic steatohepatitis (FLINT): a multicentre, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2015, 385, 956-965.	6.3	1,840
2	MAFLD: A Consensus-Driven Proposed Nomenclature for Metabolic Associated Fatty Liver Disease. <i>Gastroenterology</i> , 2020, 158, 1999-2014.e1.	0.6	1,840
3	Elafibranor, an Agonist of the Peroxisome Proliferator-Activated Receptor $\alpha$ and $\beta$ , Induces Resolution of Nonalcoholic Steatohepatitis Without Fibrosis Worsening. <i>Gastroenterology</i> , 2016, 150, 1147-1159.e5.	0.6	847
4	Obeticholic acid for the treatment of non-alcoholic steatohepatitis: interim analysis from a multicentre, randomised, placebo-controlled phase 3 trial. <i>Lancet, The</i> , 2019, 394, 2184-2196.	6.3	818
5	Fructose consumption as a risk factor for non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2008, 48, 993-999.	1.8	718
6	Fructose and sugar: A major mediator of non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2018, 68, 1063-1075.	1.8	617
7	Increased fructose consumption is associated with fibrosis severity in patients with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2010, 51, 1961-1971.	3.6	609
8	Sex Differences in Nonalcoholic Fatty Liver Disease: State of the Art and Identification of Research Gaps. <i>Hepatology</i> , 2019, 70, 1457-1469.	3.6	547
9	A randomized, placebo-controlled trial of cenicriviroc for treatment of nonalcoholic steatohepatitis with fibrosis. <i>Hepatology</i> , 2018, 67, 1754-1767.	3.6	528
10	Betaine, a promising new agent for patients with nonalcoholic steatohepatitis: results of a pilot study. <i>American Journal of Gastroenterology</i> , 2001, 96, 2711-2717.	0.2	391
11	Pegbelfermin (BMS-986036), a PEGylated fibroblast growth factor 21 analogue, in patients with non-alcoholic steatohepatitis: a randomised, double-blind, placebo-controlled, phase 2a trial. <i>Lancet, The</i> , 2018, 392, 2705-2717.	6.3	374
12	Relationship Between Methylome and Transcriptome in Patients With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2013, 145, 1076-1087.	0.6	340
13	NGM282 for treatment of non-alcoholic steatohepatitis: a multicentre, randomised, double-blind, placebo-controlled, phase 2 trial. <i>Lancet, The</i> , 2018, 391, 1174-1185.	6.3	338
14	Vibration-Controlled Transient Elastography to Assess Fibrosis and Steatosis in Patients With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 156-163.e2.	2.4	322
15	Noninvasive evaluation of hepatic fibrosis using acoustic radiation force-based shear stiffness in patients with nonalcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2011, 55, 666-672.	1.8	318
16	A Randomized, Controlled Trial of the Pan-PPAR Agonist Lanifibranor in NASH. <i>New England Journal of Medicine</i> , 2021, 385, 1547-1558.	13.9	284
17	No Significant Effects of Ethyl-Eicosapentanoic Acid on Histologic Features of Nonalcoholic Steatohepatitis in a Phase 2 Trial. <i>Gastroenterology</i> , 2014, 147, 377-384.e1.	0.6	260
18	Hepatic gene expression profiles differentiate presymptomatic patients with mild versus severe nonalcoholic fatty liver disease. <i>Hepatology</i> , 2014, 59, 471-482.	3.6	256

#	ARTICLE	IF	CITATIONS
19	Simtuzumab Is Ineffective for Patients With Bridging Fibrosis or Compensated Cirrhosis Caused by Nonalcoholic Steatohepatitis. <i>Gastroenterology</i> , 2018, 155, 1140-1153.	0.6	253
20	Gender and menopause impact severity of fibrosis among patients with nonalcoholic steatohepatitis. <i>Hepatology</i> , 2014, 59, 1406-1414.	3.6	250
21	High-fat and high-sucrose (western) diet induces steatohepatitis that is dependent on fructokinase. <i>Hepatology</i> , 2013, 58, 1632-1643.	3.6	249
22	Hedgehog-Mediated Epithelial-to-Mesenchymal Transition and Fibrogenic Repair in Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2009, 137, 1478-1488.e8.	0.6	232
23	NKT-associated hedgehog and osteopontin drive fibrogenesis in non-alcoholic fatty liver disease. <i>Gut</i> , 2012, 61, 1323-1329.	6.1	231
24	Clinical Care Pathway for the Risk Stratification and Management of Patients With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2021, 161, 1657-1669.	0.6	229
25	Genicriviroc Treatment for Adults With Nonalcoholic Steatohepatitis and Fibrosis: Final Analysis of the Phase 2b CENTAUR Study. <i>Hepatology</i> , 2020, 72, 892-905.	3.6	227
26	The Natural History of Advanced Fibrosis Due to Nonalcoholic Steatohepatitis: Data From the Simtuzumab Trials. <i>Hepatology</i> , 2019, 70, 1913-1927.	3.6	226
27	Osteopontin is induced by hedgehog pathway activation and promotes fibrosis progression in nonalcoholic steatohepatitis. <i>Hepatology</i> , 2011, 53, 106-115.	3.6	224
28	Effects of Belapectin, an Inhibitor of Galectin-3, in Patients With Nonalcoholic Steatohepatitis With Cirrhosis and Portal Hypertension. <i>Gastroenterology</i> , 2020, 158, 1334-1345.e5.	0.6	203
29	Performance characteristics of vibration-controlled transient elastography for evaluation of nonalcoholic fatty liver disease. <i>Hepatology</i> , 2018, 67, 134-144.	3.6	192
30	Betaine for nonalcoholic fatty liver disease: Results of a randomized placebo-controlled trial. <i>Hepatology</i> , 2009, 50, 1818-1826.	3.6	185
31	Hedgehog pathway activation parallels histologic severity of injury and fibrosis in human nonalcoholic fatty liver disease. <i>Hepatology</i> , 2012, 55, 1711-1721.	3.6	185
32	Nonalcoholic steatohepatitis: the role of peroxisome proliferator-activated receptors. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021, 18, 24-39.	8.2	174
33	Increased production of sonic hedgehog by ballooned hepatocytes. <i>Journal of Pathology</i> , 2011, 224, 401-410.	2.1	150
34	Higher dietary fructose is associated with impaired hepatic adenosine triphosphate homeostasis in obese individuals with type 2 diabetes. <i>Hepatology</i> , 2012, 56, 952-960.	3.6	150
35	Longitudinal correlations between MRE, MRI-PDFF, and liver histology in patients with non-alcoholic steatohepatitis: Analysis of data from a phase II trial of selonsertib. <i>Journal of Hepatology</i> , 2019, 70, 133-141.	1.8	149
36	One-year protocol liver biopsy can stratify fibrosis progression in liver transplant recipients with recurrent hepatitis C infection. <i>Liver Transplantation</i> , 2004, 10, 1240-1247.	1.3	146

#	ARTICLE	IF	CITATIONS
37	Cyclosporine suppresses hepatitis C virus in vitro and increases the chance of a sustained virological response after liver transplantation. <i>Liver Transplantation</i> , 2006, 12, 51-57.	1.3	146
38	Diagnostic Accuracy of Noninvasive Fibrosis Models to Detect Change in Fibrosis Stage. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1877-1885.e5.	2.4	145
39	A phase 2, randomized, double-blind, placebo-controlled study of GS-9450 in subjects with nonalcoholic steatohepatitis. <i>Hepatology</i> , 2012, 55, 419-428.	3.6	141
40	Anti[ndash ]Interleukin-2 receptor therapy in combination with mycophenolate mofetil is associated with more severe hepatitis C recurrence after liver transplantation. <i>Liver Transplantation</i> , 2001, 7, 1064-1070.	1.3	139
41	Nonalcoholic Fatty Liver Disease as a Complication of Insulin Resistance. <i>Medical Clinics of North America</i> , 2007, 91, 1125-1149.	1.1	136
42	Sustained viral response to interferon and ribavirin in liver transplant recipients with recurrent hepatitis C. <i>Liver Transplantation</i> , 2004, 10, 199-207.	1.3	135
43	Derivation and analysis of viscoelastic properties in human liver: impact of frequency on fibrosis and steatosis staging. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2015, 62, 165-175.	1.7	128
44	A longer duration of estrogen deficiency increases fibrosis risk among postmenopausal women with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2016, 64, 85-91.	3.6	128
45	Long-term interleukin 10 therapy in chronic hepatitis C patients has a proviral and anti-inflammatory effect. <i>Hepatology</i> , 2003, 38, 859-868.	3.6	126
46	Case definitions for inclusion and analysis of endpoints in clinical trials for nonalcoholic steatohepatitis through the lens of regulatory science. <i>Hepatology</i> , 2018, 67, 2001-2012.	3.6	125
47	Combination of interferon alfa-2b and ribavirin in liver transplant recipients with histological recurrent hepatitis C. <i>Liver Transplantation</i> , 2002, 8, 1000-1006.	1.3	123
48	Associations of depression, anxiety and antidepressants with histological severity of nonalcoholic fatty liver disease. <i>Liver International</i> , 2013, 33, 1062-1070.	1.9	123
49	Whipple's arthritis: Direct detection of <i>Tropheryma whippelii</i> in synovial fluid and tissue. <i>Arthritis and Rheumatism</i> , 1999, 42, 812-817.	6.7	110
50	Nonalcoholic Fatty Liver Disease in Women. <i>Women's Health</i> , 2009, 5, 191-203.	0.7	110
51	Randomized placebo-controlled trial of emricasan for non-alcoholic steatohepatitis-related cirrhosis with severe portal hypertension. <i>Journal of Hepatology</i> , 2020, 72, 885-895.	1.8	107
52	Two Cases from the Spectrum of Nonalcoholic Steatohepatitis. <i>Journal of Clinical Gastroenterology</i> , 1995, 20, 127-130.	1.1	105
53	Sirolimus Conversion Regimen Versus Continued Calcineurin Inhibitors in Liver Allograft Recipients: A Randomized Trial. <i>American Journal of Transplantation</i> , 2012, 12, 694-705.	2.6	104
54	Genecriviroc for the treatment of liver fibrosis in adults with nonalcoholic steatohepatitis: AURORA Phase 3 study design. <i>Contemporary Clinical Trials</i> , 2020, 89, 105922.	0.8	92

#	ARTICLE	IF	CITATIONS
55	Low and High Birth Weights Are Risk Factors for Nonalcoholic Fatty Liver Disease in Children. <i>Journal of Pediatrics</i> , 2017, 187, 141-146.e1.	0.9	91
56	Nonalcoholic fatty liver disease: another leap forward. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021, 18, 85-86.	8.2	89
57	<i>Tropheryma whippelii</i> DNA Is Rare in the Intestinal Mucosa of Patients without Other Evidence of Whipple Disease. <i>Annals of Internal Medicine</i> , 2001, 134, 115.	2.0	88
58	A Comparison of Tacrolimus and Cyclosporine in Liver Transplantation: Effects on Renal Function and Cardiovascular Risk Status. <i>American Journal of Transplantation</i> , 2005, 5, 1111-1119.	2.6	83
59	Comparison of free fructose and glucose to sucrose in the ability to cause fatty liver. <i>European Journal of Nutrition</i> , 2010, 49, 1-9.	1.8	83
60	Short Recovery Time After Percutaneous Liver Biopsy: Should We Change Our Current Practices?. <i>Clinical Gastroenterology and Hepatology</i> , 2005, 3, 926-929.	2.4	82
61	Multicenter Validation of Association Between Decline in MRI-PDF and Histologic Response in NASH. <i>Hepatology</i> , 2020, 72, 1219-1229.	3.6	79
62	Familial Aggregation of Insulin Resistance in First-Degree Relatives of Patients With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2006, 4, 1162-1169.	2.4	74
63	Association Between Puberty and Features of Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2012, 10, 786-794.	2.4	74
64	Factors Associated With Histologic Response in Adult Patients With Nonalcoholic Steatohepatitis. <i>Gastroenterology</i> , 2019, 156, 88-95.e5.	0.6	73
65	Costaining for keratins 8/18 plus ubiquitin improves detection of hepatocyte injury in nonalcoholic fatty liver disease. <i>Human Pathology</i> , 2012, 43, 790-800.	1.1	70
66	Standardisation of diet and exercise in clinical trials of NAFLD-NASH: Recommendations from the Liver Forum. <i>Journal of Hepatology</i> , 2020, 73, 680-693.	1.8	69
67	Patient Sex, Reproductive Status, and Synthetic Hormone Use Associate With Histologic Severity of Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 127-131.e2.	2.4	66
68	Histologic Findings of Advanced Fibrosis and Cirrhosis in Patients With Nonalcoholic Fatty Liver Disease Who Have Normal Aminotransferase Levels. <i>American Journal of Gastroenterology</i> , 2019, 114, 1626-1635.	0.2	65
69	Role of Noninvasive Tests in Clinical Gastroenterology Practices to Identify Patients With Nonalcoholic Steatohepatitis at High Risk of Adverse Outcomes: Expert Panel Recommendations. <i>American Journal of Gastroenterology</i> , 2021, 116, 254-262.	0.2	65
70	Treatment response in the PIVENS trial is associated with decreased hedgehog pathway activity. <i>Hepatology</i> , 2015, 61, 98-107.	3.6	63
71	Hedgehog pathway and pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2013, 57, 1814-1825.	3.6	60
72	Rosuvastatin improves the FGF19 analogue NGM282-associated lipid changes in patients with non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2019, 70, 735-744.	1.8	60

#	ARTICLE	IF	CITATIONS
73	Serum Interleukin-8, Osteopontin, and Monocyte Chemoattractant Protein 1 Are Associated With Hepatic Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. <i>Hepatology Communications</i> , 2018, 2, 1344-1355.	2.0	58
74	Increased Glutaminolysis Marks Active Scarring in Nonalcoholic Steatohepatitis Progression. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 10, 1-21.	2.3	58
75	Epithelia-Sensory Neuron Cross Talk Underlies Cholestatic Itch Induced by Lysophosphatidylcholine. <i>Gastroenterology</i> , 2021, 161, 301-317.e16.	0.6	57
76	Association Between Magnetic Resonance Imaging-Quantified Proton Density Fat Fraction and Liver Histology Features in Patients With Nonalcoholic Fatty Liver Disease or Nonalcoholic Steatohepatitis. <i>Gastroenterology</i> , 2018, 155, 1428-1435.e2.	0.6	55
77	Glycemic Control Predicts Severity of Hepatocyte Ballooning and Hepatic Fibrosis in Nonalcoholic Fatty Liver Disease. <i>Hepatology</i> , 2021, 74, 1220-1233.	3.6	54
78	Repair-Related Activation of Hedgehog Signaling in Stromal Cells Promotes Intrahepatic Hypothyroidism. <i>Endocrinology</i> , 2014, 155, 4591-4601.	1.4	53
79	The conundrum of cryptogenic cirrhosis: Adverse outcomes without treatment options. <i>Journal of Hepatology</i> , 2018, 69, 1365-1370.	1.8	51
80	Relationship between three commonly used non-invasive fibrosis biomarkers and improvement in fibrosis stage in patients with non-alcoholic steatohepatitis. <i>Liver International</i> , 2019, 39, 924-932.	1.9	47
81	Cirrhosis regression is associated with improved clinical outcomes in patients with nonalcoholic steatohepatitis. <i>Hepatology</i> , 2022, 75, 1235-1246.	3.6	45
82	Vitamin D is Not Associated With Severity in NAFLD: Results of a Paired Clinical and Gene Expression Profile Analysis. <i>American Journal of Gastroenterology</i> , 2016, 111, 1591-1598.	0.2	43
83	Relationship of Nonalcoholic Fatty Liver Disease and Heart Failure With Preserved Ejection Fraction. <i>JACC Basic To Translational Science</i> , 2021, 6, 918-932.	1.9	41
84	Genetic signatures in choline and 1-carbon metabolism are associated with the severity of hepatic steatosis. <i>FASEB Journal</i> , 2013, 27, 1674-1689.	0.2	40
85	Analyzing the Impact of Increasing Mechanical Index and Energy Deposition on Shear Wave Speed Reconstruction in Human Liver. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1948-1957.	0.7	40
86	Systematic transcriptome analysis reveals elevated expression of alcohol-metabolizing genes in NAFLD livers. <i>Journal of Pathology</i> , 2016, 238, 531-542.	2.1	40
87	Aldafermin in patients with non-alcoholic steatohepatitis (ALPINE 2/3): a randomised, double-blind, placebo-controlled, phase 2b trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2022, 7, 603-616.	3.7	40
88	The FALCON program: Two phase 2b randomized, double-blind, placebo-controlled studies to assess the efficacy and safety of pegbelfermin in the treatment of patients with nonalcoholic steatohepatitis and bridging fibrosis or compensated cirrhosis. <i>Contemporary Clinical Trials</i> , 2021, 104, 106335.	0.8	38
89	Succinate-GPR11 receptor signalling is responsible for nonalcoholic steatohepatitis-associated fibrosis: Effects of DHA supplementation. <i>Liver International</i> , 2020, 40, 830-843.	1.9	34
90	Emricasan to prevent new decompensation in patients with NASH-related decompensated cirrhosis. <i>Journal of Hepatology</i> , 2021, 74, 274-282.	1.8	34

#	ARTICLE	IF	CITATIONS
91	Subclinical reactivation of hepatitis B virus in liver transplant recipients with past exposure. <i>Liver Transplantation</i> , 2003, 9, 1253-1257.	1.3	33
92	Impact of implementation of the MELD scoring system on the prevalence and incidence of chronic renal disease following liver transplantation. <i>Liver Transplantation</i> , 2006, 12, 754-761.	1.3	32
93	Lisinopril-induced isolated visceral angioedema: review of ACE-inhibitor-induced small bowel angioedema. <i>Digestive Diseases and Sciences</i> , 1997, 42, 847-850.	1.1	31
94	Validation of Serum Test for Advanced Liver Fibrosis in Patients With Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1867-1876.e3.	2.4	31
95	Dysregulation of the ESRP2-NF2-YAP/TAZ axis promotes hepatobiliary carcinogenesis in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2021, 75, 623-633.	1.8	28
96	Successful Treatment of Chronic Hepatitis C With Pegylated Interferon, Ribavirin, and Infliximab in a Patient with Crohn's Disease. <i>American Journal of Gastroenterology</i> , 2007, 102, 1333-1334.	0.2	26
97	Posttransplant Outcome of Lean Compared With Obese Nonalcoholic Steatohepatitis in the United States: The Obesity Paradox. <i>Liver Transplantation</i> , 2020, 26, 68-79.	1.3	26
98	Expression of mitochondrial membrane-linked SAB determines severity of sex-dependent acute liver injury. <i>Journal of Clinical Investigation</i> , 2019, 129, 5278-5293.	3.9	26
99	Testosterone is Associated With Nonalcoholic Steatohepatitis and Fibrosis in Premenopausal Women With NAFLD. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1267-1274.e1.	2.4	25
100	A Machine Learning Approach to Liver Histological Evaluation Predicts Clinically Significant Portal Hypertension in NASH Cirrhosis. <i>Hepatology</i> , 2021, 74, 3146-3160.	3.6	25
101	Association of liver fibrosis risk scores with clinical outcomes in patients with heart failure with preserved ejection fraction: findings from TOPCAT. <i>ESC Heart Failure</i> , 2021, 8, 842-848.	1.4	24
102	De Novo and Recurrence of Nonalcoholic Steatohepatitis After Liver Transplantation. <i>Clinics in Liver Disease</i> , 2017, 21, 321-335.	1.0	23
103	Regional Anthropometric Measures and Hepatic Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2010, 8, 1062-1069.	2.4	21
104	PAR2 controls cholesterol homeostasis and lipid metabolism in nonalcoholic fatty liver disease. <i>Molecular Metabolism</i> , 2019, 29, 99-113.	3.0	20
105	Validation of the accuracy of the FAST <sub>1</sub> score for detecting patients with at-risk nonalcoholic steatohepatitis (NASH) in a North American cohort and comparison to other non-invasive algorithms. <i>PLoS ONE</i> , 2022, 17, e0266859.	1.1	20
106	The clinical and economic burden of NAFLD: time to turn the tide. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2016, 13, 685-686.	8.2	19
107	Branched chain amino acid transaminase 1 (BCAT1) is overexpressed and hypomethylated in patients with non-alcoholic fatty liver disease who experience adverse clinical events: A pilot study. <i>PLoS ONE</i> , 2018, 13, e0204308.	1.1	17
108	Treatment of Chronic Hepatitis C With Interferon With or Without Ursodeoxycholic Acid. <i>Journal of Clinical Gastroenterology</i> , 1998, 26, 130-134.	1.1	17

#	ARTICLE	IF	CITATIONS
109	A Pilot Genome-Wide Analysis Study Identifies Loci Associated With Response to Obeticholic Acid in Patients With NASH. <i>Hepatology Communications</i> , 2019, 3, 1571-1584.	2.0	16
110	Tackling Nonalcoholic Fatty Liver Disease: Three Targeted Populations. <i>Hepatology</i> , 2021, 73, 1199-1206.	3.6	16
111	Serum Bile Acid, Vitamin E, and Serotonin Metabolites Are Associated With Future Liver-Related Events in Nonalcoholic Fatty Liver Disease. <i>Hepatology Communications</i> , 2021, 5, 608-617.	2.0	15
112	Betaine Resolves Severe Alcohol-Induced Hepatitis and Steatosis Following Liver Transplantation. <i>Digestive Diseases and Sciences</i> , 2006, 51, 1226-1229.	1.1	14
113	IL28B rs12979860 is not associated with histologic features of NAFLD in a cohort of Caucasian North American patients. <i>Journal of Hepatology</i> , 2013, 58, 402-403.	1.8	13
114	Metabolic syndrome following liver transplantation in nonalcoholic steatohepatitis. <i>Translational Gastroenterology and Hepatology</i> , 2021, 6, 13-13.	1.5	13
115	Angiotensin-converting enzyme inhibitor-induced isolated visceral angioedema in a liver transplant recipient. <i>Transplantation</i> , 2003, 75, 730-732.	0.5	12
116	Sex and Menopause Modify the Effect of Single Nucleotide Polymorphism Genotypes on Fibrosis in NAFLD. <i>Hepatology Communications</i> , 2021, 5, 598-607.	2.0	12
117	Rectal Bleeding from a Mucous Fistula Secondary to a Dieulafoy's Lesion. <i>Journal of Clinical Gastroenterology</i> , 1997, 24, 259-261.	1.1	12
118	Perceptions of Exercise and Its Challenges in Patients With Nonalcoholic Fatty Liver Disease: A Survey-Based Study. <i>Hepatology Communications</i> , 2022, 6, 334-344.	2.0	12
119	The role of bariatric surgery in the management of nonalcoholic steatohepatitis. <i>Current Opinion in Gastroenterology</i> , 2021, 37, 208-215.	1.0	11
120	De Novo nonalcoholic fatty liver disease after liver transplantation. <i>Liver Transplantation</i> , 2007, 13, 788-790.	1.3	10
121	Exercise Training as Treatment of Nonalcoholic Fatty Liver Disease. <i>Journal of Functional Morphology and Kinesiology</i> , 2017, 2, 35.	1.1	10
122	Liver Transplantation for Nonalcoholic Steatohepatitis: Pathophysiology of Recurrence and Clinical Challenges. <i>Digestive Diseases and Sciences</i> , 2019, 64, 3413-3430.	1.1	10
123	PAR2 promotes impaired glucose uptake and insulin resistance in NAFLD through GLUT2 and Akt interference. <i>Hepatology</i> , 2022, 76, 1778-1793.	3.6	10
124	Comparison of clinical prediction rules for ruling out cirrhosis in nonalcoholic fatty liver disease (<sc>NAFLD</sc>). <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 1441-1451.	1.9	9
125	79-Year-Old Woman With Blue Toes. <i>Mayo Clinic Proceedings</i> , 1995, 70, 292-295.	1.4	8
126	Mechanisms underlying nonalcoholic steatohepatitis. <i>Drug Discovery Today Disease Mechanisms</i> , 2006, 3, 479-488.	0.8	8



#	ARTICLE	IF	CITATIONS
127	Late presentation of a biliary tract complication after right hepatic donation resulting in secondary biliary cirrhosis. <i>Liver Transplantation</i> , 2006, 12, 306-309.	1.3	8
128	Whole-Exome Sequencing Study of Extreme Phenotypes of NAFLD. <i>Hepatology Communications</i> , 2018, 2, 1021-1029.	2.0	8
129	Nonalcoholic Fatty Liver Disease. <i>North Carolina Medical Journal</i> , 2016, 77, 216-219.	0.1	6
130	Sugar sweetened beverages and fatty liver disease: Rising concern and call to action. <i>Journal of Hepatology</i> , 2015, 63, 306-308.	1.8	5
131	Acute Liver Failure Occurring Immediately Following Anti-D Immune Globulin Infusion in a Patient with Chronic Hepatitis B Infection. <i>Digestive Diseases and Sciences</i> , 2007, 52, 914-919.	1.1	4
132	Reply to: The use of acoustic radiation force-based shear stiffness in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2012, 56, 996.	1.8	4
133	Insights Into Metabolic Mechanisms and Their Application in the Treatment of NASH. <i>Clinical Liver Disease</i> , 2021, 17, 29-32.	1.0	4
134	Alterations in DNA methylation associate with fatty liver and metabolic abnormalities in a multi-ethnic cohort of pre-teenage children. <i>Epigenetics</i> , 2022, 17, 1446-1461.	1.3	4
135	Reply: Is oil red-O staining and digital image analysis the gold standard for quantifying steatosis in the liver?. <i>Hepatology</i> , 2010, 51, 1859-1860.	3.6	3
136	Nonalcoholic fatty liver disease with cirrhosis increases familial risk for advanced fibrosis. <i>Hepatology</i> , 2018, 68, 1646-1648.	3.6	1
137	The impact of steatosis and alcohol on hepatitis C. <i>Current Hepatitis Reports</i> , 2007, 6, 39-45.	0.3	0
138	Analyzing the impact of increasing Mechanical Index (MI) and energy deposition on shear wave speed (SWS) reconstruction in human liver. , 2014, , .		0
139	Reply. <i>Hepatology</i> , 2015, 61, 1770-1771.	3.6	0
140	Reply to Kim et al.. <i>American Journal of Gastroenterology</i> , 2017, 112, 807-808.	0.2	0
141	Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 1684.	2.4	0
142	REPLY:. <i>Hepatology</i> , 2021, 73, 1625-1625.	3.6	0
143	Liver Mass: Thinking out-of-the box. <i>Gastroenterology</i> , 2022, , .	0.6	0