Maria Karpińska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4790314/publications.pdf

Version: 2024-02-01

		1040056	940533
24	267	9	16
papers	citations	h-index	g-index
25	25	25	258
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	The Concentration of Selected Inflammatory Cytokines (IL-6, IL-8, CXCL5, IL-33) and Damage-Associated Molecular Patterns (HMGB-1, HSP-70) Released in an Early Response to Distal Forearm Fracture and the Performed Closed Reduction With Kirschner Wire Fixation in Children. Frontiers in Endocrinology, 2021, 12, 749667.	3.5	O
2	BDNF and IL-8, But Not UCHL-1 and IL-11, Are Markers of Brain Injury in Children Caused by Mild Head Trauma. Brain Sciences, 2020, 10, 665.	2.3	10
3	Intraoperative Peritoneal Interleukin-6 Concentration Changes in Relation to the High-Mobility Group Protein B1 and Heat Shock Protein 70 Levels in Children Undergoing Cholecystectomy. Mediators of Inflammation, 2020, 2020, 1-9.	3.0	3
4	Elevated plasma 20S proteasome chymotrypsin-like activity is correlated with IL-8 levels and associated with an increased risk of death in glial brain tumor patients. PLoS ONE, 2020, 15, e0238406.	2.5	6
5	Effective Doses of Ionizing Radiation during Therapeutic Peat Mud Treatment from a Deposit in the Knyszyn Forest (Northeastern Poland). International Journal of Environmental Research and Public Health, 2020, 17, 6819.	2.6	1
6	Assessment of Effective Dose from Radioactive Isotopes Contained in Mineral Waters Received by Patients During Hydrotherapy Treatments. Water (Switzerland), 2020, 12, 97.	2.7	O
7	Radon intercomparison tests – Katowice, 2016. Nukleonika, 2020, 65, 127-132.	0.8	4
8	7Be concentration in the near-surface layer of the air in Bialystok (north-eastern Poland) in the years 1992–2010. Journal of Environmental Radioactivity, 2018, 187, 40-44.	1.7	5
9	Proteasome Activity and C-Reactive Protein Concentration in the Course of Inflammatory Reaction in Relation to the Type of Abdominal Operation and the Surgical Technique Used. Mediators of Inflammation, 2018, 2018, 1-8.	3.0	10
10	Radioactivity of natural medicinal preparations contained extracts from peat mud available in retail trade used externally. Natural Product Research, 2017, 31, 1935-1939.	1.8	4
11	Proteasome and C-reactive protein inflammatory response in children undergoing shorter and longer lasting laparoscopic cholecystectomy. Scandinavian Journal of Clinical and Laboratory Investigation, 2017, 77, 610-616.	1.2	6
12	New derivative of 2-(2,4-dihydroxyphenyl)thieno-1,3-thiazin-4-one (BChTT) elicits antiproliferative effect via p38-mediated cell cycle arrest in cancer cells. Bioorganic and Medicinal Chemistry, 2016, 24, 1356-1361.	3.0	7
13	Radioactivity of peat mud used in therapy. Journal of Environmental Radioactivity, 2016, 152, 97-100.	1.7	4
14	Time-dependence of 137Cs activity concentration in wild game meat inÂKnyszyn Primeval Forest (Poland). Journal of Environmental Radioactivity, 2015, 141, 76-81.	1.7	13
15	Mean annual 222Rn concentration in homes located in different geological regions of Poland $\hat{a}\in$ first approach to whole country area. Journal of Environmental Radioactivity, 2011, 102, 735-741.	1.7	22
16	Correction factors for determination of annual average radon concentration in dwellings of Poland resulting from seasonal variability of indoor radon. Applied Radiation and Isotopes, 2011, 69, 1459-1465.	1.5	47
17	The changes in the contents of 137Cs in bottom sediments of some Masurian lakes during 10-15 y observation (Poland). Radiation Protection Dosimetry, 2007, 130, 178-185.	0.8	4
18	Time changeability in radon concentration in one-family dwelling houses in the northeastern region of Poland. Radiation Protection Dosimetry, 2005, 113, 300-307.	0.8	10

#	Article	IF	CITATION
19	Radon concentration in hospital buildings erected during the last 40 years in BiaÅ,ystok, Poland. Journal of Environmental Radioactivity, 2004, 75, 225-232.	1.7	17
20	Seasonal changes in radon concentrations in buildings in the region of northeastern Poland. Journal of Environmental Radioactivity, 2004, 77, 101-109.	1.7	50
21	Comparative studies of health hazard from radon (Rn-222) in two selected lithologic formations in the SuwaÅ,ki region (in Poland). Journal of Environmental Radioactivity, 2002, 61, 149-158.	1.7	10
22	Indoor Radon Concentrations in Poland as Determined in Short-term (Two-day) Measurements. Radiation Protection Dosimetry, 2001, 95, 157-163.	0.8	4
23	Study of 222Rn concentrations in drinking water in the north-eastern hydroregions of Poland. Journal of Environmental Radioactivity, 2001, 53, 167-173.	1.7	21
24	Radon Concentrations in Buildings in the North-eastern Region of Poland. Journal of Environmental Radioactivity, 1998, 40, 147-154.	1.7	7