

Carl F Ware

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4792285/publications.pdf>

Version: 2024-02-01

91
papers

7,972
citations

71061

41
h-index

51562

86
g-index

110
all docs

110
docs citations

110
times ranked

9307
citing authors

#	ARTICLE	IF	CITATIONS
1	Randomized, double-blind, controlled trial of human anti-LIGHT monoclonal antibody in COVID-19 acute respiratory distress syndrome. <i>Journal of Clinical Investigation</i> , 2022, 132, .	3.9	15
2	Btla signaling in conventional and regulatory lymphocytes coordinately tempers humoral immunity in the intestinal mucosa. <i>Cell Reports</i> , 2022, 38, 110553.	2.9	9
3	Realigning the LIGHT signaling network to control dysregulated inflammation. <i>Journal of Experimental Medicine</i> , 2022, 219, .	4.2	16
4	Receptors Tumor Necrosis Factor Receptors. , 2021, , 335-341.		0
5	ILC3s control splenic cDC homeostasis via lymphotoxin signaling. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	6
6	Regnase-1 is essential for B cell homeostasis to prevent immunopathology. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	13
7	Lymphotoxin \hat{I}^2 Receptor: a Crucial Role in Innate and Adaptive Immune Responses against <i>Toxoplasma gondii</i> . <i>Infection and Immunity</i> , 2021, 89, .	1.0	1
8	Posttranslational modifications by ADAM10 shape myeloid antigen-presenting cell homeostasis in the splenic marginal zone. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	7
9	Development of follicular dendritic cells in lymph nodes depends on retinoic acid-mediated signaling. <i>Development (Cambridge)</i> , 2021, 148, .	1.2	4
10	LIGHT/TNFSF14 Promotes Osteolytic Bone Metastases in Non-small Cell Lung Cancer Patients. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 671-680.	3.1	31
11	Group 3 Innate Lymphoid Cells Program a Distinct Subset of IL-22BP-Producing Dendritic Cells Demarcating Solitary Intestinal Lymphoid Tissues. <i>Immunity</i> , 2020, 53, 1015-1032.e8.	6.6	41
12	HVEM signaling promotes protective antibody-dependent cellular cytotoxicity (ADCC) vaccine responses to herpes simplex viruses. <i>Science Immunology</i> , 2020, 5, .	5.6	12
13	Levels of the TNF-Related Cytokine LIGHT Increase in Hospitalized COVID-19 Patients with Cytokine Release Syndrome and ARDS. <i>MSphere</i> , 2020, 5, .	1.3	33
14	Deletion of immune evasion genes provides an effective vaccine design for tumor-associated herpesviruses. <i>Npj Vaccines</i> , 2020, 5, 102.	2.9	8
15	Contactin-1 Is Required for Peripheral Innervation and Immune Homeostasis Within the Intestinal Mucosa. <i>Frontiers in Immunology</i> , 2020, 11, 1268.	2.2	9
16	Cutting Edge: The RNA-Binding Protein Ewing Sarcoma Is a Novel Modulator of Lymphotoxin \hat{I}^2 Receptor Signaling. <i>Journal of Immunology</i> , 2020, 204, 1085-1090.	0.4	2
17	LIGHT/TNFSF14 regulates estrogen deficiency-induced bone loss. <i>Journal of Pathology</i> , 2020, 250, 440-451.	2.1	15
18	Lymph node fibroblastic reticular cells deposit fibrosis-associated collagen following organ transplantation. <i>Journal of Clinical Investigation</i> , 2020, 130, 4182-4194.	3.9	16

#	ARTICLE	IF	CITATIONS
19	The HVEM-BTLA Axis Restrains T Cell Help to Germinal Center B Cells and Functions as a Cell-Extrinsic Suppressor in Lymphomagenesis. <i>Immunity</i> , 2019, 51, 310-323.e7.	6.6	74
20	IMMU-03. TUMOR NECROSIS FACTOR OVERCOMES IMMUNE EVASION IN P53-MUTANT MEDULLOBLASTOMA. <i>Neuro-Oncology</i> , 2019, 21, ii93-ii93.	0.6	1
21	A signature of circulating inflammatory proteins and development of end-stage renal disease in diabetes. <i>Nature Medicine</i> , 2019, 25, 805-813.	15.2	260
22	Co-expression Networks Identify DHX15 RNA Helicase as a B Cell Regulatory Factor. <i>Frontiers in Immunology</i> , 2019, 10, 2903.	2.2	6
23	The TNF Superfamily Molecule LIGHT Promotes the Generation of Circulating and Lung-Resident Memory CD8 T Cells following an Acute Respiratory Virus Infection. <i>Journal of Immunology</i> , 2018, 200, 2894-2904.	0.4	23
24	TNF Superfamily in Inflammation. , 2018, , 1-50.		1
25	Impairment of Bone Remodeling in <i>LIGHT/TNFSF14</i> -Deficient Mice. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 704-719.	3.1	16
26	B Cell-Mediated Maintenance of Cluster of Differentiation 169-Positive Cells Is Critical for Liver Regeneration. <i>Hepatology</i> , 2018, 68, 2348-2361.	3.6	26
27	A herpesvirus entry mediator mutein with selective agonist action for the inhibitory receptor B and T lymphocyte attenuator. <i>FASEB Journal</i> , 2018, 32, 792.5.	0.2	0
28	A herpesvirus entry mediator mutein with selective agonist action for the inhibitory receptor B and T lymphocyte attenuator. <i>Journal of Biological Chemistry</i> , 2017, 292, 21060-21070.	1.6	17
29	HVEM Imprints Memory Potential on Effector CD8 T Cells Required for Protective Mucosal Immunity. <i>Journal of Immunology</i> , 2017, 199, 2968-2975.	0.4	26
30	Perivascular Fibroblasts of the Developing Spleen Act as $LT\alpha$ - 1β -Dependent Precursors of Both T and B Zone Organizer Cells. <i>Cell Reports</i> , 2017, 21, 2500-2514.	2.9	26
31	The TNF Receptor Superfamily in Co-stimulating and Co-inhibitory Responses. <i>Immunity</i> , 2016, 44, 1005-1019.	6.6	323
32	Lymphotoxin β Receptor Controls T Cell Progenitor Entry to the Thymus. <i>Journal of Immunology</i> , 2016, 197, 2665-2672.	0.4	24
33	The NF- κ B subunit RelB controls p100 processing by competing with the kinases NIK and IKK1 for binding to p100. <i>Science Signaling</i> , 2016, 9, ra96.	1.6	16
34	A new HIF- 1α /RANTES-driven pathway to hepatocellular carcinoma mediated by germline haploinsufficiency of SART1/HAF in mice. <i>Hepatology</i> , 2016, 63, 1576-1591.	3.6	35
35	Structure of a HOIP/E2-ubiquitin complex reveals RBR E3 ligase mechanism and regulation. <i>Nature</i> , 2016, 529, 546-550.	13.7	141
36	$LT\beta$ R signalling preferentially accelerates oncogenic AKT-initiated liver tumours. <i>Gut</i> , 2016, 65, 1765-1775.	6.1	17

#	ARTICLE	IF	CITATIONS
37	Tumor Necrosis Factor Superfamily in Innate Immunity and Inflammation. Cold Spring Harbor Perspectives in Biology, 2015, 7, a016279.	2.3	73
38	Deficiency of the B Cell-Activating Factor Receptor Results in Limited CD169 ⁺ Macrophage Function during Viral Infection. Journal of Virology, 2015, 89, 4748-4759.	1.5	22
39	Commensal microbiota influence systemic autoimmune responses. EMBO Journal, 2015, 34, 466-474.	3.5	93
40	p100/Î²1 sequesters and inhibits NF-Î²B through kappaBsome formation. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 15946-15951.	3.3	54
41	Mixing Signals: Molecular Turn Ons and Turn Offs for Innate T-Cells. Frontiers in Immunology, 2014, 5, 654.	2.2	9
42	Interactions between Herpesvirus Entry Mediator (TNFRSF14) and Latency-Associated Transcript during Herpes Simplex Virus 1 Latency. Journal of Virology, 2014, 88, 1961-1971.	1.5	36
43	The Thymic Microenvironment Differentially Regulates Development and Trafficking of Invariant NKT Cell Sublineages. Journal of Immunology, 2014, 193, 5960-5972.	0.4	10
44	Extracellular adenosine regulates colitis through effects on lymphoid and nonlymphoid cells. American Journal of Physiology - Renal Physiology, 2014, 307, G338-G346.	1.6	18
45	The Lymphotoxin Network: Orchestrating a Type I interferon response to optimize adaptive immunity. Cytokine and Growth Factor Reviews, 2014, 25, 139-145.	3.2	29
46	NLRs: Sentinels of immunity or cancer culprits?. Oncoscience, 2014, 1, 308-309.	0.9	0
47	The Inhibitory Receptor BTLA Controls T Cell Homeostasis and Inflammatory Responses. Immunity, 2013, 39, 1082-1094.	6.6	93
48	Lymphotoxin network pathways shape the tumor microenvironment. Current Opinion in Immunology, 2013, 25, 222-229.	2.4	25
49	Clinical targeting of the TNF and TNFR superfamilies. Nature Reviews Drug Discovery, 2013, 12, 147-168.	21.5	364
50	Protein Therapeutics Targeted at the TNF Superfamily. Advances in Pharmacology, 2013, 66, 51-80.	1.2	15
51	CD160 Activation by Herpesvirus Entry Mediator Augments Inflammatory Cytokine Production and Cytolytic Function by NK Cells. Journal of Immunology, 2013, 191, 828-836.	0.4	84
52	CD8 T Cell Memory to a Viral Pathogen Requires Trans Cosignaling between HVEM and BTLA. PLoS ONE, 2013, 8, e77991.	1.1	64
53	BTLA Interaction with HVEM Expressed on CD8+ T Cells Promotes Survival and Memory Generation in Response to a Bacterial Infection. PLoS ONE, 2013, 8, e77992.	1.1	62
54	Innate B cells: oxymoron or validated concept?. F1000Research, 2012, 1, 8.	0.8	3

#	ARTICLE	IF	CITATIONS
55	The tumor necrosis factor family member LIGHT is a target for asthmatic airway remodeling. <i>Nature Medicine</i> , 2011, 17, 596-603.	15.2	160
56	TNF Superfamily Networks: bidirectional and interference pathways of the herpesvirus entry mediator (TNFSF14). <i>Current Opinion in Immunology</i> , 2011, 23, 627-631.	2.4	93
57	The signaling networks of the herpesvirus entry mediator (TNFRSF14) in immune regulation. <i>Immunological Reviews</i> , 2011, 244, 169-187.	2.8	176
58	Herpesvirus entry mediator (TNFRSF14) regulates the persistence of T helper memory cell populations. <i>Journal of Experimental Medicine</i> , 2011, 208, 797-809.	4.2	72
59	Critical Roles for LIGHT and Its Receptors in Generating T Cell-Mediated Immunity during <i>Leishmania donovani</i> Infection. <i>PLoS Pathogens</i> , 2011, 7, e1002279.	2.1	26
60	Workshop Summary: Control of Lymphocyte Function and Repertoire by the TNF Superfamily. <i>Advances in Experimental Medicine and Biology</i> , 2011, 691, 351-352.	0.8	0
61	Biphasic role of 4-1BB in the regulation of mouse cytomegalovirus-specific CD8 ⁺ T cells. <i>European Journal of Immunology</i> , 2010, 40, 2762-2768.	1.6	58
62	Polymorphic Variants of LIGHT (TNF Superfamily-14) Alter Receptor Avidity and Bioavailability. <i>Journal of Immunology</i> , 2010, 185, 1949-1958.	0.4	19
63	Allosteric Regulation of the Ubiquitin:NIK and Ubiquitin:TRAF3 E3 Ligases by the Lymphotoxin- β Receptor. <i>Journal of Biological Chemistry</i> , 2010, 285, 17148-17155.	1.6	65
64	LT β R Signaling Induces Cytokine Expression and Up-Regulates Lymphangiogenic Factors in Lymph Node Anlagen. <i>Journal of Immunology</i> , 2009, 182, 5439-5445.	0.4	135
65	The Adaptor Molecule MyD88 Directly Promotes CD8 T Cell Responses to Vaccinia Virus. <i>Journal of Immunology</i> , 2009, 182, 6278-6286.	0.4	52
66	Unconventional ligand activation of herpesvirus entry mediator signals cell survival. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 6244-6249.	3.3	165
67	T Cell Intrinsic Heterodimeric Complexes between HVEM and BTLA Determine Receptivity to the Surrounding Microenvironment. <i>Journal of Immunology</i> , 2009, 183, 7286-7296.	0.4	121
68	Targeting the LIGHT-HVEM Pathway. <i>Advances in Experimental Medicine and Biology</i> , 2009, 647, 146-155.	0.8	42
69	Targeting lymphocyte activation through the lymphotoxin and LIGHT pathways. <i>Immunological Reviews</i> , 2008, 223, 186-201.	2.8	107
70	Cross-regulation between herpesviruses and the TNF superfamily members. <i>Nature Reviews Immunology</i> , 2008, 8, 861-873.	10.6	66
71	Lymphotoxin-Mediated Crosstalk between B Cells and Splenic Stroma Promotes the Initial Type I Interferon Response to Cytomegalovirus. <i>Cell Host and Microbe</i> , 2008, 3, 67-76.	5.1	124
72	The TNF Superfamily-2008. <i>Cytokine and Growth Factor Reviews</i> , 2008, 19, 183-186.	3.2	55

#	ARTICLE	IF	CITATIONS
73	Structural Determinants of Herpesvirus Entry Mediator Recognition by Murine B and T Lymphocyte Attenuator. <i>Journal of Immunology</i> , 2008, 180, 940-947.	0.4	33
74	The Lymphotoxin Pathway Regulates Aire-Independent Expression of Ectopic Genes and Chemokines in Thymic Stromal Cells. <i>Journal of Immunology</i> , 2008, 180, 5384-5392.	0.4	96
75	A crucial role for HVEM and BTLA in preventing intestinal inflammation. <i>Journal of Experimental Medicine</i> , 2008, 205, 1463-1476.	4.2	118
76	The Inhibitory HVEM-BTLA Pathway Counter Regulates Lymphotoxin \hat{I}^2 Receptor Signaling to Achieve Homeostasis of Dendritic Cells. <i>Journal of Immunology</i> , 2008, 180, 238-248.	0.4	80
77	Herpesvirus Entry Mediator and Cytomegalovirus ORF UL144 bind a common region of B and T Lymphocyte Attenuator. <i>FASEB Journal</i> , 2008, 22, 1070.28.	0.2	0
78	Signaling via LT \hat{I}^2 R & HVEM \hat{I}^2 BTLA Pathways Control Dendritic Cell Homeostasis In Vivo. <i>FASEB Journal</i> , 2008, 22, 1070.5.	0.2	0
79	Cytomegalovirus exploits IL-10 \hat{I}^2 mediated immune regulation in the salivary glands. <i>Journal of Experimental Medicine</i> , 2007, 204, 1217-1225.	4.2	115
80	Alternative Entry Receptors for Herpes Simplex Virus and Their Roles in Disease. <i>Cell Host and Microbe</i> , 2007, 2, 19-28.	5.1	116
81	The DARC conspiracy \hat{I}^2 virus invasion tactics. <i>Trends in Immunology</i> , 2006, 27, 362-367.	2.9	15
82	B and T lymphocyte attenuator regulates T cell activation through interaction with herpesvirus entry mediator. <i>Nature Immunology</i> , 2005, 6, 90-98.	7.0	543
83	A Lymphotoxin-IFN- \hat{I}^2 Axis Essential for Lymphocyte Survival Revealed during Cytomegalovirus Infection. <i>Journal of Immunology</i> , 2005, 174, 7217-7225.	0.4	78
84	From The Cover: Evolutionarily divergent herpesviruses modulate T cell activation by targeting the herpesvirus entry mediator cosignaling pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 13218-13223.	3.3	190
85	NETWORK COMMUNICATIONS: Lymphotoxins, LIGHT, and TNF. <i>Annual Review of Immunology</i> , 2005, 23, 787-819.	9.5	399
86	Intrinsic Lymphotoxin- \hat{I}^2 Receptor Requirement for Homeostasis of Lymphoid Tissue Dendritic Cells. <i>Immunity</i> , 2005, 22, 439-450.	6.6	304
87	The TNF Superfamily. <i>Cytokine and Growth Factor Reviews</i> , 2003, 14, 181-184.	3.2	108
88	The Lymphotoxin- \hat{I}^2 Receptor Induces Different Patterns of Gene Expression via Two NF- \hat{I}^2 B Pathways. <i>Immunity</i> , 2002, 17, 525-535.	6.6	842
89	Constitutive Expression of LIGHT on T Cells Leads to Lymphocyte Activation, Inflammation, and Tissue Destruction. <i>Journal of Immunology</i> , 2001, 167, 6330-6337.	0.4	217
90	Expression of the lymphotoxin \hat{I}^2 receptor on follicular stromal cells in human lymphoid tissues. <i>Cell Death and Differentiation</i> , 1998, 5, 497-505.	5.0	100

#	ARTICLE	IF	CITATIONS
91	LIGHT, a New Member of the TNF Superfamily, and Lymphotoxin $\hat{I}\pm$ Are Ligands for Herpesvirus Entry Mediator. <i>Immunity</i> , 1998, 8, 21-30.	6.6	720