Er-Ping Li

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4792445/er-ping-li-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

229 23,315 4.8 2.35 L-index 25 45 gent ext. citations 25 dext. papers 25 dext. citations 25 dext. citations

#	Paper	IF	Citations
152	Au/SnS2/Al Schottky Structure for High Detectivity and Low Dark Current Visible Light Detector. <i>IEEE Electron Device Letters</i> , 2022 , 43, 76-79	4.4	O
151	Design and Analysis of a Novel Compact Metamaterial Absorber Based on Double-Layer ITO Resistive Film for Improving Signal Integrity. <i>IEEE Access</i> , 2022 , 10, 24067-24079	3.5	О
150	Analysis of a Novel Resistive Film Absorber for Suppression of Electromagnetic Radiation in System-in-Packages. <i>International Journal of Antennas and Propagation</i> , 2022 , 2022, 1-15	1.2	
149	Dynamic recognition and mirage using neuro-metamaterials <i>Nature Communications</i> , 2022 , 13, 2694	17.4	6
148	A Neuro-Space Mapping Method for Harmonic Interference Prediction of SOIFET Radio Frequency Switches. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2022 , 1-7	2	1
147	Wideband Compartment Shielding Technique for Miniaturized Packages Based on Electrically Small Single-Negative Meta-Diaphragm. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022 , 1-1	4.1	0
146	Investigation of Axial Mode Dielectric Helical Antenna. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	O
145	Ultrathin, Electrically Small Noise Suppression Sheet for Microwave Cavities of 3-D Integrated Circuits: Design Methodology and Realization. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 1-1	4.1	1
144	Improved Leapfrog LOD-FDTD Method With Controlling Parameters. <i>IEEE Microwave and Wireless Components Letters</i> , 2021 , 1-4	2.6	O
143	. IEEE Access, 2021 , 9, 161854-161861	3.5	O
142	A Novel Miniaturized Multi-Band Strong Coupled-FSS Structure Insensitive to Almost-All Angles and All Polarizations. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	2
141	Angle-Insensitive Toroidal Metasurface for High-Efficiency Sensing. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 69, 1511-1517	4.1	3
140	Efficient Nonlinear Behavior Modeling Method for Voltage-Variable Capacitors. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2021 , 11, 462-470	1.7	1
139	Independent Bifocal Metalens Design Based on Deep Learning Algebra. <i>IEEE Photonics Technology Letters</i> , 2021 , 33, 403-406	2.2	3
138	Design of resistor-loaded coding metasurface for independent amplitude and phase control. Journal of Electromagnetic Waves and Applications, 2021 , 35, 1575-1586	1.3	2
137	Realizing transmitted metasurface cloak by a tandem neural network. <i>Photonics Research</i> , 2021 , 9, B22	.96	18
136	. IEEE Transactions on Microwave Theory and Techniques, 2021 , 69, 2048-2059	4.1	3

135	. IEEE Antennas and Wireless Propagation Letters, 2021 , 20, 848-852	3.8	10
134	Demonstration of Spider-Eyes-Like Intelligent Antennas for Dynamically Perceiving Incoming Waves. <i>Advanced Intelligent Systems</i> , 2021 , 3, 2100066	6	5
133	. IEEE Transactions on Electromagnetic Compatibility, 2021 , 63, 38-45	2	16
132	. IEEE Transactions on Circuits and Systems I: Regular Papers, 2021 , 1-11	3.9	4
131	. IEEE Transactions on Antennas and Propagation, 2021 , 1-1	4.9	
130	Hierarchical Attention-Based Machine Learning Model for Radiation Prediction of WB-BGA Package. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2021 , 1-9	2	5
129	Investigation of Leaky-Wave Antenna with Stable Wide Beam Scanning Characteristic. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	3
128	Stop band blocking window modeling with energy absorber in 5G mid-band cellular communications. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2021 , 31, e22	53 ¹ 3 ⁵	
127	Enhanced Photodetection Performance of Photodetectors Based on Indium-Doped Tin Disulfide Few Layers. <i>ACS Applied Materials & amp; Interfaces</i> , 2021 , 13, 35889-35896	9.5	4
126	. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2021 , 11, 1369-1379	1.7	3
125	Low-Dispersion Leapfrog WCS-FDTD With Artificial Anisotropy Parameters and Simulation of Hollow Dielectric Resonator Antenna Array. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 5801-5811	4.9	4
124	Metantenna design with one-dimensional holographic concept. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2021 , 31, mmce22536	1.5	1
123	Design of Conformal Spiral Dual-Band Antenna for Wireless Capsule System. <i>IEEE Access</i> , 2021 , 9, 1173	4 9. 1 17	73 6 7
122	A robust passivity based model predictive control for buck converter suppling constant power load. <i>Energy Reports</i> , 2021 , 7, 792-813	4.6	O
121	A novel continuous control set model predictive control to guarantee stability and robustness for buck power converter in DC microgrids. <i>Energy Reports</i> , 2021 , 7, 1400-1415	4.6	1
120	High-Speed Link Design Optimization Using Machine Learning SVR-AS Method 2020 ,		2
119	Visible Phototransistors Based on Vertical Nanolayered Heterostructures of SnS/SnS2 pl and SnSe2/SnS2 nl Nanoflakes. <i>ACS Applied Nano Materials</i> , 2020 , 3, 6847-6854	5.6	7
118	. IEEE Transactions on Antennas and Propagation, 2020 , 68, 4459-4468	4.9	5

117	Magnetic Metamirrors as Spatial Frequency Filters. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 5505-5511	4.9	2
116	Deep-learning-enabled self-adaptive microwave cloak without human intervention. <i>Nature Photonics</i> , 2020 , 14, 383-390	33.9	113
115	Applications of anisotropic one-step leapfrog HIE-FDTD method in microwave circuit and antenna. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2020 , 30, e22151	1.5	2
114	. IEEE Access, 2020 , 8, 9480-9487	3.5	3
113	Miniaturized Polarization Insensitive Metamaterial Absorber Applied on EMI Suppression. <i>IEEE Access</i> , 2020 , 8, 6583-6590	3.5	11
112	ElectricalIIIhermal Cosimulation of Coaxial TSVs With Temperature-Dependent MOS Effect Using Equivalent Circuit Models. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2020 , 62, 2247-2256	2	2
111	Performing optical logic operations by a diffractive neural network. <i>Light: Science and Applications</i> , 2020 , 9, 59	16.7	65
110	Ultrawideband chromatic aberration-free meta-mirrors. <i>Advanced Photonics</i> , 2020 , 3,	8.1	29
109	A novel electromagnetic bandgap design applied for suppression of printed circuit board electromagnetic radiation. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2020 , 30, e21990	1.5	
108	Enhanced Photoresponse of Indium-Doped Tin Disulfide Nanosheets. <i>ACS Applied Materials & Amp; Interfaces</i> , 2020 , 12, 2607-2614	9.5	7
107	Cubic lattice-based spherical uniaxial perfectly matched layer for the FDTD method. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2020 , 33, e2621	1	0
106	Support Vector Regression-Based Active Subspace (SVR-AS) Modeling of High-Speed Links for Fast and Accurate Sensitivity Analysis. <i>IEEE Access</i> , 2020 , 8, 74339-74348	3.5	10
105	Efficient Isolation of an MIMO Antenna Using Defected Ground Structure. <i>Electronics (Switzerland)</i> , 2020 , 9, 1265	2.6	9
104	Diffusion Barrier Prediction of Graphene and Boron Nitride for Copper Interconnects by Deep Learning. <i>IEEE Access</i> , 2020 , 8, 210542-210549	3.5	Ο
103	Investigation of Multilayer Print Circuit Board Probe With Temperature Compensation for Ultra-Wideband Near-Field Measurement. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2020 , 62, 840-847	2	1
102	Optimization of Graphene-Based Slot Waveguides for Efficient Modulation. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2020 , 26, 1-5	3.8	2
101	. IEEE Access, 2019 , 7, 93772-93780	3.5	6
100	Electron Transport in Graphene-Versus Al/Pd-Coated Thin Cu Films With Low-Surface Roughness: A First Principles Study. <i>IEEE Access</i> , 2019 , 7, 84858-84865	3.5	

Equivalent Inductance Analysis and Quantification for PCB PDN Design 2019, 1 99 Type-I hyperbolic metasurfaces for highly-squeezed designer polaritons with negative group 98 13 17.4 velocity. Nature Communications, 2019, 10, 2002 Direct current remote cloak for arbitrary objects. Light: Science and Applications, 2019, 8, 30 16.7 97 11 Implementation of convolutional perfectly matched layer for three-dimensional hybrid implicit-explicit finite-difference time-domain method. International Journal of RF and Microwave 96 1.5 Computer-Aided Engineering, 2019, 29, e21741 Experimental Observation of Superscattering. Physical Review Letters, 2019, 122, 063901 95 7.4 54 . IEEE Transactions on Components, Packaging and Manufacturing Technology, 2019, 9, 329-335 1.7 94 . IEEE Transactions on Electromagnetic Compatibility, 2019, 61, 495-503 93 2 3 An offset surface to reduce radar cross section for airborne antenna out-band. International Journal 92 1.5 of RF and Microwave Computer-Aided Engineering, 2019, 29, e21924 Lumped 3-D Equivalent Thermal Circuit Model for Transient Thermal Analysis of TSV Array 2019, 91 3 Dynamic Thermal Management for 3-D ICs With Time-Dependent Power Map Using Microchannel Cooling and Machine Learning. IEEE Transactions on Components, Packaging and Manufacturing 90 1.7 9 Technology, 2019, 9, 1244-1252 Valley Kink States and Topological Channel Intersections in Substrate-Integrated Photonic 89 8.3 24 Circuitry. Laser and Photonics Reviews, 2019, 13, 1900159 Design of Wideband Implantable Antenna for Wireless Capsule Endoscope System. IEEE Antennas 88 3.8 14 and Wireless Propagation Letters, **2019**, 18, 2706-2710 Frequency optimization of permeability metamaterial for enhanced resolution. Applied Optics, 2019 87 1.7 1 , 58, 3200-3208 Experimental Realization of an Extreme-Parameter Omnidirectional Cloak. Research, 2019, 2019, 828264/18 86 First principles calculation of effect of graphene coating on transmission coefficient of Cu thin film 85 2.5 2 with low surface roughness. Journal of Applied Physics, 2019, 125, 065305 84 Comparison of Machine Learning Techniques for Predictive Modeling of High-Speed Links 2019, Wide-Band Modeling On-Chip Spiral Inductors Using Frequency-Dependent Conformal ADI-FDTD 83 3.5 5 Method. IEEE Access, 2019, 7, 184940-184949 Modeling and Analysis for MOS Capacitance of TSV Considering Temperature Dependence 2019, 82

81	Deep Learning Method for Prediction of Planar Radiating Sources from Near-Field Intensity Data 2019 ,		4
80	Spurious-Free Dual-Band Bandpass Frequency-Selective Surfaces With Large Band Ratio. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 1065-1072	4.9	9
79	Adaptive Passivity-Based Control of dcdc Buck Power Converter With Constant Power Load in DC Microgrid Systems. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2019 , 7, 2029-2040	o ^{5.6}	75
78	Spoof Surface Plasmonic Graphene for Controlling the Transports and Emissions of Electromagnetic Waves. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019 , 67, 50-56	4.1	5
77	Hydrothermal synthesis and fast photoresponsive characterization of SnS2 hexagonal nanoflakes. <i>Journal of Materials Science</i> , 2019 , 54, 2059-2065	4.3	14
76	PCB PDN Prelayout Library for Top-Layer Inductance and the Equivalent Model for Decoupling Capacitors. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2018 , 60, 1898-1906	2	10
75	Toroidal Localized Spoof Plasmons on Compact Metadisks. <i>Advanced Science</i> , 2018 , 5, 1700487	13.6	21
74	Investigation of SAR Reduction Using Flexible Antenna With Metamaterial Structure in Wireless Body Area Network. <i>IEEE Transactions on Antennas and Propagation</i> , 2018 , 66, 3076-3086	4.9	59
73	Electromagnetic and Thermal Characteristics of Graphite for Radiation Suppression in Wire-Bonded Package Heat Sink. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2018 , 60, 1445-1453	2	7
72	. IEEE Transactions on Electromagnetic Compatibility, 2018 , 60, 768-775	2	61
		2	01
71	Quantification of EMI for power-ground plane and novel EBG structure for SSN suppression 2018 ,	2	3
7 ¹	Quantification of EMI for power-ground plane and novel EBG structure for SSN suppression 2018, A novel heatsink with mushroom-type EBG structure for EMI radiation suppression 2018,	2	
		1.1	3
70	A novel heatsink with mushroom-type EBG structure for EMI radiation suppression 2018, Implementation of ultra-miniaturised frequency-selective structures based on 2.5D convoluted		3 7
70 69	A novel heatsink with mushroom-type EBG structure for EMI radiation suppression 2018, Implementation of ultra-miniaturised frequency-selective structures based on 2.5D convoluted segments. <i>Electronics Letters</i> , 2018, 54, 476-478 A Novel Package Lid Using Mushroom-Type EBG Structures for Unintentional Radiation Mitigation.	1.1	379
70 69 68	A novel heatsink with mushroom-type EBG structure for EMI radiation suppression 2018, Implementation of ultra-miniaturised frequency-selective structures based on 2.5D convoluted segments. <i>Electronics Letters</i> , 2018, 54, 476-478 A Novel Package Lid Using Mushroom-Type EBG Structures for Unintentional Radiation Mitigation. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2018, 60, 1882-1888 Acetone Sensing Properties and Mechanism of Rh-Loaded WO Nanosheets. <i>Frontiers in Chemistry</i> ,	1.1	37910
70 69 68 67	A novel heatsink with mushroom-type EBG structure for EMI radiation suppression 2018, Implementation of ultra-miniaturised frequency-selective structures based on 2.5D convoluted segments. Electronics Letters, 2018, 54, 476-478 A Novel Package Lid Using Mushroom-Type EBG Structures for Unintentional Radiation Mitigation. IEEE Transactions on Electromagnetic Compatibility, 2018, 60, 1882-1888 Acetone Sensing Properties and Mechanism of Rh-Loaded WO Nanosheets. Frontiers in Chemistry, 2018, 6, 385 Large modulation capacity in graphene-based slot modulators by enhanced hybrid plasmonic	1.1 2	3 7 9 10

(2017-2018)

63	Multiphysics Modeling and Simulation of Carrier Dynamics and Thermal Transport in Monolayer MoS2/WSe2 Heterojunction. <i>IEEE Transactions on Electron Devices</i> , 2018 , 65, 4542-4547	2.9	0	
62	High-performance photodetectors based on two-dimensional tin(II) sulfide (SnS) nanoflakes. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 10036-10041	7.1	37	
61	Miniaturised FSS structure with excellent angular stability based on strong coupling for millimetre-wave communication. <i>Electronics Letters</i> , 2018 , 54, 511-513	1.1	8	
60	Design of Ultracompact Graphene-Based Superscatterers. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2017 , 23, 130-137	3.8	19	
59	Modeling and Optimization of Substrate Electromagnetic Coupling and Isolation in Modern Lightly Doped CMOS Substrate. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2017 , 59, 662-669	2		
58	A Low-Profile Broadband Bandpass Frequency Selective Surface With Two Rapid Band Edges for 5G Near-Field Applications. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2017 , 59, 670-676	2	37	
57	Designing an Efficient Multimode Environmental Sensor Based on GrapheneBilicon Heterojunction. <i>Advanced Materials Technologies</i> , 2017 , 2, 1600262	6.8	38	
56	Photodetectors: A Broadband Fluorographene Photodetector (Adv. Mater. 22/2017). <i>Advanced Materials</i> , 2017 , 29,	24	1	
55	A Broadband Fluorographene Photodetector. Advanced Materials, 2017, 29, 1700463	24	72	
54	Improved Hybrid Leapfrog ADI-FDTD Method for Simulating Near-Field Coupling Effects Among Multiple Thin Wire Monopole Antennas on a Complex Platform. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2017 , 59, 618-626	2	6	
53	An Active Absorber Based on Nonvolatile Floating-Gate Graphene Structure. <i>IEEE Nanotechnology Magazine</i> , 2017 , 16, 189-195	2.6	7	
52	Tunable THz Multiband Frequency-Selective Surface Based on Hybrid Metal@raphene Structures. <i>IEEE Nanotechnology Magazine</i> , 2017 , 16, 1132-1137	2.6	32	
51	Hyperbolic spoof plasmonic metasurfaces. NPG Asia Materials, 2017, 9, e428-e428	10.3	77	
50	Gradient Chiral Metamirrors for Spin-Selective Anomalous Reflection. <i>Laser and Photonics Reviews</i> , 2017 , 11, 1700115	8.3	61	
49	Electrical-thermal co-analysis of through silicon via with equivalent circuit model 2017,		3	
48	Frequency-Response-Oriented Design and Optimization of N+ Diffusion Guard Ring in Lightly Doped CMOS Substrate. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2017 , 59, 481-487	2	3	
47	Machine learning for complex EMI prediction, optimization and localization 2017,		5	
46	Mitigation of unintentional radiation from the package lid using PMC packaging 2017 ,		2	

45	A circular-shaped perfectly matched layer strategy for rectangular FDTD grids 2017,		1
44	Highly efficient graphene-on-gap modulator by employing the hybrid plasmonic effect. <i>Optics Letters</i> , 2017 , 42, 1736-1739	3	40
43	Design of the Addressable Test Structure for \${S}\$ -Parameter-Based RF Device Characterization. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017 , 65, 2122-2131	4.1	
42	Non-contact radio frequency shielding and wave guiding by multi-folded transformation optics method. <i>Scientific Reports</i> , 2016 , 6, 36846	4.9	9
41	Concealing arbitrary objects remotely with multi-folded transformation optics. <i>Light: Science and Applications</i> , 2016 , 5, e16177	16.7	44
40	Scaling Analysis of High Gain Monolayer MoS2 Photodetector for Its Performance Optimization. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 1608-1614	2.9	10
39	Dual-Band Dual Circularly Polarized Microstrip Antenna With Two Eccentric Rings and an Arc-Shaped Conducting Strip. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2016 , 15, 834-837	3.8	48
38	Iteration-Free-Phase Retrieval for Directive Radiators Using Field Amplitudes on Two Closely Separated Observation Planes. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2016 , 58, 607-610	2	15
37	A Novel Tunable Absorber Based on Vertical Graphene Strips. <i>IEEE Microwave and Wireless Components Letters</i> , 2016 , 26, 10-12	2.6	15
36	Full-Polarization 3D Metasurface Cloak with Preserved Amplitude and Phase. <i>Advanced Materials</i> , 2016 , 28, 6866-71	24	186
35	Modeling and measurement of a novel shielding design in silicon interposer 2016,		1
34	A Shielding Structure for Crosstalk Reduction in Silicon Interposer. <i>IEEE Microwave and Wireless Components Letters</i> , 2016 , 26, 246-248	2.6	8
33	Contacts between Two- and Three-Dimensional Materials: Ohmic, Schottky, and p-n Heterojunctions. <i>ACS Nano</i> , 2016 , 10, 4895-919	16.7	257
32	2.5D methodologies for electronic package and PCB modeling: Review and latest development 2016 ,		1
31	A transparent broadband absorber based on graphene 2016 ,		2
30	Electrothermal Effects on Hot-Carrier Reliability in SOI MOSFETsAC Versus Circuit-Speed Random Stress. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 3669-3676	2.9	13
29	A Particle Swarm Optimization-Based Approach for Predicting Maximum Radiated Emission From PCBs With Dominant Radiators. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2015 , 57, 1197-1205	, 2	17
28	A hybrid domain decomposition and optimization method for predicting electromagnetic emissions from printed circuit boards. <i>Journal of Electromagnetic Waves and Applications</i> , 2015 , 29, 1082-1092	1.3	1

(2014-2015)

27	Electrothermal Investigation on Vertically Aligned Single-Walled Carbon Nanotube Contacted Phase-Change Memory Array for 3-D ICs. <i>IEEE Transactions on Electron Devices</i> , 2015 , 62, 3258-3263	2.9	10
26	Three-dimensional tunable frequency selective surface based on vertical graphene micro-ribbons. Journal of Electromagnetic Waves and Applications, 2015, 29, 2130-2138	1.3	8
25	A Full-Parameter, Broadband, Homogeneous, and Compact Waveguide Coupler Designed With Transformation Optics. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 14, 634-637	3.8	6
24	A novel semi-analytical solution of impedance of grid-type power distribution network 2015 ,		3
23	Large-Scale Far-Infrared Invisibility Cloak Hiding Object from Thermal Detection. <i>Advanced Optical Materials</i> , 2015 , 3, 1738-1742	8.1	19
22	Improved Slow Light Capacity In Graphene-based Waveguide. Scientific Reports, 2015, 5, 15335	4.9	27
21	A tunable wideband absorber based on periodic resistive patterned graphene 2015,		1
20	A Compact Meander Line-Resonator Hybrid Structure for Wideband Common-Mode Suppression. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2015 , 57, 1255-1261	2	12
19	Experimental Characterization of Radio Channel in Ruins Environment. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 1-1	3.8	3
18	The study of few-layer graphene based MachIehnder modulator. <i>Optics Communications</i> , 2014 , 323, 49-53	2	36
17	A circuit method to integrate metamaterial and graphene in absorber design. <i>Optics Communications</i> , 2014 , 329, 76-80	2	51
16	Ultra-compact graphene-embedded optical phase modulators 2014 ,		2
15	Recent developments in graphene-based optical modulators. Frontiers of Optoelectronics, 2014, 7, 277-	2 9 28	12
14	Intelligent Traffic Guidance System Based on Dynamic Toll Collection Policy 2014 ,		1
13	Modeling and characterization of Joule heating in metal core of TSV 2014,		2
12	PDN Impedance Modeling for Multiple Through Vias Array in Doped Silicon. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2014 , 56, 1202-1209	2	6
11	Full RLGC model extraction of Through Silicon Via (TSV) with charge distribution effects. <i>Journal of Electromagnetic Waves and Applications</i> , 2014 , 28, 1596-1609	1.3	2
10	A Graphene-Enhanced Fiber-Optic Phase Modulator With Large Linear Dynamic Range. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 1867-1870	2.2	20

9	Ab initio study of electronic and optical behavior of two-dimensional silicon carbide. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 2131	7.1	111
8	Dual-band bandpass filter using centrally coupled resonators (CCRs). <i>Journal of Electromagnetic Waves and Applications</i> , 2013 , 27, 1059-1067	1.3	1
7	Reconfigurable Parallel Plasmonic Transmission Lines With Nanometer Light Localization and Long Propagation Distance. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2013 , 19, 4601809-460180	o∂ ^{.8}	5
6	A Novel Hybrid Analytical Method for Impedance Calculation of Power and Ground Planes. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2013 , 55, 949-955	2	3
5	Cross-Diabolo Nanoantenna for Localizing and Enhancing Magnetic Field With Arbitrary Polarization. <i>Journal of Lightwave Technology</i> , 2012 , 30, 829-833	4	12
4	2012,		35
3	Development of the Three-Dimensional Unconditionally Stable LOD-FDTD Method. <i>IEEE Transactions on Antennas and Propagation</i> , 2008 , 56, 3596-3600	4.9	83
2	Broadband Janus Scattering from Tilted Dipolar Metagratings. Laser and Photonics Reviews,2100369	8.3	5
1	In Situ Customized Illusion Enabled by Global Metasurface Reconstruction. <i>Advanced Functional Materials</i> 2109331	15.6	4