

# Kette D Valente

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4793094/publications.pdf>

Version: 2024-02-01

111  
papers

3,129  
citations

159358

30  
h-index

182168

51  
g-index

111  
all docs

111  
docs citations

111  
times ranked

3261  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Counseling about sudden unexpected death in epilepsy (SUDEP): A global survey of neurologists's opinions. <i>Epilepsy and Behavior</i> , 2022, 128, 108570.  | 0.9 | 13        |
| 2  | Factors associated with caregiver burden of adults with epilepsy in a middle-income country. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2022, 98, 1-7.  | 0.9 | 9         |
| 3  | Managing depression and anxiety in people with epilepsy: A survey of epilepsy health professionals by the ILAE Psychology Task Force. <i>Epilepsia Open</i> , 2021, 6, 127-139.  | 1.3 | 42        |
| 4  | The COVID-19 outbreak and PNES: The impact of a ubiquitously felt stressor. <i>Epilepsy and Behavior</i> , 2021, 117, 107852.  | 0.9 | 22        |
| 5  | Complementary and alternative medicine in epilepsy: A global survey of physicians's opinions. <i>Epilepsy and Behavior</i> , 2021, 117, 107835.  | 0.9 | 11        |
| 6  | Genetic polymorphisms of the serotonin transporter are not related with depression in temporal lobe epilepsy caused by hippocampal sclerosis. <i>Epilepsy and Behavior</i> , 2021, 117, 107854.  | 0.9 | 0         |
| 7  | Social aspects of life in patients with functional seizures: Closing the gap in the biopsychosocial formulation. <i>Epilepsy and Behavior</i> , 2021, 117, 107903.   | 0.9 | 22        |
| 8  | A novel scale for suspicion of psychogenic nonepileptic seizures: development and accuracy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021, 89, 65-72.   | 0.9 | 4         |
| 9  | Patients with epilepsy during the COVID-19 pandemic: Depressive symptoms and their association with healthcare access. <i>Epilepsy and Behavior</i> , 2021, 122, 108178.   | 0.9 | 10        |
| 10 | Functional seizures are not less important than epilepsy. <i>Epilepsy and Behavior Reports</i> , 2021, 16, 100495.   | 0.5 | 7         |
| 11 | Cochrane systematic review and meta-analysis of the impact of psychological treatment on health-related quality of life in people with epilepsy: an update by the ILAE Psychology Task Force, highlighting methodological changes. <i>Epileptic Disorders</i> , 2021, 23, 803-811. | 0.7 | 6         |
| 12 | Clinical characteristics of psychogenic nonepileptic seizures across the lifespan: An international retrospective study. <i>Epilepsy and Behavior</i> , 2020, 102, 106705.   | 0.9 | 21        |
| 13 | Movement disorders in children with congenital Zika virus syndrome. <i>Brain and Development</i> , 2020, 42, 720-729.  | 0.6 | 12        |
| 14 | Driving a motor vehicle and psychogenic nonepileptic seizures: ILAE Report by the Task Force on Psychogenic Nonepileptic Seizures. <i>Epilepsia Open</i> , 2020, 5, 371-385.   | 1.3 | 13        |
| 15 | Psychological treatments for people with epilepsy. <i>The Cochrane Library</i> , 2020, 2020, .   | 1.5 | 7         |
| 16 | Continuous epileptiform discharges during sleep as an evolutionary pattern in patients with congenital Zika virus syndrome. <i>Epilepsia</i> , 2020, 61, e107-e115.  | 2.6 | 6         |
| 17 | Seizure control and anxiety: Which factor plays a major role in social adjustment in patients with Juvenile Myoclonic Epilepsy?. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 80, 234-239.  | 0.9 | 15        |
| 18 | Social cognition in childhood epilepsy with centrotemporal spikes. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 78, 102-108.  | 0.9 | 4         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Adult-onset psychogenic nonepileptic seizures: A multicenter international study. <i>Epilepsy and Behavior</i> , 2019, 98, 36-39.   | 0.9  | 28        |
| 20 | Sex differences in demographic and clinical characteristics of psychogenic nonepileptic seizures: A retrospective multicenter international study. <i>Epilepsy and Behavior</i> , 2019, 97, 154-157.                          | 0.9  | 16        |
| 21 | Pediatric-onset psychogenic nonepileptic seizures: A retrospective international multicenter study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019, 71, 56-59.  | 0.9  | 20        |
| 22 | Sex differences in demographic and clinical characteristics of psychogenic nonepileptic seizures: A retrospective multicenter international study. <i>Journal of the Neurological Sciences</i> , 2019, 405, 85.               | 0.3  | 0         |
| 23 | Dissociation between decision making under ambiguity and risk in patients with juvenile myoclonic epilepsy. <i>Epilepsy and Behavior</i> , 2019, 101, 106548.   | 0.9  | 6         |
| 24 | Higher transcription alleles of the MAOA-uVNTR polymorphism are associated with higher seizure frequency in temporal lobe epilepsy. <i>Epilepsy Research</i> , 2019, 149, 26-29.  | 0.8  | 5         |
| 25 | Association study of functional polymorphisms of dopaminergic pathway in epilepsy-related factors of temporal lobe epilepsy in Brazilian population. <i>European Journal of Neurology</i> , 2018, 25, 895-901.                | 1.7  | 4         |
| 26 | The relevance of attention deficit hyperactivity disorder in self-limited childhood epilepsy with centrotemporal spikes. <i>Epilepsy and Behavior</i> , 2018, 82, 164-169.  | 0.9  | 14        |
| 27 | Genetic polymorphisms of the 5HT receptors are not related with depression in temporal lobe epilepsy caused by hippocampal sclerosis. <i>Epilepsy and Behavior</i> , 2018, 83, 181-185.                                       | 0.9  | 6         |
| 28 | Epilepsy for primary health care: a cost-effective Latin American e-learning initiative. <i>Epileptic Disorders</i> , 2018, 20, 386-395.  | 0.7  | 27        |
| 29 | Systematic review of the screening, diagnosis, and management of ADHD in children with epilepsy. Consensus paper of the Task Force on Comorbidities of the ILAE Pediatric Commission. <i>Epilepsia</i> , 2018, 59, 1867-1880. | 2.6  | 68        |
| 30 | Epilepsy Profile in Infants with Congenital Zika Virus Infection. <i>New England Journal of Medicine</i> , 2018, 379, 891-892.  | 13.9 | 45        |
| 31 | BDNF Val66Met polymorphism is not related with temporal lobe epilepsy caused by hippocampal sclerosis in Brazilian population. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 60, 159-162.           | 0.9  | 6         |
| 32 | Higher IQ in juvenile myoclonic epilepsy: Dodging cognitive obstacles and "masking" impairments. <i>Epilepsy and Behavior</i> , 2018, 86, 124-130.  | 0.9  | 9         |
| 33 | The approach to patients with psychogenic nonepileptic seizures in epilepsy surgery centers regarding diagnosis, treatment, and education. <i>Epilepsy and Behavior</i> , 2017, 68, 78-83.                                    | 0.9  | 11        |
| 34 | Everyday memory impairment in patients with temporal lobe epilepsy caused by hippocampal sclerosis. <i>Epilepsy and Behavior</i> , 2017, 69, 31-36.   | 0.9  | 23        |
| 35 | 5-hydroxytryptamine1A receptor density in the hippocampus of patients with temporal lobe epilepsy is associated with disease duration. <i>European Journal of Neurology</i> , 2017, 24, 602-608.                              | 1.7  | 8         |
| 36 | The executive profile of children with Benign Epilepsy of Childhood with Centrotemporal Spikes and Temporal Lobe Epilepsy. <i>Epilepsy and Behavior</i> , 2017, 72, 173-177.  | 0.9  | 19        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | The impact of intelligence on memory and executive functions of children with temporal lobe epilepsy: Methodological concerns with clinical relevance. <i>European Journal of Paediatric Neurology</i> , 2017, 21, 500-506. | 0.7 | 14        |
| 38 | Semiology of psychogenic nonepileptic seizures: An international cross-cultural study. <i>Epilepsy and Behavior</i> , 2017, 75, 210-212.  | 0.9 | 20        |
| 39 | Dravet syndrome, SUDEP, and omega-3 fatty acids: Lessons from the past, learning of the present, and perspectives for the future. <i>Epilepsy and Behavior</i> , 2017, 73, 286-288.   | 0.9 | 2         |
| 40 | Risk Factors for Diagnostic Delay in Psychogenic Nonepileptic Seizures Among Children and Adolescents. <i>Pediatric Neurology</i> , 2017, 67, 71-77.  | 1.0 | 38        |
| 41 | Improving first responders' psychogenic nonepileptic seizures diagnosis accuracy: Development and validation of a 6-item bedside diagnostic tool. <i>Epilepsy and Behavior</i> , 2016, 54, 40-46.                           | 0.9 | 34        |
| 42 | Decision-making in patients with temporal lobe epilepsy: Delay gratification ability is not impaired in patients with hippocampal sclerosis. <i>Epilepsy and Behavior</i> , 2016, 60, 158-164.                              | 0.9 | 8         |
| 43 | Delineating behavioral and cognitive phenotypes in juvenile myoclonic epilepsy: Are we missing the forest for the trees?. <i>Epilepsy and Behavior</i> , 2016, 54, 95-99.   | 0.9 | 40        |
| 44 | Hippocampal serotonin depletion is related to the presence of generalized tonic-clonic seizures, but not to psychiatric disorders in patients with temporal lobe epilepsy. <i>Epilepsy Research</i> , 2015, 111, 18-25.     | 0.8 | 18        |
| 45 | DTI-based tractography of the arcuate fasciculus in patients with polymicrogyria and language disorders. <i>European Journal of Radiology</i> , 2015, 84, 2280-2286.  | 1.2 | 13        |
| 46 | Distinct domains of impulsivity are impaired in juvenile myoclonic epilepsy but not in temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2015, 45, 44-48.  | 0.9 | 16        |
| 47 | Standard medical care for psychogenic nonepileptic seizures in Brazil. <i>Epilepsy and Behavior</i> , 2015, 45, 128-135.  | 0.9 | 11        |
| 48 | Memory in children with symptomatic temporal lobe epilepsy. <i>Arquivos De Neuro-Psiquiatria</i> , 2014, 72, 184-189.   | 0.3 | 8         |
| 49 | Widespread pH abnormalities in patients with malformations of cortical development and epilepsy: A phosphorus-31 brain MR spectroscopy study. <i>Brain and Development</i> , 2014, 36, 899-906.                             | 0.6 | 14        |
| 50 | Temporal lobe epilepsy in children: Executive and mnemonic impairments. <i>Epilepsy and Behavior</i> , 2014, 31, 117-122.   | 0.9 | 38        |
| 51 | Psychogenic nonepileptic seizures: Should we use response to AEDS as a red flag for the diagnosis?. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2014, 23, 906-908.                                    | 0.9 | 31        |
| 52 | Epilepsy & Behavior: Congratulations on your "sweet fifteen". <i>Epilepsy and Behavior</i> , 2014, 40, 121.   | 0.9 | 0         |
| 53 | Diffusion abnormalities of the corpus callosum in patients with malformations of cortical development and epilepsy. <i>Epilepsy Research</i> , 2014, 108, 1533-1542.  | 0.8 | 17        |
| 54 | Semiology of psychogenic nonepileptic seizures: Age-related differences. <i>Epilepsy and Behavior</i> , 2013, 27, 292-295.  | 0.9 | 34        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Angelman syndrome caused by deletion: A genotype-phenotype correlation determined by breakpoint. <i>Epilepsy Research</i> , 2013, 105, 234-239.  | 0.8 | 31        |
| 56 | Psychogenic non-epileptic seizures at a tertiary care center in Brazil. <i>Epilepsy and Behavior</i> , 2013, 26, 91-95.  | 0.9 | 35        |
| 57 | Correlation between platelet and brain PLA2 activity. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2013, 89, 265-268.  | 1.0 | 7         |
| 58 | Lower doses of sublingual Zolpidem are more effective than oral Zolpidem to anticipate sleep onset in healthy volunteers. <i>Sleep Medicine</i> , 2013, 14, 20-23.   | 0.8 | 16        |
| 59 | Severity of depressive symptomatology and functional impairment in children and adolescents with temporal lobe epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2013, 22, 708-712.            | 0.9 | 21        |
| 60 | Valproate and Lamotrigine in Pediatric Patients With Refractory Epilepsy: After the First Year. <i>Pediatric Neurology</i> , 2013, 48, 436-442.  | 1.0 | 2         |
| 61 | Impulsivity and seizure frequency, but not cognitive deficits, impact social adjustment in patients with juvenile myoclonic epilepsy. <i>Epilepsia</i> , 2013, 54, 866-870.  | 2.6 | 44        |
| 62 | Depression and temporal lobe epilepsy represent an epiphenomenon sharing similar neural networks: clinical and brain structural evidences. <i>Arquivos De Neuro-Psiquiatria</i> , 2013, 71, 183-190.                     | 0.3 | 54        |
| 63 | Memory in children with temporal lobe epilepsy is at least partially explained by executive dysfunction. <i>Epilepsy and Behavior</i> , 2012, 25, 577-584.   | 0.9 | 28        |
| 64 | Juvenile myoclonic epilepsy: The impact of clinical variables and psychiatric disorders on executive profile assessed with a comprehensive neuropsychological battery. <i>Epilepsy and Behavior</i> , 2012, 25, 682-686. | 0.9 | 36        |
| 65 | Late Adverse Effects of the Coadministration of Valproate and Lamotrigine. <i>Pediatric Neurology</i> , 2012, 47, 47-50.   | 1.0 | 20        |
| 66 | Assessment of psychosocial adjustment in patients with temporal lobe epilepsy using a standard measure. <i>Epilepsy and Behavior</i> , 2011, 20, 89-94.  | 0.9 | 25        |
| 67 | Episodic and semantic memory in children with mesial temporal sclerosis. <i>Epilepsy and Behavior</i> , 2011, 21, 242-247.   | 0.9 | 27        |
| 68 | Personality traits in patients with juvenile myoclonic epilepsy. <i>Epilepsy and Behavior</i> , 2011, 21, 473-477.   | 0.9 | 47        |
| 69 | Valproate and lamotrigine in children and adolescents with drop attacks: Follow-up after the first year. <i>Epilepsia</i> , 2011, 52, 2139-2139.   | 2.6 | 2         |
| 70 | Phosphorus magnetic resonance spectroscopy in malformations of cortical development. <i>Epilepsia</i> , 2011, 52, 2276-2284.   | 2.6 | 10        |
| 71 | Increased PLA2 activity in the hippocampus of patients with temporal lobe epilepsy and psychosis. <i>Journal of Psychiatric Research</i> , 2011, 45, 1617-1620.  | 1.5 | 20        |
| 72 | Cortical Thickness Reduction of Normal Appearing Cortex in Patients with Polymicrogyria. <i>Journal of Neuroimaging</i> , 2010, 20, 46-52.   | 1.0 | 12        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Executive dysfunction in children and adolescents with temporal lobe epilepsy: Is the Wisconsin Card Sorting Test enough?. <i>Epilepsy and Behavior</i> , 2009, 15, 376-381.                                   | 0.9 | 41        |
| 74 | Sexuality in teenagers with epilepsy. <i>Epilepsy and Behavior</i> , 2008, 13, 703-706.  | 0.9 | 9         |
| 75 | Quality of life and childhood epilepsy. <i>Revista Brasileira De Psiquiatria</i> , 2008, 30, 404-405.  | 0.9 | 3         |
| 76 | Multivoxel Proton MR Spectroscopy in Malformations of Cortical Development. <i>American Journal of Neuroradiology</i> , 2007, 28, 1071-1075.   | 1.2 | 22        |
| 77 | Temporal Lobe Epilepsy in Childhood: Comprehensive Neuropsychological Assessment. <i>Journal of Child Neurology</i> , 2007, 22, 836-840.   | 0.7 | 61        |
| 78 | Interictal EEG in Temporal Lobe Epilepsy in Childhood. <i>Journal of Clinical Neurophysiology</i> , 2007, 24, 11-15.   | 0.9 | 10        |
| 79 | Sertraline and fluoxetine: Safe treatments for children and adolescents with epilepsy and depression. <i>Epilepsy and Behavior</i> , 2007, 10, 417-425.  | 0.9 | 104       |
| 80 | Frontal Lobe Dysfunction in Children With Temporal Lobe Epilepsy. <i>Pediatric Neurology</i> , 2007, 37, 176-185.  | 1.0 | 53        |
| 81 | Late side-effects of valproate and lamotrigine. <i>Journal of Epilepsy and Clinical Neurophysiology</i> , 2007, 13, 187-189.   | 0.1 | 4         |
| 82 | Inv dup (15): Is the electroclinical phenotype helpful for this challenging clinical diagnosis?. <i>Clinical Neurophysiology</i> , 2006, 117, 803-809.   | 0.7 | 11        |
| 83 | Homeostatic effects of plasma valproate levels on corticospinal excitability changes induced by 1Hz rTMS in patients with juvenile myoclonic epilepsy. <i>Clinical Neurophysiology</i> , 2006, 117, 1217-1227. | 0.7 | 50        |
| 84 | Risk factors for psychogenic nonepileptic seizures in children and adolescents with epilepsy. <i>Epilepsy and Behavior</i> , 2006, 8, 294-298.   | 0.9 | 90        |
| 85 | Memory impairment in children with temporal lobe epilepsy: a review. <i>Journal of Epilepsy and Clinical Neurophysiology</i> , 2006, 12, 22-25.  | 0.1 | 0         |
| 86 | A Controlled Clinical Trial of Cathodal DC Polarization in Patients with Refractory Epilepsy. <i>Epilepsia</i> , 2006, 47, 335-342.  | 2.6 | 247       |
| 87 | A randomized clinical trial of repetitive transcranial magnetic stimulation in patients with refractory epilepsy. <i>Annals of Neurology</i> , 2006, 60, 447-455.  | 2.8 | 219       |
| 88 | Effects of antidepressant treatment with rTMS and fluoxetine on brain perfusion in PD. <i>Neurology</i> , 2006, 66, 1629-1637.   | 1.5 | 75        |
| 89 | A familial syndrome of unilateral polymicrogyria affecting the right hemisphere. <i>Neurology</i> , 2006, 66, 133-135.   | 1.5 | 43        |
| 90 | Epilepsy in Patients With Angelman Syndrome Caused by Deletion of the Chromosome 15q11-13. <i>Archives of Neurology</i> , 2006, 63, 122.   | 4.9 | 96        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Interictal electroencephalographic findings in children and adults with temporal lobe tumors. <i>Arquivos De Neuro-Psiquiatria</i> , 2006, 64, 359-362.   | 0.3 | 0         |
| 92  | Angelman syndrome: Uniparental paternal disomy 15 determines mild epilepsy, but has no influence on EEG patterns. <i>Epilepsy Research</i> , 2005, 67, 163-168.   | 0.8 | 16        |
| 93  | Workgroup on expanded criteria organs for liver transplantation. <i>Liver Transplantation</i> , 2005, 11, 1184-1192.  | 1.3 | 34        |
| 94  | Antiepileptic Effects of Repetitive Transcranial Magnetic Stimulation in Patients with Cortical Malformations: An EEG and Clinical Study. <i>Stereotactic and Functional Neurosurgery</i> , 2005, 83, 57-62.                    | 0.8 | 71        |
| 95  | “A finite universe?” Riemannian geometry and the Modernist theology of Ernest William Barnes. <i>British Journal for the History of Science</i> , 2005, 38, 197-217.  | 0.1 | 4         |
| 96  | Severe Epilepsy and Pachygyria Associated With Peculiar Facial Traits Characterize Fryns-Aftimos Syndrome. <i>Journal of Child Neurology</i> , 2005, 20, 160-163.   | 0.7 | 3         |
| 97  | DepressÃ£o em crianÃ§as e adolescentes com epilepsia. <i>Revista De Psiquiatria Clinica</i> , 2004, 31, 290-299.  | 0.6 | 3         |
| 98  | Epilepsy in one family with parietal foramina: an incidental finding?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 1648-1649.  | 0.9 | 10        |
| 99  | Repetitive transcranial magnetic stimulation is as effective as fluoxetine in the treatment of depression in patients with Parkinson’s disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 1171-1174. | 0.9 | 193       |
| 100 | Which factors may play a pivotal role on determining the type of psychiatric disorder in children and adolescents with epilepsy?. <i>Epilepsy and Behavior</i> , 2004, 5, 988-994.  | 0.9 | 160       |
| 101 | Polymicrogyria in glycogenosis type III: An incidental finding?. <i>Pediatric Neurology</i> , 2004, 31, 143-145.  | 1.0 | 2         |
| 102 | A study of EEG and epilepsy profile in WolfÃ©“Hirschhorn syndrome and considerations regarding its correlation with other chromosomal disorders. <i>Brain and Development</i> , 2003, 25, 283-287.                              | 0.6 | 19        |
| 103 | Another Rett Patient with a Typical Angelman EEG. <i>Epilepsia</i> , 2003, 44, 873-874.   | 2.6 | 8         |
| 104 | Angelman Syndrome: Difficulties in EEG Pattern Recognition and Possible Misinterpretations. <i>Epilepsia</i> , 2003, 44, 1051-1063.   | 2.6 | 57        |
| 105 | The diagnostic role of short duration outpatient V-EEG monitoring in children. <i>Pediatric Neurology</i> , 2003, 28, 285-291.  | 1.0 | 19        |
| 106 | Lamotrigine and valproate: efficacy of co-administration in a pediatric population. <i>Pediatric Neurology</i> , 2003, 28, 360-364.   | 1.0 | 25        |
| 107 | Surgical treatment of temporal lobe epilepsy with interictal psychosis: results of six cases. <i>Epilepsy and Behavior</i> , 2003, 4, 146-152.  | 0.9 | 27        |
| 108 | O vÃ©deo-EEG dia no diagnÃ³stico de eventos paroxÃ³sticos na infÃ¢ncia. <i>Jornal De Pediatria</i> , 2003, 79, 259-264.   | 0.9 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Phenotypic and behavioral variability within Angelman Syndrome group with UPD. Genetics and Molecular Biology, 2002, 25, 127-130.  | 0.6 | 6         |
| 110 | Angelman syndrome: characteristics of epilepsy, electroencephalographic abnormalities and correlation to genetic mechanisms. Arquivos De Neuro-Psiquiatria, 2002, 60, 1050-1050. | 0.3 | 0         |
| 111 | Editorial: Psychiatric Comorbidities in the Epilepsies: Extensive Mechanisms and Broad Questions. Frontiers in Integrative Neuroscience, 0, 16, .                                | 1.0 | 0         |