

Sascha Rohn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4793974/publications.pdf>

Version: 2024-02-01

240
papers

9,485
citations

36203

51
h-index

51492

86
g-index

244
all docs

244
docs citations

244
times ranked

11110
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of thermal processing on the flavonols rutin and quercetin. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 3229-3235.	0.7	348
2	Interactions of different phenolic acids and flavonoids with soy proteins. <i>International Journal of Biological Macromolecules</i> , 2002, 30, 137-150.	3.6	335
3	Phenolic profile and antioxidant activity of highbush blueberry (<i>Vaccinium corymbosum</i> L.) during fruit maturation and ripening. <i>Food Chemistry</i> , 2008, 109, 564-572.	4.2	302
4	Reactions of Plant Phenolics with Food Proteins and Enzymes under Special Consideration of Covalent Bonds. <i>Food Science and Technology Research</i> , 2003, 9, 205-218.	0.3	295
5	A collection of bacterial isolates from the pig intestine reveals functional and taxonomic diversity. <i>Nature Communications</i> , 2020, 11, 6389.	5.8	269
6	Reactivity and Stability of Glucosinolates and Their Breakdown Products in Foods. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 11430-11450.	7.2	255
7	Inhibitory Effects of Plant Phenols on the Activity of Selected Enzymes. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 3566-3571.	2.4	232
8	Iso-caloric Diets High in Animal or Plant Protein Reduce Liver Fat and Inflammation in Individuals With Type 2 Diabetes. <i>Gastroenterology</i> , 2017, 152, 571-585.e8.	0.6	194
9	Structural changes induced in bovine serum albumin by covalent attachment of chlorogenic acid. <i>Food Chemistry</i> , 2002, 78, 443-455.	4.2	187
10	Antioxidant Activity of Protein-Bound Quercetin. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 4725-4729.	2.4	180
11	Intestinal microbiota in metabolic diseases. <i>Gut Microbes</i> , 2014, 5, 544-551.	4.3	170
12	The gut microbiota drives the impact of bile acids and fat source in diet on mouse metabolism. <i>Microbiome</i> , 2018, 6, 134.	4.9	169
13	Thermal Degradation of Onion Quercetin Glucosides under Roasting Conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 1568-1573.	2.4	160
14	Functional constituents of wild and cultivated Goji (<i>L. barbarum</i> L.) leaves: phytochemical characterization, biological profile, and computational studies. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2017, 32, 153-168.	2.5	151
15	Surface morphology and chemical composition of lambâ€™s lettuce (<i>Valerianella locusta</i>) after exposure to a low-pressure oxygen plasma. <i>Food Chemistry</i> , 2010, 122, 1145-1152.	4.2	123
16	Resolution-optimized headspace gas chromatography-ion mobility spectrometry (HS-GC-IMS) for non-targeted olive oil profiling. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 3933-3942.	1.9	121
17	Possibilities and limitations in the analysis of covalent interactions between phenolic compounds and proteins. <i>Food Research International</i> , 2014, 65, 13-19.	2.9	117
18	Volatile-Compound Fingerprinting by Headspace-Gas-Chromatography Ion-Mobility Spectrometry (HS-GC-IMS) as a Benchtop Alternative to ¹ H NMR Profiling for Assessment of the Authenticity of Honey. <i>Analytical Chemistry</i> , 2018, 90, 1777-1785.	3.2	117

#	ARTICLE	IF	CITATIONS
19	Quality assessment of olive oils based on temperature-ramped HS-GC-IMS and sensory evaluation: Comparison of different processing approaches by LDA, kNN, and SVM. <i>Food Chemistry</i> , 2019, 278, 720-728.	4.2	113
20	Reactions of phenolic substances with lysozyme – physicochemical characterisation and proteolytic digestion of the derivatives. <i>Food Chemistry</i> , 2001, 72, 59-71.	4.2	112
21	Genotypic and climatic influences on the concentration and composition of flavonoids in kale (<i>Brassica oleracea</i> var. <i>sabellica</i>). <i>Food Chemistry</i> , 2010, 119, 1293-1299.	4.2	106
22	Identification of complex, naturally occurring flavonoid glycosides in kale (<i>Brassica oleracea</i>) by electrospray ionization multi-stage mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 2009-2022.	0.7	105
23	Thermal stability, antioxidant, and anti-inflammatory activity of curcumin and its degradation product 4-vinyl guaiacol. <i>Food and Function</i> , 2015, 6, 887-893.	2.1	101
24	Genotypic and Climatic Influence on the Antioxidant Activity of Flavonoids in Kale (<i>Brassica oleracea</i>) by Electrospray Ionization Multi-Stage Mass Spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 2009-2022.	2.4	99
25	Determination of lignans and phenolic components of <i>Schisandra chinensis</i> (Turcz.) Baill. using HPLC-ESI-ToF-MS and HPLC-online TEAC: Contribution of individual components to overall antioxidant activity and comparison with traditional antioxidant assays. <i>Journal of Functional Foods</i> , 2016, 24, 579-594.	1.6	93
26	UHPLC-QTOF-MS analysis of bioactive constituents from two Romanian Goji (<i>Lycium barbarum</i> L.) berries cultivars and their antioxidant, enzyme inhibitory, and real-time cytotoxicological evaluation. <i>Food and Chemical Toxicology</i> , 2018, 115, 414-424.	1.8	86
27	UV-B-induced changes of volatile metabolites and phenolic compounds in blueberries (<i>Vaccinium</i>) by electrospray ionization multi-stage mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 2009-2022.	4.2	83
28	Characterization of Phenolic Compounds and Their Contribution to Sensory Properties of Olive Oil. <i>Molecules</i> , 2019, 24, 2041.	1.7	83
29	Rapid analysis of bile acids in different biological matrices using LC-ESI-MS/MS for the investigation of bile acid transformation by mammalian gut bacteria. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 1231-1245.	1.9	81
30	Influence of dietary carotenoids on radical scavenging capacity of the skin and skin lipids. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2013, 84, 365-373.	2.0	80
31	Nature of hydroxycinnamate-protein interactions. <i>Phytochemistry Reviews</i> , 2010, 9, 93-109.	3.1	78
32	In Vitro Potential Antioxidant Activity of (1 \rightarrow 3),(1 \rightarrow 6)- β -D-Glucan and Protein Fractions from <i>Saccharomyces cerevisiae</i> Cell Walls. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 4710-4716.	2.4	76
33	Phenolic compounds in <i>Cistus incanus</i> herbal infusions – Antioxidant capacity and thermal stability during the brewing process. <i>Food Research International</i> , 2013, 53, 891-899.	2.9	75
34	Characterization of Products from the Reaction of Glucosinolate-Derived Isothiocyanates with Cysteine and Lysine Derivatives Formed in Either Model Systems or Broccoli Sprouts. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 7735-7745.	2.4	73
35	Identification and quantification of flavonol aglycons in cactus pear (<i>Opuntia ficus indica</i>) fruit using a commercial pectinase and cellulase preparation. <i>Food Chemistry</i> , 2011, 124, 1177-1184.	4.2	71
36	Influence of the chemical structure on the thermal degradation of the glucosinolates in broccoli sprouts. <i>Food Chemistry</i> , 2012, 130, 1-8.	4.2	71

#	ARTICLE	IF	CITATIONS
37	Structurally different flavonol glycosides and hydroxycinnamic acid derivatives respond differently to moderate UV-B radiation exposure. <i>Physiologia Plantarum</i> , 2012, 145, 582-593.	2.6	69
38	Influence of a sugar moiety (rhamnosylglucoside) at 3-O position on the reactivity of quercetin with whey proteins. <i>International Journal of Biological Macromolecules</i> , 2003, 32, 109-120.	3.6	67
39	Impact of cold atmospheric pressure plasma on physiology and flavonol glycoside profile of peas (<i>Pisum sativum</i> "Salamanca"). <i>Food Research International</i> , 2015, 76, 132-141.	2.9	67
40	Leaching and degradation kinetics of glucosinolates during boiling of <i>Brassica oleracea</i> vegetables and the formation of their breakdown products. <i>Food Chemistry</i> , 2018, 263, 240-250.	4.2	66
41	Interaction of Moderate UV-B Exposure and Temperature on the Formation of Structurally Different Flavonol Glycosides and Hydroxycinnamic Acid Derivatives in Kale (<i>Brassica oleracea</i> var.) Tj ETQq1 1 0.7843214 rgBT / 05erlock 10	4.2	66
42	UV-B-mediated flavonoid synthesis in white asparagus (<i>Asparagus officinalis</i> L.). <i>Food Research International</i> , 2012, 48, 196-201.	2.9	62
43	A liquid chromatography-tandem mass spectrometry-based method for the simultaneous determination of hydroxy sterols and bile acids. <i>Journal of Chromatography A</i> , 2014, 1371, 184-195.	1.8	60
44	Identification of complex, naturally occurring flavonoid glycosides in <i>Vicia faba</i> and <i>Pisum sativum</i> leaves by HPLC-DAD-ESI-MSn and the genotypic effect on their flavonoid profile. <i>Food Research International</i> , 2015, 76, 114-121.	2.9	59
45	Free radicals induced by sunlight in different spectral regions "in vivo" versus "ex vivo" study. <i>Experimental Dermatology</i> , 2016, 25, 380-385.	1.4	59
46	Influence of cultivar and origin on the flavonol profile of fruits and cladodes from cactus <i>Opuntia ficus-indica</i> . <i>Food Research International</i> , 2014, 64, 864-872.	2.9	58
47	Impact of pulsed electric fields, high hydrostatic pressure, and thermal pasteurization on selected characteristics of <i>Opuntia dillenii</i> cactus juice. <i>LWT - Food Science and Technology</i> , 2017, 79, 534-542.	2.5	58
48	Technological characteristics and selected bioactive compounds of <i>Opuntia dillenii</i> cactus fruit juice following the impact of pulsed electric field pre-treatment. <i>Food Chemistry</i> , 2016, 210, 249-261.	4.2	57
49	Flavonols, betacyanins content and antioxidant activity of cactus <i>Opuntia macrorhiza</i> fruits. <i>Food Research International</i> , 2011, 44, 2169-2174.	2.9	53
50	Highly glycosylated and acylated flavonols isolated from kale (<i>Brassica oleracea</i> var. <i>sabellica</i>) "Structure-antioxidant activity relationship. <i>Food Research International</i> , 2012, 47, 80-89.	2.9	53
51	Distribution of quercetin-3,4-O-diglucoside, quercetin-4-O-monoglucoside, and quercetin in different parts of the onion bulb (<i>Allium cepa</i> L.) influenced by genotype. <i>Food Chemistry</i> , 2010, 122, 566-571.	4.2	52
52	Thermally Induced Degradation of Sulfur-Containing Aliphatic Glucosinolates in Broccoli Sprouts (<i>Brassica oleracea</i> var. <i>italica</i>) and Model Systems. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 2231-2241.	2.4	52
53	Stability of saponins from chickpea, soy and faba beans in vegetarian, broccoli-based bars subjected to different cooking techniques. <i>Food Research International</i> , 2015, 76, 142-149.	2.9	52
54	Development of a rapid multi-mycotoxin LC-MS/MS stable isotope dilution analysis for grain legumes and its application on 66 market samples. <i>Food Control</i> , 2020, 109, 106949.	2.8	52

#	ARTICLE	IF	CITATIONS
55	Characterization of individual proteins in pea protein isolates and air classified samples. Food Research International, 2015, 76, 160-167.	2.9	51
56	Data fusion of GC-IMS data and FT-MIR spectra for the authentication of olive oils and honeysâ€”is it worth to go the extra mile?. Analytical and Bioanalytical Chemistry, 2019, 411, 6005-6019.	1.9	51
57	Flavonol Glucoside and Antioxidant Enzyme Biosynthesis Affected by Mycorrhizal Fungi in Various Cultivars of Onion (<i>Allium cepa</i> L.). Journal of Agricultural and Food Chemistry, 2016, 64, 71-77.	2.4	48
58	Thermally Induced Degradation of Aliphatic Glucosinolates: Identification of Intermediary Breakdown Products and Proposed Degradation Pathways. Journal of Agricultural and Food Chemistry, 2012, 60, 9890-9899.	2.4	47
59	Antioxidant Activity and Phenolic Profile of Selected Organic and Conventional Honeys from Poland. Antioxidants, 2020, 9, 44.	2.2	47
60	The effect of temperature and radiation on flavonol aglycones and flavonol glycosides of kale (<i>Brassica oleracea</i> var. <i>sabellica</i>). Food Chemistry, 2012, 133, 1456-1465.	4.2	46
61	Identification and characterization of pesticide metabolites in Brassica species by liquid chromatography travelling wave ion mobility quadrupole time-of-flight mass spectrometry (UPLC-TWIMS-QTOF-MS). Food Chemistry, 2018, 244, 292-303.	4.2	46
62	Reactions of chlorogenic acid and quercetin with a soy protein isolate â€” Influence on the in vivo food protein quality in rats. Molecular Nutrition and Food Research, 2006, 50, 696-704.	1.5	45
63	Comparison of the effects of diets high in animal or plant protein on metabolic and cardiovascular markers in type 2 diabetes: <sc>A</sc> randomized clinical trial. Diabetes, Obesity and Metabolism, 2017, 19, 944-952.	2.2	45
64	Uptake of the cyanobacterial toxin cylindrospermopsin in Brassica vegetables. Food Chemistry, 2012, 133, 875-879.	4.2	44
65	Effect of different cooking methods on bioactive compounds in vegetarian, broccoli-based bars. Journal of Functional Foods, 2014, 11, 407-416.	1.6	44
66	The role of plant processing for the cancer preventive potential of Ethiopian kale (<i>Brassica carinata</i>). Food and Nutrition Research, 2017, 61, 1271527.	1.2	44
67	Chlorogenic Acid Moderately Decreases the Quality of Whey Proteins in Rats. Journal of Agricultural and Food Chemistry, 2005, 53, 3714-3720.	2.4	43
68	Electron spin resonance - A spectroscopic method for determining the antioxidative activity. Molecular Nutrition and Food Research, 2005, 49, 898-907.	1.5	42
69	HPTLC fingerprint profile analysis of cocoa proanthocyanidins depending on origin and genotype. Food Chemistry, 2018, 267, 277-287.	4.2	42
70	Mutual Interaction of Phenolic Compounds and Microbiota: Metabolism of Complex Phenolic Apigenin- <i>C</i> - and Kaempferol- <i>O</i> -Derivatives by Human Fecal Samples. Journal of Agricultural and Food Chemistry, 2018, 66, 485-497.	2.4	42
71	Effect of Nitrogen Species Supply and Mycorrhizal Colonization on Organosulfur and Phenolic Compounds in Onions. Journal of Agricultural and Food Chemistry, 2008, 56, 3538-3545.	2.4	41
72	The <i>Brassica</i> epithionitrile 1â€”cyanoâ€”2,3â€”epithiopropane triggers cell death in human liver cancer cells <i>in vitro</i> . Molecular Nutrition and Food Research, 2015, 59, 2178-2189.	1.5	41

#	ARTICLE	IF	CITATIONS
73	Formation of Secondary and Tertiary Volatile Compounds Resulting from the Lipid Oxidation of Rapeseed Oil. <i>Foods</i> , 2021, 10, 2417.	1.9	41
74	Thermal-induced changes of kale's antioxidant activity analyzed by HPLC-UV/Vis-online-TEAC detection. <i>Food Chemistry</i> , 2013, 138, 857-865.	4.2	39
75	An online NP-HPLC-DPPH method for the determination of the antioxidant activity of condensed polyphenols in cocoa. <i>Food Research International</i> , 2016, 89, 890-900.	2.9	38
76	Determining quality parameters of fish oils by means of 1H nuclear magnetic resonance, mid-infrared, and near-infrared spectroscopy in combination with multivariate statistics. <i>Food Research International</i> , 2018, 106, 116-128.	2.9	38
77	Characterization of saponins in peas (<i>Pisum sativum</i> L.) by HPTLC coupled to mass spectrometry and a hemolysis assay. <i>Food Research International</i> , 2015, 76, 3-10.	2.9	36
78	Influence of a Selenium Biofortification on Antioxidant Properties and Phenolic Compounds of Apples (<i>Malus domestica</i>). <i>Antioxidants</i> , 2020, 9, 187.	2.2	36
79	Topsoil drying combined with increased sulfur supply leads to enhanced aliphatic glucosinolates in <i>Brassica juncea</i> leaves and roots. <i>Food Chemistry</i> , 2014, 152, 190-196.	4.2	34
80	Flavonol profile of cactus fruits (<i>Opuntia ficus-indica</i>) enriched cereal-based extrudates: Authenticity and impact of extrusion. <i>Food Research International</i> , 2015, 78, 442-447.	2.9	34
81	Evaluation and validation of an ion mobility quadrupole time-of-flight mass spectrometry pesticide screening approach. <i>Journal of Separation Science</i> , 2018, 41, 2178-2187.	1.3	33
82	Interactions between Phenolic Acids, Proteins, and Carbohydrates—Influence on Dough and Bread Properties. <i>Foods</i> , 2021, 10, 2798.	1.9	33
83	Bread Enriched With Legume Microgreens and Leaves—Ontogenetic and Baking-Driven Changes in the Profile of Secondary Plant Metabolites. <i>Frontiers in Chemistry</i> , 2018, 6, 322.	1.8	32
84	Characterization of selected microalgae and cyanobacteria as sources of compounds with antioxidant capacity. <i>Algal Research</i> , 2021, 53, 102168.	2.4	32
85	Exercise Increases the Plasma Antioxidant Capacity of Adolescent Athletes. <i>Annals of Nutrition and Metabolism</i> , 2008, 53, 96-103.	1.0	31
86	Cytotoxic and genotoxic potential of food-borne nitriles in a liver in vitro model. <i>Scientific Reports</i> , 2016, 6, 37631.	1.6	31
87	Rate of appearance of amino acids after a meal regulates insulin and glucagon secretion in patients with type 2 diabetes: a randomized clinical trial. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 279-291.	2.2	31
88	Chlorogenic acid versus amaranth's caffeoylisocitric acid—Gut microbial degradation of caffeic acid derivatives. <i>Food Research International</i> , 2017, 100, 375-384.	2.9	30
89	Biosynthesis and Characterization of Zearalenone-14-Sulfate, Zearalenone-14-Glucoside and Zearalenone-16-Glucoside Using Common Fungal Strains. <i>Toxins</i> , 2018, 10, 104.	1.5	29
90	Brassica-enriched wheat bread: Unraveling the impact of ontogeny and breadmaking on bioactive secondary plant metabolites of pak choi and kale. <i>Food Chemistry</i> , 2019, 295, 412-422.	4.2	28

#	ARTICLE	IF	CITATIONS
91	Effects of plant and animal high protein diets on immune-inflammatory biomarkers: A 6-week intervention trial. <i>Clinical Nutrition</i> , 2020, 39, 862-869.	2.3	28
92	The microbial degradation of onion flavonol glucosides and their roasting products by the human gut bacteria <i>Eubacterium ramulus</i> and <i>Flavonifractor plautii</i> . <i>Food Research International</i> , 2015, 67, 349-355.	2.9	27
93	The isothiocyanate erucin abrogates telomerase in hepatocellular carcinoma cells <i>in vitro</i> and in an orthotopic xenograft tumour model of HCC. <i>Journal of Cellular and Molecular Medicine</i> , 2014, 18, 2393-2403.	1.6	26
94	Mitigation strategies for ester bound 2-/3-MCPD and esterified glycidol in pre-fried breaded and frozen fish products. <i>Food Chemistry</i> , 2018, 245, 196-204.	4.2	26
95	Reaction Chemistry of 1,4-Benzopyrone Derivates in Non-Equilibrium Low-Temperature Plasmas. <i>Plasma Processes and Polymers</i> , 2010, 7, 466-473.	1.6	25
96	Enhancement of skin radical scavenging activity and stratum corneum lipids after the application of a hyperforin-rich cream. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2014, 86, 227-233.	2.0	25
97	Comparative life cycle assessment of a mesh ultra-thin layer photobioreactor and a tubular glass photobioreactor for the production of bioactive algae extracts. <i>Bioresource Technology</i> , 2021, 340, 125657.	4.8	25
98	Reactions with phenolic substances can induce changes in some physico-chemical properties and activities of bromelain – the consequences for supplementary food products. <i>International Journal of Food Science and Technology</i> , 2005, 40, 771-782.	1.3	24
99	Determination of benzyl isothiocyanate metabolites in human plasma and urine by LC-ESI-MS/MS after ingestion of nasturtium (<i>Tropaeolum majus</i> L.). <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 7427-7436.	1.9	24
100	Bioavailability and biotransformation of sulforaphane and erucin metabolites in different biological matrices determined by LC-MS-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 1819-1829.	1.9	24
101	Impact of fish species and processing technology on minor fish oil components. <i>Food Control</i> , 2017, 73, 1379-1387.	2.8	24
102	Volatilomic Profiling of Citrus Juices by Dual-Detection HS-GC-MS-IMS and Machine Learning – An Alternative Authentication Approach. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 1727-1738.	2.4	24
103	Development of a Suspect Screening Strategy for Pesticide Metabolites in Fruit and Vegetables by UPLC-Q-ToF-MS. <i>Food Analytical Methods</i> , 2018, 11, 1591-1607.	1.3	23
104	Determination of isothiocyanate-protein conjugates in milk and curd after adding garden cress (<i>Lepidium sativum</i> L.). <i>Food Research International</i> , 2018, 108, 621-627.	2.9	23
105	Assessment of the Reactivity of Selected Isoflavones against Proteins in Comparison to Quercetin. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 5263-5271.	2.4	22
106	Low and moderate photosynthetically active radiation affects the flavonol glucosides and hydroxycinnamic acid derivatives in kale (<i>Brassica oleracea</i> var. <i>sabellica</i>) dependent on two low temperatures. <i>Plant Physiology and Biochemistry</i> , 2013, 72, 161-168.	2.8	22
107	A derivatization method for the simultaneous detection of glucosinolates and isothiocyanates in biological samples. <i>Analytical Biochemistry</i> , 2013, 441, 199-207.	1.1	22
108	Glucosinolates Are Mainly Absorbed Intact in Germfree and Human Microbiota-Associated Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 8418-8428.	2.4	22

#	ARTICLE	IF	CITATIONS
109	Determination of oligomeric proanthocyanidins and their antioxidant capacity from different chocolate manufacturing stages using the NP-HPLC-online-DPPH methodology. <i>Food Chemistry</i> , 2017, 214, 523-532.	4.2	22
110	Development of an LC-MS/MS Method for Simultaneous Determination of the Quaternary Ammonium Herbicides Paraquat, Diquat, Chlormequat, and Mepiquat in Plant-Derived Commodities. <i>Food Analytical Methods</i> , 2018, 11, 2237-2243.	1.3	22
111	Nitrogen form and mycorrhizal inoculation amount and timing affect flavonol biosynthesis in onion (<i>Allium cepa</i> L.). <i>Mycorrhiza</i> , 2018, 28, 59-70.	1.3	22
112	Natural diversity of hydroxycinnamic acid derivatives, flavonoid glycosides, carotenoids and chlorophylls in leaves of six different amaranth species. <i>Food Chemistry</i> , 2018, 267, 376-386.	4.2	22
113	In vitro inhibition of β -chymotryptic activity by phenolic compounds. <i>Journal of the Science of Food and Agriculture</i> , 2001, 81, 1512-1521.	1.7	21
114	Identification of novel saponins in vegetable amaranth and characterization of their hemolytic activity. <i>Food Research International</i> , 2015, 78, 361-368.	2.9	21
115	Effects of diets high in animal or plant protein on oxidative stress in individuals with type 2 diabetes: A randomized clinical trial. <i>Redox Biology</i> , 2020, 29, 101397.	3.9	21
116	Evaluation and optimisation of sample preparation protocols suitable for the analysis of plastic particles present in seafood. <i>Food Control</i> , 2021, 125, 107969.	2.8	21
117	High-Resolution Mass Spectrometry Analysis of Melanoidins and Their Precursors Formed in a Model Study of the Maillard Reaction of Methylglyoxal with <i>L</i> -Alanine or <i>L</i> -Lysine. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 11960-11970.	2.4	21
118	One- and Two-dimensional High-performance Thin-layer Chromatography as an Alternative Analytical Tool for Investigating Polyphenol-Protein Interactions. <i>Phytochemical Analysis</i> , 2013, 24, 436-445.	1.2	20
119	Brassica vegetables as sources of epithionitriles: Novel secondary products formed during cooking. <i>Food Chemistry</i> , 2018, 245, 564-569.	4.2	20
120	Ion chromatography tandem mass spectrometry (IC-MS/MS) multimethod for the determination of highly polar pesticides in plant-derived commodities. <i>Food Control</i> , 2018, 86, 71-76.	2.8	20
121	Apparent nutrient and fatty acid digestibilities of microbial raw materials for rainbow trout (<i>Oncorhynchus mykiss</i>) with comparison to conventional ingredients. <i>Algal Research</i> , 2019, 42, 101592.	2.4	20
122	Seasonal Variation of Glucosinolate Hydrolysis Products in Commercial White and Red Cabbages (<i>Brassica oleracea</i> var. <i>capitata</i>). <i>Foods</i> , 2020, 9, 1682.	1.9	20
123	Determination of the Antioxidant Status of the Skin by In Vivo-Electron Paramagnetic Resonance (EPR) Spectroscopy. <i>Cosmetics</i> , 2015, 2, 286-301.	1.5	19
124	Colour stability of lutein esters in liquid and spray dried delivery systems based on Quillaja saponins. <i>Food Research International</i> , 2016, 87, 68-75.	2.9	19
125	Extraction of cocoa proanthocyanidins and their fractionation by sequential centrifugal partition chromatography and gel permeation chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 5905-5914.	1.9	19
126	Metabolomics-Based Approach for the Discrimination of Potato Varieties (<i>Solanum tuberosum</i>) using UPLC-IMS-QToF. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 5700-5709.	2.4	19

#	ARTICLE	IF	CITATIONS
127	Physical Activity, Antioxidant Status, and Protein Modification in Adolescent Athletes. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 1131-1139.	0.2	19
128	Preclinical Evaluation of 4-Methylthiobutyl Isothiocyanate on Liver Cancer and Cancer Stem Cells with Different p53 Status. <i>PLoS ONE</i> , 2013, 8, e70846.	1.1	19
129	Influence of the Leaf Content and Herbal Particle Size on the Presence and Extractability of Quantitated Phenolic Compounds in <i>Cistus incanus</i> Herbal Teas. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 10978-10988.	2.4	18
130	Development of optimized mobile phases for protein separation by high performance thin layer chromatography. <i>Journal of Chromatography A</i> , 2015, 1415, 146-154.	1.8	18
131	Detection of a Toxic Methylated Derivative of Phomopsis A Produced by the Legume-Infesting Fungus <i>Diaporthe toxica</i> . <i>Journal of Natural Products</i> , 2017, 80, 1930-1934.	1.5	18
132	Opuntisines, 14-membered cyclopeptide alkaloids from fruits of <i>Opuntia stricta</i> var. <i>dillenii</i> isolated by high-performance countercurrent chromatography. <i>Food Chemistry</i> , 2021, 334, 127552.	4.2	18
133	Multidimensional single-cell analysis based on fluorescence microscopy and automated image analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 4009-4019.	1.9	17
134	Bioactive Compound Fingerprint Analysis of Aged Raw Pu'er Tea and Young Ripened Pu'er Tea. <i>Molecules</i> , 2018, 23, 1931.	1.7	17
135	Chemometric tools for the authentication of cod liver oil based on nuclear magnetic resonance and infrared spectroscopy data. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 6931-6942.	1.9	17

136

#	ARTICLE	IF	CITATIONS
145	Comparison of Different Di-tert-butyl-dimethyl-Silylated Cyclodextrins as Chiral Stationary Phases in Capillary Gas Chromatography. <i>Journal of High Resolution Chromatography</i> , 2000, 23, 569-575.	2.0	14
146	Fluorescently Labeled Substrates for Monitoring α -1,3-Fucosyltransferase Activity. <i>Chemistry - A European Journal</i> , 2013, 19, 17379-17390.	1.7	14
147	Impact of traditional and innovative technologies on some characteristics and bioactive compounds of <i>Opuntia macrorhiza</i> juice. <i>Procedia Food Science</i> , 2011, 1, 1410-1416.	0.6	13
148	Immunological analysis of food proteins using high-performance thin-layer chromatography-immunostaining. <i>Journal of Chromatography A</i> , 2017, 1526, 157-166.	1.8	13
149	Are Raw Brassica Vegetables Healthier Than Cooked Ones? A Randomized, Controlled Crossover Intervention Trial on the Health-Promoting Potential of Ethiopian Kale. <i>Nutrients</i> , 2018, 10, 1622.	1.7	13
150	Diverse Excretion Pathways of Benzyl Glucosinolate in Humans after Consumption of <i>Nasturtium (<i>Tropaeolum majus</i> L.)</i> – A Pilot Study. <i>Molecular Nutrition and Food Research</i> , 2018, 62, e1800588.	1.5	13
151	Evaluating the applicability of a two-dimensional liquid chromatography system for a pesticide multi-screening method. <i>Journal of Chromatography A</i> , 2019, 1599, 95-107.	1.8	13
152	Gas-phase volatilomic approaches for quality control of brewing hops based on simultaneous GC-MS-IMS and machine learning. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 7085-7097.	1.9	13
153	Biosynthesis and characterization of ¹⁵ N ₆ -labeled phomopsis A, a lupin associated mycotoxin produced by <i>Diaporthe toxica</i> . <i>Food Chemistry</i> , 2015, 177, 61-65.	4.2	12
154	Profiling of polar metabolites in fruits of <i>Opuntia stricta</i> var. <i>dillenii</i> by ion-pair high-performance countercurrent chromatography and off-line electrospray mass-spectrometry injection. <i>Journal of Chromatography A</i> , 2019, 1601, 274-287.	1.8	12
155	Novel Time- and Location-Independent Postharvest Treatment of Cocoa Beans: Investigations on the Aroma Formation during “Moist Incubation” of Unfermented and Dried Cocoa Nibs and Comparison to Traditional Fermentation. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 10336-10344.	2.4	12
156	Malt and beer-related by-products as potential antioxidant skin-lightening agents for cosmetics. <i>Sustainable Chemistry and Pharmacy</i> , 2020, 17, 100282.	1.6	12
157	Allyl Isothiocyanate: A TAS2R38 Receptor-Dependent Immune Modulator at the Interface Between Personalized Medicine and Nutrition. <i>Frontiers in Immunology</i> , 2021, 12, 669005.	2.2	12
158	Determination of bioactive, free isothiocyanates from a glucosinolate-containing phytotherapeutic agent: A pilot study with in vitro models and human intervention. <i>FÄ-toterapÄ-c</i> , 2013, 85, 25-34.	1.1	11
159	Characterization of atopic skin and the effect of a hyperforin-rich cream by laser scanning microscopy. <i>Journal of Biomedical Optics</i> , 2014, 20, 051013.	1.4	11
160	Rye Bread Defects: Analysis of Composition and Further Influence Factors as Determinants of Dry-Baking. <i>Foods</i> , 2020, 9, 1900.	1.9	11
161	Similar dietary regulation of IGF-1- and IGF-binding proteins by animal and plant protein in subjects with type 2 diabetes. <i>European Journal of Nutrition</i> , 2021, 60, 3499-3504.	1.8	11
162	Structural modifications of serum transthyretin in rats during protein-energy malnutrition. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 3270-3274.	0.7	10

#	ARTICLE	IF	CITATIONS
163	High-performance thin-layer chromatography as a fast screening tool for phosphorylated peptides. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1008, 198-205.	1.2	10
164	Selected nutrients determining the quality of different cuts of organic and conventional pork. <i>European Food Research and Technology</i> , 2021, 247, 1389-1400.	1.6	10
165	Diving Deep into the Data: A Review of Deep Learning Approaches and Potential Applications in Foodomics. <i>Foods</i> , 2021, 10, 1803.	1.9	10
166	Characterization of Conjugates between α -Lactalbumin and Benzyl Isothiocyanate—Effects on Molecular Structure and Proteolytic Stability. <i>Molecules</i> , 2021, 26, 6247.	1.7	10
167	Systematic Studies on the Antioxidant Capacity and Volatile Compound Profile of Yellow Mealworm Larvae (<i>T. molitor</i> L.) under Different Drying Regimes. <i>Insects</i> , 2022, 13, 166.	1.0	10
168	The Stance4Health Project: Evaluating a Smart Personalised Nutrition Service for Gut Microbiota Modulation in Normal- and Overweight Adults and Children with Obesity, Gluten-Related Disorders or Allergy/Intolerance to Cow's Milk. <i>Foods</i> , 2022, 11, 1480.	1.9	10
169	Plasma-oxidative Degradation of Polyphenolics - Influence of Non-thermal Gas Discharges with Respect to Fresh Produce Processing. <i>Czech Journal of Food Sciences</i> , 2009, 27, S35-S39.	0.6	9
170	Determination of Fosetyl and Phosphonic Acid at 0.010 mg/kg Level by Ion Chromatography Tandem Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 346-350.	2.4	9
171	Formation of Ester Bound 2- and 3-MCPD and Esterified Glycidol in Deep-Fried and Pickled Herring Products. <i>European Journal of Lipid Science and Technology</i> , 2018, 120, 1700464.	1.0	9
172	In Vitro Determination of Protein Conjugates in Human Cells by LC-ESI-MS/MS after Benzyl Isothiocyanate Exposure. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 6727-6733.	2.4	9
173	Peptides from Different Carcass Elements of Organic and Conventional Pork—Potential Source of Antioxidant Activity. <i>Antioxidants</i> , 2020, 9, 835.	2.2	9
174	Developing an Automatic Color Determination Procedure for the Quality Assessment of Mangos (<i>Mangifera indica</i>) Using a CCD Camera and Color Standards. <i>Foods</i> , 2020, 9, 1709.	1.9	9
175	Determination of Isothiocyanate-Protein Conjugates in a Vegetable-Enriched Bread. <i>Foods</i> , 2021, 10, 1300.	1.9	9
176	HPTLC-aptastaining – Innovative protein detection system for high-performance thin-layer chromatography. <i>Scientific Reports</i> , 2016, 6, 26665.	1.6	8
177	Toward determining fat quality parameters of fish oil by means of ¹ H NMR spectroscopy. <i>European Journal of Lipid Science and Technology</i> , 2017, 119, 1500573.	1.0	8
178	Analysis of Protein-Phenolic Compound Modifications Using Electrochemistry Coupled to Mass Spectrometry. <i>Molecules</i> , 2018, 23, 264.	1.7	8
179	Impact of processing on the antioxidant activity of a microorganism-enriched fish feed and subsequent quality effects on fillets of rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Aquaculture</i> , 2020, 518, 734633.	1.7	8
180	Comparing a two-dimensional liquid chromatography with a quick, easy, cheap, effective, rugged, and safe protocol-based liquid chromatography method for matrix removal in pesticide analysis using time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2020, 1623, 461153.	1.8	8

#	ARTICLE	IF	CITATIONS
181	MIR spectroscopy versus MALDI-ToF-MS for authenticity control of honeys from different botanical origins based on soft independent modelling by class analogy (SIMCA) – A clash of techniques?. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 263, 120225.	2.0	8
182	Protein content of peas (<i>Pisum sativum</i>) and beans (<i>Vicia faba</i>) – Influence of cultivation conditions. <i>Journal of Food Composition and Analysis</i> , 2022, 105, 104257.	1.9	8
183	Combined Application of RGB Marking and Mass Spectrometric Imaging Facilitates Detection of Tumor Heterogeneity. <i>Cancer Genomics and Proteomics</i> , 2015, 12, 179-87.	1.0	8
184	Development of a SIDA-LC-MS/MS Method for the Determination of Phomopsis A in Legumes. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 10543-10549.	2.4	7
185	Electrochemical Oxidation as a Tool for Generating Vitamin D Metabolites. <i>Molecules</i> , 2019, 24, 2369.	1.7	7
186	Nitrogen monoxide as dopant for enhanced selectivity of isomeric monoterpenes in drift tube ion mobility spectrometry with 3H ionization. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 3551-3560.	1.9	7
187	Two-dimensional high-performance thin-layer chromatography for the characterization of milk peptide properties and a prediction of the retention behavior – a proof-of-principle study. <i>Journal of Chromatography A</i> , 2021, 1653, 462442.	1.8	7
188	Comparison of the Aroma Composition and Sensory Properties of Dark Chocolates Made with Moist Incubated and Fermented Cocoa Beans. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 4057-4065.	2.4	7
189	A Comparison between a Two-Dimensional Liquid Chromatography System and a Traditional QuEChERS-LC Method with Regard to Matrix Removal and Matrix Effects in Pesticide Analysis Using Time-of-Flight Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 15005-15019.	2.4	7
190	Transfer of Pesticide Residues from Grapes (<i>Vitis vinifera</i>) into Wine – Correlation with Selected Physicochemical Properties of the Active Substances. <i>Toxics</i> , 2022, 10, 248.	1.6	7
191	Biosynthesis of ¹⁵ N-labeled cylindrospermopsin and its application as internal standard in stable isotope dilution analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 5765-5774.	1.9	6
192	Fermentation profile, cholesterol-reducing properties and chemopreventive potential of β ² -glucans from <i>Levilactobacillus brevis</i> and <i>Pediococcus clausenii</i> – a comparative study with β ² -glucans from different sources. <i>Food and Function</i> , 2021, 12, 10615-10631.	2.1	6
193	Arabinoxylan-Based Microcapsules Being Loaded with Bee Products as Bioactive Food Components Are Able to Modulate the Cell Migration and Inflammatory Response – In Vitro Study. <i>Nutrients</i> , 2022, 14, 2529.	1.7	6
194	Grain legumes and further gluten free legumes – Science, technology and impacts on human health. <i>Food Research International</i> , 2015, 76, 1-2.	2.9	5
195	Oral administration of nasturtium affects peptide YY secretion in male subjects. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1600886.	1.5	5
196	Partial fishmeal and oil substitution with a microorganism mix as an innovative diet for rainbow trout (<i>Oncorhynchus mykiss</i>) and pike-perch (<i>Sander lucioperca</i>). <i>European Food Research and Technology</i> , 2018, 244, 127-143.	1.6	5
197	Polar Lipids in Starch-Rich Commodities to be Analyzed with LC-MS-Based Metabolomics – Optimization of Ionization Parameters and High-Throughput Extraction Protocols. <i>Metabolites</i> , 2019, 9, 167.	1.3	5
198	Impacts of Fungicide Treatment and Conventional Fertilization Management on the Potato Metabolome (<i>Solanum tuberosum</i> L.) Evaluated with UPLC-IMS-QToF. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 11542-11552.	2.4	5

#	ARTICLE	IF	CITATIONS
199	Development of a targeted HPLC-ESI-QqQ-MS/MS method for the quantification of sulfolipids from a cyanobacterium, selected leafy vegetables, and a microalgae species. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 1941-1954.	1.9	5
200	Relationship between Phenolic Compounds, Antioxidant Properties, and the Allergenic Protein Mal d 1 in Different Selenium-Biofortified Apple Cultivars (<i>Malus domestica</i>). <i>Molecules</i> , 2021, 26, 2647.	1.7	5
201	Pike-Perch (<i>Sander lucioperca</i>) and Rainbow Trout (<i>Oncorhynchus mykiss</i>) Fed with an Alternative Microorganism Mix for Reducing Fish Meal and Oilâ€™ Fishesâ€™™ Growth Performances and Quality Traits. <i>Foods</i> , 2021, 10, 1799.	1.9	5
202	Selenium biofortification of different varieties of apples (<i>Malus domestica</i>) â€™ Influence on protein content and the allergenic proteins Mal d 1 and Mal d 3. <i>Food Chemistry</i> , 2021, 362, 130134.	4.2	5
203	Alteration of transthyretin microheterogeneity in serum of multiple trauma patients. <i>Biomarker Insights</i> , 2007, 2, 299-306.	1.0	5
204	Phytic Acid Content of Faba Beans (<i>Vicia faba</i>)â€™ Annual and Varietal Effects, and Influence of Organic Cultivation Practices. <i>Agronomy</i> , 2022, 12, 889.	1.3	5
205	Advanced Research on Glucosinolates in Food Products. <i>Foods</i> , 2021, 10, 3148.	1.9	5
206	Introduction to <i>Opuntia</i> spp.: Chemistry, Bioactivity and Industrial Applications. , 2021, , 3-11.		4
207	Immunological Analysis of Isothiocyanate-Modified Î±-Lactalbumin Using High-Performance Thin Layer Chromatography. <i>Molecules</i> , 2021, 26, 1842.	1.7	4
208	High-Performance Thin-Layer Chromatography-Immunostaining as a Technique for the Characterization of Whey Protein Enrichment in Edam Cheese. <i>Foods</i> , 2022, 11, 534.	1.9	4
209	Impact of Phenolic Acid Derivatives on Î²-Lactoglobulin Stabilized Oil-Water-Interfaces. <i>Food Biophysics</i> , 2022, 17, 508-522.	1.4	4
210	Alamethicin for using in bioavailability studies? â€™ Re-evaluation of its effect. <i>Toxicology in Vitro</i> , 2017, 39, 111-118.	1.1	3
211	Liver fat scores do not reflect interventional changes in liver fat content induced by high-protein diets. <i>Scientific Reports</i> , 2021, 11, 8843.	1.6	3
212	Growth and toxin production of phomopsis A and ochratoxin A forming fungi under different storage conditions in a pea (<i>Pisum sativum</i>) model system. <i>Mycotoxin Research</i> , 2022, 38, 37-50.	1.3	3
213	Alterations of Content and Composition of Individual Sulfolipids, and Change of Fatty Acids Profile of Galactolipids in Lettuce Plants (<i>Lactuca sativa</i> L.) Grown under Sulfur Nutrition. <i>Plants</i> , 2022, 11, 1342.	1.6	3
214	Development of a DNA-Based Detection Method for <i>Cocos Nucifera</i> Using TaqManâ€™,¢ Real-Time PCR. <i>Foods</i> , 2020, 9, 332.	1.9	2
215	An Alternative Approach for the Synthesis of Sulfoquinovosyldiacylglycerol. <i>Molecules</i> , 2021, 26, 4275.	1.7	2
216	Technological properties and selected safety aspects of different cuts of organic and conventional pork. <i>International Journal of Food Science and Technology</i> , 2021, 56, 6192-6203.	1.3	2

#	ARTICLE	IF	CITATIONS
217	Benzyl isothiocyanate-modified α -lactalbumin – Two-dimensional high-performance thin-layer chromatography for analyzing modified peptides. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021, 1181, 122937.	1.2	2
218	Migration von Kunststoffadditiven: Auch eine Gefahr für bioaktive Lebensmittelinhaltsstoffe?. <i>Journal Für Verbraucherschutz Und Lebensmittelsicherheit</i> , 2015, 10, 187-191.	0.5	1
219	Electrochemical Oxidation of Primary Bile Acids: A Tool for Simulating Their Oxidative Metabolism?. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2491.	1.8	1
220	Impact of experimental thermal processing of artificially contaminated pea products on ochratoxin A and phomopsis A. <i>Mycotoxin Research</i> , 2021, 37, 63-78.	1.3	1
221	Identifying Circulating Urotensin II and Urotensin II-Related Peptide-Generating Enzymes in the Human Plasma Fraction Cohn IV-4. <i>Journal of Proteome Research</i> , 2021, 20, 5368-5378.	1.8	1
222	Formation and stability of isothiocyanate protein conjugates at different pH values and bread types enriched with nasturtium (<i>Tropaeolum majus</i> L.). <i>Food Research International</i> , 2022, 158, 111492.	2.9	1
223	Mehrdimensionale Partikel-Analytik in biotechnologischen Prozessen. <i>Chemie-Ingenieur-Technik</i> , 2016, 88, 1354-1354.	0.4	0
224	Anwendung der neuen Zentrifugen-BÄrsten-Technologie für die Separation von Zellen der <i>GrÄnalgeScenedesmus obliquus</i> . <i>Chemie-Ingenieur-Technik</i> , 2016, 88, 1383-1383.	0.4	0
225	Aufdeckung von ProduktheterogenitÄten in der Bioprozesstechnik durch automatisierte Partikel-Analysen-Technologie. <i>Chemie-Ingenieur-Technik</i> , 2018, 90, 1234-1234.	0.4	0
226	Einfluss der Hochspannungsimpulstechnologie (HSI) auf die Zellphysiologie von Cyanobakterien und eukaryotischen Mikroorganismen. <i>Chemie-Ingenieur-Technik</i> , 2018, 90, 1284-1284.	0.4	0
227	Einfluss einer Selen-Biofortifikation sowie weiterer Faktoren auf antioxidative Eigenschaften verschiedener Apfelsorten. <i>Lebensmittelchemie</i> , 2019, 73, S025.	0.0	0
228	Charakterisierung der komplexbildenden Interaktionen von Proteinen und Arabinoxylanen im Roggen. <i>Lebensmittelchemie</i> , 2019, 73, S050.	0.0	0
229	Quantifizierung von Sulfolipiden in diversen pflanzlichen Matrices. <i>Lebensmittelchemie</i> , 2019, 73, S024.	0.0	0
230	Docosahexaenoic acid production from various feedstock for the application as fish feed additive. <i>Chemie-Ingenieur-Technik</i> , 2020, 92, 1174-1174.	0.4	0
231	PhytinsÄuregehalt von Ackerbohnen (<i>Vicia faba</i>) im Kontext exogener Einflussfaktoren –Projekt –DemoNetErBo™ 2016–2018. <i>Lebensmittelchemie</i> , 2021, 75, S1-005.	0.0	0
232	Untersuchung der ZusammenhÄnge molekularer Parameter und der BrotqualitÄt des Roggens. <i>Lebensmittelchemie</i> , 2021, 75, S1-068.	0.0	0
233	Einfluss der Secaline und ihren Wechselwirkungen mit anderen Inhaltsstoffen auf die BrotqualitÄt des Roggens. <i>Lebensmittelchemie</i> , 2021, 75, S098.	0.0	0
234	Untersuchung der Bildung von Benzylisothiocyanat-Getreideproteinaddukten in GemÄse-angereicherten Broten. <i>Lebensmittelchemie</i> , 2021, 75, S079.	0.0	0

#	ARTICLE	IF	CITATIONS
235	Stance4Health â€“ Ein Innovationsprojekt zur Entwicklung einer auf die Darmmikrobiota maÃŸgeschneiderten ErnÃhrung. Lebensmittelchemie, 2022, 76, .	0.0	0
236	Ãœberwachung von Fermentationsprozessen durch GaschromatographieÃ€lonenmobilitÃtsspektrometrie (GCÃ€IMS) und maschinelles Lernen. Lebensmittelchemie, 2022, 76, .	0.0	0
237	Einsatz phenolischer Verbindungen zur Reduktion der allergenen Wirkung von Milchprodukten. Lebensmittelchemie, 2022, 76, .	0.0	0
238	Charakterisierung einer Molkenproteinanreicherung in KÃse <i>Edamer Art</i> mittels HochleistungsflÃssschichtchromatographie<i>Ã€ Immunostaining</i>. Lebensmittelchemie, 2022, 76, .	0.0	0
239	Untersuchungen zum Einfluss phenolischer Verbindungen auf nichtÃenzymatische BrÃunungsreaktionen. Lebensmittelchemie, 2022, 76, .	0.0	0
240	Glucagon dysregulation in Type 2 Diabetes: A randomized double-blind dose response study. Diabetologie Und Stoffwechsel, 2022, , .	0.0	0