

# Karol

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4794551/publications.pdf>

Version: 2024-02-01

61  
papers

1,527  
citations

304602

22  
h-index

330025

37  
g-index

63  
all docs

63  
docs citations

63  
times ranked

2978  
citing authors

#	ARTICLE	IF	CITATIONS
1	Targeted Prostate Cancer Screening in BRCA1 and BRCA2 Mutation Carriers: Results from the Initial Screening Round of the IMPACT Study. <i>European Urology</i> , 2014, 66, 489-499.	0.9	195
2	Interim Results from the IMPACT Study: Evidence for Prostate-specific Antigen Screening in BRCA2 Mutation Carriers. <i>European Urology</i> , 2019, 76, 831-842.	0.9	148
3	Multifocal Primary Prostate Cancer Exhibits High Degree of Genomic Heterogeneity. <i>European Urology</i> , 2019, 75, 498-505.	0.9	108
4	Prostate Cancer Cell Lines under Hypoxia Exhibit Greater Stem-Like Properties. <i>PLoS ONE</i> , 2011, 6, e29170.	1.1	88
5	Androgen deprivation therapy for volume reduction, lower urinary tract symptom relief and quality of life improvement in patients with prostate cancer: degarelix vs goserelin plus bicalutamide. <i>BJU International</i> , 2012, 110, 1721-1728.	1.3	81
6	Tomato-based randomized controlled trial in prostate cancer patients: Effect on PSA. <i>Clinical Nutrition</i> , 2017, 36, 672-679.	2.3	65
7	Transperineal prostate biopsy detects significant cancer in patients with elevated prostate-specific antigen (PSA) levels and previous negative transrectal biopsies. <i>BJU International</i> , 2012, 110, E69-75.	1.3	58
8	A prospective prostate cancer screening programme for men with pathogenic variants in mismatch repair genes (IMPACT): initial results from an international prospective study. <i>Lancet Oncology</i> , The, 2021, 22, 1618-1631.	5.1	48
9	Can sexual bother after radical prostatectomy be predicted preoperatively? Findings from a prospective national study of the relation between sexual function, activity and bother. <i>BJU International</i> , 2012, 109, 1366-1374.	1.3	39
10	Interfocal heterogeneity challenges the clinical usefulness of molecular classification of primary prostate cancer. <i>Scientific Reports</i> , 2019, 9, 13579.	1.6	38
11	Initial management of prostate cancer: first year experience with the Norwegian National Prostate Cancer Registry. <i>BJU International</i> , 2010, 105, 805-811.	1.3	35
12	MtDNA depleted PC3 cells exhibit Warburg effect and cancer stem cell features. <i>Oncotarget</i> , 2016, 7, 40297-40313.	0.8	34
13	Regulation of Transcriptional Activity of the Murine CD40 Ligand Promoter in Response to Signals Through TCR and the Costimulatory Molecules CD28 and CD2. <i>Journal of Immunology</i> , 2001, 166, 4578-4585.	0.4	32
14	Intraductal Carcinoma of the Prostate on Diagnostic Needle Biopsy Predicts Prostate Cancer Mortality: A Population-Based Study. <i>Prostate</i> , 2017, 77, 859-865.	1.2	32
15	The prognostic value of reactive stroma on prostate needle biopsy: A population-based study. <i>Prostate</i> , 2015, 75, 662-671.	1.2	29
16	Synergistic effect of SCF and G-CSF on stem-like properties in prostate cancer cell lines. <i>Tumor Biology</i> , 2012, 33, 967-978.	0.8	28
17	Impact of a tertiary Gleason pattern 4 or 5 on clinical failure and mortality after radical prostatectomy for clinically localised prostate cancer. <i>BJU International</i> , 2012, 109, 1489-1494.	1.3	28
18	Is the clinical malignant phenotype of prostate cancer a result of a highly proliferative immune-evasive B7-3-expressing cell population?. <i>International Journal of Urology</i> , 2012, 19, 749-756.	0.5	25

#	ARTICLE	IF	CITATIONS
19	Does a surgeon's annual radical prostatectomy volume predict the risk of positive surgical margins and urinary incontinence at one-year follow-up? - Findings from a prospective national study. <i>Scandinavian Journal of Urology</i> , 2013, 47, 92-100.	0.6	25
20	Photodynamic therapy with methyl aminolevulinate for atypia/carcinoma in situ of the penis. <i>Scandinavian Journal of Urology and Nephrology</i> , 2007, 41, 507-510.	1.4	24
21	Regulation of B cell growth and differentiation via CD21 and CD40. <i>European Journal of Immunology</i> , 1996, 26, 2203-2207.	1.6	23
22	Bother problems in prostate cancer patients after curative treatment. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1067-1078.	0.8	22
23	Routine pelvic MRI using phased-array coil for detection of extraprostatic tumour extension: accuracy and clinical significance. <i>European Radiology</i> , 2013, 23, 1158-1166.	2.3	21
24	The relationship between perineural invasion, tumor grade, reactive stroma and prostate cancer-specific mortality: A clinicopathologic study on a population-based cohort. <i>Prostate</i> , 2016, 76, 207-214.	1.2	21
25	The Length of a Positive Surgical Margin Is of Prognostic Significance in Patients with Clinically Localized Prostate Cancer Treated with Radical Prostatectomy. <i>Urologia Internationalis</i> , 2014, 93, 289-295.	0.6	18
26	Diagnosis and treatment of primary signet-ring cell carcinoma of the prostate. <i>Acta Oncologica</i> , 2007, 46, 1195-1197.	0.8	16
27	Psychometric properties of the expanded prostate cancer index composite - 26 instrument in a cohort of radical prostatectomy patients: theoretical and practical examinations. <i>BMC Urology</i> , 2017, 17, 111.	0.6	16
28	High expression of SCHLAP1 in primary prostate cancer is an independent predictor of biochemical recurrence, despite substantial heterogeneity. <i>Neoplasia</i> , 2021, 23, 634-641.	2.3	16
29	Do Perceptions of Adverse Events Differ Between Patients and Physicians? Findings From a Randomized, Controlled Trial of Radical Treatment for Prostate Cancer. <i>Journal of Urology</i> , 2010, 184, 525-531.	0.2	15
30	Combining lymphovascular invasion with reactive stromal grade predicts prostate cancer mortality. <i>Prostate</i> , 2016, 76, 1088-1094.	1.2	15
31	Sentinel node procedure in low-stage/low-grade penile carcinomas. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006, 40, 204-207.	1.4	13
32	Long-term first-in-man Phase I/II study of an adjuvant dendritic cell vaccine in patients with high-risk prostate cancer after radical prostatectomy. <i>Prostate</i> , 2022, 82, 245-253.	1.2	13
33	Prostate-specific antigen velocity in a prospective prostate cancer screening study of men with genetic predisposition. <i>British Journal of Cancer</i> , 2018, 118, 266-276.	2.9	12
34	Genetic factors influencing prostate cancer risk in Norwegian men. <i>Prostate</i> , 2018, 78, 186-192.	1.2	11
35	Robot-assisted radical prostatectomy of clinical high-risk patients with prostate cancer: A controlled study of operative and short-term postoperative events. <i>Scandinavian Journal of Urology</i> , 2013, 47, 449-455.	0.6	10
36	Penile cancer in Scandinavia: Current practice and future perspectives. <i>Scandinavian Journal of Urology</i> , 2016, 50, 90-92.	0.6	10

#	ARTICLE	IF	CITATIONS
37	A comparative study of erectile function and use of erectile aids in high-risk prostate cancer patients after robot-assisted laparoscopic prostatectomy. <i>Scandinavian Journal of Urology</i> , 2015, 49, 433-439.	0.6	9
38	Vitamin D, obesity and leptin in relation to bladder cancer incidence and survival: prospective protocol study. <i>BMJ Open</i> , 2018, 8, e019309.	0.8	9
39	SHBG Is an Important Factor in Stemness Induction of Cells by DHT In Vitro and Associated with Poor Clinical Features of Prostate Carcinomas. <i>PLoS ONE</i> , 2013, 8, e70558.	1.1	8
40	Ability to Reach Orgasm in Patients With Prostate Cancer Treated With Robot-assisted Laparoscopic Prostatectomy. <i>Urology</i> , 2016, 92, 38-43.	0.5	8
41	Ten-year Mortality in Men With Nonmetastatic Prostate Cancer in Norway. <i>Urology</i> , 2017, 110, 140-147.	0.5	8
42	Clinicians' use of guidelines as illustrated by curative treatment of prostate cancer at a comprehensive cancer center. <i>Acta Oncologica</i> , 2011, 50, 408-414.	0.8	7
43	Methods for prospective studies of adverse effects as applied to prostate cancer patients treated with surgery or radiotherapy without hormones. <i>Prostate</i> , 2012, 72, 668-676.	1.2	7
44	Lifestyle associated factors and risk of urinary bladder cancer: A prospective cohort study from Norway. <i>Cancer Medicine</i> , 2020, 9, 4420-4432.	1.3	7
45	Robot-assisted laparoscopic prostatectomy in a 68-year-old patient with previous heart transplantation and pelvic irradiation. <i>Journal of Robotic Surgery</i> , 2012, 6, 81-83.	1.0	6
46	Collision tumors revealed by prospectively assessing subtype-defining molecular alterations in 904 individual prostate cancer foci. <i>JCI Insight</i> , 2022, 7, .	2.3	6
47	Uptake and intracellular transportation of a bacterial surface protein in lymphoid cells. <i>Molecular Microbiology</i> , 2002, 44, 917-934.	1.2	4
48	Blocking mtDNA Replication Upregulates the Expression of Stemness-related Genes in Prostate Cancer Cell Lines. <i>Ultrastructural Pathology</i> , 2013, 37, 258-266.	0.4	4
49	The EPIC-26 domain scores after radical prostatectomy are associated with the personality trait of neuroticism. <i>International Urology and Nephrology</i> , 2021, 53, 691-698.	0.6	4
50	Vitamin D and Vitamin D-binding protein and risk of bladder cancer: A nested case-control study in the Norwegian Janus Serum Bank Cohort. <i>Cancer Medicine</i> , 2021, 10, 4107-4116.	1.3	4
51	A cross-sectional study of current work ability after radical prostatectomy. <i>BMC Urology</i> , 2020, 20, 9.	0.6	4
52	Prediagnostic Serum 25-Hydroxyvitamin D and Mortality Among Bladder Cancer Patients in the Janus Serum Bank Cohort. <i>Clinical Epidemiology</i> , 2021, Volume 13, 801-811.	1.5	3
53	Expressed prognostic biomarkers for primary prostate cancer independent of multifocality and transcriptome heterogeneity. <i>Cancer Gene Therapy</i> , 2022, 29, 1276-1284.	2.2	3
54	Salmon Protein Hydrolysate Potentiates the Growth Inhibitory Effect of Bicalutamide on Human Prostate Cancer Cell Lines LNCaP and PC3 by Modulating Iron Homeostasis. <i>Marine Drugs</i> , 2022, 20, 228.	2.2	3

#	ARTICLE	IF	CITATIONS
55	<i>in situ</i> expression of ERG protein in the context of tumor heterogeneity identifies prostate cancer patients with inferior prognosis. <i>Molecular Oncology</i> , 2022, 16, 2810-2822.	2.1	3
56	Prostate-specific antigen doubling time subsequent to radical prostatectomy is a predictor of outcome following salvage external beam radiation therapy: A single-centre experience. <i>Scandinavian Journal of Urology</i> , 2015, 49, 218-223.	0.6	2
57	Addressing erectile dysfunction in prostate cancer survivors after radical prostatectomy. <i>Expert Review of Quality of Life in Cancer Care</i> , 2016, 1, 403-420.	0.6	2
58	Biochemical relapse in very high-risk prostate cancer after radical prostatectomy and DC-vaccine loaded with tumor RNA, hTERT, and survivin.. <i>Journal of Clinical Oncology</i> , 2020, 38, 324-324.	0.8	1
59	Re: Fibroblast Growth Factor Receptor 1 Drives the Metastatic Progression of Prostate Cancer. <i>European Urology</i> , 2022, 81, 431.	0.9	1
60	Prediagnostic Serum-25 Hydroxyvitamin D and Mortality Among Bladder Cancer Patients in the Janus Serum Bank Cohort: Answer to a Short Comment [Response to Letter]. <i>Clinical Epidemiology</i> , 2021, Volume 13, 1061-1062.	1.5	0
61	A Norwegian perspective on the Swedish national guidelines on prostate cancer for non-metastatic disease. <i>Scandinavian Journal of Urology</i> , 2022, 56, 274-276.	0.6	0